



A-163 802
Carlson

75.9

75.9

18.5

MIRRORED
SEP 17 1962

80.1

160A
T46

A/160
Buge


Schneider
#1062
62.1

20.7

7.6

2

2



T. 51N R. 5W
835
MICHAEL MED
SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08663

Priority: August 8, 1990

Maximum Diversion Rate:

0.15 CFS

Maximum Diversion Volume:

54.0 AF

This is to certify, that ROY R GUINDON
BONNIE L GUINDON

E 1876 HORSEHAVEN ST
POST FALLS ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 11, 1990; and has submitted Proof of Beneficial Use on October 29, 1991. An examination indicates that the works have a diversion capacity of .150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/31	0.15 CFS	54.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 35, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	05W	35	SWNE	18		18

Total number of acres irrigated: 18

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

RECORDED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08663

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of SEPTEMBER, 1992.

Acting for *R. Keith Higginson*, Director

SEP 17 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-08663 IN THE)
NAME OF ROY R. OR BONNIE L. GUINDON) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before October 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on October 29, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-08663 be REINSTATED and the priority advanced to August 8, 1990.

Dated this 7th day of November, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

NOT RECORDED

DEC 31 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08663

Proposed Priority: July 11, 1990 Maximum Diversion Rate: 0.40 CFS
This is to certify, that ROY R. GUINDON

BONNIE L. GUINDON
E. 1876 HORSEHAVEN ST.
POST FALLS, ID 83854

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 10/31	0.40 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE Sec. 35, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N 05W 35	SWNE 20			20


Total number of acres irrigated: 20

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

5th day of September, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Roy R. Guindon/and Bonnie L Phone 773-5605
Post office address E. 1876 Horsehaven Post Falls, Ida. 83854
2. Source of water supply ground water which is a tributary of NA
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot _____
Sec. 35 Township 51 N Range 5 W B.M. Kootenai County; additional
points of diversion if any: NONE
4. Water will be used for the following purposes:
Amount 0.4 for Irrigation purposes from 3/15 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.4 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well and pump to
sprinklers

b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity NA acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 8" inches; proposed depth of well is 200 + feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

SEP 27 1990

SEP 27 1990

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

Application

11. a. Who owns the property at the point of diversion?

Applicant

10. Describe any other water rights used for the same purposes as described above.

None

Total number of acres to be irrigated

02

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully. _____

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 27 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bernard L. Gunion
(Applicant)

RECEIVED
SEP 2 1990

Received by ST Date 7/11/90 Time 9:00 am Preliminary check by IDK
 Fee \$ 45 Received by _____ # 1000 3909 Date 7/11/90
 Publication prepared by ST Date 7/11/90 Published in IDA Q 7/14/90
 Publication approved ST Date 7/30/90
 This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____
 1. Approval of said application is subject to the following limitations and conditions:
 a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
 c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
 e. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The


Legal notice

of which the annexed is a printed copy, was published in the regular *Times* issue of said newspaper for *2* consecutive *weeks* commencing on the *19th* day of *July*, 19*90*, and ending on the *20th* day of *July*, 19*90*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Julie Jacobs

Subscribed and sworn to before me this *20th* day of *July*, 19*90*



MICROFILMED

SEP 27 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08660

GNAGY, MARION
GNAGY, SHIRLEY
7529 LINDEN AVE.
CITRUS HEIGHTS, CA 95610
Source: SPRING Tributary: SINKS
Diversion Pt: SENWNE Sec 22 T 50N R 03W

Use: IRRIGATION (.040 CFS)
IRRIGATION STORAGE (4.00 AF)
IRRIGATION FROM STORAGE (4.00 AF)
RECREATION STORAGE (4.00 AF)
Total Diversion: (.040 CFS)(4.00 AF)

Date Filed: 7/2/1990
In: T50N R03W S22 NWNE
5.0 ACRES TOTAL

95-08661

GNAGY, ROLLA A.
#1 HIDEAWAY LANE
COEUR D ALENE, ID 83814
Source: SPRING Tributary: SINKS
Diversion Pt: SWNWNE Sec 22 T 50N R 03W

Use: IRRIGATION (.040 CFS)
IRRIGATION STORAGE (4.00 AF)
IRRIGATION FROM STORAGE (4.00 AF)
RECREATION STORAGE (4.00 AF)
Total Diversion: (.040 CFS)(4.00 AF)

Date Filed: 7/2/1990
In: T50N R03W S22 NWNE SWNE
8.0 ACRES TOTAL

95-08663

GUINDON, ROY R.
GUINDON, BONNIE L.
E. 1876 HORSEHAVEN ST.
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SWNE Sec 35 T 51N R 05W
Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)

Date Filed: 7/11/1990
In: T51N R05W S35 SWNE
20.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before AUGUST 6, 1990.

R. KEITH HIGGINSON, Director
Legal 131
July 19, 26, 1990

September 15, 1992

ROY R GUINDON
BONNIE L GUINDON
E 1876 HORSEHAVEN ST
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08663

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 17 1992

August 18, 1992

ROY R GUINDON
BONNIE L GUINDON
E 1876 HORSEHAVEN ST
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08663

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 95-08663

Date 8-12-92
CS


NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance? _____
	<u>Yes</u>	<u>No</u>	Memo to Advance _____
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed? _____
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended? _____
	<u>Yes</u>	<u>No</u>	Disagree with Actual Measurement? _____
	<u>NA</u>	<u>Yes</u>	Disagree with Theoretical? <u>68 gpm = 0.15 cfs (IRR) 18 x .02 = .36</u>
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>No info on pump</u>
			<u>.15 cfs (measured)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>3-15 to 10-31</u> Per Permit Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations? _____
			<u>18 x 3.0 = 54 afa (IRR)</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow? <u>.15 x 230 x 1.9835 = 68.4 > 54</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source _____
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void. _____
P/D			Verify with Map _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration? _____
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use? _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4? _____
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses _____
	<u>Yes</u>	<u>No</u>	Special Overlap Condition _____
	<u>Yes</u>	<u>No</u>	Other _____
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device _____
	<u>Yes</u>	<u>No</u>	W/Master Control _____
	<u>Yes</u>	<u>No</u>	Overlap _____
	<u>Yes</u>	<u>No</u>	Water Quality _____
			DATES/MISC
			Water Dist. _____
			App Rec'd _____
			Exam Made _____

COMMENTS/MEMOS NEEDED: Reduced rate, acres

License 10-Day 15-Day Special Correspondence







STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 30 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08663

1. Owner: ROY R. GUINDON

Phone No. 773-25605

Current Address: E 1876 HORSEHAVEN ST POST FALLS ID-83854

2. Accompanied by: BOB GUINDON

EXAM. DATE: 5-22-92

Address: _____

Phone No. _____

Relationship to Permit Holder: BROTHER

3. Source: CW tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED

SEP 17 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

AN 8" x 254' WELL w/ 4" & 2" MAIN TO SPRINKLER SYSTEM
WHICH CONSISTS OF A NELSON BIG GUN w/ .5 NOZZLE

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<u>SUBMERSIBLE</u>					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SW	NE	35	51N	5W	KOOTENAI	MAT

6. Place(s) of Use:

Indicate Method of Determination MAT

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>51N</u>	<u>5W</u>	<u>35</u>			<u>18</u>														<u>18</u>

Do not use this space

RECEIVED

SEP 17 1992

RECEIVED

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

1.5 Nozzle @ 90 PSI = 68 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{68 \text{ gpm}}{448.8} = 0.15$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{18.5 \cancel{(3.5)}}{.15} = 6364.8$$

$$V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{245}{72.9}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 63$$

2. Volume Calculations for Other Uses:

MICROFILMED

SEP 17 1992

[illegible]


1. Recommended Amounts

Beneficial Use	Period of Use From To		Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIG-	3-15	11-15	0.15	6864.8 TDR
		Totals:	0.15	6864.8 TDR

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name W. D. KING
Signature W. D. King
Certification Date 3/20/92
Field Report Preparation Date 5-22-92



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.**

MICROFILMED

SEP 17 1992

A-75-1111
24-1-1962

75.9

③


20.7

Schmiedelley
#1062

62.1

A-100

B-100



T.51N R.5W
MICBZ MED
SEP 17 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08663

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☒ N ☒	Static Water Level:	<u>210</u>
Pressure Gauge:	Y ☒ N ☒	Casing Diameter:	<u>10</u>
Flowing:	Y ☐ N ☒	Temperature:	<u>✓</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MIDDLEBURY
SEP 17 1992

November 8, 1991

ROY R. GUINDON
BONNIE L. GUINDON
E. 1876 HORSEHAVEN ST.
POST FALLS ID 83854

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08663

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

DEC 31 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8663

Date 11-6-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
No Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. 95-91-N-33
5/91 200.00 Amt paid for drilling permit? ☒ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
100.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- No Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS


needs w.c. & D.P. OK

Proof acceptable

PRIORITY CALCULATION

Date proof received Oct 29, 1991 302
Date proof due Oct 1, 1991 - 274
No. of days late = 28
Priority date July 11, 1990 + 192
NEW PRIORITY DATE Aug 8, 1990 = 220

LB



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-8663 Telephone No. 773-5605

2. Name(s) of Permit Holder(s): Roy or Bonnie L. Guindon

3. Post Office Address: E. 1876 Horsehaven St. Post Falls, Id. 83854

4. Source of Water: Groundwater

a. If ground water, well driller's name: C J Warren & Son Drilling ^{# 436} Date drilled: May 1991

b. Pump horsepower: 15 Berkley Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 20 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.4 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$100.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

See above.

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10/29/91
Date

Bonnie L. Guindon
Signature (and title if on behalf of a company or organization)

RECEIVED
DEC 31 1991

1. WELL OWNER

Name Roy R. & Bonnie L. Guindon

Address E. 1876 Horsehaven Road

Post Falls, Id. 83854

Owner's Permit No. 95-91-N-33 95-08663

7. WATER LEVEL

Static water level 210' feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow

Artesian closed-in pressure p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature OF. Quality

Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

Discharge G.P.M. 8 1991

Pumping Level

Hours Pumped JUL 22 1991

Department of Water Resources

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal

☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

☐ Other (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary

☒ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness 3/22 inches Diameter 8 inches From 2 feet To 254 feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation inches by inches

Number From To

perforations feet feet

perforations feet feet

perforations feet feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name Houston

Type Stainless Steel Model No. 304

Diameter Slot size Set from 253 feet to 263 feet

Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel

Placed from feet to feet

Surface seal depth 52' Material used in seal: ☒ Cement grout

☒ Bentonite ☐ Puddling clay 12' ☐

Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☒ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port Installed by pump Co.

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
12	0	3	Gravel & topsoil		X
12	3	10	Gravel 2" Minus 40% Gravel 1" Minus 60%	X	X
12	10	22	Gravel 2" Minus 40%, Gravel 1" minus 50%, Silt 10%		X
12	22	38	Gravel 5" Minus 40%, Gravel 4" minus 40%, Gravel 3" Minus 20%		X
12	38	39	Boulders		X
12	39	52	Gravel 4" Minus 60%, Gravel 3" Minus 30%, Gravel 2" minus 10%	X	
8	52		Gravel 5" Minus 40%, Gravel 4" Minus 30%, Gravel 3" 30%		X
8	74	107	Boulders & 5" Minus gravel		X
8	107		Gravel 20%, Gravel 3/4" 60%		X
8	114		Sand Coarse 15%, Sand Fine 5%	X	
8			Boulder 40%, Gravel 5" 40%		
8		126	Gravel 4" 20%		X
8	126		Gravel 3/4" 40%, Gravel 1/2" 40%, Gravel 1/4" 20%		X
8	136		Gravel 6" 40%, Gravel 4" 30%		X
8	156		Gravel 2" 30%		X
8			Gravel 2" 40%, Gravel 1" 50%		
8		165	Gravel 3/4" 10%		X
8	165	176	Gravel 6" 60%, Gravel 5" 40%		X
8	176	181	Gravel 6" 60%, Gravel 4" 40%		X
8	181	207	Gravel 3" 50%, Gravel 1" 50%		X
8	207		Gravel 3/4" 60%, 1/2" 30%, Gravel 1/4" 50%		XX
8		219	Gravel 1/2" 50%, Gravel 1/8" 30%, Sand med. 20%	XX	
8	219		Gravel 3/4" 20%, Gravel 1/4" 50%, Sand Med. 30%	XX	
8	229		Gravel 1/2" 40%, Sand Med 20%		XX
8	239		Sand Coarse 40%		XX
8	250	263	Gravel 3/4" 30%, Sand 30%, Sand med. 20%, sand fine 10%	XX	

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name

Lot No. Block No. 19

County Kootenai

SW 1/4 NE 1/4 Sec. 35, T. 51N N/S, R. 5W E/W.

10. Coarse 40%, Sand med. 20%, sand fine 10%

Work started 5/1/91 finished 6/7/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name C. J. WARREN & SON Firm No. 436

DRILLING

Address S. 3005 Best Rd. Date 6/30/91

Veradale, Wa. 99037

Signed by (Firm Official)

and (Operator)

7/90

Drilling Permit No. 95-91-N-33

Water Right Permit No. 95-08663

Injection Permit No.

RECEIVED
APR 12 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

Department of Water Resources

1. Applicant (please print) Roy R. &/or Bonnie L. Guindon

2. Mailing Address E. 1876 Horsehaven St.

Post Falls, Id. 83854

Telephone 773-5605

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location SW 1/4 NE 1/4, or Gov't Lot No. _____

Sec. 35, Twp. 51N, Rge. 5W, County Kootenai County

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

☐ Injection

☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 230'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

6. Construction Start Date 4/29/91

7. Anticipated Well Driller C. J. Warren
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Bonnie L. Guindon Date 4/5/91

Title Owner

(Owner, Firm Representative, Other)

MICROFILMED
DEC 31 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approved

Date 4/5/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Robert J. Haynes

Signature of Authorized Department Representative

Regional Manager

Title

Receipt No. N 4409 Received by [signature] Fee \$200.00 Date 4/5/91

DEC 31 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

October 11, 1991

ROY R. GUINDON
BONNIE L. GUINDON
E. 1876 HORSEHAVEN ST.
POST FALLS ID 83854

LAPSE NOTICE

RE: PERMIT NO. 95-08663

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated July 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

RECEIVED

DEC 31 1991

138960

July 31, 1991

ROY R. GUINDON
BONNIE L. GUINDON
E. 1876 HORSEHAVEN ST.
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-08663

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

DEC 31 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 6, 1990

ROY R. GUINDON
BONNIE L. GUINDON
E. 1876 HORSEHAVEN ST.
POST FALLS, ID 83854

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08663

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

MICROFILMED

SEP 27 1990

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 27 1990

Application Number 95-08663

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:

☒ Notice of pending void order issued: Final date of order response. _____

☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ Protests received, Final date for protest 8/6/90

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☒ Water delivered by water master? District # _____

☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 7/11/90

Recommended by: TEK RENA Date 8/13/90

STATE OFFICE REVIEW P23 P/6 46

See remarks for additional information. By _____ Date _____

REMARKS

FORMERLY WITH POST FALLS LRB DIST

RECEIVED
AUG 15 1990

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 19, 1990

Mr. Roy R. Guindon
E. 1876 Horsehaven
Post Falls, Id. 83854

Re: 95-8663

Dear Mr. Guindon:

We received a telephone call from your son indicating that the legal notice that ran in the Coeur d'Alene Press shows your name misspelled.

The legal notice will not have to be re-advertised because of this error; however, we have contacted the Coeur d'Alene Press and the name will be corrected for the second advertising on July 26.

Sincerely,

PATRICIA M. STYPA
Secretary/Office Coordinator

MICROFILMED

SEP 27 1990



95-08663

^N
GUIDON, ROY R.
GUIDON, BONNIE L.
E. 1876 HORSEHAVEN ST.
POST FALLS, ID 83854

Source: GROUNDWATER

Diversion Pt: SWNE Sec 35 T 51N R 05W

Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)

Date Filed: 7/11/ 1990

In: T51N R05W S35 SWNE

20.0 ACRES TOTAL

MICROFILMED

SEP 27 1990