

T51N R4W



MICROFILMED

JUL 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
MAR 31 1995

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-8645 Telephone No. 208-772-2256
2. Name(s) of Permit Holder(s): William Tarnaskey, Joe Wojciechowski
3. Mailing Address: 12145 Strahorn Rd. Hayden Lake Id 83835
4. Source of Water: Ground If **GROUNDWATER** (well), Date Drilled: mo. March / yr. 90
 - a. Well Driller: H2O Well service Drilling Permit Number: 95-90-2-001
 - b. **OPTIONAL:**
Pump Horsepower: 65 Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 120 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No ☒
	Has the measuring device been installed?	Yes _____	or	No ☒
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No ☒
	Has the measurement port been installed?	Yes ☒	or	No _____
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: William Tarnaskey Telephone Number: 208-664-3101 (office)
Address: 12145 Strahorn Rd. Hayden Lake Id 83835
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(include your title, if on behalf of company or organization)

Date: 3-28-95

APR 25 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08645

Proposed Priority: February 28, 1990 Maximum Diversion Rate: 2.40 CFS

This is to certify, that JOSEPH WOJCIECHOWSKI

WILLIAM G. TARNASKY

4715 HUETTER RD.

COEUR D'ALENE, ID 83814

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	2.40 CFS
STOCKWATER	01/01 to 12/31	0.03 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	2.40 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 20, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	04W	20	NESE 20	NWSE 20	SWSE 40	
			SESE 40			120
						Total number of acres irrigated: 120

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
51N	04W	20
		NESE
		SESE

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1995**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

RECORDED

JUL 02 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 95-08645

CONDITIONS/REMARKS:

6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
8. Stockwater use is for 50 cattle and domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10th day of May, 1990.

for J. Glen Saxton
R. Keith Higginson, Director

MICROFILMED

JUL 02 1990

Ident. No. 95-08645

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WILLIAM G. TARNASKY 208-772-2256
Address: 1200 ROCKRIDGE LANE
COEUR D ALENE, ID 83814
AND/OR
Name: JOSEPH WOJCIECHOWSKI 208-664-0527
Address: 4715 HUETTER RD.
COEUR D ALENE, ID 83814

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: SESE Sec. 20, Township 51N, Range 04W
KOOTENAI County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	2.400		
STOCKWATER	01/01	12/31	0.030		
DOMESTIC	01/01	12/31	0.060		

5. Total quantity to be appropriated is:
2.400 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP & SPRINKLER SYSTEM
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 12 inches; proposed depth of well is 350
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 years.

8. Description of proposed uses:
D/2 HOMES & S/50 HEAD

MICROFILMED

JUL 02 1990

Ident. No. 95-08645

Page 2

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
51N 04W 20	NESE 20	NWSE 20	SWSE 40	120
	SESE 40			

Place of Use: DOMESTIC

TWN RGE SEC	NESE	SESE	Total number of acres irrigated:	120
51N 04W 20				

Place of Use: STOCKWATER, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.
95-02077 & 95-02082

11. a. Who owns the property at the point of diversion?

WILLIAM G. TARNASKY

b. Who owns the land to be irrigated or place of use?

APPLICANTS

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

SYSTEMS PRESENTLY SUPPLYING WATER (POST FALLS IRRIGATION DISTRICT
& UNITS WATER SYSTEM) WILL BE ABANDONED UPON THE INSTALLATION OF
THE NEW SYSTEM.

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

X William G. Tarnasky Applicant **MICROFILMED**

Received by RYA Date 2/28/90 Time 11:20 Preliminary check by TDR

Fee \$ 85.00 Receipted by RYA # N 3598 Date 2/28/90

Publication prepared by me Date 3/7/90 Published in 3/15-22/90

Publication approved me Date 3/29/90

This topographic map depicts the Hayden area, characterized by a grid of section numbers (19, 20, 21, 28, 29, 30, 31, 32, 33) and various geographical features. Key elements include:

- Infrastructure:** Hayden Ave, Prairie Ave, Meyer Road, Pole Line, and Highway 19 are shown. A large canal runs through the center, with a pumping station and several borrow pits. Storage bins are located near the center.
- Topography:** Contour lines indicate elevations ranging from 2240 to 2290 feet.
- Water Features:** A river or stream flows through the upper right portion of the map.
- Other Features:** A pipeline runs diagonally across the lower half, and a road labeled 'ATLAS' is visible on the right side.

MICROFILMED

ALL 02 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julia Jacobs

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks*, commencing on the *15th* day of *March*, 19 *90* and ending on the *22nd* day of *March*, 19 *90* and such publication was made as often during said period as said *Daily* newspaper was regularly issued.


4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julia Jacobs

Subscribed and sworn to before me this *22nd* day of *March*, 19 *90*.

Roberta Dranley

Notary Public for the State of Idaho,
Residing at Coeur d'Alene, Idaho.



RECORDED

JUL 02 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
95-08643

JORDAN, R. BRAD
2940 NETTLETON RD.
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: NESE Sec 6 T 50N R 03W
Use: IRRIGATION (.070 CFS),
STOCKWATER (.020 CFS), DOMESTIC
(.040 CFS), Total Diversion: (.110 CFS)
Date Filed: 2/21/1990
In: T50N R03W S06 NESE
2.5 ACRES TOTAL

95-08644

CHALKER, BRAD
E. 6715 HAYDEN AVE
RATHDRUM, ID 83852
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 17 T 51N R 04W
Use: IRRIGATION (.160 CFS),
DOMESTIC (.040 CFS), Total Diversion:
(.200 CFS)
Date Filed: 2/28/1990
In: T51N R04W S17 SWSE
8.0 ACRES TOTAL

95-08645

TARNASKY, WILLIAM G.
WOJCIECHOWSKI, JOSEPH
1200 ROCKRIDGE LANE
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SESE Sec 20 T 51N R 04W
Use: IRRIGATION (2.400 CFS),
STOCKWATER (.030 CFS), DOMESTIC
(.060 CFS), Total Diversion: (2.400 CFS)
Date Filed: 2/28/1990
In: T51N R04W S20 NESE NWSE SWSE
SESE
120.0 ACRES TOTAL

96-08588

BOCKSTRUCK, STEVE
BOCKSTRUCK, ROXZENE
E. 14900 TWEET RD.
ATHOL, ID 83501
Source: BAKER CREEK Tributary:
SINKS
Diversion Pt: NWNENW Sec 21 T 53N R 02W
Use: IRRIGATION (.080 CFS),
STOCKWATER (.020 CFS), DOMESTIC
(.040 CFS), Total Diversion: (.120 CFS)
Date Filed: 2/28/1990
In: T53N R02W S21 NENW
4.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before APRIL 2, 1990.

R. KEITH HIGGINSON, Director

Legal 519
March 15, 22, 1990

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08645 Reviewed by [Signature] Date 4-21-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 95-90-2-0001
100.00 Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100.00 Amount Submitted
no Correct?
yes Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 12145 Straborn Rd. Proof Made 3-31-95
Hayden Lake, Id. 83835



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 24, 1995

JOSEPH WOJCIECHOWSKI
WILLIAM G TARNASKY
12145 STRAHORN RD
HAYDEN LAKE ID 83835

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08645

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

APR 25 1995

February 28, 1995

WILLIAM G. TARNASKY
JOSEPH WOJCIECHOWSKI
4715 HUETTER RD.
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08645

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. P 95-08645 Joseph Wojciechowski
Name(s) of Permit Holder(s): William G. Tarnas
Post Office Address: 4715 Haecker Road
Coeur d'Alene, ID 83814 Tel. No. 772-2256

☒ I hereby certify that construction of diversion works for the above referenced permit began on 3-27-91 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

APR 25 1995

*Note: A financing difficulty is not an acceptable reason.

4-8-91
Date

William G. Tarnas
Signature of Permit Holder

William Tarnasky
1700 Rockledge Lane
Coeur d'Alene, Id 83814



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



RECEIVED
APR 11 1991

Department of Water Resources

Madam Pcn

APR 25 1995

STATE OF IDAHO
DEPT. OF WATER RESOURCES
1301 N. ORCHARD
BOISE, IDAHO 83706


RETURN TO
ATTENDED, NOT KNOWN

William G. Tarnasky
Joseph Wojciechowski
4715 Huetter Rd.
Coeur d'Alene, ID 83814

RECEIVED

JUL 02 1990

RECEIVED
MAY 22 1990

Department of Water Resources

1200 Rockridge Rd.
Coeur d'Alene 83814

Resent
5/23/90

JS

9/89

Drilling Permit No. 95-90-2-001Water Right Permit No. 95-8645

Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

1. Applicant William G Tarnasky
2. Mailing Address 1200 Rockridge Lane
Coeur d'Alene ID 83814 Telephone 208 772-2256
(X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 20, Twp. 51N, Rge. 4W, County Kootenai,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
() Single family or stockwater use (less than 13,000 gallons per day)
(X) Irrigation (more than 1/2 acre)
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
() Other (describe fully) _____
5. Well construction information:
A. (X) New well () Deepen () Replace - See Condition 9.
B. Proposed surface diameter 12 Maximum depth 350
C. Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Construction Start Date _____
7. Anticipated Well Driller Unknown
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature _____ Date _____
X Title William G Tarnasky
(Owner, Firm Representative, Other)

MICROFILMED

JUL 02 1990

APR 17 1990

Department of Water Resources

ION OF DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED** Date May 10, 1990

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Lotwick Res. by: M.B. Jiff
Signature of Authorized Department Representative

Groundwater Protection Section
Title

Receipt No. N 3598 Received by RJA Fee 100.00 Date 2/28/90

EXTENSION OF DRILLING PERMIT

MICROFILMED

Extension approved by _____ Approval Date JUL 02 1990

This extension is good for 60 days beyond the above extension approval date.

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 11, 1990

WILLIAM G. TARNASKY
JOSEPH WOJCIECHOWSKI
4715 HUETTER RD.
COEUR D ALENE, ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P95-08645

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

JUL 02 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TEK DATE: 2/28/90 APPLICATION: 95-08645

APPLICANT: TARNASKY

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
 - (2). ☒ Source: (See USGS Quad for names of water sources)
 - (3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
 - (4). ☒ Quantity: (flow and/or volume)
 - ☒ Nature of proposed use: (Include description of use)
 - ☒ Period of use:
 - (5). ☒ Total Quantity: (flow and/or volume)
 - (6). ☒ Description of diverting works:
 - (7). ☒ Time required for beneficial use of water:
 - (8). ☒ Proposed uses:
 - (9). ☒ Place of use or acres irrigated:
 - (10). ☒ Other Water Rights:
 - (11). ☒ Ownership:
 - (13). ☒ Map:
 - ☒ Signature: (signator title required for corp., partnership, etc)
 - ☒ Fee: (Amount, receipt number and date recorded on application)
 - ☒ Acknowledgement Letter:
 - ☒ Overlap Review: Attachment ? (Y) ☐ (N) ☒
- (Describe source & relationship to present application in remarks).

ADDITIONAL INFORMATION

YES NO

- ☒ Field check required: Field check by: _____
- ☒ Field report attached:
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ Send dam safety information:
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Power efficiency form:
- ☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet.)
- ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

PROCESSING

YES NO

- ☒ In form for advertising:
- ☒ Statewide advertising:

Send Copies To

YES NO

- ☒ I.D. Health and Welfare
- ☒ I.D. Fish and Game
- ☒ I.D. Lands
- ☒ Adjudication Bureau

YES NO

- ☒ U.S. BLM
- ☒ U.S. Forest Svc.
- ☒ Water District # _____
- ☒ Other _____

RECEIVED
APR 17 1990
Department of Water Resources

FOLLOWING INFORMATION REQUESTED FROM APPLICANT

Item	Date Requested
_____	_____
_____	_____
_____	_____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 4/2/90
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information

Recommended Date of Priority 2/28/90 ✓
 Recommended by: TDK PWA Date 4/12/90

STATE OFFICE REVIEW P23, P99, P103, P17 46 26 04 01G

See remarks for additional information. By KW Date 4-24-90

REMARKS

Process drilling permit too!
OK to allow 5 yrs. to develop

95-08645

TARNASKY, WILLIAM G.
WOJCIECHOWSKI, JOSEPH
1200 ROCKRIDGE LANE
COEUR D ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: SESE Sec 20 T 51N R 04W

Use: IRRIGATION (2.400 CFS)
STOCKWATER (.030 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (2.400 CFS)

Date Filed: 2/28/1990

In: T51N R04W S20 NESE NWSE SWSE SESE

120.0 ACRES TOTAL

MICROFILMED

JUL 02 1990