







$$\text{Index: } \text{No.} \cdot \text{DOY} - 06 - 2 - 1 = 0 - 0000$$

I, John W. House, do hereby certify that I am a Registered Land Surveyor, licensed by the State of Idaho, and that this map has been prepared from an actual survey made on the ground under my direct supervision, and that this map is an accurate representation of said survey.



0 20 50 100
SCALE IN FEET

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # _____

P H O T O G R A P H S



MICROFILMED

SEP 17 1992



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08643

Priority: February 21, 1990

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

6.6 AF

This is to certify, that R BRAD JORDAN
2940 NETTLETON RD
COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 21, 1990; and has submitted Proof of Beneficial Use on May 29, 1991. An examination indicates that the works have a diversion capacity of .080 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.08 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 6, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	03W	6	NESE	2		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08643

CONDITIONS/REMARKS:

6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of SEPTEMBER, 1992

Acting for *Norman C. Young*
R. Keith Higginson, Director

RECEIVED

SEP 17 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08643

Proposed Priority: February 21, 1990 Maximum Diversion Rate: 0.11 CFS

This is to certify, that R. BRAD JORDAN

2940 NETTLETON RD.

COEUR D'ALENE, ID 83814

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.07 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.11 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 6, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N 03W 6	NESE 2.5			2.5
	Total number of acres irrigated:			2.5

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Stockwater use is for 1 cow and 40 chickens, and domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

9th day of May, 1990

MICROFILMED

JUL 02 1990

for *[Signature]*
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant R. BRAD JORDAN Phone 664-4400

Post office address 2940 NETTLETON ROAD, COEUR D'ALENE, ID
83814

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NE 1/4 of SE 1/4, Govt. Lot _____

Sec. 6 Township 50N Range 3W B.M. KOOTENAI County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.07 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for STOCK WATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .11 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 185 feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUL 02 1990

a. Hydropower; show total feet of head and proposed capacity in KW.

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other; describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.

2.5

10. Describe any other water rights used for the same purposes as described above.

None

11. a. Who owns the property at the point of diversion?


Application

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

12. Remarks: LATER TO BE USED ON PAPER 1 & 2 ONLY.



NOTE: This drawing does not attempt to show all of the physical features of the property.


Client:	
David Jordan	
Served by:	
John W. Howe	
Greg Smith	

RECORD OF SURVEY NE 1/4 SE 1/4, SEC. 6, T50N, R3W, B.M. KOOTENAI COUNTY, ID	
JUB ENGINEERS, INC. Engineers Surveyors Planners Care of Albee Idaho	REG. 0001 EX. 0005 EX. 0001 EX. 0001 EX. 0001



CERTIFICATE OF SURVEYOR

I, John W. Howe, do hereby certify that I am a Registered Land Surveyor, licensed by the State of Idaho, and that this map has been prepared from an actual survey made on the ground under my direct supervision, and that this map is an accurate representation of said survey.



MICROFILMED

JUL 02 1990

BASIS OF BEARING ~ Magnetic Record of Survey, Book 3
 Pg. 205 - S. 1/4 of T4S R6E

SCALE IN FEET
 0 25 50 100

North Arrow: N

50N 6 0 P.D. 2
P.L.
3W

MICROFILMED
JUL 02 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

R.B. [Signature]
(Applicant)

RECEIVED

JUL 02 1990

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved _____ Date _____

Publication prepared by _____ Date _____

Fee \$ 30.00 Received by Kew # A-3584 Date 8/8/90

Preliminary check by DK Time 3:45 Date 8/21/90

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Julia Jacobs

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *15th* day of *March*, 19 *90* and ending on the *22nd* day of *March*, 19 *90* and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julia Jacobs

Subscribed and sworn to before me this *22nd* day of *March*, 19 *90*.

Roberta Zmanly

Notary Public for the State of Idaho,
Residing at Coeur d'Alene, Idaho.

RECORDED

RECEIVED

JUL 02 1990

MAR 23 1990

NORTHERN REGION
IDWR

2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08643

JORDAN, R. BRAD
2940 NETTLETON RD.
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: NESE Sec 6 T 50N R 03W
Use: IRRIGATION (.070 CFS),
STOCKWATER (.020 CFS), DOMESTIC
(.040 CFS), Total Diversion: (.110 CFS)
Date Filed: 2/21/1990
In: T50N R03W S06 NESE
2.5 ACRES TOTAL

95-08644

CHALKER, BRAD
E. 6715 HAYDEN AVE
RATHDRUM, ID 83853
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 17 T 51N R
04W
Use: IRRIGATION (.160 CFS),
DOMESTIC (.040 CFS), Total Diversion:
(.200 CFS)
Date Filed: 2/28/1990
In: T51N R04W S17 SWSE
8.0 ACRES TOTAL

95-08645

TARNASKY, WILLIAM G.
WOJCIECHOWSKI, JOSEPH
1200 ROCKRIDGE LANE
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SESE Sec 20 T 51N R 04W
Use: IRRIGATION (2.400 CFS),
STOCKWATER (.030 CFS), DOMESTIC
(.060 CFS), Total Diversion: (2.400 CFS)
Date Filed: 2/28/1990
In: T51N R04W S20 NESE NWSE SWSE
SESE
120.0 ACRES TOTAL

96-08588

BOCKSTRUCK, STEVE
BOCKSTRUCK, ROXZENE
E. 14900 TWEET RD.
ATHOL, ID 83501
Source: BAKER CREEK Tributary:
SINKS
Diversion Pt: NWNENW Sec 21 T 53N R
02W
Use: IRRIGATION (.080 CFS),
STOCKWATER (.020 CFS), DOMESTIC
(.040 CFS), Total Diversion: (.120 CFS)
Date Filed: 2/28/1990
In: T53N R02W S21 NENW
4.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before APRIL 2, 1990.

R. KEITH HIGGINSON, Director
Legal 519
March 15, 22, 1990

September 15, 1992

R BRAD JORDAN
2940 NETTLETON RD
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08643

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED
SEP 17 1992

August 18, 1992

R BRAD JORDAN
2940 NETTLETON RD
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08643

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MISSOURI MED
SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 95-08643

Date 8-12-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			<u>2x.03=.06 cfs (IRR) .04 cfs (DOM)</u>
	☒	☐	Disagree with Theoretical? <u>3x8.8x.7=.079</u>
	☒	☐	Limited by Capacity? <u>.08 cfs 140' + (2.31x40)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
	☒	☐	<u>Same Per Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			<u>2x3.0 = 6.0 afa (IRR) .6 afa (DOM)</u>
	☐	☒	Limited by Flow? <u>.06x245x1.9835=29.2 > 6.0</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended source</u>
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? <u>Drop STOCK</u>
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/1 Home</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R49</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acce, rate, uses</u>		
	<u>130' is static water level / Used 140' as minimum</u>		
	<u>dynamic level / No ^{or measurement} pressure gauge - use 40 psi as</u>		
	<u>low end DOM estimate</u>		
License	☐	☒	10-Day
	☐	☐	15-Day
	☐	☐	Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/12/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	R BRAD JORDAN 2940 NETTLETON RD COEUR D ALENE ID 83814 (208) 664-4400	02/21/1990	IRRIGATION DOMESTIC	03-15 11-15 01-01 12-31	0.06 CFS 0.04 CFS	6.0 AFA 0.6 AFA
TOTAL DIVERSION:					0.08 CFS	6.6 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.08 CFS

Point(s) of Diversion: T50N R03W S06 NE SE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	SUM
50N	03W	6	:				:				:	02			:	2.0
TOTAL ACRES																2.0

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Other Water Rights with Same Point(s) of Diversion and Source:
95-08283 95-08643 95-08720

Other Water Rights Listing Overlapping Place(s) of use:
95-02049 95-08643 95-08720 E95-08643

Conditions of Approval:

- R49 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 3.0 afa per acre for the
- lands above.

Remarks: Domestic use is for 1 home.

Dates: App. Received: 02/21/1990 Priority Date: 02/21/1990
Proof Due Date: 06/01/1991 Proof Made Date: 05/29/1991
Exam Made Date: 09/23/1991 Exam Sent to S.O.: 07/24/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Audit: 08/12/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 27 1992
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 95-08643
1. Owner: R. BRAD JORDAN Phone No. 664-4400
Current Address: 2940 Nettleton Rd. Coeur d'Alene, ID 83814
2. Accompanied by: SAME EXAM. DATE: 9/23/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
SEP 17 1992

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A six inch x 185 ft well W/SW @ 130', buried tire to
two bladder type pressure tanks then to home & risers
equipped w/ 4 vinyl hoses & sprinklers

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	.	3			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS *None* ☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{8.8(3)70}{2.3(20)+130} = 0.10 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres}^2 \text{ Irrigated}) \times (\text{Irrigation Requirement})^3 = 7.0$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 7.0$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.0$

2. Volume Calculations for Other Uses:

None 1.2

MICROFILMED
SEP 17 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No stockwater use found
 there are been currently two homes on system
 one is temporary according to Mr. Jordan

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	0.06	7.0
Domestic	1-1	12-31	0.04	1.2
Totals:			0.10	8.2

2. Recommended Amendments


- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above


- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name: Tom C. King
 Signature: [Signature]
 Certification Date: 4/10/91
 Field Report Preparation Date: 9/23/91


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.





MISSOURI

SEP 17 1992



NOTE: This drawing does not attempt to show all of the physical features of the property.

Client:	Brook Jordan
Surveyed by:	John W. Howe
Drawn by:	Greg Smith

JUB

RECORD OF SURVEY

NE 1/4 SE 1/4, SEC. 6, T50N, R3W, B.M.

KOOTENAI COUNTY, ID

JUB ENGINEERS, INC.

Engineers Surveyors Planners

Center of Mass

Idaho

Scale: 1" = 200'


North Arrow

CERTIFICATE OF SURVEYOR


I, John W. Howe, do hereby certify that I am a Registered Land Surveyor, licensed by the State of Idaho, and that this map has been prepared from an actual survey made on the ground under my direct supervision, and that this map is an accurate representation of said survey.

JOHN W. HOWE
632
Licenses No.

- LEGEND**
- Found rebar, 1/2 in. diam.
 - Found iron pipe
 - Found iron pipe w/ brass cap
 - Set rebar, 5/8 in. diam., 30 in. long, w/ plastic cap end.
 - L.S. 832
 - Calculated Point
 - Gas Easement Limit



BASIS OF BEARING - Measured Record of Survey, Book 3, Page 205 - S. 1/4 of T. 50 N.



SEP 17 1992

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-8643

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ 1/4 _____ 1/4 Gov. Lot _____

2. Owner: _____

Address: _____

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☒ N ☐ Static Water Level: 130
Pressure Gauge: Y ☐ N ☒ Casing Diameter: 6"
Flowing: Y ☐ N ☒ Temperature: ✓

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MICROFILMED


SEP 17 1992

95-8643

PERMIT # _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



June 13, 1991

R. BRAD JORDAN
2940 NETTLETON RD.
COEUR D ALENE, ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08643

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.


If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
OCT 07 1991



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-8643 Telephone No. 664-4400

2. Name(s) of Permit Holder(s): R. Brad Jordan

3. Post Office Address: 2940 Nettleton Rd. Coeur d'Alene, Id. 83814

4. Source of Water: Groundwater

a. If ground water, well driller's name: Associated Well Drillers Date drilled: 1985

b. Pump horsepower: 3 HP Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households) Irrigation 2.5 (No. of acres)

Stockwater 1 cow (No. and type of stock) Other _____
40 chickens

6. Total rate and/or volume for which proof is submitted .11 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Same as above.
Name

Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 5/29/91

Signature [signature] (and title if on behalf of a company or organization)

OCT 07 1991

* Complicated directions to get to house - call owner before doing work.

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8643

Date 6-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
1985 ☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

138352
March 31, 1991

R. BRAD JORDAN
2940 NETTLETON RD.
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08643

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

OCT 07 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 10, 1990

R. BRAD JORDAN
2940 NETTLETON RD.
COEUR D ALENE, ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P95-08643

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 02 1990

4/87-8/89 n

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: IDA DATE: 2/22/90 APPLICATION: 95-8643

APPLICANT: JORDAN

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). ☒ Source: (See USGS Quad for names of water sources)
- (3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
- (4). ☒ Quantity: (flow and/or volume)
- ☒ Nature of proposed use: (Include description of use)
- ☒ Period of use:
- (5). ☒ Total Quantity: (flow and/or volume)
- (6). ☒ Description of diverting works:
- (7). ☒ Time required for beneficial use of water:
- (8). ☒ Proposed uses:
- (9). ☒ Place of use or acres irrigated:
- (10). ☒ Other Water Rights:
- (11). ☒ Ownership:
- (13). ☒ Map:
- ☒ Signature: (signator title required for corp., partnership, etc)
- ☒ Fee: (Amount, receipt number and date recorded on application)
- ☒ Acknowledgement Letter:
- ☐ Overlap Review: Attachment ? (Y) ☐ (N) ☐
- ☐ (Describe source & relationship to present application in remarks).

ADDITIONAL INFORMATION

YES NO

- ☐ ☒ Field check required: Field check by: _____
- ☐ ☒ Field report attached:
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ Send dam safety information:
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Power efficiency form:
- ☐ ☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet.)
- ☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

PROCESSING

YES NO

- ☒ ☐ In form for advertising:
- ☐ ☒ Statewide advertising:


Send Copies To

YES NO

- ☐ ☒ I.D. Health and Welfare
- ☐ ☒ I.D. Fish and Game
- ☐ ☒ I.D. Lands
- ☐ ☒ Adjudication Bureau

YES NO

- ☐ ☒ U.S. BLM
- ☐ ☒ U.S. Forest Svc.
- ☐ ☒ Water District # _____
- ☐ ☒ Other _____



Item

YES NO

☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application: _____
 ✓ Protests received, Final date for protest 4/2/90
 ✓ Protests, dates, resolution of protest recorded on application: _____
 ✓ Recommendations attached: _____
 ✓ Measuring device required: _____
 ✓ Measuring port required: _____
 ○ Water delivered by water master? District # _____
 Special conditions of approval or cover letter: (see additional info. below)
 See Below For Additional Information

Recommended Date of Priority 2/21/90 ✓
Recommended by: TRK DEA Date 4/12/90

STATE OFFICE REVIEW P23 P16 46

See remarks for additional information. By KW Date 4-24-90

REMARKS

OVERLAP REVIEW ~ 9508283 NEAR-RY WELL

Job H 150

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN.

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

March 14, 1990

R. Brad Jordan
2940 Nettelton Rd.
Coeur d'Alene, Id. 83814

Re: Water Appropriation Application # 96-08589

Dear Applicant:

The Idaho Department of Water Resources acknowledges receipt of your Application For Permit To appropriate the Public Waters Of The State Of Idaho and have assigned to it the above referenced number. To assist us in providing you with prompt, accurate service, please refer to this number in all future matters concerning this application.


Your application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise, where departmental staff will conduct a more in depth review of the application, to determine if there is a need for further information that will facilitate the Directors decision on the application. You will be notified by mail of this decision.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

MICROFILMED

JUL 02 1990

95-08643

JORDAN, R. BRAD
2940 NETTLETON RD.
COEUR D ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: NESE Sec 6 T 50N R 03W

Use: IRRIGATION	(.070 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.110 CFS)

Date Filed: 2/21/1990

In: T50N R03W S06 NESE

2.5 ACRES TOTAL

MICROFILMED

JUL 02 1990