







958624

5293
47'30"
MICROFILMED


DEC 15 1992

sec 25 T. 52 N. R. 5 W.

PERMIT # _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



RECEIVED

DEC 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08624

Priority: June 29, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that SYDNIE J HANSEN
JAN M HANSEN

N 1000 SPRING CREEK RD

RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1989; and has submitted Proof of Beneficial Use on October 29, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 25, Township 52N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 05W 25

SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.

RECORDED


DEC 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08624

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th
day of SEPTEMBER, 1992.

Acting for 
R. Keith Higginson, Director

DEC 15 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08624

Proposed Priority: June 29, 1989

Maximum Diversion Rate:

0.07 CFS

This is to certify, that **SYDNE J. HANSEN**
JAN M. HANSEN
N. 1000 SPRING CREEK RD.
RATHDRUM, ID 83858

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNE Sec. 25, Township 52N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N 05W 25	SENE 1			1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1990.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10th day of October, 1989.

RECORDED

NOV 24 1989

[Signature]
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JAN M. HANSEN 208-687-1275
Address: N. 1000 SPRING CREEK RD.
RATHDRUM, ID 83858

AND/OR
Name: SYDNIE J. HANSEN 208-687-1275
Address: N. 1000 SPRING CREEK RD.
RATHDRUM, ID 83858

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
52N	05W	25	SW NE		KOOTENAI

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	03/15	11/15		0.030	
DOMESTIC	01/01	12/31		0.040	

5. Total quantity appropriated is:
0.070 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL & PUMP
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 300
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

RECORDED

NOV 24 1985

8. Description of proposed uses:
D/1 HOME

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
52N	05W	25	SE NE		IRR	1.0
Total Section Acres						1.0
Total Acres						1.0

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
LYNN PURCELL
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
WRITTEN EASEMENT

12. Remarks:


13. Map of proposed point of diversion and place of use attached? [x]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

MICROFILMED

NOV 24 1989



Ident. No. 95-08624
Page 3

Received by WJA Date 6/29/89 Time 11:30 AM Preliminary check by JK

Fee \$ 3000 Receipted by WJA # N3128 Date 6/29/89

Publication prepared by WJA Date 7/12/89 Published in Criminal Justice
7/20 & 7/89

Publication approved WJA Date 7/29/89

MICROFILMED

NOV 24 1989

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Donna Higgins

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *notice*

of which the annexed is a printed copy, was published in the regular *Tuesday* issue of said newspaper for *2* consecutive *weeks* commencing on the *20* day of *July*, 1989, and ending on the *27* day of *July*, 1989, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Donna Higgins

Subscribed and sworn to before me this *27* day of *July*, 1989.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *2-3-93*

LEADER

NOTICE OF APPLICATION
FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08624
HANSEN, JAN M.
HANSEN, SYDNE J.
N. 1000 SPRING CREEK RD.
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversion Pt: SWNE Sec 25 T 52N R 05W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Date Filed: 6/29/1989
In: T52N R05W S25 SENE
1.0 ACRES TOTAL

95-08625
CARLSON, RONNIE E.
CARLSON, BONNIE J.
13621 E. MISSION ST.
SPOKANE, WA 99218
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 3 (SENW) Sec 35 T
50N R 04W
Use: IRRIGATION (.030 CFS)
Date Filed: 6/30/1989
In: T50N R04W S35 Lot 3 (SENW)
1.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before AUGUST 7, 1989.
R. KEITH HIGGINSON, Director
Legal 424
July 20, 27, 1989

JUL 26 1989

NOTARY PUBLIC
IDaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 2, 1992

SYDNIE J HANSEN
JAN M HANSEN
N 1000 SPRING CREEK RD
RATHDRUM ID 83858

RECEIVED

OCT 16 1992

Department of Water Resources

RE: WATER RIGHT NO. 95-08624

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08624

Priority: June 29, 1989

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that SYDNIE J HANSEN
JAN M HANSEN

N 1000 SPRING CREEK RD
RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1989; and has submitted Proof of Beneficial Use on October 29, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 25, Township 52N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

52N 05W 25 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 95-08624

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th
day of SEPTEMBER, 1972.

Acting for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 NORTH ORCHARD STREET
BOISE, IDAHO 83706-2237



95-08624
SYDNE J HANSEN
N 1000 SPRING CREEK DR
RATHDRUM

RETURN TO SENDER
FORWARDING ORDER EXPIRED
DATE 10-19 CARRIER 4

October 2, 1992

SYDNIE J HANSEN
JAN M HANSEN
N 1000 SPRING CREEK RD
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08624

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

DEC 5 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

100 North Orchard Street
Boise, Idaho 83706-2237

RETURN TO SENDER
FORWARDING ORDER EXPIRED
DATE 8-24 CARRIER 1

DEC 15 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

August 19, 1992

RECEIVED

AUG 26 1992

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

Department of Water Resources

SYDNIE J HANSEN
JAN M HANSEN
N 1000 SPRINGCREEK RD
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08624

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

The field exam revealed Conrad Renberg as the new owner of the property. To reflect current ownership on the license, an 'Assignment of Permit' form must be filed. I have enclosed a partially completed 'Assignment of Permit' form for your convenience. Please return the completed form within the 10 day period. If the form is not returned within 10 days, the license will be issued as presented on the draft license.

If you have any questions, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

cc: Conrad Renberg

WATER RIGHT NO. 95-08624

Priority: June 29, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that SYDNIE J HANSEN
JAN M HANSEN

N 1000 SPRING CREEK RD

RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1989; and has submitted Proof of Beneficial Use on October 29, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 25, Township 52N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 05W 25

SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.

PAGE 2

WATER RIGHT NO. 95-08624

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this _____
day of _____, 19____.

R. Keith Higginson, Director

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

I, Sydney J. &/or Jan M. Hansen, hereby assign to Conrad Renberg
of N. 1000 Springcreek Rd, Rathdrum, ID 83858
Address

All my right, title, and interest in and to Permit No. 95-08624
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

Made this _____ day of _____, 19____.

Permit Holder

Spouse of Permit Holder

State of Idaho)
County of _____) ss

On this _____ day of _____, 19____, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

s e a l

Notary Public residing at

My commission expires:

August 19, 1992

SYDNIE J HANSEN
JAN M HANSEN
N 1000 SPRINGCREEK RD
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08624

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

The field exam revealed Conrad Renberg as the new owner of the property. To reflect current ownership on the license, an 'Assignment of Permit' form must be filed. I have enclosed a partially completed 'Assignment of Permit' form for your convenience. Please return the completed form within the 10 day period. If the form is not returned within 10 days, the license will be issued as presented on the draft license.

If you have any questions, please feel free to contact me.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

cc: Conrad Renberg

RECORDED
DEC 15 1992

LICENSE REVIEW CHECKLIST

Permit # 95-08624

Date 8-12-92
28

	Yes	No	
NAME	☐	☒	Address Change? <u>New Owner/No assignment</u>
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☐	☒	<u>.04 cfs (DOM)</u>
	☐	☒	Disagree with Theoretical? <u>No pump info</u>
	☐	☒	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	<u>1.2 afa (DOM)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? <u>Drop IRR</u>
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>DOM / Home</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device _____ DATES/MISC _____
	☐	☒	W/Master Control _____ ☒ Water Dist.
	☐	☒	Overlap _____ ☒ App Rec'd
	☐	☒	Water Quality _____ ☒ Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Rate, Aarca uses</u>		
	<u>Not enough info to complete HP equation</u>		

License 10-Day ☒ 15-Day ☐ Special Correspondence _____

Special P: ☒ Note new owner of property

☐ Enclose partially prepared assignment for your convenience.

DATE: 08/12/92
PAGE: 1

Audit: 08/12/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 27 1992
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08624
1. Owner: Jon Hansen Phone No. 687-1275
Current Address: N 1000 Spring Cr. Rd. Rathdrum ID 83858
2. Accompanied by: NONE EXAM. DATE: 3/3/92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Home
g-1-1-□
Well

RECEIVED
DEC 15 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3.

Narrative: Description (As operating condition) of measurement. Indicate pressure, number of sprinkler(s).

A six inch x ~~four~~ four ft well w/ 5 W.C. @ 20 ft
a submersible pump and a buried pipeline
to home

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		DNK			

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

DEC 1 2 1969

Do not use this space

D. FLOW MEASUREMENTS

NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

ONE HOME

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

ONE HOME

RECORDED

DEC 15 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NEW OWNER
CONRAD REIBERG
N. 1000th Spruce Rd
Rathdrum, ID 83858
687-1576

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afy)
DOMESTIC	1-1 12-31	0.04	1.2
Totals:		0.04	1.2

2. Recommended Amendments


- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☒ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom D. King
Signature Tom D. King
Certification Date 4-2-92
Field Report Preparation Date 4-2-92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



958624

5293
47'30"

REPRODUCED

DEC 15 1982



sec 25 T.52N. R.5W

5297

PERMIT # _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



RECEIVED

DEC 15 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08624

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☐ N ☒	Static Water Level:	<u>28</u>
Pressure Gauge:	Y ☐ N ☒	Casing Diameter:	_____
Flowing:	Y ☐ N ☒	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : WELL LOG ERRONEOUSLY

LIES T52N R5W NW NE SEC 36

RECEIVED

1015 1992

1. WELL OWNER O. Earl Hansen
Name Rathbun Hills
Address Rathbun Ida
Owner's Permit No. _____

Static water level 25 feet below land-surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

☐ Pump ☐ Bailer ☒ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
2.5	300	14R

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
	0	7	TOP SOIL		-
	7	36	DECOMPOSED GRANITE		-
	36	84	GRANITE-FORM SLIPS DECOMPOSED		-
	84	105	" DECOMPOSED	-	
	105	137	" FIRM		-
	137	148	" UNCOMPRESSED	-	
	148	326	" HARD DRY		-

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>2 7/8</u> inches	<u>6</u> inches	<u>1</u> feet	<u>37</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 37 Material used in seal: ☐ Cement grout ☐ Puddling clay ☒ Well cuttings


Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

☒ Sketch map location must agree with written location.



Subdivision Name

Lot No. _____ Block No. _____

County

144 1/4 NE 1/4 Sec. 36, T. 52, N/S, R. 5 E/W.

Work started 1-13-79 finished 1-17-79

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name BROWN & WATERKELLS Firm No. 259

Address 1411 Starbuck Ridge Rd Date 1-17-79

Signed by (Firm Official) *J. M. ...*

and
(Operator) *Location location*

DEC 15 1992

November 23, 1990

SYDNIE J. HANSEN
JAN M. HANSEN
N. 1000 SPRING CREEK RD.
RATHDRUM, ID 83858

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08624

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8624

Date: 11-7-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change If yes, prepare a data entry
y Proof received timely
Reinstated

Source of Water:

y Surface water
y Groundwater
NA 1. well log in file
NA 2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested


Remarks:

*Well drilled in 1979
Proof acceptable*

NA Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	"

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



For Office Use Only
Amt. of Fee \$ N/A
Date _____
Receipt No. _____
Received by _____

RECEIVED
NOV 1 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08624 Telephone No. 687-1275

Name(s) of Permit Holder(s) SYDNE J. HANSEN / JAN M. HANSEN

Post Office Address: N. 1000 SPRING CREEK RD RATHDRUM, ID 83858

Source of Water: GROUNDWATER

If ground water, well driller's name: BRAND X Date drilled: 1-17-79

Extent of Use:
Domestic 1 (No. of households) Irrigation 1 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 9/8/79

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

SEE ABOVE

Name

Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 18 1990

Date

Signature (and title if on behalf of a company or organization)

138412
August 31, 1990

SYDNIE J. HANSEN
JAN M. HANSEN
N. 1000 SPRING CREEK RD.
RATHDRUM, ID 83858

PROOF DUE NOTICE

RE: PERMIT NO. 95-08624

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 11, 1989

SYDNIE J. HANSEN
JAN M. HANSEN
N. 1000 SPRING CREEK RD.
RATHDRUM, ID 83858

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P95-08624

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

NOV 24 1989

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 6/30/89 APPLICATION: 95-08624APPLICANT: HANSENREQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). ☒ Source: (See USGS Quad for names of water sources)
- (3). ☒ Point of Diversion including county: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- (4). ☒ Quantity: (flow and/or volume)
- ☒ Nature of proposed use: (Include description of use)
- ☒ Period of use:
- (5). ☒ Total Quantity: (flow and/or volume)
- (6). ☒ Description of diverting works:
- (7). ☒ Time required for beneficial use of water:
- (8). ☒ Proposed uses
- (9). ☒ Place of use or acres irrigated:
- (10). ☒ Other Water Rights
- (11). ☒ Ownership
- (13). ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ yes ___ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ___ ___ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ___ ___ Overlapping point of diversion:
- ___ ___ Field check required: Field check by: _____
- ___ ___ Field report attached:
- ___ ___ Critical groundwater area:
- ___ ___ Groundwater management area:
- ___ ___ Send dam safety information:
- ___ ___ Send power requirement letter:
- ___ ___ Send fish farm requirement letter:
- ___ ___ Power residency affidavit:
- ___ ___ Power efficiency form:
- ___ ___ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ___ ___ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
- ___ ___ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
SEP 06 1989

PROCESSING

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received, Final date for protest

Protests, dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter: (see additional info. below)

See Below For Additional Information

Recommended Date of Priority

Recommended by:

STATE OFFICE REVIEW

923 P16

46 57 04

Date 8/31/89

See below for additional information. By

Date 9-29-89

ADDITIONAL INFORMATION

Overlap Review Conducted

yes

no (If no, explain) 5/23

95-08624

HANSEN, JAN M.
HANSEN, SYDNIE J.
N. 1000 SPRING CREEK RD.
RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: SWNE Sec 25 T 52N R 05W

Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)

Date Filed: 6/29/1989

In: T52N R05W S25 SENE

1.0 ACRES TOTAL

NOV 23 1989