

MEMORANDUM

TO: File #⁹⁵96-08600

VIA: Robert G. Haynes *RGH*

FROM: Theresa J. Bright *Theresa J. Bright*

RE: Field Exam

Date: September 13, 1991

On September 11, 1991, Doris Holstein came into our office to request a re-examination of her spring development covered by Water Right Permit No. 95-08600. The State Office of our Department had sent her a Notice of Pending Order Voiding Permit, stating that a field inspection conducted by a member of our department revealed that the system had not been developed. At my request, the State Office sent me a FAX copy of the Field Examiner's Report. THE EXAM REPORT DOES NOT INDICATE THAT THE SYSTEM WAS NOT DEVELOPED! A preliminary note on our check list indicated that there was a well at the site. The source, listed as a spring by the Examiner, was altered to read "ground water", apparently by Jim Johnson (initialed J.J.). It appears that this alteration, which was incorrect, confused whom ever was reviewing the Exam. It appears that the rest of the Exam Report was never reviewed because after the alteration, the "source" did not APPEAR to agree with the Permit. I met with the Permit Holder this morning and verified that the Examination Report prepared by Tom King, in its original form, correctly reflects the system developed.

RECEIVED

MAR 06 1992



MEMORANDUM

TO: File #⁹⁵96-08600

VIA: Robert G. Haynes *RGH*

FROM: Theresa J. Bright *Theresa J. Bright*

RE: Field Exam

Date: September 13, 1991

On September 11, 1991, Dor re-examination of her spring 95-08600. The State Office Order Voiding Permit, stating our department revealed that the State Office sent me a REPORT DOES NOT INDICATE THAT on our check list indicate listed as a spring by the apparently by Jim Johnson which was incorrect, confused the rest of the Exam Report with "source" did not APPEAR to at this morning and verified the its original form, correctly



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 95-08600

1. Owner: DORIS HOLSTEIN Phone No. 773-3442
Current Address: S. 3305 MILSAP LOOP RD. POST FALLS, ID. 83854
2. Accompanied by: _____ EXAM. DATE: 3/26/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater J.J. tributary to STARS

RECEIVED
OCT 03 1991
NORTHERN REGION
IDWR
☐ Copies Attached

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipeline i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08600

Priority: August 1, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
1.2 AF

This is to certify, that DORIS HOLSTEIN
S 3305 MILLSAP LOOP RD
POST FALLS ID 83814

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 1, 1988; and
has submitted Proof of Beneficial Use on October 23, 1990. An examination indicates
that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESESW , Sec. 18, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

50N 05W 18 SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.


MICROFILMED
MAR 06 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08600

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of FEBRUARY, 1992

Acting for


R. Keith Higginson, Director

RECORDED

MAR 06 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 9501600

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant DORIS HOLSTEIN Phone 773-3442
Post office address 5. 3305 MILLJAP LOOP POST FALLS, ID 83854
2. Source of water supply SPRING which is a tributary of SINKS
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 18 Township 50 N Range 5 W B.M. MOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.06 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.014 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. DEVELOPED SPRING
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

JAN 11 1989

RIGHT-ILMED

applicant to make this filing.

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in KW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

18 T-50d

⊙ P.A. &
P.U

R-5W

MICROFILMED
JAN 11 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Halsten
(Applicant)

MICROFILMED

JAN 11 1989

A. Allen Souther
for Director

Witness my hand this 6th day of October, 1988.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

November 1, 1990

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. 95-8600, and said application is hereby APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Proposed Priority	8/1/88	Received by	<i>[Signature]</i>	Date	2/1/88	Time	3:45 p	Preliminary check by	<i>JK</i>
Fee \$	30.00	Received by	<i>[Signature]</i>	#	N-850	Date	8/1/88	Published in	28702
Publication prepared by	<i>[Signature]</i>	Date	2/12/88	Published in	2/18/88	Date	7/2/88	Publication approved	<i>[Signature]</i>

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai.

Nancy Hawkins being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 18 day of Aug., 1988 and ending on the 25 day of Aug., 1988 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 25 day of Aug., 1988

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My Commission Expires 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08600
HOLSTEIN, DORIS
S 3305 MILLSAP LOOP
POST FALLS, ID 83854
Source: SPRING Tributary:
SINKS

Diversion Pt: SESESW Sec 18
T 50N R 05W

Use: IRRIGATION (.080 CFS); STOCKWATER (.020 CFS); DOMESTIC (.040 CFS)
Date Filed: 8/01/1988

In: T50N R05W S18 SESW
3.0 ACRES TOTAL

95-08601
MESHEW, LARRY B.
9025 N. FJORD RD.
RATHDRUM, ID 83858

Source: GROUNDWATER
Diversion Pt: NWNE Sec 36 T
53N R 05W

Use: IRRIGATION (.100 CFS); DOMESTIC (.100 CFS)
Date Filed: 8/01/1988

In: T53N R05W S36 NWNE
SWNE
15.0 ACRES TOTAL

95-08602
SANDIFUR, JOANNE L.
N. 980 ATLAS RD.
RATHDRUM, ID 83858

Source: GROUNDWATER
Diversion Pt: SWNW Sec 27 T
54N R 04W; NWSW Sec 27 T
54N R 04W

Use: IRRIGATION (.200 CFS); STOCKWATER (.020 CFS); DOMESTIC (.080 CFS)
Date Filed: 8/02/1988

In: T52N R04W S27 SWNW
SENW NESW NWSW
16.0 ACRES TOTAL

95-08603
ANDERSON, ROBERT B.
BOX 1521
COEUR D ALENE, ID 83814
Source: COEUR D ALENE
LAKE Tributary: SPOKANE
RIVER

Diversion Pt: LOT 2 (NWNE)
Sec 7 T 49N R 03W

Use: IRRIGATION (.020 CFS); FIRE PROTECTION (.200 CFS)

Date Filed: 8/05/1988

In: T49N R03W S07 lot 2 (NWNE) Lot 2 (NWNE)
NWNW

1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, Government Way Suite 9, Coeur D'Alene, Idaho 83814 on or before SEPTEMBER 6, 1988.

R. KEITH HIGGINSON
Director

Legal 888
Aug. 18, 25, 1988

February 13, 1992

DORIS HOLSTEIN
S 3305 MILLSAP LOOP RD
POST FALLS ID 83814

RE: WATER RIGHT NO. 95-08600

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

RECEIVED
FEB 15 1992

January 24, 1992

DORIS HOLSTEIN
S 3305 MILLSAP LOOP RD
POST FALLS ID 83814

RE: WATER RIGHT NO. 95-08600

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

MAR 06 1992

LICENSE REVIEW CHECKLIST
 Permit No. 95-8600

Date 1/2/92

Name _____ Address change? ok

Priority date _____ Advance? NO
 Memo to advance _____
 Order to reinstate needed? _____

Total cfs _____ Fee sufficient for rate recommended? N/A
 Limited by capacity? _____

Total volume _____ Limited by flow? _____
 Rate/ac N/A afa (irrigation)
 Calculations from examiner appropriate? _____

Capacity _____ Actual measurement checked _____
 Theoretical checked _____

Source _____ Clarification of originally intended source is
 the only change allowed - if any other change in
 source has occurred, a notice of intent to void
 is needed ok

P/D _____ Verify with map / Amendment req'd? NO
 Remark needed for more than one per $\frac{1}{4}$ _____
 Is overlap analysis a consideration in final
 recommendations? NO

Uses _____ Period of use for each use compatible with
 appropriate maps, data entry standards, etc. _____
 Change(s) in nature of use - amendment req'd _____

P/U _____ Verify with map / Amendment req'd? NO
 Is overlap analysis a consideration in final
 recommendations? NO

Remarks _____ More than one p/d in $\frac{1}{4}$ _____
 Non-irrig uses / _____
 Special overlap condition _____
 Other _____

Conditions -

Measuring device _____
 W.Master control _____
 Overlap _____
 Water quality _____
 Other _____

Dates/Misc. -

Water Dist _____
 App Rec'd / _____
 Proof Rec'd / _____
 Exam Made / _____

Comments/Memos needed:

License / Paragraphs _____
 10-day / Paragraphs _____
 30-day _____ Paragraphs _____

Special correspondence req'd? NO

[Signature]

MEMORANDUM

TO: File #⁹⁵95-08600

VIA: Robert G. Haynes *RGH*


FROM: Theresa J. Bright *Theresa J. Bright*

RE: Field Exam

Date: September 13, 1991

On September 11, 1991, Doris Holstein came into our office to request a re-examination of her spring development covered by Water Right Permit No. 95-08600. The State Office of our Department had sent her a Notice of Pending Order Voiding Permit, stating that a field inspection conducted by a member of our department revealed that the system had not been developed. At my request, the State Office sent me a FAX copy of the Field Examiner's Report. THE EXAM REPORT DOES NOT INDICATE THAT THE SYSTEM WAS NOT DEVELOPED! A preliminary note on our check list indicated that there was a well at the site. The source, listed as a spring by the Examiner, was altered to read "ground water", apparently by Jim Johnson (initialed J.J.). It appears that this alteration, which was incorrect, confused whom ever was reviewing the Exam. It appears that the rest of the Exam Report was never reviewed because after the alteration, the "source" did not APPEAR to agree with the Permit. I met with the Permit Holder this morning and verified that the Examination Report prepared by Tom King, in its original form, correctly reflects the system developed.

1-11-91
10/12/91



MEMORANDUM

TO: File #⁹⁵96-08600

VIA: Robert G. Haynes *RGH*

FROM: Theresa J. Bright *Theresa J. Bright*

RE: Field Exam

Date: September 13, 1991

On September 11, 1991, Do
re-examination of her sprin
95-08600. The State Office
Order Voiding Permit, stati
our department revealed that
the State Office sent me a
REPORT DOES NOT INDICATE THA
on our check list indicat
listed as a spring by th
apparently by Jim Johnson
which was incorrect, confuse
the rest of the Exam Report w
"source" did not APPEAR to a
this morning and verified t
its original form, correctly

2097 10



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

JUN 25 1991

Department of Water Resources

Permit No. 96-08600

A. GENERAL INFORMATION

1. Owner: DORIS HOLSTEIN Phone No. 773-3442
Current Address: S. 3305 MILSAP LOOP RD. POST FALLS, ID. 83854
2. Accompanied by: _____ EXAM. DATE: 3/26/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater J.S. tributary to STARS

RECEIVED

OCT 03 1991

NORTHERN REGION
IDWR


☐ Copies Attached

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



WELL

MAR 06 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

Department of Water Resources
Permit No. 75-08600

A. GENERAL INFORMATION

1. Owner: Do

Current Address: _____

2. Accompanied by _____

Address: _____

Relationship: _____

3. Source: CS

B. OVERLAP REPORT


1. Other water right _____

2. Other water right _____

C. SYSTEM DESCRIPTION

1. Diversion Structure
size/ditch size/pipe i.d. as appropriate _____

442
D. 83854/
/91
RECEIVED
JUN 03 1991
SOUTHERN REGION
IDWR
Copies Attached _____
Field Exam's Attached _____
Comments. Indicate weir _____




Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



95-08600
PD-TSON RSW
18
PL SAME

MAR 06 1992
5278

F-243

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

one here

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____


2. Volume Calculations for Other Uses:

MAR 00 1999

MAR 6 6 1992

RECEIVED

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



Field Examiner's Name William D. King
Signature [Signature]
Certification Date 7/16/93
Field Report Preparation Date 7/16/91

J. AUTHENTICATION

2. Recommended Amendments
- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
- ☐ Other
☒ None

Totals: 1.2 0.4

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
<u>DOMESTIC</u>	<u>1-1</u> <u>12-31</u>	<u>0.04</u>	<u>1.2</u>

I. RECOMMENDATIONS

1. Recommended Amounts

Spring is used for back-up during power line failures

H. REMARKS AND OVERLAP REVIEW ANALYSIS

CLAIM #95-04189 IS FILED ON SPRING IN SAME 40-JDK

DIFFERENT

RECEIVED
SEP 16 1991

September 11, 1991

Department of Water Resources

State of Idaho Department of Water Resources
1301 North Orchard Street, Statehouse Mail
Boise, Idaho 83720-9000

Attention: Gary Spackman, Manager
Water Right Permits Section

Re: Water Rights Permit #95-08600

Dear Mr. Spackman:

Please be advised that I have contacted the Department of Water Resources in Couer d'Alene in regard to the above permit.

I do not agree with the findings reported in your letter of August 26, 1991.

A field representative from the Couer d' Alene office is scheduled to recheck the spring site on Friday September 13, 1991.

Sincerely,

Doris Holstein
Doris Holstein

RECEIVED
MAR 06 1992

MEMORANDUM

TO: File(s) No: 95-08600

FROM: Brenda L. Miller *BLM*

DATE: September 12, 1991

RE: Returned Field Exam

=====

The permit owner, Doris Holstein, is upset over the NOTICE OF PENDING ORDER she received; therefore, Teresa from the Northern Regional Office is going to redo the field exam tomorrow. Teresa requested the original field exam for this file be returned to her.

The file is on call up for September 26 to void the permit; however, no action will be done until we talk to Teresa.

RECEIVED

MAR 06 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 26, 1991

Doris Holstein
S. 3305 Millsap Loop
Post Falls, ID 83854

RE: Permit to Appropriate Water No. 95-08600

NOTICE OF PENDING ORDER VOIDING PERMIT

Dear Permit Holder(s):

On October 6, 1988 the Department of Water Resources approved Application for Permit No. 95-08600, which authorized diversion of a spring for domestic, stockwater, and irrigation purposes in the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S18, T50N, R5W, B.M., Kootenai County.

A field inspection conducted by a representative of our Department revealed that you have not developed the system described by your permit. The only development is water from a well for use in a home. Since the permit was for surface water, a license cannot be issued.

The purpose of this letter is to request that you relinquish your permit or explain why the Department should not void the permit. Enclosed is a relinquishment form that should be signed and returned to this office, unless you have some explanation that would prevent the Department from voiding your permit.

If you fail to respond to this notice within thirty (30) days of the date of mailing of this letter, the Department will act to void your permit. The permit will be voided on the grounds that you failed to divert and beneficially use the water that you were permitted to develop.

If you have any questions in regard to this matter, please feel free to contact our office.

Respectfully,

A handwritten signature in cursive script that reads 'Gary Spackman'.

GARY SPACKMAN, Manager
Water Right Permits Section

RECEIVED
MAR 06 1992

GS:blm

cc: Northern Region

I hereby certify that on this 26th day of August, 1991,
I sent the original copy of this letter, postage prepaid, to the
person and address listed above.

Brenda Miller

Brenda Miller
Clerical Specialist

RECEIVED
BUREAU OF LANDS
MAR 28 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

March 26, 1991

Ms. Doris Holstein
S. 3305 Millsap Loop
Post Falls, Id. 83854

Re: Water Permit #95-08600


Dear Ms. Holstein:

On March 26, 1991, I conducted the on-site examination of your water system, located at S. 3305 Millsap Loop Rd. This examination was conducted as a result of your filing for water rights on a spring as described on permit #95-08600. Unfortunately I could find no evidence that the home was provided water by a spring. I found instead that the home received its water from a drilled well. Since the permit was for surface water, I can not issue a license for water from a well.

Unless you contact me at this department to conduct a new exam prior to April 26, 1991, I will have no recourse but to recommend that the above referenced permit be lapsed.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

RECEIVED
MAR 06 1992

STATE OF IDAHO
DEPATRMANT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
INITIAL CHECK LIST

STATUS

Y/N/* (* = see remarks)

- N Non-Standard Approval Conditions (If yes attach copy of conditions)
- N Measuring Device required
- Y Report labled and Quad sheet attached
- N Aerial Photo requested: date _____ by _____
- N Aerial Photo attached
- N Subdivision or Ownership Plat attached
- N Government Lot Plat attached
- N Additional Information from microfische attached
- N Possible Overlap found, Abstract attached
- N Well log numbered and attached
- N Well inspection form numbered and attached
- Y Plotted on exam maps
- Y Ready For Field Examination

Person to contact for Appointment: _____

Phone _____ Address _____

Remarks: 3/20/91 FOUND HOME & WELL
SEND LETTER - ABANDONED

PERMIT NUMBER

958600

December 17, 1990

DORIS HOLSTEIN
S 3305 MILLSAP LOOP
POST FALLS, ID 83854

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08600

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 18 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8600

Date 12-14-90

GENERAL CONSIDERATIONS

Y Name same as permit?
N Address change? If yes, prepare data entry form.
Y Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drill permit req'd? Copy in file?
 Well log in file?
 Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

N Required?
 Amount submitted?
 Correct amount?

MEASURING DEVICE


N Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late	<u> </u>	= <u> </u>
Priority date	<u> </u>	+ <u> </u>
NEW PRIORITY DATE	<u> </u>	= <u> </u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95008600 Telephone No. (208) 773-3442

Name(s) of Permit Holder(s): Doris Holstein

Post Office Address: So., 3305 Millsap Lp. Rd., Post Falls, Idaho 83814

Source of Water: unnamed spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic 1 (No. of households) Irrigation 0 (No. of acres)
Stockwater 2-3 (No. and type of stock) Other _____
Horses or cattle

Total rate and/or volume for which proof is submitted .033 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 9/26/89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No


Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Doris Holstein 208 773-3442
Name Telephone No.

So. 3305 Millsap Lp. Rd., Post Falls, ID 83814
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.



10/23/90
Date

Doris M. Holstein
Signature (and title if on behalf of a company or organization)

August 31, 1990

DORIS HOLSTEIN
S 3305 MILLSAP LOOP
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-08600

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 18 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
October 11, 1988

DORIS HOLSTEIN
S 3305 MILLSAP LOOP
POST FALLS, ID 83854

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 95-08600

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECORDED
JAN 11 1989

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 8/3/88 APPLICATION: 95-08600

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

- YES NO
☐ ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☒ Field check required: Field check by: _____
☐ ☒ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
☒ Additional information on reverse side:

RECEIVED
SEP 23 1988

Department of Water Resources

PROCESSING

YES NO

☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ I.D. Health and Welfare
☐ I.D. Fish and Game
☐ I.D. Lands
☐ Adjudication Bureau

YES NO

☐ U.S. BLM
☐ U.S. Forest Svc.
☐ Water District # _____
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 9/6/88
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information

Recommended Date of Priority

Recommended by: POA

9/1/88

Date

9/22/88

STATE OFFICE REVIEW

allow 2 yrs. for BTL development

P17

26

See below for additional information. By

KW

Date

9/29/88

ADDITIONAL INFORMATION

95-04189 SPRING SAME 40 D.

95-08600

HOLSTEIN, DORIS
S 3305 MILLSAP LOOP
POST FALLS, ID 83854

Tributary: SINKS

Source: SPRING

Diversion Pt:

SESESW Sec 18 T 50N R 05W

Use: IRRIGATION
STOCKWATER
DOMESTIC

(.060 CFS)
(.020 CFS)
(.040 CFS)

Date Filed: 8/01/1988

In: T50N R05W S18

SESW

3.0 ACRES TOTAL

MICROFILMED

JAN 11 1989