


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

WORLEY QUADRANGLE
IDAHO-KOOTENAI CO.
7.5-MINUTE SERIES (TOPOGRAPHIC)

NW/4 PLUMMER 15' QUADRANGLE

2679 III SE
(MICA BAY)



95-08598

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S




P/D



P/h

RECEIVED
NOV 21 1991



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08598

Priority: July 18, 1988

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that ELMER NESS

RT. 2 BOX 91

WORLEY ID 83876

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 18, 1988; and has submitted Proof of Beneficial Use on June 7, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(NWSW), Sec. 19, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

48N 04W 19 LOT 4(NWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECORDED

NOV 21 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08598

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of OCTOBER, 1991.

Acting for


R. Keith Higginson, Director

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 25-8598


To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant ELMER NESS Phone 664-6826
Post office address RT 2 BX 91 WORLEY ID. 83876
2. Source of water supply COEUR D'ALENE LAKE which is a tributary of SPokane R.
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SW 1/4, Govt. Lot 4
Sec. 19 Township 48N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PORTABLE PUMP PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

JAN 11 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elmer Reese
(Applicant)

RECORDED
JAN 11 1989


Director

Witness my hand this 27th day of September, 1988.

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

October 1, 19 89

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. 95-8598, and said application is hereby APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by JK Date 7/18/88 Time 2:30 PM Preliminary check by COA

Fee \$ 50.00 Received by JK Date 7/18/88 # N 571

Publication prepared by JK Date 7/9/88 Published in 8/4/11/88

Publication approved JK Date 8/3/88

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Nancy Hawkins being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 4 day of August, 1988 and ending on the 11 day of August, 1988 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 11 day of August, 1988

RECEIVED

AUG 1988

Department of Water Resources
Northern District

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

My commission expires

2-3-93

MICROFILMED

JAN 11 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08595

CHRIST, DIANE M.
CHRIST, ROGER A.
P. O. BOX 1104
HAYDEN LAKE, ID 83835
Source: SPRING Tributary:
SINKS

Diversion Pt: LOT 4
(NWSWSW) Sec 21 T 52N R 03W

Use: DOMESTIC (.040 CFS)

Date Filed: 7/14/1988

In: T52N R03W S21 SWSW

95-08596

MOSEMAN CONSTRUCTION CO.

P. O. BOX 1739
COEUR D ALENE, ID 83814

Source: GROUNDWATER
Diversion Pt: NENESW SEC 28 T 50N R 03W

Use: COMMERCIAL (.130 CFS); DOMESTIC (.040 CFS)

Date Filed: 7/14/1988

In: T50N R03W S28 SENW NESW SESW

95-08597

KINGSLEY, GARY R.
KINGSLEY, PATRICIA L.
13249 126TH PL. N.E.

KIRKLAND, WA 98034
Source: GROUNDWATER

Diversion Pt: NESW Sec 19 T 51N R 05W

Use: IRRIGATION (.600 CFS); DOMESTIC (.500 CFS)

Date Filed: 7/15/1988

In: T51N R05W S19 NESW

30.0 ACRES TOTAL

95-08598

NESS, ELMER
RT. 2 BOX 91

WORLEY, ID 83878
Source: COEUR D ALENE

LAKE Tributary: SPOKANE RIVER

Diversion Pt: LOT 4 (NWSW) Sec 19 T 48N R 04W

Use: DOMESTIC (.040 CFS)

Date Filed: 7/18/1988

In: T48N R04W S 19 NWSW

95-08599

TONYS SUPPER CLUB
E. 4695 I-90

COEUR D ALENE, ID 83814
Source: GROUNDWATER

Diversion Pt: LOT 4 (SEN-ESE) Sec 29 T 50N R 03W

Use: COMMERCIAL (.040 CFS)

Date Filed: 7/19/1988

In: T50N R03W S29 Lot 4 (NESE)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, Government Way Suite 9, Coeur D'Alene, Idaho 83814 on or before AUGUST 22, 1988.
R. KEITH HIGGINSON, Dir.
Legal 771
Aug. 4, 11, 1988

October 18, 1991

ELMER NESS
RT. 2 BOX 91
WORLEY ID 83876

RE: WATER RIGHT NO. 95-08598

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

NOV 21 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8598

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance
Order to reinstate needed? yes no ✓

Total cfs Limited by fee N/A

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked $.75 \times .7 \times 8.8 / 10 + 2.3 / 25 = .07 \text{ cfs}$

If greater than permit, check for other rts

Source Changed? yes no ✓

If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses ✓

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ✓

Comments/Changes to Examiner's Recommendations:

License ✓ 10-day 30-day

Back of field report signed?
Reviewer J. Curtis Date 8/13/91 Review time 5 min.

NOV 21 1991

SENIOR AGENT REVIEW

**Check List
for
Beneficial Use Field Report**

RECEIVED
JUN 28 1991

Department of Water Resources
Permit 95-68578

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
+DS ✓ Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
✓ Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
✓ Compare USGS/Land Survey? Aerial Photos/Permit.

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
✓ Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6):

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature

J. H. King

Date

9/18/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08598
Phone No. 664-6826
EXAM. DATE: 5/24/90
Phone No. -

1. Owner: Elmer Ness
Current Address: Rt. 2 Box 91 Worley ID 83876
2. Accompanied by: -
Address: -
Relationship to Permit Holder: -


3. Source: Coeur d'Alene lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more.)

RECEIVED
NOV 21 1991

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system consists of two pipes - one 2" and the other 1" leading from the shore of the lake up to the house. The water is used for domestic purposes and also to irrigate a $\frac{1}{4}$ acre lawn. The water from the lake is delivered by a portable pump.

☐ See Remarks on page 4 for continuation

Well or Division Identification No.*					
Motor Make					
Hp				3/4	
Motor Serial No.					
Pump Make	Unknown			Red jacket	
Pump Serial No. or Discharge Size					K&T 850093

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

NOV 2 1991

WORLEY QUADRANGLE
IDAHO-KOOTENAI CO.
7.5-MINUTE SERIES (TOPOGRAPHIC)

NW/4 PLUMMER 15' QUADRANGLE

2572 III SE
(MCA BAY)

R 5 W 55'

R 4 W


°07

°08

220 000 FEET

°09 116°52'30"

47°30'



5260

5259

2 120 000
FEET

5257

5256

27'30"

NOV 21 1991

95-08598

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

1 home
44 acre

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 44 \times 4.0 = 176$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \text{---}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 176$

2. Volume Calculations for Other Uses:

one home

MISSOURI
NOV 21 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs) .04	Annual Volume V (cfs)
	From	To		
Domestic	1-1	12-31	0.03 cfs	1.2 cfs
irrigation	4-1	11-1	0.01 cfs	1.8 cfs
Totals:				
			0.04 cfs	3.0 cfs

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☐ Other
☐ None

J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
 Signature Robert Knoblock
 Certification Date 7/16/90
 Field Report Preparation Date 5/23/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MISPAKED
 NOV 21 1991

Topographic map of a section of Colorado, showing contour lines, elevation, and geographical features like Rockford Bay and Windy Ray. The map includes a grid with section numbers 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.

1991 18 APR

COPIES

Ver. 21.

Sec. 24.

Topographic map of Rockford Bay, showing contour lines and elevation markers. The map includes labels for 'Rockford Bay' and 'Rockford Bay'.

WENDY RAY

人E

ENI

1265
1265

0028

10

24

3.62.01K

79.04

0002

8205

46.0M

•

10

10

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

P H O T O G R A P H S




P/D



P/h

NOV 21 1997



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8598

Date: 6-20-1989

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: Proof acceptable


N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

MICROFILMED

JUL 18 1989



JUN 08 1989

For Office Use Only
Fee Received N/A
Date _____
Receipt # _____
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 12-2081

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8598

Name(s) of Permit Holder: Elmer Ness

Post Office Address: Rt. 2 Box 91 Worley, Id. 83876

Telephone No. 664-6826

Source of Water: Coeur d'Alene Lake

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 6/1/89

Measuring Device: Required? Yes X No
Installed? Yes X No
Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

Applicant

(Name)

(Telephone Number)

MICROFILMED

(Address)

JUL 18 1989

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/7/89

Date

Elmer Ness
Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 28, 1988

ELMER NESS
RT. 2 BOX 91
WORLEY, ID 83876

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 95-08598

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECORDED

JAN 11 1989

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: pyt DATE: 7/19/88 APPLICATION: 95-8598

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☐ Map:
☐ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☐ Fee:
☐ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO |
|--|--------------------------|
| ☒ | ☐ |
| Overlapping place of use: (Describe source & relationship to present application on the back.) | |
| ☒ | ☐ |
| Overlapping point of diversion: | |
| ☒ | ☐ |
| Field check required: | |
| ☒ | ☐ |
| Field check by: _____ | |
| ☒ | ☐ |
| Field report attached: | |
| ☒ | ☐ |
| Critical groundwater area: | |
| ☒ | ☐ |
| Groundwater management area: | |
| ☒ | ☐ |
| Send dam safety information: | |
| ☒ | ☐ |
| Send power requirement letter: | |
| ☒ | ☐ |
| Send fish farm requirement letter: | |
| ☒ | ☐ |
| Power residency affidavit: | |
| ☒ | ☐ |
| Power efficiency form: | |
| ☒ | ☐ |
| Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.) | |
| ☒ | ☐ |
| Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) | |
| ☒ | ☐ |
| Additional information on reverse side: | |

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

RECEIVED
SEP 01 1988

Department of Water Resources

YES NO

SEND COPIES TO

YES NO

YES NO

_____ U.S. BLM
 _____ U.S. Forest Svc.
 _____ Water District # _____
 _____ Other

YES, ~~NO~~

☒ Publication dates and paper recorded on application: _____
☒ Protests received, Final date for protest 8/22/88
☒ Protests, dates, resolution of protest recorded on application: _____
☒ Recommendations attached: _____
☒ Measuring device required: _____
☒ Measuring port required: _____
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information

Recommended Date of Priority

Recommended by:

Date 8/29/88

STATE OFFICE REVIEW

See below for additional information. By

Date 9/15/88

ADDITIONAL INFORMATION



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 26, 1988

Dept. of Lands
Statehouse
Boise, Id. 83720

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

MICROFILMED

JAN 11 1989

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

95-08598

NESS, ELMER
RT. 2 BOX 91
WORLEY, ID 83876

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 4 (NWSW) Sec 19 T 48N R 04W

Use: DOMESTIC (.040 CFS)

Date Filed: 7/18/1988 .

In: T48N R04W S19 NWSW

MICROFILMED

JAN 11 1989