



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Katherine Schmidt*
(Applicant)



Total number of Acres

Survey Designated	By Whom Surveyed	Date of Contract	Amount of Surveys M. Ch. Lk.	When Surveyed
Township lines	N Clayton Miller	June 19th 1891		

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08591

1. Owner: Ratherine Schmid + Phone No. 664 1307
Current Address: 51395 Meadowbrook Rd, Coeur d'Alene, ID 83814

2. Accompanied by: NONE EXAM. DATE: 4/4/21

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: none

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached _____



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

IMPROVING MEN

NOV 21 1991



95-8591
T.50N. R.4W. Sec. 20
NESESW

2 180 00

FEE

527

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



NATIONAL
ASSOCIATED
PROPERTIES

MEADOWBROOK
ESTATES

IN THE $S\frac{1}{2}$ SW $\frac{1}{4}$ OF SEC. 20
AND IN THE $N\frac{1}{2}$ NW $\frac{1}{4}$ OF SEC. 29
T50N, R4W B1M

KOOTENAI COUNTY IDAHO

5 to 11 ACRE PARCELS

4 MILES TO
COEUR D'ALENE

ACCESS
ROAD

MEADOWBROOK RD.
(OILED COUNTY RD)

DOMESTIC POWER
LINE

EXISTING
2 1/4 COR HOME
COMMON
TO SECTIONS 20 & 29

POWER

STACK RD
COUNTY RD

EXISTING HOMES

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Katherine Schmidt
(Applicant)

(Applicant)

NOV 21 1997
bmc

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08591

Priority: June 23, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that KATHERINE SCHMIDT
S. 1395 MEADOWBROOK RD.

COEUR D ALENE ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 23, 1988; and
has submitted Proof of Beneficial Use on November 19, 1990. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 20, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC


50N 04W 20 SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of OCTOBER, 1991.

Acting for


R. Keith Higginson, Director

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-07591

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant KATHERINE SCHMIDT Phone 214-775-6089

Post office address 16108 MT HICKS, FOUNTAIN VALLEY, CA. 92708

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____

Sec. 20 Township 50 N Range 4 W B.M. KOOTENAI County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP & PIPELINE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

JAN 11 1989

מחזורי חיים

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion? HH

10. Describe any other water rights used for the same purposes as described above. NONE

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality. —

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

Proposed Priority 6/23/88

Received by AK Date 6/23/88 Time 6/23/88 Preliminary check by JK
Fee \$ 38.00
Received by AK Date 6/23/88 # N 310
Published in 7/7/88 Date 6/23/88
Publication prepared by AK Date 6/23/88
Publication approved AK Date 6/23/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8591, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 91.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 8th day of December, 1988.

A. New Sayton

RECORDED
JAN 11 1989

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Calvin Sellers being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Then
issue of said newspaper for 2 consecutive Weeks,
commencing on the 1 day of Sept, 1988, and
ending on the 8 day of Sept, 1988, and such
publication was made as often during said period as said Daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 8 day of Sept,
1988.

Robert J. Grandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

RECEIVED
2-3-93

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN
THAT APPLICATION FOR
PERMIT NO. 95-8591 in the
name of Katherine Schmidt
was advertised incorrectly on
July 7 & 14, 1988.

The legal description for the
diversion pt. was incorrectly
described as the NESESW Sec
T50N R04W; whereas, correct-
ly it should be the NESESW
Sec 20 T50N R04W.

Protests to the above-refer-
enced correction must be filed
with the Director, Dept. of Wa-
ter Resources, 4055 Gov't.
Way, Suite 9, Coeur d'Alene,
Id. 83814 on or before Septem-
ber 15, 1988.

R. KEITH HIGGINSON, Dir.
Legal 977
Sept. 1, 8, 1988

RECORDED

JAN 11 1989

Department of Water Resources
Notary Public Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Nancy Hawkins being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 7 day of July, 1988 and ending on the 14 day of July, 1988 and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 14 day of July, 1988

RECEIVED

JUL 14 1988

Department of Water Resources
Northern District Office

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires 2-3-93

95-08592
MC CARTY, BRETT C.
P.O. BOX 5159
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SENWSE Sec 17
T 51N R 04W
Use: IRRIGATION (.500
CFS); STOCKWATER (.020
CFS); DOMESTIC (.040 CFS)
Date Filed: 6/23/1988
In: T51N R04W S17 NWSE
30.0 ACRES TOTAL

95-08593
HAGADONE HOSPITALITY
CO.
P.O. BOX 1178
COEUR D ALENE, ID 83814
Source: COEUR D ALENE
LAKE Tributary: SPOKANE
RIVER
Diversion Pt: NWNWSE Sec
19 T 50N R 03W
Use: IRRIGATION (.4750
CFS)
Date Filed: 6/27/1988
In: T50N R03W S19 SWNE
NENW SWNW SENW NESW
NWSE
140.0 ACRES TOTAL

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, Northern Region,
Government Way Suite 9,
Coeur D'Alene, Idaho 83814 on
or before JULY 25, 1988.

R. KEITH HIGGINSON,
Director

Legal 641
July 7, 14, 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

95-08586
MC GRAW CONSTRUCTION
CO.
P.O. BOX 370
MIDDLETOWN, OH 45042
Source: GROUNDWATER
Diversion Pt: NENENE Sec 30
T 51N R 05W
Use: DOMESTIC (.070 CFS)
FIRE PROTECTION (.070
CFS) FIRE PROTECTION
STORAGE (1.50 AF) FIRE
PROTECT. FROM STOR (1.50
AF) DIVERSION TO
STORAGE (.070 CFS)
Date Filed: 6/09/1988
In: T51N R05W S30 NENE

95-08587
BERGHER, EVERETT
E. 200 TWIN LAKES RD.
RATHDRUM, ID 83858
Source: TWIN LAKES Tribu-
tary: RATHDRUM CREEK
Diversion Pt: LOT 4 (SWSW)
Sec 31 T 53N R 04W
Use: IRRIGATION (.030 CFS)
Date Filed: 6/14/1988
In: T53N R04W S31 Lot 4
(SWSW) 1.0 ACRES TOTAL

95-08588
CRAWFORD, WALTER D.
N 55 WOLF LODGE CREEK
ROAD
COEUR D ALENE, ID 83814
Source: SRINGS Tributary:
WOLF LODGE CREEK.
WOLF LODGE CREEK Tribu-
tary: COEUR D ALENE
LAKE
Diversion Pt: NESW Sec 16 T
50N R 02W; NWSESW Sec 16 T
50N R 02W; SWSESW Sec 16 T
50 N R 02W; SESESW Sec 16 T
50N R 02W
Use: IRRIGATION (.200
CFS); STOCKWATER (.020
CFS)
Date Filed: 6/21/1988
In: T50N R02W S16 NESW
SESW
30.0 ACRES TOTAL

95-08589
STEINBACK, BERNARD G.
STEINBACK, JUDITH O.
3414 9TH ST.
LEWISTON, ID 83501
Source: GROUNDWATER
Diversion Pt: LOT 4
(NWSESW) Sec 30 T 49N R
03W
Use: DOMESTIC (.040 CFS)
Date Filed: 6/12/1988
In: T49N R03W S30 SESW

95-08590
FISK, HELEN
9061 ORANGEWOOD AVE.
GARDEN GROVE, CA 92641
Source: GROUNDWATER
Diversion Pt: NENW Sec 29 T
50N R 04W
Use: DOMESTIC (.040 CFS)
Date Filed: 6/23/1988
In: T50N R04W S29 NENW

95-0891
SCHMIDT, KATHERINE
15108 MT. HICKS
FOUNTAIN VALLEY, CA
92708
Source: GROUNDWATER
Diversion Pt: NESESW Sec T
50N R 04W
Use: DOMESTIC (.040 CFS)
Date Filed: 6/23/1988
In: T50N R04W S20 SESW

RECORDED

JAN 11 1989

SEC 20

October 18, 1991

KATHERINE SCHMIDT
S. 1395 MEADOWBROOK RD.
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08591

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

NOV 21 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8591

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance no ☒

Total cfs

Order to reinstate needed? yes no ☒

Limited by fee N/A

Total volume

Limited by capacity no ☒

Limited by flow no ☒

Capacity

Chart checked for AF rate/ac N/A

Actual measurement checked no ☒

Theoretical checked no ☒

If greater than permit, check for other rts no ☒

Source

Changed? yes no ☒

If so, is memo needed to clarify? no ☒

P/D

Verify with map no ☒ permit no ☒

More than one per $\frac{1}{4}$? no ☒ Remember remark no ☒

Check p/d overlap N/A

Uses

Check irrigation period of use w/ chart N/A

P/U

Verify with map no ☒ permit no ☒

> 5 acres irrigated, run overlap N/A

Remarks

More than one p/d in $\frac{1}{4}$ no ☒

Description of non-irrig uses no ☒

Special overlap condition no ☒

Conditions -

Measuring device no ☒

W.Master control no ☒

Overlap no ☒

Water quality no ☒

Other no ☒

Dates/Misc. -

Water Dist no ☒

App Rec'd no ☒

Proof Rec'd no ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed no ☒

Filed - needs amended no ☒

Add'l fee required no ☒

Not filed - no ☒

Not needed no ☒

Comments/Changes to Examiner's Recommendations:

License no ☒

10-day no ☒

30-day no ☒

Back of field report signed? no ☒

Reviewer Q. Carter

Date 8/13/91

Review time 5 min.

STATE OF IDAHO
DEPATRMANT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
INITIAL CHECK LIST

RECEIVED
JUN 28 1991

Department of Water Resources

STATUS
Y/N/*

(* = see remarks)

- N Non-Standard Approval Conditions (If yes attach copy of conditions)
N Measuring Device required
Y Report labled and Quad sheet attached
N Aerial Photo requested: date _____ by _____
N Aerial Photo attached
Y Subdivision or Ownership Plat attached
Y Government Lot Plat attached
N Additional Information from microfische attached
N Possible Overlap found, Abstract attached
Y Well log numbered and attached
Y Well inspection form numbered and attached
Y Plotted on exam maps
Y Ready For Field Examination

Person to contact for Appointment:

Phone

664 1307

Address


Katherine Schmidt
51395 meadowbrook Rd
Coeur d'Alene, ID 83814

Remarks:

PERMIT NUMBER

958591

NOV 21 1991



Total number of acres

Survey Designated	By Whom Surveyed	Date of Contract	Amount of Survey	When Surveyed
Township lines	N. Clayton Miller	June 19th, 1891	M. Ch. Lk.	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08591

1. Owner: Katherine Schmid + Phone No. 664 1307
Current Address: 51395 Meadowbrook Rd, Coeur d'Alene, ID 83814

2. Accompanied by: NONE EXAM. DATE: 4/4/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A.C. "X 125" WELLS W/500' @ 8', UNAMERSABLE PUMP & PIPING TO HOME

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No. *	8412MBR51845	Motor Make	44/K	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:


[illegible]

6. Place(s) of Use:

Indicate Method of Determination *W & D*

[illegible]

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



NATIONAL
ASSOCIATED
PROPERTIES


MEADOWBROOK
ESTATES

IN THE $S\frac{1}{2}$ SW $\frac{1}{4}$ OF SEC. 20
AND IN THE $N\frac{1}{2}$ NW $\frac{1}{4}$ OF SEC. 29
T50N, R4WBM

KOOTENAI COUNTY IDAHO

5 TO 11 ACRE PARCELS

4 MILES TO
COEUR D'ALENE



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Katherine Schmidt
(Applicant)

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

one home

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

only home

APPROVED
JAN 1 1997

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1-1</u>	<u>12-31</u>	<u>.04</u>	<u>1.2</u>
Totals:			<u>1.04</u>	<u>1.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name Tam D King

Signature Tam D King

Certification Date 4/10/91

Field Report Preparation Date 4/4/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MISSING

NOV 21 1991

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08591

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 50 N, Rge. 4W Sec. 20, SE $\frac{1}{4}$ SE $\frac{1}{4}$ Gov. Lot _____

2. Owner: Katherine Schmidt

Address: #5 1395 Meadowbrook Rd, Coeur

City Coeur d'Alene, State ID 83814

3. Casing $\geq$ 12 inches above ground: Yes _____ No _____

4. Access Port:	Y _____	N _____	Static Water Level:	<u>8'</u>
Pressure Gauge:	Y _____	N _____	Casing Diameter:	<u>6"</u>
Flowing:	Y _____	N <u>X</u>	Temperature:	<u>Cold</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y _____ N _____

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: well log attached

RECEIVED

NOV 21 1991

February 12, 1991

KATHERINE SCHMIDT
16108 MT. HICKS
FOUNTAIN VALLEY, CA 92708

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08591

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAR 22 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8591

Date 12-24

GENERAL CONSIDERATIONS

X ~~N~~ Name same as permit?
X ~~N~~ Address same as permit? If no, prepare data entry form.
X ~~N~~ Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

✓ ~~N~~ Surface water source
✓ ~~N~~ Ground water source
X ~~N~~ Drill permit req'd?
X ~~N~~ Copy in file? Drill permit no. _____
X ~~N~~ Well log in file?
X ~~N~~ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

N ~~X~~ Required?
N ~~X~~ Amount submitted?
N ~~X~~ Correct amount?

MEASURING DEVICE


N ~~X~~ Measuring device or access port required?
N ~~X~~ Installed?
N ~~X~~ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

- address change
OK check drilling permit compliance
Proof acceptable

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late	<u> </u>	= <u> </u>
Priority date	<u> </u>	+ <u> </u>
NEW PRIORITY DATE	<u> </u>	= <u> </u>




For Office Use Only
Amt. of Fee \$
Date
Receipt No. N/A
Received by

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE



The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08591 Telephone No. (208) 664-1307

2. Name(s) of Permit Holder(s): Katherine Schmidt

3. Post Office Address: So 1395 Meadowbrook Rd, Coeur d'Alene, Idaho 83814

4. Source of Water: Well

a. If ground water, well driller's name: H2O John Wheeler Date drilled: 8/10/88

b. Pump horsepower: 1/2 Pressure (psi): 50 Dynamic pumping level (ft.): 8 ft

5. Extent of Use:

Domestic 1 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Katherine Schmidt (208) 664-1307
Name Telephone No.

So 1395 Meadowbrook Rd Coeur d'Alene, Idaho 83814
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

11/15/90
Date

Katherine Schmidt
Signature (and title if on behalf of a company or organization)

MAR 22 1991

Form 235-1
4/88

Drilling Permit No. 5 96-88-N-87
Water Permit No. _____
Injection Permit No. _____

RECEIVED
SEP 16 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

(Authorizing Construction of a Well)*

16108 Mt. Hicks
Fountain Valley
CA 92708

1. Applicant Katie Schmidt
2. Address 9061 Orangewood Ave.
Boulder Stone Co. Telephone 714-539-7213
(☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 20, Twp. 50N Rge. 4W, County Kootenai,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
(☒ Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(☒ New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 125
Anticipated bottom hole temperature: _____
(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 8-8-88
7. Well Driller (if known) AJO # 448
Address Hayden
8. Applicant's signature [Signature]
Title Driller
Date 8-8-88

RECEIVED

MAR 22 1991

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved ☐ Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 12 day of September, 1988

Signed

Title

Robert G. Hume
REGIONAL SUPERVISOR

Received by Kew

Fee \$10.00

Date 9/12/88

Receipt No. N 1226

Construction start extension to _____

Extension approved by _____

LABORATORIES:

Boise
Coeur d'Alene
Idaho Falls
Lewiston
Pocatello
Twin Falls

DEPARTMENT OF HEALTH AND WELFARE
BUREAU OF LABORATORIES
Water Sample for
BACTERIOLOGICAL QUALITY TEST
(Purity Test)

190
89-90

See Back of Form for Collection Instructions

PLEASE PRINT PLAINLY

SOURCE	Type of Well, Spring, Stream, Etc. Drilled	Bottle #																																
LOCATION OF SOURCE	Address if City - Distance and Direction from Town if Farm Meadow Brook																																	
REPORT RESULT TO Name H ₂ O Well Services, Inc.		IF WELL, GIVE DEPTH Feet 100'																																
Street Address 582 W. Hayden Ave		SAMPLE COLLECTED																																
City, State, Zip Code Hayden Lake, ID 83835		Hour 3:10																																
Time & Date Received		Date 3-5-90																																
Time & Date Set Up 3/6/90		1600																																
RESULT OF WATER TEST Intestinal Bacteria ☐ were ☒ were not / found in the water sample. Membrane Filter <u>< 1</u> Coliforms/100 ml.																																		
Date Reported/Microbiologist J.D. 3/7/90																																		
EXPLANATION: Intestinal bacteria should not be present in your water supply. The presence of these organisms indicates that your water is contaminated. This may be due either to poor quality of water at its source or improper construction and maintenance of the system. Because the quality of water may vary from time to time, it is recommended that repeat samples be submitted. For Department of Health & Welfare recommendations or approval of your water supply, please contact your environmentalist or public health engineer.																																		
<table border="1"> <thead> <tr> <th colspan="6">PRESUMPTIVE TEST</th> <th colspan="2">CONFIRMATORY TEST</th> </tr> <tr> <th>Date</th> <th>10cc</th> <th>10cc</th> <th>10cc</th> <th>10cc</th> <th>10cc</th> <th>Date</th> <th>Result</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>			PRESUMPTIVE TEST						CONFIRMATORY TEST		Date	10cc	10cc	10cc	10cc	10cc	Date	Result																
PRESUMPTIVE TEST						CONFIRMATORY TEST																												
Date	10cc	10cc	10cc	10cc	10cc	Date	Result																											

HWH-0261
Rev. 7/86

DO NOT FILL BOTTLE MORE THAN TWO-THIRDS (2/3) FULL
Allow an Air Space at the Top

Bill

MICROFILMED
MAR 22 1991

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

138729

October 31, 1990

KATHERINE SCHMIDT
16108 MT. HICKS
FOUNTAIN VALLEY, CA 92708

PROOF DUE NOTICE

RE: PERMIT NO. 95-08591

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

H²O Well Service, Hayden Lake, ID

Permit No. 95-08591 (Drillers Permit #96-88 N-87)

Name(s) of Permit Holder(s): Katherine Schmidt

Post Office Address: 16108 Mt Hicks, Fountains Valley, CA 92708

Phone No. (714) 775-6089

☒ I hereby certify that construction of diversion works for the above referenced permit began on 8/8/88 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.


Date

Katherine Schmidt
Signature of Permit Holder

Katherine Schmidt

16108 Mt Hicks

Fountain Valley, CA 92708



MICROFILMED

MAR 22 1991



RECEIVED

JAN 05 1989

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 12, 1988

KATHERINE SCHMIDT
16108 MT. HICKS
FOUNTAIN VALLEY, CA 92708

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08591

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED
JAN 11 1989

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

RECORDED

JAN 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY RJA

DATE 6/30/88

APPLICATION NUMBER 95-8591

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED

OCT 24 1988

PROCESSING

☒ Yes ☐ No In form for advertising
☒ Yes ☐ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit
☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received

☒ Yes ☐ No Final date for protest
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☒ Yes ☐ No Recommendations attached
☒ Yes ☐ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what dist.
☒ Yes ☐ No Special conditions of approval or cover letter below.

☐ See below for additional information
 Date of priority recommended 12/17/88
 By WJ

STATE OFFICE REVIEW

☐ See below for additional information
 Date 12/15/88
 By WJ

ADDITIONAL INFORMATION

ok to allow 2 yrs. for B/U development

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-8591 in the name of Katherine Schmidt was advertised incorrectly on July 7 & 14, 1988.

The legal description for the diversion pt. was incorrectly described as the NESESW Sec T50N R04W; whereas, correctly it should be the NESESW Sec 20 T50N R04W.

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Suite 9, Coeur d'Alene, Id. 83814 on or before ^{SEPT. 19.} ~~August 22~~, 1988.

R. KEITH HIGGINSON, Dir.

Published in the Coeur d'Alene Press on ^{9/1 - 8/1988} 8/4 & 11/1988.

RECEIVED

JAN 11 1989

95-08591

SCHMIDT, KATHERINE
16108 MT. HICKS
FOUNTAIN VALLEY, CA 92708

Source: GROUNDWATER

Diversion Pt: NESESW Sec 20 T 50N R 04W

Use: DOMESTIC (.040 CFS)

Date Filed: 6/23/1988

In: T50N R04W S20 SESW

UNRECORDED

JAN 11 1989