






T
T

95-8585

T. 52 N R 5 W Sec 29

SEP 27 1992





Sec. 8.
640

Sec. 9.
640

Sec. 10.
66780

Sec. 17.
640

Sec. 16.
640

Sec. 15.
640

Sec. 20.
640

Sec. 21.
640

Sec. 22.
640.64

Sec. 29.
63860

Sec. 28.
63952

Sec. 27.
46346

Sec. 32.
Survey

Sec. 33.

Sec. 34.

Robinson

SEP 17 1992

FILED

RECEIVED
JUL 27 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-08585

Department of Water Resources

PHOTOGRAPHS



RECEIVED
SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08585

Priority: May 26, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.5 AF

This is to certify, that JERRY A NEFF
13230 N THREE FORKS RD
POST FALLS ID 83854

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 26, 1988; and
has submitted Proof of Beneficial Use on December 7, 1990. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

UNNAMED STREAM

tributary to HAUSER CREEK, RIGHT FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	1.5 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	1.5 AF

LOCATION OF POINT(S) OF DIVERSION:

WNW , Sec. 29, Township 52N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N 05W 29	WNW 0.5			0.5

Total number of acres irrigated: 0.5

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

NOT RECORDED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08585

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of SEPTEMBER, 1992.

Acting for R. Keith Higginson, Director

RECEIVED
SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-08585

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Terry A. Neff Phone 773-7994
Post office address 13230 N. Three Forks Rd Post Falls, ID 83854
2. Source of water supply Unnamed Stream which is a tributary of Right Fork Hauser Creek
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 29 Township 52N Range 5W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.08 for Fire Protection purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.03 for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.11 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 3/4" line to sprinklers
and spigots
 - b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NA
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).


MICROFILMED

AUG 18 1988

DATA

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 18 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Perry A. [Signature]
(Applicant)

AUG 18 1988

RECEIVED

[Signature]
Director

Witness my hand this 3rd day of August, 1988.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

August 1, 19 90

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8585 and said application is hereby APPROVED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Proposed Priority 30 Date 5/26/88 Time 12:00 Noon Preliminary check by [Signature]

Fee \$ 45.00 Received by [Signature] # N 150 Date 5/26/88

Publication prepared by [Signature] Date 6/7/88 Published in IDA Q. 6/16/88

Publication approved [Signature] Date 7/1/88

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Nancy Hawkins being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 16 day of June, 1988 and ending on the 23 day of June, 1988 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 23 day of June, 1988

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.
ROBERTA MANLEY
My commission expires 2-3-93

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT
The Following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

95-08584
HERMAN, JACK
HERMAN, JERALD
1904 E. CATALDO AVE.
SPOKANE, WA 99202
Source: TWIN LAKES Tribu-
tary: RATHDRUM CREEK
Diversion Pt: LOT 3
(SWNENW) Sec 17 T 52N R
04W
Use: DOMESTIC (.040 CFS)
Date Filed: 6/02/1988
In: T52N R04W S17 NENW
NWNW

95-08585
NEFF, JERRY A.
13230 N. THREE FORKS RD.
POST FALLS, ID 83854
Source: UNNAMED STREAM
Tributary: HAUSER CREEK,
RIGHT FORK
Diversion Pt: NENWNW Sec
29 T 52N R 05W
Use: IRRIGATION (.030
CFS); FIRE PROTECTION
(.080 CFS)
Date Filed: 5/26/1988
In: T52N R05W S29 NWNW
1.0 ACRES TOTAL

95-08581
HAYDEN LAKE IRRIGA-
TION DISTRICT
C/O BILL BATEY
P. O. BOX 162
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: NESWSE SEC 5
T 51N R 04W; SENWSW SEC 14
T 51N R 04W
Use: IRRIGATION (12.050
CFS); STOCKWATER (.008
CFS); INDUSTRIAL (4.490
CFS); COMMERCIAL (4.490
CFS); MUNICIPAL (1.560
CFS); DOMESTIC (2.930
CFS); FIRE PROTECTION
(2.930 CFS)
Date Filed: 4/25/1988

MUNICIPAL PLACE OF
USE LOCATED WITHIN THE
CITY LIMITS OF HAYDEN.
In: T51N R04W S11 NESW,
NWSW, SWSW, SESW, SWSE,
SESE; S14 NENE, NWNE,
SWNE, SENE, NENW,
NWNW, SWNW, SENW,
NESW, NWSW, SWSW, SESW;
S15 SWSW, SESW, NESE,
SWSE, SESE; S16 SESW; S21
NENE, NWNE, SWNE,
SENE, NESE, SWSE, SESE;
S22 NENE, NWNE, SENE,
NENW, NWNW, NESE,
SWSE, SESE; S23 NENE,
NWNE, SWNE, SENE,
NENW, NWNW, SWNW
SENW; S26 NWNW; S27
NENE, NWNE, NENW,
NWNW, SENW
1582 ACRES TOTAL

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, Northern Region,
Government Way Suite 9,
Coeur d'Alene, Idaho 83814 on
or before JULY 5, 1988.
R. KEITH HIGGINSON, Dir.
Legal 538
June 16, 23, 1988

RECORDED

AUG 18 1988

September 15, 1992

JERRY A NEFF
13230 N THREE FORKS RD
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08585

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:c2

Enclosure

MICROFILMED
SEP 17 1992

August 18, 1992

JERRY A NEFF
13230 N THREE FORKS RD
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08585

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 95-08585

Date 8-13-92
28

	Yes	No	
NAME	<u> </u>	<u> ✓ </u>	Address Change?
PRIORITY DATE	<u> </u>	<u> ✓ </u>	Advance?
	<u> </u>	<u> ✓ </u>	Memo to Advance
	<u> </u>	<u> ✓ </u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u> ✓ </u>	No Fee/.04 cfs limit
	<u>NA</u>	<u> </u>	Incorrect Fee for rate recommended?
	<u> </u>	<u> ✓ </u>	Disagree with Actual Measurement?
	<u> </u>	<u> ✓ </u>	$.5 \times .03 = .015 \approx .02 \text{ cfs (IRR)} .02 \text{ cfs (FP)}$
	<u>NA</u>	<u> </u>	Disagree with Theoretical? pipe flow = .015
	<u> </u>	<u> ✓ </u>	Limited by Capacity? .02 cfs
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>4-1 to 10-31</u> Per Permit Season Recommended
	<u> ✓ </u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> ✓ </u>	$.5 \times 3.0 = 1.5 \text{ cfs (IRR)}$
	<u> </u>	<u> ✓ </u>	Limited by Flow? $.02 \times 2/3 \times 1.9835 = 8.4 > 1.5$
SOURCE	<u> </u>	<u> ✓ </u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u> ✓ </u>	<u>Intended</u> source
	<u> </u>	<u> ✓ </u>	Notice of Intent to Void.
P/D	<u> </u>	<u> ✓ </u>	Verify with Map
	<u> </u>	<u> ✓ </u>	Amendment Needed?
	<u> </u>	<u> ✓ </u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> ✓ </u>	Verify with Map
	<u> </u>	<u> ✓ </u>	Amendment Needed?
	<u> </u>	<u> ✓ </u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u> ✓ </u>	Change(s) in Nature of Use?
	<u> </u>	<u> ✓ </u>	Amendment Needed?
REMARKS	<u> </u>	<u> ✓ </u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u> ✓ </u>	Non-Irr. Uses
	<u> </u>	<u> ✓ </u>	Special Overlap Condition
	<u> </u>	<u> ✓ </u>	Other
CONDITIONS	<u> </u>	<u> ✓ </u>	Measuring Device
	<u> </u>	<u> ✓ </u>	W/Master Control
	<u>R49</u>	<u> </u>	Overlap
	<u> </u>	<u> ✓ </u>	Water Quality
			DATES/MISC
			<u> </u> <u> ✓ </u> Water Dist.
			<u> </u> <u> ✓ </u> App Rec'd
			<u> </u> <u> ✓ </u> Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acc. rate
Pipe Flow 3/4" pvc = .015

License 10-Day ✓ 15-Day Special Correspondence

OWNER CODE: C
NAME & ADDRESS: JERRY A NEFF
13230 N THREE FORKS RD
POST FALLS ID 83854
(208) 773-7994

PRIORITY DATE: 05/26/1988
WATER USE: IRRIGATION
FIRE PROTECTION

USE PERIOD FROM TO: 04-01 10-31
01-01 12-31

DIVERSION RATE: 0.02 CFS
0.02 CFS

DIVERSION VOLUME: 1.5 AFA
1.5 AFA

TOTAL DIVERSION: 0.02 CFS
1.5 AFA

Water Source: UNNAMED STREAM
Tributary to: HAUSER CREEK, RIGHT FORK
Stage: LICENSE

Point(s) of Diversion Capacity: 0.02 CFS

Point(s) of Diversion: T52N R05W S29 NW NW

Place of use Legal Description for: IRRIGATION															
NE								SW							
MENE				MUNE				SWNE				SENE			
: Lt Ac				: Lt Ac				: Lt Ac				: Lt Ac			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:				:			
:				:				:							

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08585

1. Owner: JERRY NEFF

Phone No. 723-7904

Current Address: 13230 N THREE FORKS RD, POST FALLS ID

2. Accompanied by: 83854 NONE

EXAM. DATE: 3/3/92

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: UNNAMED STREAM to HAUSER CR. RF

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3/4" PVC IN STREAM, GRAVITY FLOW TO TWO 55 GALLON DRUMS. ONE CRAIN TYPE & ONE WITH TWO 55 GALLON DRUMS.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

1/2 ACRE = 0.02

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{1/2 (3.5) = 1.8}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{3}$

2. Volume Calculations for Other Uses: /

RECEIVED
SEP 17 1992

Period of Use
From To

5299

5298

50'

5297


5296

2579 (SE
(NEWMAN LAKE)

T
T

95-8585

T. 52 N R 5 W Sec 29



H I D D E

V A L L E

HOWELL TOWN

31

2388

ROAD

Sec. 10
66780

52010
640

500-20

FIR

Rev. 29
63860

00012

Sec. 32
Survey

Robinson

Sec 31

100-34




RECEIVED
JUL 27 1992

PERMIT # 95-08585

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

Department of Water Resources

PHOTOGRAPHS



RECEIVED

SEP 17 1992



December 28, 1990

JERRY A. NEFF
13230 N. THREE FORKS RD.
POST FALLS, ID 83854

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08585

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
FEB 07 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8585

Date 12-26

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below. *consider timely rec'd*

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Well log in file?
☐ Amt paid for drilling permit? _____ Correct? _____

LICENSE EXAMINATION FEE

☒ Required? *accept proof for 0.04 cph*
☐ Amount submitted?
☐ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Consider timely rec'd

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

Form 217
RECEIVED
DEC 07 1990

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUL 26 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08585 Telephone No. 208 773 7994

Name(s) of Permit Holder(s): JERRY A. NEFF

Post Office Address: 13230 N. THREE FORKS RD, POST FALLS, ID 83854

Source of Water: UNNAMED STREAM WHICH IS A TRIBUTARY OF RT FORK HANSEN CREEK

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic 1 ✓ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other FIRE PROTECTION

3/4" pipe to house

Total rate and/or volume for which proof is submitted 0.11 ✓ cfs _____ acre/feet

.11 CFM OR .00182 CFS

Show date water was first diverted and beneficially used under this permit: 6-89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes No Installed? Yes X No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

JERRY NEFF
Name

208 773 7994
Telephone No.

13230 N. THREE FORKS RD, POST FALLS, ID 83854
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 07 1991

7-20-90
Date

Jerry A. Neff
Signature (and title if on behalf of a company or organization)

RECEIVED
DEC 07 1990

Department of Water Resources

13230 N. Three Forks Rd.
Post Falls, ID 83854
December 3, 1990

Rita I. Fleck
Secretary/Records Manager

Dear Ms Fleck:

re: Permit No. 95-8585
Proof of Beneficial Use

There appears to be a misunderstanding regarding the 0.11 flow rate. I was thinking about C.F.M. (cubic feet per minute).

This system is for a single ownership domestic use only.

I use the water for my small home garden for approximately three months per year.. I use the same 3/4 inch water pipe source for fire protection around the house and general domestic use. I do not otherwise irrigate.

The system consists of approximately 1000 feet of 3/4 inch black plastic pipe laying on the ground surface which is gravity feed from a mountain creek. I do not believe a 3/4" pipe could carry 0.11 CFS.

I am retired living on a fixed income out here in the woods. I have already paid \$30.00 to your Coeur d'Alene office. I can not afford another \$50.00.

Corrected Proof of Beneficial Use Permit is enclosed.

I hope I have clarified the information.

Sincerely,

Jerry A Neff

Jerry A Neff

Enclosures

MICROFILMED

FEB 17 1991

November 28, 1990

Jerry A. Neff
13230 N. Three Forks Road
Post Falls, ID 83854

Dear Mr. Neff:

Re: Permit No. 95-8585

Returned is the proof of beneficial use form submitted on July 26, 1990.
Before the proof is acceptable, a \$50 license exam fee is required.

Please note the enclosed instruction sheet/fee schedule. For the
diversion of 0.11 cfs, there is a fee.

I will hold the permit for 15 days without action.

If you have any questions concerning this matter, please feel free
to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures



FEB 07 1991

130887
May 31, 1990

JERRY A. NEFF
13230 N. THREE FORKS RD.
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-08585

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,


Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 17 1991

JERRY NEFF
13 N. Three Forks Road
Post Falls, Idaho 83854



STATE OF IDAHO
DEPT OF WATER RESOURCES
1301 N. ORCHARD ST
STATE HOUSE MAIL
BOISE, ID. 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-08585

Name(s) of Permit Holder(s): JERRY

Post Office Address: 13230 N. 3RD AVE RD
POST FALLS

Tele. No. 737 7994

☒ I hereby certify that construction of diversion works for the above referenced permit began on 9-1-88

(date)

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:



*Note: A financing difficulty is not an acceptable reason.

10-1-88

Date

Jerry [Signature]
Signature of Permit Holder

JERRY LFF
13230 N. Three Forks Road
Post Falls, Idaho 83854



RECEIVED
FEB 07 1991



RECEIVED
MAY 30 1989

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 8, 1988

JERRY A. NEFF
13230 N. THREE FORKS RD.
POST FALLS, ID 83854

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08585

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

AUG 18 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY RYA

DATE 6/2/88

APPLICATION NUMBER 95-08585

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
☐ Yes ☒ No Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested 5/22/88

Department of Water Resources

☒ Yes ☒ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

✓ ☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7/5/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below.

☐ See below for additional information
 Date of priority recommended By SP/JS Date 1/2/88

STATE OFFICE REVIEW allow 2 yrs. for B/U development
P17 26
 By KW ☐ See below for additional information
 Date 7/25/88

ADDITIONAL INFORMATION

95-08585

NEFF, JERRY A.
13230 N. THREE FORKS RD.
POST FALLS, ID 83854

Source: UNNAMED STREAM

Tributary: HAUSER CREEK, RIGHT FORK

Diversion Pt: NENWNW Sec 29 T 52N R 05W

Use: IRRIGATION (.030 CFS)
FIRE PROTECTION (.080 CFS)

Date Filed: 5/26/1988

In: T52N R05W S29 NWNW

1.0 ACRES TOTAL

AUG 18 1988