

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches

AUG 18 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jack E. Herman
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

() B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

() Field Report () Quad Sheet () Gov. Lot Plat () Sr. Agent Review
() Aerial Photo () Photo PD/PU () Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts: _____

Remarks:

Inside
Pump
house



Exam Completed By Zain Subedi

Date 8/21/89

Sr. Agent Review _____

Date _____

Regional Manager Review RYA

Date 6/12/90


PERMIT NUMBER _____

MICROFILMED

SEP 24 1990

(SPIRIT LAKE WEST)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



QUAD # E54

PERMIT # 95-8584

LOCATION: T 52N, R 4W, SEC. 17, NE NW

T " ", R " ", SEC. " ", NE NW and NW NW

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08584

Priority: June 2, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
0.6 AF

This is to certify, that JACK HERMAN
JERALDINE HERMAN

E. 1904 CATALDO
SPOKANE, WA 99202

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 2, 1988; and
has submitted Proof of Beneficial Use on June 30, 1989. An examination indicates
that the works have a diversion capacity of .080 cfs of water from:

TWIN LAKES tributary to RATHDRUM CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NENW), Sec. 17, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 17 LOT 3(NENW) NWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home on line between NENW & NWNW, Sec. 17.

MICROFILMED

SEP 24 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08584

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-08584

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JACK HERMAN OR JERALD HERMAN Phone 534-4193
Post office address 1904 E. CATHALO AVE. SPOKANE, WA 99202
2. Source of water supply TWIN LAKES which is a tributary of RATHURUM CR.
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 413
Sec. 17 Township 52N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

AUG 18 1988

[illegible]

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully.

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number



Scale: 2 inches

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jack E. Herman
(Applicant)

AUG 18 1988

RECEIVED

[Signature]
Director

Witness my hand this 3rd day of August, 1988.

- e. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1989.
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8584, and said application is hereby APPROVED.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Proposed Priority 6/2/88

Received by JK Date 6/2/88 Time 10:50 AM Preliminary check by [Signature]

Fee \$ 30.00 Received by JK Date 6/2/88 # N-174

Publication prepared by [Signature] Date 6/7/88 Published in CDWQ 6/16/88

Publication approved [Signature] Date 7/1/88

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Nancy Hawkins being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 16 day of June, 1988 and ending on the 23 day of June, 1988 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 23 day of June, 1988

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.
ROBERTA MANLEY
My commission expires 2-3-93

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT
The Following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:
95-08584

HERMAN, JACK
HERMAN, JERALD
1904 E. CATALDO AVE.
SPOKANE, WA 99202
Source: TWIN LAKES Tribu-
tary: RATHDRUM CREEK
Diversion Pt: LOT 3
(SWNW) Sec 17 T 52N R
04W
Use: DOMESTIC (.040 CFS)
Date Filed: 6/02/1988
In: T52N R04W S17 NENW
NWNW

95-08585
NEFF, JERRY A.
13230 N. THREE FORKS RD.
POST FALLS, ID 83854
Source: UNNAMED STREAM
Tributary: HAUSER CREEK,
RIGHT FORK
Diversion Pt: NENWNW Sec
29 T 52N R 05W
Use: IRRIGATION (.030
CFS); FIRE PROTECTION
(.080 CFS)
Date Filed: 5/26/1988
In: T52N R05W S29 NWNW
1.0 ACRES TOTAL

95-08581
HAYDEN LAKE IRRIGA-
TION DISTRICT
C/O BILL BATEY
P. O. BOX 162
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: NESW SEC 5
T51N R 04W; SENWSW SEC 14
T 51N R 04W
Use: IRRIGATION (12.050
CFS); STOCKWATER (.008
CFS); INDUSTRIAL (4.490
CFS); COMMERCIAL (4.490
CFS); MUNICIPAL (1.560
CFS); DOMESTIC (2.930
CFS); FIRE PROTECTION
(2.930 CFS)
Date Filed: 4/25/1988

MUNICIPAL PLACE OF
USE LOCATED WITHIN THE
CITY LIMITS OF HAYDEN.
In: T51N R04W S11 NESW,
NWSW, SWSW, SESW, SWSE,
SESE; S14 NENE, NWNE,
SWNE, SENE, NENW,
NWNW, SWNW, SENW,
NESW, NWSW, SWSW, SESW;
S15 SWSW, SESW, NESE,
SWSE, SESE; S16 SESW; S21
NENE, NWNE, SWNE,
SENE, NESE, SWSE, SESE;
S22 NENE, NWNE, SENE,
NENW, NWNW, NESE,
SWSE, SESE; S23 NENE,
NWNE, SWNE, SENE,
NENW, NWNW, SWNW,
SENW; S26 NWNW; S27
NENE, NWNE, NENW,
NWNW, SENW
1582 ACRES TOTAL

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, Northern Region,
Government Way Suite 9,
Coeur d'Alene, Idaho 83814 on
or before JULY 5, 1988.
R. KEITH HIGGINSON, Dir.
Legal 538
June 16, 23, 1988

MICROFILMED

AUG 18 1988

August 27, 1990

JACK HERMAN
JERALDINE HERMAN
E. 1904 CATALDO
SPOKANE, WA 99202

RE: PERMIT NO. 95-08584

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 24 1990

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit

95-8584

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4) *WHERE ARE THE PRESSURE TANKS ON THE DIAGRAM?*
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8)

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity (Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature

[Handwritten Signature]

Date

8/25/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

() B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

() Field Report () Quad Sheet () Gov. Lot Plat () Sr. Agent Review

() Aerial Photo () Photo PD/PU () Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts:

Remarks:

Inside
Pump
house

Exam Completed By Zois Suber

Date 8/21/89

Sr. Agent Review _____

Date _____

Regional Manager Review RYA

Date 6/12/90

PERMIT NUMBER _____

MICROFILMED

SEP 4 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


- Permit No. 95-8584
Phone No. 534-4193
1. Owner: Jack or Jerald Herman
Current Address: E1904 Cataldo Ave Spokane, WA 99202
2. Accompanied by: Ethelle & Doley EXAM. DATE: 8/10/89
Address: N. 4615 Gunning Rd, Rathdrum Id Phone No. 687-1915
Relationship to Permit Holder: neighbor and system sharer.
3. Source: Twin lakes tributary to Rathdrum Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: ~~95-8605~~ 95-7971 domestic irrigation ☐ Copies Attached
2. Other water rights with same point of diversion: 95-8605 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

MICROFILMED

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

SEP 24 1990

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.).

A 2" black buried PVC pipe leads a 1hp pump that supplies inside domestic water for both 95-8589 and 95-8605. Pressure tanks run between 30 and 60psi.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Berkley	1	7C88	Sams	3/4"

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

DEAL # 2 175

RECEIVED

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

System Potential

$$Q = \frac{8.8(.7)(1)}{2.3(30) + 10} = .0865$$

2. Alternate Method for Checking Purposes:

limited to .04 by permit

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

Inside Domestic / home SEP 24 1990

0.6 afa

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Outside domestic covered by 95-2971

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use Domestic
 Period of Use From 1/1 To 12/31
 Rate of Diversion 0.04 cfs
 Annual Volume V (afa) 0.64 fa

Totals: 0.04 cfs 0.64 fa

2. Recommended Amendments


- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☒ None

J. AUTHENTICATION

Field Examiner's Name Louis Sukovaty
 Signature [Signature]
 Certification Date 2/17/89
 Field Report Preparation Date 8/10/89

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

8/21/90



RECORDED

SEP 24 1990

PE-8584

SAME SYSTEM WAS

95-8605
BUT SOON TO
BE SEPERATED

MICROFILMED

SEP 24 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
August 14, 1989
Governor

R. KEITH HIGGINSON
Director

Mr. Jack Herman
E. 1904 Cataldo Ave.
Spokane, Wa. 99202

95-8584

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 25 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-08584

Date: 7-7-89

General Considerations:

/ Name same as permit
/ Signature the same as permit holder
/ Address change _____ If yes, prepare a data entry
/ Proof received timely _____
_____ Reinstated

Source of Water:

/ Surface water
/ Groundwater
N/A 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

/ Rate of diversion appropriate for uses
/ Is rate or volume and fee appropriate?
/ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late		= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

JUN 30 1989

Form 217
03/86

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 0.0
Date 6/28/89
Receipt # NONE
Receipt by JK
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08584

Name(s) of Permit Holder: JACK HERMAN AND JERALDINE HERMAN

Post Office Address: E 1904 CATALDO AVE. SPOKANE, WASHINGTON-99202

Telephone No. 534-4193

Source of Water: LOWER TWIN LAKES - IDAHO

Extent of Use:

☒ Domestic 1 (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

JACK HERMAN - OR DEL DOOLEY
(Name)

509-534-4193 OR 208-687-1915
(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

SEP 25 1989

June 26 - 1987
Date

Jack E Herman - Jeraldine M Herman
Signature of Permit Holder (and title, if appropriate)

138331
May 31, 1989

JACK HERMAN
JERALD HERMAN
1904 E. CATALDO AVE.
SPOKANE, WA 99202

PROOF DUE NOTICE
RE: PERMIT NO. 95-08584

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 20 1989

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 8, 1988

JACK HERMAN
JERALD HERMAN
1904 E. CATALDO AVE.
SPOKANE, WA 99202

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08584

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

FILED
AUG 18 1988

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY RNA

DATE 6/2/88

APPLICATION NUMBER 95-08584

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested JUL 22 1988

Department of Water Resources

PROCESSING In form for advertising ☐ No ☐ Yes
Statewide advertising ☐ No ☐ Yes
Fee amount, receipt date & No. recorded on application

SEND COPIES TO

- ☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit
☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received
Final date for protest 7/5/88
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☒ Yes ☐ No Recommendations attached
☒ Yes ☐ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what dist.
☒ Yes ☐ No Special conditions of approval or cover letter below.

By RMH Date 6/2/88
Date of priority recommended 7/19/88
☐ See below for additional information

STATE OFFICE REVIEW

By PLC Date 7/25/88
☐ See below for additional information

ADDITIONAL INFORMATION



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 19, 1988

Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8584

Gentlemen:

Enclosed is a copy of a recent filing with this Department that may be of interest to your agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enc. - Appln.

MICROFILMED

AUG 18 1988



95-08584

HERMAN, JACK
HERMAN, JERALD
1904 E. CATALDO AVE.
SPOKANE, WA 99202

Source: TWIN LAKES

Tributary: RATHDRUM CREEK

Diversion Pt: LOT 3 (SWNENW) Sec 17 T 52N R 04W

Use: DOMESTIC (.040 CFS)

Date Filed: 6/02/1988

In: T52N R04W S17

NENW

NWNW

MICROFILMED

AUG 18 1988