



ENGLISH POINT ROAD

version, place of use, section number,



SEC 17
T. 51N R. 3W

MICROFILMED

MAR 26 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Claud Palmer*

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

Permit No. 95-08578
Department of Water Resources
Phone No. (208) 772-4138
EXAM. DATE: 12/7/90
Phone No. _____

1. Owner: Claud Palmer
Current Address: E. 4628 English Pt. Rd. Hayden Lake ID 83835
2. Accompanied by: NONE
Address: _____
Relationship to Permit Holder: _____
3. Source: Hayden Lake tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
AUG 23 1991



1.52 N.
T. 51 N.
5294
47'30"

5292
HAYDEN 2.3 MI.
5290

5289
2 220 000
FEET
47°45'
116°45'

Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Topography by photogrammetric methods from aerial
photographs taken 1958. Field checked 1961
Polyconic projection, 1927 North American datum

95-8578
T51N. R3W. Sec. 17

2673 III
(COEUR D'ALENE)
1:62,500

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08578

Priority: April 25, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that CLAUD PALMER
E. 4628 ENGLISH POINT RD.

HAYDEN LAKE, ID 838350000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 25, 1988; and
has submitted Proof of Beneficial Use on June 11, 1990. An examination indicates
that the works have a diversion capacity of .040 cfs of water from:

HAYDEN LAKE

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NENE), Sec. 17, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 17 LOT 1(NENE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 95A

RECEIVED

AUG 23 1991

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08578

CONDITIONS/REMARKS:

6. Diversion of water for any purposes other than in-house culinary use under this license issued by the Department of Water Resources may be ordered ceased by the watermaster of Water District 95A or the Department if it is determined that unrestricted pumping under this permit would contribute to the level of Hayden Lake dropping below 2230 msl as authorized by the judgement of the First Judicial District Court in the case of Avondale Irrigation District, et al vs. North Idaho Properties Inc. and Robert J. Adamson, et al.
7. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of AUGUST, 1991.

Acting for

R. Keith Higginson, Director

RECEIVED
AUG 28 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08578

Proposed Priority: April 25, 1988 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **CLAUD PALMER**
2457 WESTMONT WAY W.
SEATTLE, WA 981990000
has applied for a permit to appropriate water from:

HAYDEN LAKE tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NENE), Sec. 17, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 17 LOT 1(NENE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1991**.
2. Subject to all prior water rights.
3. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 95A.
5. Diversion of water for any purposes other than in-house culinary use under this permit or license subsequently issued by the Department of Water Resources may be ordered ceased by the watermaster of Water District 95A or the Department if it is determined that unrestricted pumping under this permit would contribute to the level of Hayden Lake dropping below 2230 msl as authorized by the judgement of the First Judicial District Court in the case of Avondale Irrigation District, et al vs. North Idaho Properties Inc., et al and Robert J. Adamson, et al.
6. Domestic use is for 1 home.

MICROFILMED

MAR 26 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08578

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of March, 1990.

for *R. Keith Higginson*
R. Keith Higginson, Director

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant CLAUDE PALMER Phone 206-285-4479

Post office address 2457 WESTMONT HIGH WEST SEATTLE, WA 98199

2. Source of water supply HAYDEN LAKE which is a tributary of SINKS

3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot 1

Sec. 17 Township 51N Range 3W B.M. 400511 County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

RECORDED
MAR 26 1990

התאחדות המורים

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? APPLICANT

11. a. Who owns the property at the point of diversion? APPLICANT

10. Describe any other water rights used for the same purposes as described above. *None*

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.



b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

ENGLISH POINT ROAD

version, place of use, section number,



SEC 17
T. 51N R. 3W

100% CLEARPRINT

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Claude Palmer*
(Applicant)

MICROFILMED

MAR 26 1990

Proposed Priority 4/25/88

Received by RGH Date 4-25-88 Time 9:30 AM Preliminary check by RGH

Fee \$ 50.00 Received by RGH # N 18 Date 4/25/88

Publication prepared by RGH Date 4/22/88 Published in 5/5 & 12/88

Publication approved RGH Date 4/27/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 95-8578 , and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

July 1 , 19 89

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED
MAR 26 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Nancy Bauknis being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 5 day of May, 1988 and ending on the 12 day of May, 1988 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Nancy Bauknis

Subscribed and sworn to before me this 12 day of May, 1988

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-7316

DUNCAN, JACK
S. 13505 TAMARACK RIDGE RD., CATALDO, ID 83810
Source: UNNAMED STREAM trib. to SINKS; SPRING trib. to SINKS

Diversion Pt: SESWNW Sec 36 T 49N R 01W

Use: STOCKWATER STORAGE (4.0 CFS)

Date Filed: 04/22/1988

In: SWNW Sec 36 T 49N R 01W 95-8578

PALMER, CLAUD
2457 WESTMONT WAY WEST, SEATTLE, WA 98199
Source: HAYDEN LAKE trib. to SINKS

Diversion Pt: LOT 01 (NENE) Sec 17 T 51N R 03W

Use: DOMESTIC (0.040 CFS)

Date Filed: 04/25/1988

In: NENE Sec 17 T 51N R 03W 95-8579

KELLAMS, HEIDE &/or BOB
2501 SHERMAN AVE. #45, COEUR D ALENE, ID 83814
Source: GROUNDWATER

Diversion Pt: SWNW Sec 02 T 49N R 04W

Use: STOCKWATER (0.020 CFS) DOMESTIC (0.040 CFS)

Date Filed: 04/19/1988

In: SWNE Sec 03 T 49N R 04 W 95-8580

PANABAKER, WILLIAM N.
545 E. WYOMING ST., HAYDEN LAKE, ID 83835
Source: GROUNDWATER

Diversion Pt: NWSESE Sec 29 T 52N R 04W

Use: DOMESTIC (0.020 CFS)

Date Filed: 04/14/1988

In: SWSE Sec 29 T 52N R 04W

Dep The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before MAY 23, 1988.

R. KEITH HIGGINSON, Dir.
Legal 354
May 5, 12, 1988

MICROFILMED

MAR 26 1990

August 20, 1991

CLAUD PALMER
E. 4628 ENGLISH POINT RD.
HAYDEN LAKE, ID 838350000

RE: WATER RIGHT NO. 95-08578

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

U.S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
AUG 23 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8578

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A
Limited by capacity ☒

Total volume Limited by flow
Chart checked for AF rate/ac N/A

Capacity Actual measurement checked
Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 ☒
Description of non-irrig uses
Special overlap condition

Conditions -

Measuring device
W.Master control RO4
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd ☒
Proof Rec'd ☒

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed ☒

Comments/Changes to Examiner's Recommendations:

AUG 23 1991

License ☒ 10-day 30-day

Back of field report signed?
Reviewer SCW Date 8/13/91 Review time 5 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

1. Owner: Claud Palmer Permit No. 95-08578
Current Address: E. 4628 English Pt. Rd. Hayden Lake ID 83835 Department of Water Resources
Phone No. (208) 772-4138
2. Accompanied by: NONE EXAM. DATE: 12/7/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Hayden Lake tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
AUG 23 1991

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Pump in lake with pipeline to house

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submittal					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:


[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space



2573 JH
(COEUR D'ALENE)
1:62,500

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS


Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1961

Political projection 1:27,000 A

95-8578

T51/N. R3W. Sec. 17

AUG 23 1991



Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

one done

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

one done

AUG 23 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
Domestic	1-1 12-31	0.04	1.2

Totals:

0.04	1.2
------	-----

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom King
 Signature [Signature]
 Certification Date 4/16/90
 Field Report Preparation Date 12/7/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



AUG 28 1991
 [Illegible stamp]

November 2, 1990

CLAUD PALMER
2457 WESTMONT WAY W.
SEATTLE, WA 981990000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08578

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 23 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8578

Date: 10-19-90

General Considerations:

→ y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

5 Surface water
5 Groundwater
1 1. well log in file
2 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

1 Is a measuring device or access port required?
1 Has one been installed?
1 Waiver or modification of measuring device requested

Remarks: Proof acceptable

1 Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

SS

RECEIVED
JUN 11 1990

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P95-68578 Telephone No. (208) 772-4138

Name(s) of Permit Holder(s): Claud Palmer

Post Office Address: E. 4628 English Pt. Rd. Hayden Lake, ID 83835

Source of Water: Hayden Lake

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic 1 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs / _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 8/18/88

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Claud Palmer (208) 772-4138
Name Telephone No.
E 4628 English Pt. Rd. Hayden Lake, ID 83835
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 23 1991

6/17/90 Claud Palmer
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPT. OF WATER RESOURCES

1301 N. ORCHARD
BOISE, IDAHO 83706

PALM457

X981993015 1788 03/26/90
RETURN TO SENDER
UNABLE TO FORWARD
RETURN TO SENDER

RECEIVED

APR 3 1990

Department of Water Resources

P95-08578
CLAUD PALMER
2457 WESTMONT WAY W.

SEATTLE WA 981990000


Current address: 5/23/90 JS

E. 46th St

English Point Rd.

Hayden Lake 83835

AUG 23 1991



RECEIVED

AUG 11 1988

Department of Water Resources

95-08578

Dalton Gardens Irrigation District
6360 North 4th Street
Coeur d'Alene, Idaho 83814

August 8, 1988

John W. Keys III
Bureau of Reclamation
Box 043-550 West Fort St.
Boise, Idaho 83724-0043

PN-430: In response to the July 14, 1988 letter concerning pumping from Hayden Lake to fill Avondale Lake for irrigating a golf green during this critical period of drouth.

Dear Mr. Keys:

I am sending you a clipping from the Spokeman-Reviews staff and wire reports concerning a comment from R. Keith Higginson, director of the Department of Water Resources from which I quote "In order to successfully finish this irrigation season, and more importantly to save some water in storage for next year" Idaho Department of Water Resources officials are urging water users throughout southern Idaho to immediately take steps to conserve water.

By regions, Hayden Lake basins, where snowpacks are 35 to 52 percent of average in comparison to central and southcentrals 54 to 68 percent in lower basin, extreme southern Idaho 71 to 83 percent. We have a much lower percent and are deeply concerned for Hayden Lakes Water.

Sincerely Yours,

Robert W. Hunt
WATER MASTER

CC: R. Keith Higginson
Director of the Water Resources
State of Idaho, Statehouse
Boise, Idaho 83720

MICROFILMED

MAR 26 1990

RAH
Norman
Heenan
BDF

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
~~March 19, 1990~~

May 23

CLAUD PALMER
2457 WESTMONT WAY W.
SEATTLE, WA 981990000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P95-08578

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY WJA

DATE 4/25/88

APPLICATION NUMBER 75-8578

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested JUN 06 1988

Department of Water Resources

PROCESSING

☐ Yes ☐ No In form for advertising
☐ Yes ☐ No Statewide advertising
☐ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit
☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received
☒ Yes ☐ No Final date for protest
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☒ Yes ☐ No Recommendations attached
☒ Yes ☐ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what dist. 95-A
☒ Yes ☐ No Special conditions of approval or cover letter below.

☐ See below for additional information
Date of priority recommended 4/25/88
By WFO

STATE OFFICE REVIEW
011105 (95A, Hayden Lake)
Date 6/2/88
By KJ
☐ See below for additional information
Date 6/21/88

ADDITIONAL INFORMATION



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 2, 1988

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8578

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

MICROFILMED

MAR 26 1990

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

95-8578

PALMER, CLAUD

2457 WESTMONT WAY WEST, SEATTLE, WA 98199

Source: HAYDEN LAKE trib. to SINKS

Diversion Pt: LOT 01 (NENE) Sec 17 T 51N R 03W

Use: DOMESTIC (0.040 CFS)

Priority Date: 04/25/1988

In: NENE Sec 17 T 51N R 03W

MICROFILMED

MAR 26 1990