

PERMIT #

95-08575

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Place of use -
domestic + irrigation

Point of diversion -
well head

Pressure tanks

MICROFILMED
APR 09 1998

PERMIT #

95-08575

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



Place of use
Irrigation

MICROFILMED
APR 09 1998

PERMIT # 95-08575

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Irrigation, Domestic
(office, shop)

MICROFILMED

APR 09 1998

Sec. 23.

Sec. 23.

T53N
R5W

E

Sec. 27.

Sec. 26.

Sec. 25.

Sec. 34.



Sec. 35.

Sec. 34.

Sec. 33.

Sec. 32.

Sec. 31.

Sec. 30.

37.69

38.35

39.01

39.67

40.33

40.99

41.65

42.31

42.97

43.63


44.29

44.95

45.61

46.27

MICROFILMED
APR 09 1998



FOREST

TWIN LAKE

ELEV 2306 OCT 1961

BLAINE, JAMES
95-08575

(RATHDRUM)
SCALE 1:24000

53N, R. 05W.


MICROFILMED
APR 09 1998

INTERIOR-GEOLOGICAL SURVEY
R. 5W R. 4W

ROAD C

Heavy-duty

Unimproved



APPROVED
APR 6 3 1998

95-08575
BLAINE, JAMES E.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08575

Priority: May 22, 1988

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

16.2 AF

This is to certify, that JAMES E BLAINE
W 1700 LAKE FOREST DR
RATHDRUM ID 83858

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 22, 1988; and
has submitted Proof of Beneficial Use on August 1, 1991. An examination indicates
that the works have a diversion capacity of 0.050 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.05 CFS	15.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.05 CFS	16.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 35, Township 53N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
53N	05W	35	NESE 4	Lot 1(SESE) 1		5

Total number of acres irrigated: 5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

APR 09 1998

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 95-08575

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 1 home and an office.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of MARCH, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 03 1998

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8575 IN THE)
NAME OF JAMES E. BLAINE) ORDER OF REINSTATEMENT
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before June 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 1, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8575 be REINSTATED and the priority advanced to May 22, 1988.

Dated this 22nd day of October, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

NOV 21 1991



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08575 Telephone No. 208-687-0388

2. Name(s) of Permit Holder(s): JAMES E. BLAINE

3. Post Office Address: W. 1700 LAKE FOREST DR., RATHDRUM ID. 83858

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: JAS. FLANIGAN Date drilled: 4-16-88

b. Pump horsepower: 3/4 HP Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households)

Irrigation 6 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

UP TO 6 HORSES & 4 CATTLE

6. Total rate and/or volume for which proof is submitted .20 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Jim BLAINE
Name

687-0388
Telephone No.

W. 1700 LAKE FOREST DRIVE RATHDRUM
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 8-1-91 Signature James E. Blaine
(and title if on behalf of a company or organization)

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8575

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant JAMES E. BLAINE Phone _____
Post office address W. 1700 LAKE FOREST DRIVE, BATHURST, ID 83858
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE* SE 1/4 of NE 1/4 of SE 1/4, Govt. Lot _____
Sec. 35 Township 53N Range 5W B.M. KOOTENAI County; additional
points of diversion if any: _____
*per map - item 13 - kw
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 65' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECEIVED

OCT 14 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. 15 HEAD BEET & HORSES
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. ONE
- e. Other; describe fully. _____

e. Other; describe fully.

12. Remarks:

applicant to make this filing.

11. a. Who owns the property at the point of diversion? APPLICANT
b. Who owns the land to be irrigated or place of use? 11
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.


[illegible]

9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

ponding place of use below. See instructions for standard symbols.

Oct 14 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

OCT 14 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. Baine
(Applicant)

OCT 14 1988

RECEIVED

Director

Witness my hand this 16th day of May, 1988.

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

June 1, 1991

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8575, and said application is hereby APPROVED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Proposed priority 3/22/88
Received by 3/22/88 Time 2:30P
Received by 3/22/88
Fee \$ 300
Received by K/C # 4/1989 Date 3/22/88
Published in 4/7/88 Date 3/31/88
Publication prepared by 4/7/88
Publication approved by 4/30/88
Preliminary check by JK Date 3/22/88

..... Nancy Hawkins being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 7 day of April, 1988, and ending on the 14 day of April, 1988 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 14 day of April, 1988

RECEIVED

APR 14 1988

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.
ROBERTA MANLEY
My commission expires 2-3-93

Department of Water Resources
Northern District Office

MICROFILMED

OCT 14 1988

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

94-7314

RUSSELL, HOWARD W.
P.O. BOX 65, HARRISON, ID.
83833

Source: SPRING trib. to
COEUR D ALENE LAKE

Diversion Pt: LOT 02 Sec 07 T
47N R 03W

Use: DOMESTIC (0.000 CFS)

Date Filed: 03/10/1988

In: LOT 02 (SWNE) Sec 07 T
47N R 03W

95-8574

COLES, ROBERT W. &/ or
CONSTANCE

P. O. BOX 668, POST FALLS
ID 83854

Source: GROUNDWATER

Diversion Pt: SENW SWNW
Sec 06 T 50N R 04W

Use: IRRIGATION (1.0 CFS)

Date Filed: 03/14/1988

In: NENW NWNW SWNW
SENE Sec 06 T 50N R 04W FOR
100 ACRES

95-8575

BLAINE, JAMES E.
W. 1700 LAKE FOREST DR.,
RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: SENESE Sec 35
T 53N R 05W

Use: IRRIGATION (0.2 CFS);

STOCKWATER (0.020 CFS);

DOMESTIC (0.040 CFS)

Date Filed: 03/22/1988

In: NESE SESE Sec 35 T 53N
R 05W NESW NWSW Sec 36 T
53N R 05W FOR 32 ACRES

95-8576

BROWN, MICHAEL E. &/ or
REBECCA C.

S. 1550 SIGNAL PT. RD.,
POST FALLS, ID 83854

Source: UNNAMED STREAM
trib. to SPOKANE RIVER

Diversion Pt: SWSW Sec 09 T
50N R 05W

Use: STOCKWATER (0.020
CFS); STOCKWATER

STORAGE (1.0 AF)

Date Filed: 03/31/1988

In: SWSW Sec 09 T 50N R 05W

96-8512

SEASONS ROAD WATER
ASSN.

26780 SEASONS RD., ATHOL,
ID 83801

Source: GROUNDWATER

Diversion Pt: SENE Sec 28 T
53N R 04W

Use: DOMESTIC (0.2 CFS)

Date Filed: 03/14/1988

In: NESW NWSW NESE
NWSE Sec 27 T 53N R 04W

NENE SWNE SENE NESE

NWSE SWSE SESE Sec 28 T

53N R 04W

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Government

Way, Suite 9, Coeur d'Alene,
Idaho 83814 on or before

APRIL 25, 1988.

R. KEITH HIGGINSON, Dir.
Legal 200

Apr. 7, 14, 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 16, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JAMES E BLAINE
W 1700 LAKE FOREST DR
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08575

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 09 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

APR 03 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
3
APR 9 9 1988

CERTIFICATE OF MAILING

I hereby certify that on the 16th day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 95-08575

JAMES E BLAINE
W 1700 LAKE FOREST DR
RATHDRUM ID 83858


Kari Lynn Townsend
Secretary

MICROFILMED

APR 03 1998

MEMORANDUM

TO: File 95-08575

FROM: Sharla

DATE: March 10, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 95-08575 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T53N, R5W, S35 - NESE (4 acres), SESE (1 acre)

TOTAL = 5 acres

For rights with 5 acres or more, the number of acres per $\frac{1}{4}$ are rounded to the nearest whole number. The lands are identified on the maps within the $E\frac{1}{2}SE\frac{1}{4}$, not the SWSE as listed on the front of the exam report.

Examiner: Dave Pagel
Exam Date: August 4, 1997

MICROFILMED
APR 09 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08575

DATE 3/10/98

REVIEWER: SHARLA

NAME Change OK ✓ Address Change NO

SOURCE ✓ Is change/clarification of originally intended source?

POINT OF DIV ✓ If not, prepare Notice of Intent to Void

PLACE OF USE ~~#5000~~ NESE, NOT SENSE Amendment required YES NO

Does map agree with written description? yes ✓ no

OVERLAPS P/D P/U

Overlap file pulled & reviewed

RATE OF DIV

Permitted Rate .20 cfs

Fee limit .20 cfs \$50⁰⁰

Measured cfs

Theoretical .05 cfs

Recommended Total Div Rate .05 cfs

ANNUAL VOLUME/

NATURE OF USES	Use	cfs	Volume Calc
<u> </u>	<u>W.</u>	<u>.05</u>	<u>5 X 3.0 = 15.0</u> af
<u> </u>	<u>Dom.</u>	<u>.04</u>	<u>1.2</u> af
<u> </u>	<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u>SUBTOTAL</u>	<u>.05</u>	<u>16.2</u> af

Flow rate .05 cfs X 245 days X 1.98 = 24.3 af

Total volume recommended 15.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1 home and office.

CONDITIONS

R04 Watermaster Control WD# 95-C

R06 GW Measurement/Measuring Device

R06 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo rounded acres

flu

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. **95-08575**

A. GENERAL INFORMATION

1. Owner: JAMES E. BLAINE Phone No. (208) - 687-0388

Current Address: W. 1700 Lake Forest Dr. Rathdrum, Id. 83858

2. Accompanied by: Same EXAM DATE: 8-4-97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-08247 A 95-00931 A 95-00932

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	53N				
			NE	SE	35	53N	5W	Kootenai	USGS 75' Quad.

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N	5W	35																I, D	1.3 acres
53N	5W	35																I, D	3.8 acres
																			5.1 acres

Gov't Lot 1

MICROFILMED

APR 09 1998

APR 09 1998

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
95-88-N-14		3/4		Submersible	

4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

Scale: 1" = 1/4



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

3/4 hp pump supplies ground water from well through 2" pvc pipe to domestic use (house, and office) and also to 5.1 acres of lawn, garden, and pasture.

Mr. Blaine has not been able to develop total acreage that he had originally applied for. He is aware that as he gets additional development completed he will need to file for additional rights.

Mr. Blaine also stated that at this time he does not possess any stock. There is no beneficial use for stockwater

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 09 1998

F. FLOW CALCULATIONS

Measured Method:

See theoretical

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$336 \text{ ft} \times 175 \text{ ft} = 57750$$

$$480 \text{ ft} \times 342 \text{ ft} = 164160$$

$$57750 + 164160 = 221910 / 43560 = 5.09$$

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5.1 \times 3.0 = 15.3$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05 \times 245 \times 1.9835 = 24.3$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 15.3 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Irrigation

From

01/01

3/15

Period of Use

To

12/31

11/15

Rate of Diversion

Q (cfs)

.04

.05

Annual Volume

V (ata)

1.2

15.3

Totals:

.05 cfs

16.5 afa

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

None

Other

I. AUTHENTICATION

Field Examiner's Name

David A. Fyfe

Date

8-5-97

Reviewer

Date

SEAL

MICROFILMED
APR 8 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08575 JAMES BLAINE
DATE: 5-AUG-97
COMPLETE BY: PAGEL

HORSEPOWER = .75

PUMP EFFICIENCY = 80%

DYNAMIC LIFT = 40 FEET

SYSTEM PRESSURE = 30 PSI


QUANTITY = 0.05 CFS

MICROFILMED
APR 09 1998

PERMIT # 95-08575

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Place of use -

domestic + irrigation

Point of diversion -

Well head


Pressure tanks

MICROFILMED

APR 09 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-08575



Place of use
Irrigation

MICROFILMED

APR 08 1988

PERMIT # 95-08575

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Irrigation, Domestic
(office, shop)

MICROFILMED

APR 05 1958

5w

Sec. 22.

Sec. 23.


T53N
R5W
E

Sec. 27.


Sec. 26.

Sec. 25.

Sec. 34.



MICROFILMED
APR 09 1998



FOREST

TWIN LAKE

ELEV 2306 OCT 1961

BLAINE, JAMES
95-08575


(RATHDRUM)
SCALE 1:24,000

T. 53N., R. 05W.

INTERIOR-GEOLOGICAL SURVEY
R 5 W R 4 W

ROAD C


Heavy-duty



34

EMER
1998

12



TWIN LAKES AND LAKE TRACTS

- 1. James E. Stine
- 2. John H. Stine
- 3. Perry Smith
- 4. Timothy S. Lane
- 5. James H. Lane
- 6. James H. Lane
- 7. David L. Nelson
- 8. Charles L. Nelson
- 9. Roy C. Schultz
- 10. Roy C. Schultz
- 11. Roy C. Schultz
- 12. James H. Stine
- 13. James H. Stine
- 14. Charles H. Stine
- 15. Charles H. Stine
- 16. Charles H. Stine

LAKE PARK

LAKE PARK ACRES TRACTS

- Lot 1 - James E. Stine
- Lot 2 - John H. Stine
- Lot 3 - Perry Smith
- Lot 4 - Timothy S. Lane
- Lot 5 - James H. Lane
- Lot 6 - James H. Lane
- Lot 7 - David L. Nelson
- Lot 8 - Charles L. Nelson
- Lot 9 - Roy C. Schultz
- Lot 10 - Roy C. Schultz
- Lot 11 - Roy C. Schultz
- Lot 12 - James H. Stine
- Lot 13 - James H. Stine
- Lot 14 - Charles H. Stine
- Lot 15 - Charles H. Stine
- Lot 16 - Charles H. Stine

LAKE PARK

LAKE PARK ACRES TRACTS

- Lot 1 - James E. Stine
- Lot 2 - John H. Stine
- Lot 3 - Perry Smith
- Lot 4 - Timothy S. Lane
- Lot 5 - James H. Lane
- Lot 6 - James H. Lane
- Lot 7 - David L. Nelson
- Lot 8 - Charles L. Nelson
- Lot 9 - Roy C. Schultz
- Lot 10 - Roy C. Schultz
- Lot 11 - Roy C. Schultz
- Lot 12 - James H. Stine
- Lot 13 - James H. Stine
- Lot 14 - Charles H. Stine
- Lot 15 - Charles H. Stine
- Lot 16 - Charles H. Stine

LAKE PARK

LAKE PARK ACRES TRACTS

- Lot 1 - James E. Stine
- Lot 2 - John H. Stine
- Lot 3 - Perry Smith
- Lot 4 - Timothy S. Lane
- Lot 5 - James H. Lane
- Lot 6 - James H. Lane
- Lot 7 - David L. Nelson
- Lot 8 - Charles L. Nelson
- Lot 9 - Roy C. Schultz
- Lot 10 - Roy C. Schultz
- Lot 11 - Roy C. Schultz
- Lot 12 - James H. Stine
- Lot 13 - James H. Stine
- Lot 14 - Charles H. Stine
- Lot 15 - Charles H. Stine
- Lot 16 - Charles H. Stine

LAKE PARK

LAKE PARK ACRES TRACTS

- Lot 1 - James E. Stine
- Lot 2 - John H. Stine
- Lot 3 - Perry Smith
- Lot 4 - Timothy S. Lane
- Lot 5 - James H. Lane
- Lot 6 - James H. Lane
- Lot 7 - David L. Nelson
- Lot 8 - Charles L. Nelson
- Lot 9 - Roy C. Schultz
- Lot 10 - Roy C. Schultz
- Lot 11 - Roy C. Schultz
- Lot 12 - James H. Stine
- Lot 13 - James H. Stine
- Lot 14 - Charles H. Stine
- Lot 15 - Charles H. Stine
- Lot 16 - Charles H. Stine

LAKE PARK

LAKE PARK ACRES TRACTS

- Lot 1 - James E. Stine
- Lot 2 - John H. Stine
- Lot 3 - Perry Smith
- Lot 4 - Timothy S. Lane
- Lot 5 - James H. Lane
- Lot 6 - James H. Lane
- Lot 7 - David L. Nelson
- Lot 8 - Charles L. Nelson
- Lot 9 - Roy C. Schultz
- Lot 10 - Roy C. Schultz
- Lot 11 - Roy C. Schultz
- Lot 12 - James H. Stine
- Lot 13 - James H. Stine
- Lot 14 - Charles H. Stine
- Lot 15 - Charles H. Stine
- Lot 16 - Charles H. Stine

LAKE PARK

LAKE PARK ACRES TRACTS

- Lot 1 - James E. Stine
- Lot 2 - John H. Stine
- Lot 3 - Perry Smith
- Lot 4 - Timothy S. Lane
- Lot 5 - James H. Lane
- Lot 6 - James H. Lane
- Lot 7 - David L. Nelson
- Lot 8 - Charles L. Nelson
- Lot 9 - Roy C. Schultz
- Lot 10 - Roy C. Schultz
- Lot 11 - Roy C. Schultz
- Lot 12 - James H. Stine
- Lot 13 - James H. Stine
- Lot 14 - Charles H. Stine
- Lot 15 - Charles H. Stine
- Lot 16 - Charles H. Stine

LAKE PARK

LAKE PARK ACRES TRACTS

- Lot 1 - James E. Stine
- Lot 2 - John H. Stine
- Lot 3 - Perry Smith
- Lot 4 - Timothy S. Lane
- Lot 5 - James H. Lane
- Lot 6 - James H. Lane
- Lot 7 - David L. Nelson
- Lot 8 - Charles L. Nelson
- Lot 9 - Roy C. Schultz
- Lot 10 - Roy C. Schultz
- Lot 11 - Roy C. Schultz
- Lot 12 - James H. Stine
- Lot 13 - James H. Stine
- Lot 14 - Charles H. Stine
- Lot 15 - Charles H. Stine
- Lot 16 - Charles H. Stine



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 22, 1991

JAMES E. BLAINE
WEST 1700 LANE FOREST DRIVE
RATHDRUM, ID 83858

Dear Mr. Blaine:

Re: Permit No. 95-8575

This office acknowledges receipt of the \$90 fee to supplement the drilling permit. The conditions of the permit have been met and the proof of beneficial use is acknowledged.

The permit has been reinstated since the proof of beneficial use form was received after the proof due date of June 1. Enclosed is a copy of the order.

The next step is for the department to conduct a field inspection to confirm and determine the extent of beneficial use. I cannot determine just when the representative from our Northern Regional office will conduct the exam, but he will try to contact you prior to being in the area.

If you have any questions, please contact me or the regional office at 765-4639.

Sincerely,

Karen Gustafson

KAREN L. GUSTAFSON
Secretary/Records Manager

Enclosure

c: Northern Region

RECEIVED

NOV 21 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8575

Date 8-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
No Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
No Copy in file? Drill permit no. _____
Amt paid for drilling permit? _____ Correct?
Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- No Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs D.P. & W.C.

PRIORITY CALCULATION

LB

Date proof received	<u>Aug 1, 1991</u>	<u>213</u>
Date proof due	<u>June 1, 1991</u>	<u>- 152</u>
No. of days late		<u>= 61</u>
Priority date	<u>Mar 22, 1988</u>	<u>+ 81</u>
NEW PRIORITY DATE	<u>May 22, 1988</u>	<u>= 142</u>

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

NOV 21 1991

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

August 15, 1991

JAMES E BLAINE
W 1700 LAKE FOREST DR
RATHDRUM ID 83858

Dear Mr. Blaine:

Re: Permit No. 95-8575
Drilling Permit No. 95-88-N-14

Please be advised that in order for your well to comply with the drilling requirements of Section 42-235, Idaho Code, you must submit an additional \$90 for the use of the well for irrigation purposes. When you applied for the drilling permit, you were issued a permit for the drilling of a domestic well only at the cost of \$10. The fee for drilling a well for irrigation of thirty two acres, stockwater, and domestic purposes is \$100.

If you do not submit any additional fee for the drilling permit, you are only authorized to use the well for domestic purposes at a rate of 0.04 cfs. The water right will not be licensed for 0.20 cfs. If you submit the \$90, the drilling permit can be amended to include the irrigation and stockwater uses at the greater diversion rate.

Please submit the additional \$90 fee within 30 days of the date of this letter. If you have any questions concerning this matter, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: Mark Slifka
N. Region

NOV 21 1991

RECEIVED

Form 235-1
6/87

MAR 25 1988

Drilling Permit No. 95-88-N-14
Water Permit No. _____
Injection Permit No. _____

Department of Water Resources State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

Permit updated 8-28-91
And
additional \$90.00 Fee
received

1. Applicant JAMES E. BLAINE
2. Address W. 1700 LAKE FOREST DRIVE
RATHORUM IDAHO 83858
(☒ Well Owner (☐ Well Operator (☐ Other, specify _____)
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location SE 1/4 NE 1/4 SE 1/4, or Gov't lot no. _____,
Sec. 35, Twp. 53, Rge. 5W, County KOOTENAI,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
(☒ Domestic (☒ Stockwater (☐ Monitoring
(☒ Irrigation (☐ Industrial (☐ Municipal
(☐ Injection (☐ Other, Specify _____
6. Well construction information:
(☒ New well (☐ Deepen (☐ Replace
Proposed surface diameter 8" Proposed depth 115'
Anticipated bottom hole temperature:
(☒ 85 F or less (Cold water well)
(☐ 85 F to 212 F (Low temp. geothermal well)
(☐ 212 F or more (Geothermal well)
NOV 21 1991
7. Anticipated construction start date 3-25-88
8. Well driller (if known) J. FLANIGAN #433
Address W. TWIN LAKES ROAD, RATHORUM
Date 3/21/88 Applicant's signature James E. Blaine
Title owner

* After other pre-requisite approvals have been obtained.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

If the water from the well is used for more than a single owner household, an additional \$90 filing fee is required.

Dated this 22 day of March, 1988.

RECEIVED

NOV 21 1991

Signed [Signature]

Title

REGIONAL SUPERVISOR

Received by KK Fee 10.00 + 90.00 Date 3/22/88

Receipt No. 41989 Construction start date _____

Construction start extension to _____

Extension approved by _____

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>JAMES BLAINE</u> Address: <u>W. 1700 LAKE FOREST DR. PATH DRUM IS?</u> Owner's Permit No. <u>95-88-N-14</u>	7. WATER LEVEL Static water level <u>38'-6"</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow <u>22</u> Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><u>22</u></td> <td style="text-align: center;"><u>50'</u></td> <td style="text-align: center;"><u>4</u></td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>22</u>	<u>50'</u>	<u>4</u>																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																													
<u>22</u>	<u>50'</u>	<u>4</u>																																													
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>10"</td> <td>0</td> <td>18'</td> <td>SILT & SAND</td> <td> </td> <td>X</td> </tr> <tr> <td>6"</td> <td>18'</td> <td>45'</td> <td>SILT & SAND</td> <td> </td> <td>X</td> </tr> <tr> <td>6"</td> <td>45'</td> <td>51'</td> <td>SAND SILT & GRAVEL</td> <td>X</td> <td> </td> </tr> <tr> <td>6"</td> <td>51'</td> <td>59'</td> <td>SAND SILT & GRAVEL</td> <td>X</td> <td> </td> </tr> <tr> <td>6"</td> <td>59'</td> <td>65'</td> <td>SAND SILT & GRAVEL</td> <td>X</td> <td> </td> </tr> <tr> <td>6"</td> <td>65'</td> <td>67'</td> <td>DECOMPOSED GRANITE</td> <td> </td> <td>X</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10"	0	18'	SILT & SAND		X	6"	18'	45'	SILT & SAND		X	6"	45'	51'	SAND SILT & GRAVEL	X		6"	51'	59'	SAND SILT & GRAVEL	X		6"	59'	65'	SAND SILT & GRAVEL	X		6"	65'	67'	DECOMPOSED GRANITE		X
Bore Diam.	Depth		Material	Water																																											
	From	To		Yes	No																																										
10"	0	18'	SILT & SAND		X																																										
6"	18'	45'	SILT & SAND		X																																										
6"	45'	51'	SAND SILT & GRAVEL	X																																											
6"	51'	59'	SAND SILT & GRAVEL	X																																											
6"	59'	65'	SAND SILT & GRAVEL	X																																											
6"	65'	67'	DECOMPOSED GRANITE		X																																										
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	10. RECEIVED JUN 2 1988 Department of Water Resources RECEIVED MAY 1988 Department of Water Resources Northwest District Office																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>6 inches</td> <td>1 feet</td> <td>60 feet</td> </tr> <tr> <td>250 inches</td> <td>6 inches</td> <td>65 feet</td> <td>67 feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>COOK</u> <u>STAINLESS STEEL</u> Type <u>TELESCOPING</u> Model No. _____ Diameter <u>6</u> Slot size <u>35</u> Set from <u>59</u> feet to <u>65</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>6" WELL CAP</u>	Thickness	Diameter	From	To	250 inches	6 inches	1 feet	60 feet	250 inches	6 inches	65 feet	67 feet													Number	From	To	perforations	feet	feet	perforations	feet	feet	perforations	feet	feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>FLANIGAN & FLANIGAN</u> Firm No. <u>4333</u> Address <u>P.O. Box 330 Millerton, ID.</u> Date <u>4/14/88</u> Signed by (Firm Official) <u>James H. Flanigan</u> and (Operator) <u>James H. Flanigan</u>										
Thickness	Diameter	From	To																																												
250 inches	6 inches	1 feet	60 feet																																												
250 inches	6 inches	65 feet	67 feet																																												
Number	From	To																																													
perforations	feet	feet																																													
perforations	feet	feet																																													
perforations	feet	feet																																													
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. N <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%; text-align: center;">W</td> <td style="width: 25%; text-align: center;">N</td> <td style="width: 25%; text-align: center;">E</td> <td style="width: 25%; text-align: center;">S</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">6</td> <td style="text-align: center;">7</td> <td style="text-align: center;">8</td> </tr> <tr> <td style="text-align: center;">9</td> <td style="text-align: center;">10</td> <td style="text-align: center;">11</td> <td style="text-align: center;">12</td> </tr> </table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>KOOTENAI</u> <u>NE 1/4 SE 1/4 Sec. 35 T. 53 N. S. R. 5 E/W</u>	W	N	E	S	1	2	3	4	5	6	7	8	9	10	11	12	10. Work started <u>4/11/88</u> finished <u>4/16/88</u>																														
W	N	E	S																																												
1	2	3	4																																												
5	6	7	8																																												
9	10	11	12																																												

NOV 21 1991

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

June 4, 1991

JAMES E. BLAINE
W. 1700 LAKE FOREST DR.
RATHDRUM, ID 838580000

LAPSE NOTICE

RE: PERMIT NO. 95-08575

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

RECEIVED

NOV 21 1991

CERTIFICATION OF MAILING

I hereby certify that on 6-7-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



138351
March 31, 1991

JAMES E. BLAINE
W. 1700 LAKE FOREST DR.
RATHDRUM, ID 838580000

PROOF DUE NOTICE

RE: PERMIT NO. 95-08575

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

NOV 21 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
~~July 27, 1988~~
August 16,

JAMES E. BLAINE
W. 1700 LAKE FOREST DR.
RATHDRUM, ID 838580000

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 95-08575

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

OCT 14 1988

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

10/11/77

10/11/77

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY JK DATE 3/31/88 APPLICATION NUMBER 95-8575

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
APR 29 1988
Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising ☒ Yes ☐ No Statewide advertising ☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received ☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application ☒ Yes ☐ No Protests received ☒ Yes ☐ No Final date for protest ☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application ☒ Yes ☐ No Recommendations attached ☒ Yes ☐ No Measuring device required ☒ Yes ☐ No Access port required ☒ Yes ☐ No Will water be delivered by watermaster? If yes, what dist. ☒ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended ☒ See below for additional information ☐ See below for additional information

STATE OFFICE REVIEW 723 ☒ See below for additional information ☐ See below for additional information

ADDITIONAL INFORMATION

95-0932 CONTAINS 500.100 WITHIN NESS (TAPES) 1 MAKE 100 GLI (SASS) (Dom)

FROM WITH TWIN LARGES HS SOURCE

95-8575

BLAINE, JAMES E.

W. 1700 LAKE FOREST DR., RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: SENESE Sec 35 T 53N R 05W

Use: IRRIGATION	(0.2 CFS)
STOCKWATER	(0.020 CFS)
DOMESTIC	(0.040 CFS)

Date Filed: 03/22/1988

In: NESE SESE Sec 35 T 53N R 05W NESW NWSW Sec 36 T 53N R 05W SESE
Sec 35 T 53N R 05W FOR 32 ACRES

MICROFILMED

OCT 14 1988