




8 7
5 6

961

S 1000-5000

S

NOTES
CLOM PERMID

2 ACRES
WOOD

WELL #2E
RESERVOIR

WELL #1

SAC
IND

SAC
SEED

15 AC
IND

15 AC
IND

RESERVOIR #1

8 AC
IND

3 AC
END

TSOON, R. O. S. L.

6 E 7

NOTES
CHORDERMIT

WELL#
RESE

2 ACRES
100

2
100

WELL#
1

1 6

12 7

SAC
IND

SAC
SEIND

15 AC
IND

15 AC
IND

RESERVOIR #1

8 AC
IND

8 AC
IND

TSO N. R. OSU

6 E 7

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-08572)
)
IN THE NAME OF JACKLIN SEED COMPANY) **ORDER OF**
) **REINSTATEMENT**

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before May 1, 1996; and,

WHEREAS, the Department notified the permit holder on February 28, 1996, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the department sent a lapse notice on May 9, 1996, since an acceptable proof of beneficial use or extension of time had not been received; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on May 15, 1996;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-08572 is **REINSTATED** with an advance in priority to April 7, 1988.

DATED this 11th day of June, 1996.


L. GLEN SAXTON, Chief
Water Allocation Bureau

AUG 22 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Receipt: 032231
Receipt By: gw
Date Received: 5-15-96

RECEIVED

MAY 15 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-8572 Telephone No. (208) 773-7581

2. Name(s) of Permit Holder(s): Jacklin Seed Company

3. Mailing Address: W. 5300 Riverbend Avenue, Post Falls, Idaho 83854

4. Source of Water: Groundwater If GROUNDWATER (well). Date Drilled: mo. 6 / yr. 88
10 / yr. 88

a. Well Driller: H2O Well Service 95 88
E.A. Holman Drilling Permit Number: 95 - 88 - N - 78

b. OPTIONAL:
Pump Horsepower: 20 Pressure (psi): to reservoir Dynamic pumping level (ft): 150' ±

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 0 Stockwater (No. and type of stock): possible dog racing

Irrigation (No. of acres): 60 Other: Commercial and industrial

6. Total rate of diversion and/or volume for which proof is submitted: 3.6 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ☒ or No ☐

Has the measuring device been installed? Yes ☒ or No ☐

Flow Measurement Port: Is a flow measurement port required? Yes ☐ or No ☐

Has the measurement port been installed? Yes ☐ or No ☐

8. Fee Enclosed: \$ 175.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Gene Kicha Telephone Number: (208) 773-7581

Address: W. 5300 Riverbend Avenue, Post Falls, Idaho 83854

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: *John P. Shuman* Project Engineer Date: 5/10/96
(include your title, if on behalf of company or organization)

FRAME & SMETANA P.A.
603 N. 4th Street
Coeur d'Alene, Id. 83814

(208) 664-2121
AUG 2 1996

RECEIVED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

\$15 FEE Received by Date 5/14/91Receipt # 6020722**MAY 14 1991 REQUEST FOR EXTENSION OF TIME****TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF****Department of Water Resources BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-08572Name(s) of Permit Holder: Jacklin Seed Company, Attention: Gene KichaPost Office Address: West 5300 Riverbend AvenuePost Falls, Idaho 83854-9499Telephone No. (208) 773-7581Date Proof Is Due: May 1, 1991

Describe what work has been completed toward the development of this water right: (1) Construction of
(This must be filled out! If no work has been completed, show "none".)

two 10" Diameter wells with submersible pumps. (2) Construction of two - 30,000 gallon
reservoirs and booster pump systems (one currently under construction, to be completed
by May 15, 1991). (3) Installation of approximately 12,000 linear feet of distribution
lines with valves and hydrant. Costing \$ 800,000.00 +

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

This water system serves a 300 + acre commercial park which is being developed in
phases. The water system is also being constructed in phases consistent with the
remaining improvements. Approximately 28% of the development is currently being served.

Permit holder(s) request an extension to 5/1, 19 96.
(1 yr. minimum)

(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to May 1, 1996.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to March 24, 1988, pursuant to Sec. 42-218a, Idaho Code.

Signed this 15th day of May, 19 91.

J. Shw Saylor
Chief, Water Allocation Bureau

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Jacklin Seed Company Phone (208) 773-7581
Post office address West 5300 Jacklin Avenue; Post Falls, Idaho 83854
2. Source of water supply Ground water which is a tributary of N/A
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NW 1/4, Govt. Lot 2
Sec. 7 Township 50 N Range 5 W B.M. Kootenai County; additional
points of diversion if any: SE 1/4 of SE 1/4, SEC 6 T. 50N. R. 5W
4. Water will be used for the following purposes:
Amount 2.0 for Commercial purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1.2 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2.0 for INDUSTRIAL purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELLS & PUMPS

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 10 inches; proposed depth of well is 180 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECEIVED

OCT 14 1985

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. DOGS DRINKING WATER & CLEANING KENNELS
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Riverbend Commerce Park has a variable number of lots and water demand, depending upon the needs of the occupants.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.
See attached plan sheet

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
50N	5W	7	15 CI	15 CI			Lot 2 CI	Lot 1 SEI									Lot 3 CI	Lot 4 CI	56
50N	5W	6			2	2											CI 2	CI 2	4

Total number of acres to be irrigated 60

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? Jacklin Seed Company
- b. Who owns the land to be irrigated or place of use? Jacklin Seed Company & Coeur d'Alene Greyhound Park.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Contract agreement between Jacklin Seed Company and Commercial lot owners to provide domestic water service.

12. Remarks: Riverbend Commerce Park is a 260 acre development in which the domestic water system will be constructed in phases. This application is for Phase I construction. Fire protection is supplied by a separate fire pond system.

OCT 14 1988



8 7
5 9

96

S 1000-5000

1111

NOTES
CLONDERM

2 ACRES
100

WELL #2
RESERVOIR

WELL #1

SAC
END

SAC
END

15 AC
END

15 AC
END

RESERVOIR #1

8 AC
END

3 AC
END

6 E 7

NOTES
CROSSBENT

WELL#
RESE

2 ACRES
100

2
100

WELL#
1

6

12

7

SAC
IND

SAC
SEIND

15 AC
IND

15 AC
IND


RESERVOIR #1

8 AC
IND

8 AC
IND

6 E 7

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. **See attached plan sheet**



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene L. Kille
(Applicant) *Purchased Agent*

Proposed Priority 3/9/88

Received by KK Date 3/9/88 Time 2:15 Preliminary check by JK
Fee \$ 65.00 Receipted by 41966 # KK Date 3/9/88
Publication prepared by JK Date 3/10/88 Published in 10/17 & 24/88
Publication approved 3/28/88 Date JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8572, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:


Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 20th day of April, 1988.

[Signature]
Director



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Nancy Hawkins being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 17 day of march, 1988 and ending on the 24 day of march, 1988 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 24 day of march, 1988

Robert J. Dransky
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho

ROBERT J. DRANSKY
My commission expires 9-3-93

Department of Water
Northern District

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8571

SANDAU, BOB
SIMS, DARRELL
2745 SELTICE WAY, COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Diversion Pt: LOT 01 (NWNW) Sec 08 T 50N R 04W
Use: IRRIGATION (0.090 CFS) DOMESTIC (0.080 CFS)
Date Filed: 02/29/1988
In: LOT 01 (NWNW) Sec 08 T 50N R 04W FOR 3 ACRES
95-8572

JACKLIN SEED CO.
W. 5300 JACKLIN AVE., POST FALLS, ID 83854

Source: GROUNDWATER
Diversion Pt: LOT 02 (NENW) Sec 07 T 50N R 05W & SESE Sec 06 T 50N R 05W
Use: IRRIGATION (1.2 CFS) STOCKWATER (0.040 CFS) INDUSTRIAL (2.0 CFS) COMMERCIAL (2.0 CFS)
Date Filed: 03/09/1988

In: NENE NWNE LOT 02 (NENW) LOT 01 (NWNW) LOT 03 (SWSE) LOT 04 (SESE) Sec 07 T 50N R 05W SWSE SESE Sec 06 T 50N R 05W FOR 60 ACRES
95-8573

COMSTOCK, LE ROY
RT. 1 BOX 162-D, HAYDEN LAKE, ID 83835

Source: GROUNDWATER
Diversion Pt: NWNE Sec 33 T 52N R 03W
Use: DOMESTIC (0.040 CFS)
Date Filed: 02/29/1988

In: NWNE Sec 33 T 52N R 03W
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before APRIL 4, 1988.

R. KEITH HIGGINSON, Dir.
Legal 101
March 17, 24, 1988

RECORDED

OCT 14 1988

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 10/25/99

Permit No. 95-08572

BU Fee Pd \$ 175.00

Name/Address: OK CHANGE

Govt Lots n/a plat copy attached 50 refunded
12500

AREA OF CONCERN: No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

Supp irr (irr = only use) - 065-079
Supp irr (+ other uses) - 100-101
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M (if on permit)

LOCATION:

Trust/ - R55(consumptive uses)
Non-Trust - 048-049 (consumptive uses
or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
PU Add - P41/P42

USES:

STORAGE - 18A-R02-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 081
FISH PROP - 029(70'S only)-042-081
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

ADVANCE PRIORITY? Yes No

MISC CONDITIONS/REMARKS:

Multiple pd's per ¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - C/tire shop
Non-consumptive - 027
Water Quality - 081-R07
Mitigation - 121 (if on permit)
PPU acre limit - W27

SURFACE WATER: (✓Flow Chart)

In/Above MSF - WB9
WD - R04 (WD#)
≤ 0.20 cfs/others - R02- 01P or No MD
> 0.20 cfs - R43

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22, N/A
(02,03) - WB9 if above Weiser
Payette R (65) - 047(Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
MUNICIPAL
Restricted area - 022,075
Irr, GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Lawn/garden included - W01

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right # 7045
PU overlap rights - WB7-W31(<1 ac)
GW replaced SW - 050

Permit Rate 2.00 cfs Fee Limit 2.00 cfs
Measured 1.16 cfs Theoretical 1.01 cfs

Use	Rate	Volume
Truck Wash	1.16 cfs	af 520 gpm
Ind Comm	1.16 cfs	af (1.16) x 8 hrs/day
STOCK	0.4 cfs	af 149.2
TOTALS	cfs	af 280

OTHER CONDITIONS/REMARKS/COMMENTS: Phase III Phase II Phase I Phase IV Phase V Phase VI Phase VII Phase VIII Phase IX Phase X Phase XI Phase XII Phase XIII Phase XIV Phase XV Phase XVI Phase XVII Phase XVIII Phase XIX Phase XX Phase XXI Phase XXII Phase XXIII Phase XXIV Phase XXV Phase XXVI Phase XXVII Phase XXVIII Phase XXIX Phase XXX Phase XXXI Phase XXXII Phase XXXIII Phase XXXIV Phase XXXV Phase XXXVI Phase XXXVII Phase XXXVIII Phase XXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII Phase LXXIV Phase LXXV Phase LXXVI Phase LXXVII Phase LXXVIII Phase LXXIX Phase LXXX Phase LXXXI Phase LXXXII Phase LXXXIII Phase LXXXIV Phase LXXXV Phase LXXXVI Phase LXXXVII Phase LXXXVIII Phase LXXXIX Phase XL Phase XLI Phase XLII Phase XLIII Phase XLIV Phase XLV Phase XLVI Phase XLVII Phase XLVIII Phase XLIX Phase L Phase LI Phase LII Phase LIII Phase LIV Phase LV Phase LVI Phase LVII Phase LVIII Phase LIX Phase LX Phase LXI Phase LXII Phase LXIII Phase LXIV Phase LXV Phase LXVI Phase LXVII Phase LXVIII Phase LXIX Phase LXX Phase LXXI Phase LXXII Phase LXXIII <

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08572 Reviewed by [Signature] Date 5-31-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 95-88-N-0078-000
100 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
175- Amount Submitted
no Correct?
yes Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 5-15-96 135
Date proof due 5-1-96 - 121
No. of days late = 14
Priority Date 3-24-88 + 83
New Priority Date 4-7-88 97

> 4/7/1988

DEFICIENCIES OR ACTION ITEMS

advise the permit only authorizes 2.0 cfs.
Refund \$50. excess / Reinstatement & advance to April 7, 1988
Proof acceptable

DATA ENTRY

New Address X Proof Made



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
June 11, 1996

JACKLIN SEED COMPANY
W 5300 RIVERBEND AVE
POST FALLS ID 83854

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08572

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since the proof was received after the proof due date of May 1, 1996. Please note that the priority date has been advanced to April 7, 1988. Additionally, please note that this water right permit only authorizes a rate of diversion of 2.0 cfs and not 3.6 as you indicated on the proof form. The license examination fee for a rate of diversion of 2.0 is \$125.00, therefore, I have initiated the process to refund \$50.00 of the exam fee. You should receive the refund in seven to ten days under separate cover.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.


If you have questions concerning the field examination, contact the NORTHERN Regional Office in Coeur d'Alene at (208) 769-1450.

Sincerely,


JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region


AUG 22 1996

FRAME & SMETANA, P.A.

CONSULTING ENGINEERS

603 North 4th Street

Phone 664-2121 - FAX 765-5502

COEUR D'ALENE, IDAHO 83814

RECEIVED

MAY 15 1996

Department of Water Resources

TRANSMITTAL LETTER

TO: IDAHO DEPARTMENT OF WATER RESOURCES

RE: JACKLIN SEED COMPANY - PERMIT # 95-8572

DATE: MAY 13, 1996

JOB #: P175W

WE ARE SENDING YOU:

☒ Attached ☐ Under separate cover via _____ the following:

☐ Specifications ☐ Prints ☐ Plans ☐ Shop Drawings
☐ Change Order ☐ Copy of Letter ☒ Other

COPIES	DATE	DESCRIPTION
1		Proof of Beneficial Use
1		Check #5698 for fee in the amount of \$175.00


THESE ARE TRANSMITTED:

☒ For Approval ☐ For Your Use ☐ As Requested
☐ For Review & Comment ☐ For Bids Due _____.

REMARKS:

Due 5/11/96

Signed:



John A. Smetana, P.E.

xc: Gene Kicha
Al Beardslee, CDA Department of Water Resources

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

May 9, 1996

JACKLIN SEED CO.
W. 5300 JACKLIN AVE.
POST FALLS ID 838540000

LAPSE NOTICE

RE: PERMIT NO. 95-08572

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated February 28, 1996. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

AUG 22 1996

CERTIFICATION OF MAILING

I hereby certify that on 5-9-96
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

February 28, 1996

JACKLIN SEED CO.
W. 5300 JACKLIN AVE.
POST FALLS ID 838540000

PROOF DUE NOTICE

RE: PERMIT NO. 95-08572

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

AUG 2 1996



May 17, 1991

GENE KICHA
JACKLIN SEED COMPANY
WEST 5300 RIVERBEND AVENUE
POST FALLS, ID 83854-9499

Dear Mr. Kicha:

RE: Permit No. 95-8572

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to May 1, 1996. Note that the permit has been reinstated with an advance in priority, since the extension was received after the proof of beneficial use date.

The department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED
JUL 16 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 95-8572Reviewed by ryDate 5-15-91

BASIC INFORMATION

y Date stamp received
y Extension received timely (not too early not too late)
y Fee received and receipted
y Name and signature same as permit
N Address change

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
 Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

- *Recommend approval based on due diligence for 5 years*

2 ReinstateDate extension received May 14 = _____Proof due date May 1 = _____No. of days late = 13Priority date Mar. 9, 88 = + _____ADJUSTED PRIORITY DATE Mar. 24, 88 = _____

DATE ENTRY

✓ Change proof due date
✓ Priority date change

____ Address change

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

May 3, 1991

JACKLIN SEED CO.
W. 5300 JACKLIN AVE.
POST FALLS, ID 838540000

LAPSE NOTICE

RE: PERMIT NO. 95-08572

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated February 28, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MAILED

JUL 16 1991

CERTIFICATION OF MAILING

I hereby certify that on 5-8-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

138/80

February 28, 1991

JACKLIN SEED CO.
W. 5300 JACKLIN AVE.
POST FALLS, ID 838540000

PROOF DUE NOTICE

RE: PERMIT NO. 95-08572

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

JUL 16 1991

February 13, 1990

John A. Smetana, P.E.
603 North 4th St.
Coeur d'Alene, ID 83814

RE: PERMIT 95-8572 - JACKLIN SEED COMPANY

Dear Mr. Smetana:

I have reviewed your letter dated February 8, 1990 in connection with the above referenced permit.

The proof due date approved on the permit (May 1, 1991) is not an error even though a different year for development was originally requested when the application was submitted. The initial development time allowed appears reasonable to the department when considering the size of the project in comparison with other projects periodically considered by the department.

If the project is not complete within the initial development period authorized, a request for an extension of time may be submitted to the department. Assuming due diligence in development of the water source can be demonstrated, the department is authorized by statute to grant additional development time. Such extension requests can be submitted by permit holders within sixty (60) days of the proof due notice which the department will send.

Sincerely,

L. GLEN SAXTON, P.E.
Chief, Water Allocation Bureau

c: IDWR - N. Region

MAILED 7 1991

JUL 16 1991

LE PARD & FRAME, P.A.

CONSULTING ENGINEERS

603 North 4th St. - Phone 664-2121
COEUR D'ALENE, IDAHO 83814

February 8, 1990

Mr. R. Keith Higginson, Director
State of Idaho
Department of Water Resources
State House
Boise, Idaho 83702

RECEIVED
FEB 12 1990

RE: WATER USE PERMIT 95-8572

Department of Water Resources

Dear Mr. Higginson:

The subject Application for Permit by Jacklin Seed Company was approved April 20, 1988. Item #7 of the application states the time required for the completion of the works and application of the water to the proposed beneficial use is five years. However, Condition 1-b states proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1991, which is three years from the date of approval.

If the May 1, 1991 deadline is an inadvertent error, I request the permit be amended to include a May 1, 1993 deadline. If the allowable time for completion is restricted to three years, as indicated by the May 1, 1991 deadline, please contact me so we can resolve it to our mutual satisfaction.

The project served by this permit is a 260 acre Industrial Park. The development of this project will be in phases and, therefore, the water system will be constructed in phases also. Because of the size of the system and the phased construction, I believe a request for a five year completion with the possibility of a five year extension is reasonable.

Thank you for your consideration in this matter.

Yours truly,



John A. Smetana, P.E.

JS/ch
xc: Gene Kicha
Tom King

733-2613

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

95-8572
Permit No. 95-88

Name(s) of Permit Holder(s): Jacklin Seed Co

Post Office Address: West 5300 Jacklin Ave

Post Falls 83854 Tel. No. 273 7581

☒ I hereby certify that construction or diversion works on the above referenced permit began on April 16, 1988 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

2/16/88
Date

[Signature]
Signature of Permit Holder

Jacklin Seed
W-5700
Post Falls ID 83750
SHANE, WA 98148
PM
APR 27 1988
PLACE
STAMP
HERE
15
P.M.E.T.R.

MICROFILMED

JUL 16 1991



RECEIVED

APR 29 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

|||||

FROM

J Beal

DATE

9/9/88

TO

95-8572

SUBJECT

1st well drilled under 95-88-2-04
has been abandoned. Second well
in SW SE is Active.

A trans for will be needed?

MICROFILMED

OCT 14 1988

SIGNATURE

Form 235-1
6/87

Drilling Permit No. 95-88-N-78
Water Permit No. 95-8572
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED
AUG 29 1988

Department of Water Resources

1. Applicant JACKLIN SEED COMPANY
2. Address WEST 5300 JACKLIN AVENUE
POST FALLS, IDAHO 83854

(x) Well Owner (-) Well Operator () Other, specify _____

3. Water right permit no. 95-8572; Injection well permit no. N/A
4. Proposed well location SE 1/4 SE 1/4 1/4, or Gov't lot no. _____,
Sec. 6, Twp. 50N, Rge. 5W, County KOOTENAI,
Lot, block and subdivision RIVERBEND DEVELOPMENT

5. Proposed use of well: (Check all that apply)
(x) Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify COMMERCIAL

6. Well construction information:
(x) New well () Deepen () Replace
Proposed surface diameter 10 Proposed depth 180 Feet
Anticipated bottom hole temperature: 85 F or less (Cold water well)
() 85 F to 212 F (Low temp. geothermal well)
() 212 F or more (Geothermal well)

FILED

OCT 14 1988

7. Anticipated construction start date August 25, 1988
8. Well driller (if known) Not selected yet.

Address _____
Date 8/23/88 Applicant's signature [Signature]
Title Purchase Agent

* After other pre-requisite approvals have been obtained.

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 23 day of August, 1988.

Signed

Title

REGIONAL SUPERVISOR

Received by Kew

Fee

100.00

Date

8/23/88

Receipt No.

N-1070

Construction start date

Construction start extension to

OCT 14 1988

Extension approved by

LE PARD & FRAME, P.A.

CONSULTING ENGINEERS

603 North 4th St. - Phone 664-2121

COEUR D'ALENE, IDAHO 83814

SEP 06 1988

Department of Water Resources

September 1, 1988

Mr. John E. Beal, Manager
Groundwater Protection Section
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

RE: DRILLING PERMIT, WATER RIGHT PERMIT 95-08572

Dear John:

I am in receipt of a copy of your letter dated August 4, 1988, to Jacklin Seed Company. This is to advise you that the well drilled April 18, 1988, to May 12, 1988, in the Northeast Quarter of the Northwest Quarter, Section 7, Township 50 North, Range 5 West, for JackLin Seed Company by H2O Well Service has been completely sealed and abandoned. Drilling Permit 95-88 approved for this well has been transferred to the well drilled May 18, 1988, to June 18, 1988, in the Southwest Quarter of the Southeast Quarter of Section 6, Township 50 North, Range 5 West, for Jacklin Seed Company by H2O Well Service as per Ken Knoblock, Idaho Department of Water Resources-Northern Region. Hopefully, this information will clarify this issue. Please contact me if more information is required.

Yours truly,



John A. Smetana, P.E.

JS/ch
xc: Gene Kicha

RECEIVED

OCT 14 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

August 4, 1988

Jacklin Seed Company
West 5300 Jacklin Ave.
Post Falls, ID 83854

RE: Drilling Permits
95-08572

Dear Sir or Madam:

You have filed one drilling permit for a well for the referenced water right. I have received two well driller reports; therefore, you are required to file a second drilling permit and \$100 fee.

Enclosed is a partially completed form. Please complete and sign the form and return it to my attention.

Also, water right permit 95-08572 did not indicate multiple points of diversion. You should contact our Coeur d'Alene Office to see if the water right permit should be amended.

If you have any questions or comments, you may contact me.

Sincerely,

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP12-1.2)

Enclosure

CC: 95-08572
IDWR - Northern Region

MAILED

OCT 14 1988

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Jacklin Seed Co
Address POST FALLS IDAHO
Owner's Permit No. 95-08572

7. WATER LEVEL

Static water level 139 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.2. NATURE OF WORK 45-88-2-04

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Baller ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

3. PROPOSED USE

- ☒
- Domestic
- ☐
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☒
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>2.50</u> inches	<u>10</u> inches	<u>2</u> feet	<u>150</u> feet
<u>3.65</u> inches	<u>10</u> inches	<u>150</u> feet	<u>170</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name JohnsonType Telescope Model No. _____Diameter 10 Slot size 80 Set from 170 feet to 190 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☒ Cement grout☐ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent


Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

OCT 14 1988

Lot No. _____ Block No. _____

County KootenaiSW 1/4 Sec. 6, T. 50 N/S, R. 5 E/W

10.

Work started 5-18-88 finished 6-18-88

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name H2O Well Service Firm No. 448Address Hayden Lake Idaho Date 6-21-88Signed by (Firm Official) John Johnson

and

(Operator) Carl J. Jett



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 4, 1988

Jacklin Seed Company
West 5300 Jacklin Ave.
Post Falls, ID 83854

RE: Drilling Permits
95-08572

Dear Sir or Madam:

You have filed one drilling permit for a well for the referenced water right. I have received two well driller reports; therefore, you are required to file a second drilling permit and \$100 fee.

Enclosed is a partially completed form. Please complete and sign the form and return it to my attention.

Also, water right permit 95-08572 did not indicate multiple points of diversion. You should contact our Coeur d'Alene Office to see if the water right permit should be amended.

If you have any questions or comments, you may contact me.

Sincerely,

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP12-1.2)

Enclosure

CC: 95-08572
IDWR - Northern Region

OCT 14 1988

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Jacklin Seed Co.

Address W 5300 Jacklin Ave
Post Falls 83854

Owner's Permit No. 95-8572
95-88-2-004

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

to be perforated later

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness

Diameter

From

To

4

inches

10

inches

3

feet

139

feet

inches

inches

feet

feet

inches

inches

feet

feet

inches

inches

feet

feet

Was casing drive shoe used?

☒ Yes ☐ No

Was a packer or seal used?

☐ Yes ☒ No

Perforated?

☐ Yes ☒ No

How perforated?

☐ Factory ☐ Knife ☐ Torch

Size of perforation

_____ inches by _____ inches

Number

From

To

_____ perforations

_____ feet

_____ feet

_____ perforations

_____ feet

_____ feet

_____ perforations

_____ feet

_____ feet

Well screen installed?

☐ Yes ☒ No

Manufacturer's name

Type

Model No.

Diameter

Slot size

Set from

_____ feet to _____ feet

Diameter

Slot size

Set from

_____ feet to _____ feet

Gravel packed?

☐ Yes ☒ No ☐ Size of gravel _____

Placed from

_____ feet to _____ feet

Surface seal depth

21

Material used in seal:

☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used:

☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth

Method of joining casing:

☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata

Describe access port

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

X

Subdivision Name

Riversend
Commerce park
golf

Lot No.

2

Block No.

County

Boonville

NE 1/4 NW 1/4 Sec. 7

T. 50N

R. 5E

7. WATER LEVEL

Static water level

139'

feet below land surface.

Flowing?

☐ Yes ☐ No

G.P.M. flow _____

Artesian closed-in pressure

_____ p.s.i.

Controlled by:

☐ Valve ☐ Cap ☐ Plug

Temperature

_____ OF.

Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other _____

Discharge G.P.M.

2

Pumping Level

Hours Pumped

2 air

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
0	0	25	Sand-Gravel-Ben Hors		
	25	60	Coarse Gravel-Cobbles		
	60	85	Coarse Gravel		
	85	139	Gravel-Cobbles		
	139	161	Gravel soft spots		
6"	161	266	Granite Hard Brown white		
	266	303	hard salt & pepper granite		
			Some water 2-5 gpm @ approx 215'		

10. RECEIVED

MAY 20 1988

Department of Water Resources

Northern District Office

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name

H20

Firm No.

448

Address

Hayden Idaho

Date

5-13-88

Signed by (Firm Official)

John Whalen

and

(Operator)

Carl Little



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

April 20, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

RE: Permit No. 95-8572

Jacklin Seed Co.
W. 5300 Jacklin Ave.
Post Falls, ID 83854

Dear Permit Holders,

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the final page. Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the Department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:sc
Enclosures

OCT 14 1988

Form 235-1
6/87

Drilling Permit No. 95-88-Z-04
Water Permit No. 95-8572
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

MAR 14 1988

Department of Water Resources
Northern District Office

1. Applicant Jacklin Seed Company
2. Address West 5300 Jacklin Avenue
Post Falls, Idaho 83854

(X) Well Owner () Well Operator () Other, specify _____

3. Water right permit no. applied for; Injection well permit no. N/A
4. Proposed well location 1/4 1/4 1/4, or Gov't lot no. 2,
Sec. 7, Twp. 50 N, Rge. 5 W, County Kootenai,
Lot, block and subdivision Riverbend Development

5. Proposed use of well: (Check all that apply)
- (X) Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection (X) Other, Specify Commercial

6. Well construction information:
- (X) New well () Deepen () Replace
- Proposed surface diameter 10 Proposed depth 180 feet
- Anticipated bottom hole temperature:
- (X) 85 F or less (Cold water well)
() 85 F to 212 F (Low temp. geothermal well)
() 212 F or more (Geothermal well)

7. Anticipated construction start date April 15, 1988
8. Well driller (if known) Not selected yet.

Address _____

Date 3/4/88 Applicant's signature Eugene T. Kuhl

Title Purchase Agent

* After other pre-requisite approvals have been obtained.

(✓) Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 20th day of April, 19 88.

Signed

Title

Received by m Fee \$100.00 Date 3/23/88
Receipt No. 41992 Construction start date 06/14/1988
Construction start extension to _____
Extension approved by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY JK DATE 9-9-88 APPLICATION NUMBER 95-8572

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☐ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested APR 18 1988

RECEIVED
SIGNATURE OFFICER

PROCESSING

☒ Yes ☐ No In form for advertising
☒ Yes ☐ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☒ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit
☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☐ No Protests received
☐ Yes ☐ No Final date for protest

☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist.
☐ Yes ☐ No Special conditions of approval or cover letter below.

☐ See below for additional information
 Date of priority recommended 3/9/88 By

STATE OFFICE REVIEW Advised 3 yrs. for B/L development - (process) during
Permit - 623,617,603
36 4/6 016
☐ See below for additional information Date 4/18/88 By

ADDITIONAL INFORMATION

95-8194, 95-2127, 95-7045, 95-8059 / LNUOS ARE CURRENTLY BEING IRRIGATED
 95-419 UNDER THESE ~~PER~~ LICENSES - LAND WILL BE REMOVED FROM DEEP PRODUCTION
 TEMPORARILY DOMESTIC 95-8057 IS PROVIDING WATER FOR CONSTRUCTION.



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 10, 1988

Idaho Divn. of Environment
2110 Ironwood Parkway
Coeur d'Alene, Id. 83814

Re: 95-8572

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure



MAILED

OCT 14 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 9, 1988

Mr. Jack Smetana, P.E.
Le Pard & Frame
603 N. 4th St.
Coeur d'Alene, Id. 83814

Dear Mr. Smetana:

We are enclosing Jacklin Seed Company's Application for Permit in order for the owner, partner or elected official to sign the form on page three. The signature of the purchasing agent is acceptable if he has a power of attorney to sign for one of the above individuals.

The application is still scheduled to be advertised on March 17 and 24, 1988.

Please have the application signed correctly and returned to our office at your earliest convenience.

Sincerely,

KENNETH KNOBLOCK
Stream Channel Specialist

KK/pms

Enc. - Application

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

RECEIVED

OCT 14 1988

95-8572

JACKLIN SEED CO.

N. 5300 JACKLIN AVE., POST FALLS, ID 83854

Source: GROUNDWATER

Diversion Pt: LOT 02 (NENW) Sec 07 T 50N R 05W + SESE 6 T50N 5W

Use: IRRIGATION	(1.2 CFS)
STOCKWATER	(0.040 CFS)
INDUSTRIAL	(2.0 CFS)
COMMERCIAL	(2.0 CFS)

*added on
computer
3/10/88*

Date Filed: 03/09/1988

In: NENE NWNE LOT 02 (NENW) LOT 01 (NWNW) LOT 03 (SWSE) LOT 04 (SESE)
Sec 07 T 50N R 05W SWSE SESE Sec 06 T 50N R 05W LOT 02 (NENW)
Sec 07 T 50N R 05W NENE NWNE LOT 02 (NENW) LOT 01 (NWNW) LOT 03 (SWSE)
LOT 04 (SESE) Sec 07 T 50N R 05W SWSE SESE Sec 06 T 50N R 05W
FOR 60 ACRES

MICROFILMED

OCT 14 1988

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

[illegible]