


TOWNSHIP 48 N., RANGE 4 W. B. M.

KOOTENAI COUNTY, IDAHO



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEP 29 1987

Douglas R. Stewart
(Applicant)

Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


SEP 29 1981

(Applicant)

Boyd P. Stewart

MICROFILMED

SEP 29 1981



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08553
Phone No. 509-747-2449
1. Owner: Douglas R. Stewart
Current Address: W. 711 Shoshone Pl. Spokane Wash 99203
2. Accompanied by: None EXAM. DATE: 9/10/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Coeur d'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Coeur d'Alene Lake

MICROFILMED


Scale: 1" = N+S

AUG 23 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached N/A (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

TOWNSHIP 48 N., RANGE 4 W. B

KOOTENAI COUNTY, IDAHO




DOUGLAS R. STENDET Phone 509-747-2449
W 711 Shoshone Pl. Spokane, WA 99203
Coeur d'Alene L. which is a tributary of Spokane R.
Version is 1/4 of (SW 1/4 of NE 1/4) Govt. Lot 5, SEC 3, T48N R4W PD/PI

95-8553

MAP# 24

F-54

AUG 23 1991



Douglas R. Stender Phone 927-747-2449
 W 211 Shoshone Pl. Spokane, WA 99203
 Coeur d'Alene L. which is a tributary of Stinson R.
 Section is 1/4 of (SW) 1/4 of NE 1/4, Sec 3, T 48 N R 4 W PD/PV
 95-8553
 MAP# 24
 F-54
 AUG 23 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08553

Priority: July 17, 1987

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

0.6 AF

This is to certify, that DOUGLAS R. STEWART
W. 711 SHOESHONE PLACE
SPOKANE, WA 992030000

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 17, 1987; and
has submitted Proof of Beneficial Use on August 11, 1988. An examination indicates
that the works have a diversion capacity of .120 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 5(SWNE), Sec. 3, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

48N 04W 3 LOT 5(SWNE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECORDED

AUG 23 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08553

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 20TH
day of AUGUST, 1991.

Acting for

Norm Young
R. Keith Higginson, Director

FILED 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DOUGLAS R. STEWART Phone 509-747-2449

Post office address W 711 Shoshone Pl. Spokane, Wash. 99203*
*kw 9/3/87

2. Source of water supply COEUR D'ALENE L. which is a tributary of SPOKANE R.

3. Location of point of diversion is 1/4 of (SW 1/4 of NE 1/4) Govt. Lot 5

Sec. 3 Township 48 N Range 4 W B.M. Kootenai County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN LAKE WITH PIPE
TO HOME.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

SEP 29 1987

CONFIDENTIAL

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? ~~State~~ ~~of~~ ~~the~~ ~~United~~ ~~States~~

11. a. Who owns the property at the point of diversion? BOF

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in KW.

8. Description of proposed uses (if irrigation only, go to item 9):

REINSTALLED

x Douglas R. Stewart
(Applicant)

Scale: 2 inches equal 1 mile.

UNRECORDED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth SEP 29 1981

(Applicant)

Boyd P. Stewart

SEP 29 1981

UNRECORDED

Stewart Lake
Pump

0-5960-00B-000-0

630.791
Tax # 13715
666.86
606.500
659.06

S $\frac{1}{2}$ of Lot 5

S $\frac{1}{2}$ of N $\frac{1}{2}$ of Lot 5
LESS PLATTED PART

5591

3 - 48N-4W-B.M.

Lot 5

1400

523 ±

00A-001-0

00A-00

420.23

330.56

2

212

SEP 29 1987

RECORDED

Chief, Operations Bureau

J. New Stanton

Witness my hand this 14th day of September, 1987.

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

October 1, 1988

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. 95-8553, and said application is hereby APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved

Publication prepared by

Fee \$ 30.00

Received by

Date 7/11/87

Time 1:00 p

Preliminary check by

7/17/87

Date

41602

7/17/87

Published in

8/6/87

7/30/87

Date

8/18/87

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Wilma Parsons

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks*, commencing on the *6* day of *August*, 19*87*, and ending on the *13* day of *August*, 19*87*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Wilma Parsons

Subscribed and sworn to before me this *13* day of *August*, 19*87*

MICROFILMED

SEP 29 1987

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Commission Expires 12-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8553

STEWART, DOUGLAS R.,
W. 711 Shoshone Pl., Spokane,
WA. Source: Coeur d'Alene
Lake trib. to Spokane River.
Diversion Pt: Lot 05 (SWNE)
Sec. 03, T. 48N, R. 04W. Use:
Domestic (0.040 CFS). Date
Filed: 07/17/1987. In: Lot 05
(SWNE) Sec. 03, T. 48N, R.
04W.

95-8554

HANSEN, JAN, N. 1800
Spring Creek Rd., Rathdrum,
ID 83858. Source:
Groundwater. Diversion Pt:
SESWNE, Sec. 25, T. 52N, R.
05W. Use: Domestic (0.040
CFS). Date Filed: 07/10/1987.
In: SWNE, Sec. 25, T. 52N, R.
05W.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before August 24, 1987.

Ken Dunn, Dir.

Published 8/6 & 8/13/87.

Legal #47

Aug. 6, 13, 1987

RECEIVED

Department of Water Resources
Northern District Office

August 20, 1991

DOUGLAS R. STEWART
W. 711 SHOESHONE PLACE
SPOKANE, WA 992030000

RE: WATER RIGHT NO. 95-08553

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
AUG 23 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8553

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity

Total volume Limited by flow permit use

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ☒

Comments/Changes to Examiner's Recommendations:

AUG 23 1991

License 10-day 30-day

Back of field report signed?

Reviewer 20 Curtis Date 8/13/91 Review time 6 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED
JUN 28 1991

Permit 25-46553
Department of Water Resources

A. GENERAL INFORMATION

1. Name and address are most current available. (Check BU statement)
2. Exam Date 8/3
3. Source (Check Permit)

B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature Janal King Date 11-5-90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 95-08553
1. Owner: Douglas R. Stewart Phone No. 509-747-2449
Current Address: W. 74 Shoshone Pl. Spokane Wash 99203
2. Accompanied by: None EXAM. DATE: 9/10/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Coeur d'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N+5

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

AUG 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Naualas R. Stewart

Cul

2. Acc

Adi

F

3. Sol

B. OVER

1. Otl

—

2. Otl

—

C. SYS

1. Di

siz

Permit No. 95-08553

Phone No. 509-747-2449


lash 99203

TE: 9/10/90

☐ Copies Attached

Copies of Field Exam's Attached

en components. Indicate weir



INTERPRETED

Scale: 1" = N+S

AUG 23 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible 1 1/2 hp pump in Coeur d'Alene lake with 1 1/2 inch intake, carrying water to Home 30 feet higher than lake shore.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Submersible	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
			1 1/2			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

1961 02 25

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1 Home

1. Measured Method:

$$\frac{(1.5)(8.8)(70)}{(2.31)(20)(30)} = \frac{9.24}{76.2} = 0.12 \text{ cfs system capacity}$$

2. Alternate Method for Checking Purposes:

(.04 cfs from permit)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 HOME

AUG 23 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	1-1 12-31	0.04	0.6 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date


Field Report Preparation Date

Theresa J. Bright
9/14/90
9/11/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


NOTED

AUG 23 1991




VNSHIP 48 N., RANGE 4 W. B

KOOTENAI COUNTY, IDAHO



DOUGLAS B. STEWART Phone 509-747-2449
 W 711 Shoshone Pl. Spokane, WA 99203
 COYD D'ALONSO L. which is a tributary of SAGANE R.
 Version is 1/4 of (SW 1/4 of NE 1/4) Govt. Lot 5, SEC 3, T42N R 42W PD/P1

AUG 23 1997





State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 12, 1988

Mr. Douglas Stewart
W. 7111 Shoshone Pl.
Spokane, Wa. 99203

Re: 95-8553

Dear Mr. Stewart:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

FILED

OCT 14 1988



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-08553

Date: 8/18/88

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

☒ Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
_____ N/A Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:


Proof Acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



AUG 11 1988

STATE OF IDAHO

no \$ end *JD*
Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by *JS*
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08553
Name(s) of Permit Holder: Douglas R Stewart
Post Office Address: W. 711 Shoreline Pl.
Spokane, Wa 99203 Telephone No. 747-2449
1-509-338-1077
Source of Water: Lake Coeur d'Alene

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 7/1/87

Measuring Device: Required? Yes ☒ No
Installed? Yes ☐ No Fee enclosed \$ NA
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Doug Stewart Work 1-509-338-1073
(Name) (Telephone Number)

W. 711 Shoreline Pl. Spokane, Wa 99203
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed. I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 14 1988

8/8/88 Douglas R. Stewart
Date Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
Certified Mail
July 31, 1988

158289

DOUGLAS R. STEWART
W. 711 SHOESHONE PL.
SPOKANE, WA 992030000

PROOF DUE NOTICE

RE: PERMIT NO. 95-08553

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
SEPTEMBER 17, 1987

STEWART, DOUGLAS R.
W. 711 SHOESHONE PL.
SPOKANE, WA 99203

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8553

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECORDED

SEP 29 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY:

APPLICATION NUMBER: 95-8553

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: Date:
☒ Yes ☐ No* In form to receipt.

Field check by:

Date:

Comments:

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other

Copies sent by: Date:

PROCESSING:

- ☐ Yes ☐ No Platted by: Map No.
☐ Yes ☐ No Other rights on same place of use.
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 8/24/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/17/87
☒ Application published correctly. If not, record action taken:
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district?
☒ 7/17/87 Date of priority recommended.
Special conditions of approval or cover letter.

By: Date: 8/24/87

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By:

Date: 9/3/87 AUG 31 1987

Department of Water Resources

August 3, 1987

Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8553

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enclosure

COPY

RECEIVED
SEP 29 1987

95-8553

STEWART, DOUGLAS R.

W. 711 SHOSHONE PL., SPOKANE, WA 00000

Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER

Diversion Pt: LOT 05 (SWNE) Sec 03 T 48N R 04W

Use: DOMESTIC (0.040 CFS)

Date Filed: 07/17/1987

In: LOT 05 (SWNE) Sec 03 T 48N R 04W

MICROFILMED

SEP 29 1987