


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 25 1981

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas J. Hollenross
(Applicant)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-8547


INITIALS



MICROFILMED

SEP 24 1990

95-8547



PERMIT HOLDER THOMAS J KIBLEN PERMIT # 95-8547

P D TWP 50N RGE 6W SEC 13 NW NE

P/U TWP 50N RGE 6W SEC 13 E² NE

MICROFILMED

SEP 24 1990

SOURCE GROUNDWATER TRIBUTARY TO

MAP PLOT 24 IRR. ACRES — USGS QUAD E-2 SCALE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08547

Priority: June 8, 1987

Maximum Diversion Rate: 0.30 CFS
Maximum Diversion Volume:¹ 55.2 AF

This is to certify, that THOMAS J. KIBLEN
P.O. BOX 606

POST FALLS, ID 838540000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 8, 1987; and has submitted Proof of Beneficial Use on August 17, 1987. An examination indicates that the works have a diversion capacity of .300 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
RECREATION STORAGE	01/01 to 12/31		54.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.30 CFS	
	Totals	0.30 CFS	55.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 13, Township 50N, Range 06W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 06W 13 NENE

PLACE OF USE: RECREATION STORAGE

TWN RGE SEC

50N 06W 13 NENE SENE

PLACE OF USE: DIVERSION TO STORAGE

TWN RGE SEC

50N 06W 13 NWNE

MICROFILMED

SEP 4 1990

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08547

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19TH day of July, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 24 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 95-8547) ORDER
IN THE NAME OF THOMAS J. KIBLEN)

WHEREAS, on July 20, 1987, the Department of Water Resources issued Permit No. 95-8547 in the name of Thomas J. Kiblen with the requirement that:


Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.

and,

WHEREAS, the Department of Water Resources has determined that measuring devices are not required at this time for a determination of the quantity of water appropriated under the permit;

NOW THEREFORE, the condition of approval on Permit No. 95-8547 requiring that measuring devices be installed is hereby REMOVED.

Dated this 5th day of March, 1990.


L. GLEN SAXTON
Chief, Water Allocations Bureau

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8547

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant THOMAS J. Kiblen Phone 773-4880
Post office address Box 606 Post Falls, Id 83854
2. Source of water supply WELL which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of _____ Govt. Lot _____
Sec. 13 Township 50N Range 6W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .5CFS for DIVERSION TO STORAGE purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04CFS for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 54AF for RECREATION purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .5 cubic feet per second and/or (b) 54 acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well & Pond
 - b. Height of storage dam 18' feet; active reservoir capacity 54 acre-feet; total
reservoir capacity 54 acre-feet; period of year when water will be diverted to storage:
1-1 to 12-31 inclusive.
 - c. Proposed well diameter is 6" inches; proposed depth of well is 115' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

AUG 25 1987

RECEIVED

applicant to make this filing.

b. Who owns the land to be irrigated or place of use? APPLICANT

11. a. Who owns the property at the point of diversion? Apple Inc. and TI

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully. Fishing, Swimming, Boating, Ice skating

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 25 1981

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas J. Stephens
(Applicant)

Proposed Priority 6/8/87

Received by

RGH

Date 6/8/87

Time 10:00am

Preliminary check by

RR

Date

6/8/87

Received by

38329

Date

6/11/87

Published in

6/15/87

Publication approved

Publication prepared by

Date

6/26/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 95-8547

APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department. Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured. The storage of water under this permit is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.

Witness my hand this

20th

day of July, 1987.

Chief, Operations Bureau

RECORDED

AUG 25 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Lyndelle Holom being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular Thurs.
issue of said newspaper for 2 consecutive weeks
commencing on the 18 day of June, 1987, and
ending on the 25 day of June, 1987, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Lyndelle Holom
Subscribed and sworn to before me this 25 day of June
1987.

NOTARIAL
AUG 25 1987

Robert D. Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Commission Expires: 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8547

KIBLEN, THOMAS J.
P. O. BOX 606, POST FALLS,
ID 83854

Source: GROUNDWATER
Diversion Pt: NWNE Sec 13 T
50N R 06W
Use: DOMESTIC (0.040 CFS);
RECREATION (54.0 AF); DI-
VERSION TO STORAGE (0.5
CFS)

Date Filed: 06/08/1987

In: NENE Sec 13 T 50N R 06W
NENE SENE Sec 13 T 50N R
06W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before JULY 6, 1987.

KEN DUNN, Dir.

Legal 801

June 18, 25, 1987

OK
6/24/87
RECEIVED

JUN 23 1987

Department of Water Resources
No



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

RECEIVED
JUL 25 1990

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

July 19, 1990 DIRECTOR

THOMAS J. KIBLEN
P.O. BOX 606
POST FALLS, ID 838540000


Department of Water Resources

RE: PERMIT NO. 95-08547

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

6/27/90
JUL 24 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08547

Priority: June 8, 1987

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.30 CFS
55.2 AF

This is to certify, that THOMAS J. KIBLEN
P.O. BOX 606
POST FALLS, ID 838540000

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 8, 1987; and
has submitted Proof of Beneficial Use on August 17, 1987. An examination indicates
that the works have a diversion capacity of .300 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
RECREATION STORAGE	01/01 to 12/31		54.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.30 CFS	
	Totals	0.30 CFS	55.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 13, Township 50N, Range 06W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 06W 13 NENE

PLACE OF USE: RECREATION STORAGE

TWN RGE SEC

50N 06W 13 NENE SENE

PLACE OF USE: DIVERSION TO STORAGE

TWN RGE SEC

50N 06W 13 NWNE

RECORDED

SEP 24 1990

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08547

CONDITIONS/REMARKS:



1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19th
day of JULY, 1990.

Acting for R. Keith Higginson, Director

SEP 24 1990

DEPARTMENT OF WATER RESOURCES
STATEHOUSE 83720
BOISE, IDAHO



Thomas J. Kiblen
P.O. Box 606
Post Falls, ID 83854

RECEIVED
JUL 25 1990

Department of Water Resources

MICROFILMED

SEP 4 1990

*On per letter w/ answer
Office 8/6/90 there is
no current address.*

JS

July 19, 1990

THOMAS J. KIBLEN
P.O. BOX 606
POST FALLS, ID 838540000

RE: PERMIT NO. 95-08547

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 4 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 15, 1990

RE: Permit No. 95-8547

Thomas J. Kiblen
Box 606
Post Falls, ID 83854


Dear Mr. Kiblen:

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right. Also enclosed is a copy of an Order removing the measuring device requirement from this permit.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Department of Water Resources

Yes No
(☒) () B/U Acknowledgement Letter Sent 10/16/87 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() () Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY Tom King DATE 2-88
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW _____ DATE 6/89
ENTERED ON COMPUTER BY _____ DATE 6/15/89
PRELIMINARY OVERLAP REVIEW BY Tom King DATE 1-88
(☒) NO OVERLAP FOUND

~~XXXXXXXXXX~~
BOB FOR DAM SAFETY

MICROFILMED

SEP 24 1990

95-8547



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 90-8547

INITIALS



44-1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8547

1. Owner: THOMAS J. KIBLEN Phone No. _____

Current Address: BOX 604 WEST FALLS ID. 83851

2. Accompanied by: NONE EXAM. DATE: 1-28-88

Address: _____ Phone No. _____

Relationship to Permit Holder: NONE

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

RECEIVED
JUN 26 1989

Department of Water Resources

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" Well 115 DEEP W/10-HP Motor & Pump, 3" C.I. NPS TO 5002

GALVAN PRESSURE TANK 75.0 MC & 4000

[illegible]☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	GE	10	UNPAID TO REPO	PEOPLE'S	3"
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *PHB*

[illegible]

Do not use this space

SEP 7 4 1999

CONFIDENTIAL



PERMIT HOLDER THOMAS J KIBLEN

PERMIT # 95-8547

P D TWP 50N RGE 6W SEC 13 NW NE

P/U TWP 50N RGE 6N SEC 13 E2 NE

MICROFILMED

SEP 24 1990

SOURCE GROUNDWATER

TRIBUTARY TO

MAP PLOT 24

IRR. ACRES —

USGS QUAD E-2

SCALE

Do not use this space


D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{8.8(10) 70\%}{2.3 + 200} = 0.30 \text{ cfs}$$

(OPEN FLOW TO POND)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
SEP 24 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

RECOMMEND REMOVAL OF MEASURING DEVICE REQUIREMENT
DUE TO SIZE OF SYSTEM

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (af)
DIVERSION TO STORAGE	1-1 12-31	3 cfs	
DOMESTIC STORAGE FOR RECREATION	1-1 12-31	0.04 cfs	1.2 AF
	1-1 12-31	30 cfs	54
			55.2 AF
Totals:			


2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Tom King
 Signature [Signature]
 Certification Date 5/15/87
 Field Report Preparation Date 2/2/88

CONSULTANT SEAL



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 763-4639

OCTOBER 16, 1987

THOMAS KIBLEN
BOX 605
FOOT FALLS, ID 83854

RE: Permit No. 95-8547

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

SEP 24 1990

RECEIVED
AUG 20 1987

RECEIVED
AUG 17 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received \$100.00
Date 8/17/87
Receipt # 41662
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 41687

Department of Water Resources PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8547
Name(s) of Permit Holder: Thomas J. Kiblen ✓
Post Office Address: Box 606 Post Falls, IDA 83854 ✓
Telephone No. 773-4880

Source of Water: Well ✓

Extent of Use:
Domestic 1 (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark Recreation - trout pond

Total rate and/or volume for which proof is submitted 5 cfs 54 acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☐ No Fee enclosed \$ 100.00 ✓
Installed? ☐ Yes ☐ No (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:
Thomas J. Kiblen 773-4880
(Name) (Telephone Number)

Box 606 Post Falls, Ida. 83854
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-11-87 Thomas J. Kiblen DWS
Date Signature of Permit Holder (and title, if appropriate)

MICROFILMED

SEP 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 24, 1987

KIBLEN, THOMAS J.
P.O. BOX 606
POST FALLS, ID 83854

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8547

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

IF THE DIVERSION DAM IS 10 FEET OR MORE IN HEIGHT, OR HAS AN IMPOUNDING CAPACITY OF 50 ACRE-FEET OR MORE, CERTAIN DAM SAFETY REQUIREMENTS MUST BE MET. PLEASE CONTACT THE REGIONAL OFFICE NEAREST YOU FOR ADDITIONAL INFORMATION.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 25 1987

FROM Dam Safety (Dave Leard)

DATE 7/20/87

TO Water Rights (Kay Walker)

SUBJECT Kiblen Dam Water Right 95-8547

This is an existing dam. We have been working with Dr. Kiblen for a few years. We do not have any comments regarding the water right -

MICROFILMED

AUG 25 1987



SIGNATURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KK

APPLICATION NUMBER: 95-8547

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/6/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/26/87
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/8/87 Date of priority recommended.
Special conditions of approval or cover letter. _____

NONE

18A

By: [Signature] Date: 7/9/87

STATE OFFICE REVIEW:

(new g.w. paragraph) 43 18A 18B

109, 116

- ☐ See attached sheet for more information.

By: KW Date: 7/20/87

AUG 25 1987

REC

JUL 16 1987

Department of Water Resources

June 12, 1987

Mr. Thomas J. Kiblen
Box 606
Post Falls, Id. 83854

Re: 95-8547

Dear Mr. Kiblen:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 95-8547. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Coeur d'Alene Press. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. 38329 for the amount of \$45.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms
Enc. - Receipt

MICROFILMED
COPY
AUG 25 1987

95-8547

KIBLEN, THOMAS J.

P.O. BOX 606, POST FALLS, ID 83854

Source: GROUNDWATER

Diversion Pt: N4NE Sec 13 T 50N R 06W

Use: DOMESTIC	(0.040 CFS)
RECREATION	(54.0 AF)
DIVERSION TO STORAGE	(0.5 CFS)

Date Filed: 06/08/1987

In: NENE Sec 13 T 50N R 06W NENE SENE Sec 13 T 50N R 06W

RECORDED

AUG 25 1987