
13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. T52N R4W





Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald E. Barrett
(Applicant)

FILMED
AUG 25 1987


PD




95-08546

T. 52N., R. 04W., Sec. 08

MICROFILMED
APR 13 1999

TWIN LAKES Village Prop. Owners Assoc.

Shop. N. 52 North Range N. 4 West



RECEIVED
APR 13 1999

95-08546

T. 52 N., R. 04W., Sec. 8

PERMIT # 95-08546

STATE OF IDAHO

URCES
NT

S



Point of diversion well #1

Point of diversion well #2





irrigation Storage Pond


MICROFILMED

PERMIT # 95-08546

STATE OF IDAHO

URCES
NT

S




Pump house...

Flow meters

Pipe works

Diversion to irrigation Storege





Pumping system from storage to place of use- irrigation

MICROFILMED
APR 1 3 1999

PERMIT # 95-08546

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Place of USE



Place of USE

MICROFILMED
APR 13 1999

PERMIT # 95-08546

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NT
3



Place of Use



MICROFILMED
APR 13 1999

10-A

N 104,000

E 100,500

E 100,000

2400 99 98 97 96 2395 94 93 92 91 2390 89 88 87 86 2385 84 83 82 81 2380 79

2½" 2" 3"

MICROFILMED
APR 13 1999

95-4548

Twin Lakes Property
owner ssw

10-B

N 103,500

2385

2390

93 92 91 89 88 87 86

H-2-C

H-1-B

#11

1½"

3"

1½"

3"

H-3-B

3"

3" H-10-B

K-1-B

3"

2½" K-10-A

2½" 2½" 3"

K-10-A

K-9-A

3" K-9-A

K-8-A

3"

3"

K-7-A

2 2½"

K-7-A

3"

K-6-A

3"

3"

3"

K

L-6-A

2½"

Twin Lakes Prop. Owners Assn.

95-858

MICROFILMED

APR 13 1999

10-C

N 103,000

E 100,500

E 100,000

84 83 82 81 2380 79 78 77 76

H-8-B H-1-B H-11-B H-12-B H-4-B H-6-B H-7-C

#12 #16 #18

3" 1½" 4"

PROVIDE SCH. 40
2" SLEEVE

G-4-B G-5-B G-6-B G-7-B G-1-B G-2-B G-3-B G-8-B


L-1-A L-2-B L-5- L-5-A

G L

MICROFILMED
APR 13 1999

PROVIDE 12"

Twin Lakes Mfg. Comms.
Prop. Cluster
9468-5-8546



2380

NOTES 10-D


1. PLACE 120 VOLT POWER WIRES INTO SEPARATE TRENCH. DO NOT BURY WITH MAINLINE.
2. ALL WIRE SPLICES TO BE MADE WITH IMPERIAL 83-C WIRE CONNECTORS & 83-C-5 SEALER. ALL WIRE JUNCTIONS TO BE LOCATED IN 6" AMETEK VALVE BOX.
3. PROVIDE THRUST BLOCKS IN ACCORDANCE WITH (5/12)
4. ALL GATE VALVES TO BE PLACED IN AMETEK VALVE BOXES; PROVIDE EXTENDERS AS REQUIRED.
5. ALL AIR RELIEF VALVES TO HAVE AMETEK 10-170-106 VALVE BOX. PROVIDE EXTENDERS AS REQUIRED.
6. WHERE TWO HEADS ARE PROGRAMMED FOR SAME CONTROLLER, SAME STATION, PROVIDE SEPARATE WIRES FOR EACH HEAD TO SATELLITE CONTROLLER.
7. 120 VOLT WIRE COLOR CODE SCHEDULE:

HOT	BLACK	
COMMON	WHITE	
SPRINGE	BROWN	
GREENS/TEES	RED	(A PROGRAM)
FAIRWAYS	BLUE	(B PROGRAM)
ROUGHS	GREEN	(C PROGRAM)
EXTRA	VIOLET	

LEGEND

- CLASS 160 PVC MAINLINE SIZE AS SHOWN
- 120 VOLT CONTROLLER SERVICE; SEE (13/12)
- GATE VALVE; BRONZE 125 PSI; LINE SIZE
- RAINBIRD 44 PC QUICK COUPLE VALVE
- RAINBIRD 44 QUICK COUPLE VALVE W/ 12" VALVE BOX
- WATERMAN AIR RELIEF AVSO-2 W/ 2" I.P. GATE VALVE
- RAINBIRD PC-36 MASTER CONTROLLER
- RAINBIRD SC-1260 SATELLITE CONTROLLER
- RAINBIRD 91/95 DF OR 47/51 PF

HEAD KEY:



HEAD TYPES:

- A - RAINBIRD 91 DF 11/32 x 15/64 NOZZLE
- B - RAINBIRD 51 DF 5/16 x 3/16 NOZZLE
- C - RAINBIRD 47 DF 1/4 NOZZLE

FUTURE SATELLITE CONTROLLER; PULL IN 120 V HIRING THIG CONTACT

MICROFILMED
APR 13 1999

MICROFILMED
APR 13 1999

MATCH LINE SEE SHEET NO. 9

0 25 50 100

NORTH

95-8546 Twin Lakes
Prop. Owners Assn.

10-E

MICROFILMED
APR 13 1999


L-6-A
L-5-A
L-7-A
L-6-A
L-8-A
L-7-A
L-9-A
L-8-A
L-9-A
M-1-A
L-2-B
L-3-A
L-3-A
L-4-A
L-4-A
M-10-A
M-10-A
M-9-A
M-9-A
M-8-A
M-7-A
G-8-B
G-9-B
G-10-B
G-11-A
J-7-A
J-7-A
PROVIDE 12" SLEEVE
PROVIDE SCH. 40 2" SLEEVE
2½"
3"
4"
#13
7
9
2380
2385
N 103,000
E 99,500

95-8546
Twin Lakes Prop. Owners Assn

10-F

MATCH LINE SEE SHEET NO. 9

MATCH LINE SEE SHEET NO. 10



95-08546
Twin Lakes
Prop owners assn.

#9-A

PVC MAINLINE

POWER SERVICE; SEE (13/12)

MICROFILMED
APR 13 1999

NOTES

1. PLACE 120 VOLT POWER WIRES DO NOT BURY WITH MAINLINE.
2. ALL WIRE SPLICES TO BE MAD

7

8

M-3-A

M-4-A

M-4-A

M-5-A

M-b-B

M-7-A

M-5-A

M-b-B

E-7-B

E-b-B

E-8-B

#17

I-3-A

I-4-A

I-5-A

I-4-P

I-5-P

I-b-P

I-b-P

D-7-B

D-b-B

b-5-B

D 1

N 103,500

2380

2375

2360

2365

76

77

78

79

81

82

83

84

74

59

61

62

63

64

66

4"

3"

2½"

95-0546

Twin Lakes Property owners assn

INTO SEPTATE TRENCH.

WITH IMPERIAL GAS

9-B

MICROFILMED
APR 13 1999

MATCH LINE SEE SHEET NO. 10

N 103,000

E 99,

J-6-A
2½"
J-5-A
2½"
J-4-A
2½"
J-3-A
4"
J-2-A
4"
J-1-A
4"
I-8-A
4"
I-7-B
4"
I-7-C
4"
D-1-B
4"
#10
4"
4"
4"
4"
4"
4"
4"
4"
4"
4"
4"
4"
1½"
1½"
2½"
2½"
2½"
2½"
2½"
9
L
83
84
Twin Lakes
Prop. Owners Ass'n.
95-854

9-C

MICROFILMED
APR 13 1999

LEGEND

CLASS 160 PVC MAINLINE SIZE AS SHOWN

120 VOLT CONTROLLER SERVICE; SEE (13/12)

GATE VALVE; BRONZE 125 PSI; LINE SIZE

RAINBIRD 44 PC QUICK COUPLE VALVE

RAINBIRD 44 QUICK COUPLE VALVE W/ 12" VALVE BOX

WATERMAN AIR RELIEF AVESO-2 W/ 2" I.P. GATE VALVE

RAINBIRD MC-36 MASTER CONTROLLER

RAINBIRD SC-1260 SATELLITE CONTROLLER

RAINBIRD 91/95 DP OR 47/51 DP

HEAD KEY:

B - 9 - A

SATELLITE DESIGNATION
SATELLITE STATION
HEAD TYPE

HEAD TYPES:

A - RAINBIRD 91 DP	11/32 x 15/64	NOZZLE
B - RAINBIRD 91 DP	5/16 x 3/16	NOZZLE
C - RAINBIRD 47 DP	1/4	NOZZLE

MULTIPLE SATELLITE CONTROLLER; PULL IN 120 V WIRING THIG CONTRACT

N 104,000

N 103,500

NOTES

1. PLACE 120 VOLT POWER WIRES INTO SEPARATE TRENCH. DO NOT BURY WITH MAINLINE.
2. ALL WIRE SPLICES TO BE MADE WITH IMPERIAL 666 WIRE CONNECTORS & 666-5 SEALER. ALL WIRE JUNCTIONS TO BE LOCATED IN 6" AMETEK VALVE BOX.
3. PROVIDE THRUST BLOCKS IN ACCORDANCE WITH (5/12)
4. ALL GATE VALVES TO BE PLACED IN AMETEK VALVE BOXES; PROVIDE EXTENDERS AS REQUIRED.
5. ALL AIR RELIEF VALVES TO HAVE AMETEK 10-170-106 VALVE BOX. PROVIDE EXTENDERS AS REQUIRED.
6. WHERE TWO HEADS ARE PROGRAMMED FOR SAME CONTROLLER SAME STATION, PROVIDE SEPARATE WIRES FOR EACH HEAD TO SATELLITE CONTROLLER
7. 120 VOLT WIRE COLOR CODE SCHEDULE:

HOT	BLACK	
COMMON	WHITE	
SPRINGE	BROWN	
GREENS/TEES	RED	(A PROGRAM)
FAIRWAYS	BLUE	(B PROGRAM)
FAIRWAYS	GREEN	(C PROGRAM)
EXTRA	VIOLET	

MICROFILMED APR 1 3 1999

0 25 50 100

ONE INCH EQUALS FIFTY FEET

9-D

95-8546
Twin Lakes Prop
Owner Assn.

EPTATE TRENCH.


IMPERIAL GOOD ALL WIPE JUNCTIONS BOX.

WITH (5/12)

AETEK EQUIPED.

- 10-170-106 EQUIPED.


F GAME CONTROLLER, ES FOR EACH HEAD



9-E

95-8546
Twin Lakes
Prop. Owner Assn.


MICROFILMED
APR 13 1999



Irrigation Engineering Plans - Sheet # 11-A

95-8546
Twin Lakes
Prop. Owners
Assn.

MICROFILMED
APR 13 1999



95-8546
Twin Lakes
Prop. Owners
Assn.

11-B


MICROFILMED
APR 1-3 1999

GEND

CLASS 160 PVC MAINLINE
SIZE AS SHOWN

NOTES

1. PLACE 120 VOLT POWER
DO NOT SUPPLY WITH MA




95-854
Twin Lakes
Prop owners
ASSN.

11-C

MICROFILMED
APR 13 1999

WER WIRES INTO SEPTATE TRENCH.
MAINLINE.
TO BE MADE WITH IMPERIAL 666


56
57
72
73
74
000'101 N
11-D
95-8546
Twin Lakes Prop.
Owners Assn.
MICROFILMED
APR 13 1999
MICROFILMED
APR 13 1999

N 102,000

N 101,500

LEGEND

- CLASS 160 PVC MAINLINE SIZE AS SHOWN
- 120 VOLT CONTROLLER SERVICE; SEE (13/12)
- GATE VALVE; BRONZE 125 PSI; LINE SIZE
- RAINBIRD 44 PC QUICK COUPLE VALVE
- RAINBIRD 44 QUICK COUPLE VALVE W/ 12" VALVE BOX
- WATERMAN AIR RELIEF AVESO-2 W/ 2" I.P. ; GATE VALVE
- RAINBIRD MC-36 MASTER CONTROLLER
- RAINBIRD SC-1260 SATELLITE CONTROLLER
- RAINBIRD 91/95 DR OR 47/51 DR

HEAD KEY:

B - 9 - A

- SATELLITE DESIGNATION
- SATELLITE STATION
- HEAD TYPE

HEAD TYPES:

- A - RAINBIRD 91 DR 11/32 x 15/64 NOZZLE
- B - RAINBIRD 51 DR 5/16 x 3/16 NOZZLE
- C - RAINBIRD 47 DR 1/4 NOZZLE

FUTURE SATELLITE CONTROLLER; PULL IN 120 V WIRING THIS CONTRACT

11-E

NOTES

1. PLACE 120 VOLT POWER WIRES INTO SEPARATE TRENCH. DO NOT BURY WITH MAINLINE.
2. ALL WIRE SPLICES TO BE MADE WITH IMPERIAL 85C WIRE CONNECTORS & 85C-5 SEALER. ALL WIRE JUNCTIONS TO BE LOCATED IN 6" AMETEK VALVE BOX.
3. PROVIDE THRUST BLOCKS IN ACCORDANCE WITH (5/12)
4. ALL GATE VALVES TO BE PLACED IN AMETEK VALVE BOXES; PROVIDE EXTENDERS AS REQUIRED.
5. ALL AIR RELIEF VALVES TO HAVE AMETEK 10-170-106 VALVE BOX. PROVIDE EXTENDERS AS REQUIRED.
6. WHERE TWO HEADS ARE PROGRAMMED FOR SAME CONTROLLER, SAME STATION, PROVIDE SEPARATE WIRES FOR EACH HEAD TO SATELLITE CONTROLLER
7. 120 VOLT WIRE COLOR CODE SCHEDULE:

HOT	BLACK	
COMMON	WHITE	
SPRINGS	BROWN	
GREENS/TEES	RED	(4 PROGRAMS)
FAIRWAYS	BLUE	(3 PROGRAMS)
FAIRWAYS	GREEN	(2 PROGRAMS)
EXTRA	VIOLET	

ACCEPTED APR 2 2 1998

95-8546

Twin Lakes Prop. Owners Assn.

Twin Lakes Village - Nine Hole Golf Addition

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 95-08546

Priority: June 13, 1987

Maximum Diversion Rate: 1.56 CFS
Maximum Diversion Volume: 230.5 AF

This is to certify, that TWIN LAKES VILLAGE PROPERTY OWNERS ASSN
RT 4 BOX V551
RATHDRUM ID 83858 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 28, 1987; and has submitted Proof of Beneficial Use on August 27, 1990. An examination indicates that the works have a diversion capacity of 1.560 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION	ANNUAL VOLUME
IRRIGATION	03/15 to 11/15	1.56 CFS	210.0 AF
RECREATION STORAGE	01/01 to 12/31		20.5 AF
DIVERSION TO STORAGE	01/01 to 12/31	1.56 CFS	
	Totals	1.56 CFS	230.5 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 8, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN	RGE	SEC		ACRES		ACRES		ACRES	TOTAL
52N	04W	8	Lot 2(SWNE)	9	Lot 2(SENE)	20	Lot 3(NESE)	15	
			Lot 3(NWSE)	10	Lot 4(SWSE)	8	Lot 3(SESE)	8	70

Total number of acres irrigated: 70

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
2. Two points of diversion are located within Lot 3 (NESE), S8, T52N, R4W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 31st day of DECEMBER, 1990.

Acting for KARL J. DREHER Director

MICROFILMED
APR 1 3 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8546 IN THE NAME OF TWIN LAKES VILLAGE PROPERTY OWNERS ASSN.	ORDER OF REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 27, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8546 be REINSTATED and the priority advanced to June 13, 1987.

Dated this 18th day of December, 1990.

L. Glen Saxton

L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED
FEB 07 1991

Form 217
08/89

RECEIVED
AUG 27 1990
Department of Water Resources

For Office Use Only
Amt. of Fee $ 125.00
Date 8/27/90
Receipt No. 608148
Received by J. Lawson

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95 - 08546 Telephone No. 208-687-1311

Name(s) of Permit Holder(s): TWIN LAKES VILLAGE PROPERTY OWNERS ASSN.

Post Office Address: Rt.4 Box V-551 RATHDRUM, ID. 83858

Source of Water: GROUND WATER

If ground water, well driller's name: UNITED DRILLING Date drilled: WELL #1 3-31-87
WELL #2 7-15-87

Extent of Use:

Domestic _____ (No. of households) Irrigation 70 (No. of acres)

Stockwater _____ (No. and type of stock) Other HOLDING PONDS ON GOLF COURSE USED TO STORE WATER FOR IRRIGATION

Total rate and/or volume for which proof is submitted 2.0 cfs N/A acre/feet

Show date water was first diverted and beneficially used under this permit: 3-31-87

One of the following may be a condition of approval of your permit:

Measuring device: Required? __Yes __No Installed? __Yes __No

OR

Flow Measurement Port: Required? X Yes __No Installed? X Yes __No

Fee Enclosed: $ 125.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

RANDY BUCKENBERGER 208-687-1311
Name Telephone No.

Rt.4 Box V-551 RATHDRUM, ID. 83858
Address

MICROFILMED
FEB 07 1991

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Aug. 22, 1990 W. J. Satre, President
Date Signature (and title if on behalf of a company or organization)

Form 202
6/85

Ident. No. 95-8546

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Twin Lakes Village Property Owners Assn Phone 687-1311

   Post office address Rt 4 Box V-551 Rathdrum ID 83858

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is ~~8~~ NE ¼ of NE ¼ of SE ¼, Govt. Lot _____

   Sec. 8 Township 52N Range 4W B.M. _____ County; additional

   points of diversion if any: NE NE SE Sec 8 T52N R4W

4. Water will be used for the following purposes:

   Amount 2cfs (~~cfs or acre-feet per annum~~) for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)

   Amount 2cfs (~~cfs or acre-feet per annum~~) for Div. to Storage purposes from 1-1 to 12-31 (both dates inclusive)

   Amount 40AF (~~cfs or~~ acre-feet per annum) for Irrigation-from Storage purposes from 3-15 to 11-15 (both dates inclusive)

   Amount 40AF (~~cfs or~~ acre-feet per annum) for Storage for Irrigation purposes from 1-1 to 12-31 (both dates inclusive)
   40AF Storage for Recreation 1-1 12-31

5. Total quantity to be appropriated is (a) 2cfs (cubic feet per second) and/or (b) 40 (acre feet per annum)

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. Wells & Pumps

   b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

   c. Proposed well diameter is 8 inches; proposed depth of well is 450 feet.

   d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (*minimum 1 year*).

MICROFILMED
AUG 25 1987

8. Description of proposed uses (*if irrigation only, go to item 9*):

   a. Hydropower; show total feet of head and proposed capacity in KW. _____

   b. Stockwatering; list number and kind of livestock. _____

   c. Municipal; show name of municipality. _____

   d. Domestic; show number of households. _____

   e. Other; describe fully. _____

9. Description of place of use:

   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

   b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
52N	4W	8			4R	20R									15R	10R	10R	1R	70
																			70

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Appl.

    b. Who owns the land to be irrigated or place of use? Appl.


    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Irrigation of golf course will require a pumping capacity in excess of .02 cfs/acre

FILMED

AUG 25 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. T52N R4W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald E. Barrett
(Applicant)

Proposed Priority 5/28/87

Received by RJH Date 5/28/87 Time 11:35AM Preliminary check by KK

Fee $ 6500 Receipted by RJH # 38318 Date 5/28/87

Publication prepared by KK Date 5/27/87 Published in 6/4+11/87 Coeur d'Alene Press

Publication approved [signature] Date 6/2/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8546, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.

   c. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

   d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

   Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

   If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Witness my hand this 20th day of July, 1987.

L. Glen Saxton
Chief, Operations Bureau

MICROFILMED
AUG 25 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUN 1 1987
Department of Water Resources
Northern District Office

POWER OF ATTORNEY

The undersigned holder(s) of Permit / Application No. 95-8546 of the Department of Water Resources of the State of Idaho hereby nominates _____ Donald E. Barrett, whose address is Rt. 4, Box 556-F, Rathdrum, as attorney-in-fact, with full authority to act for and on behalf of the undersigned in all matters pertaining to the above numbered permit or application. Such acts shall include, but not be limited to, the filing of application, receiving of all notices, the signing and filing of applications for extension of time and for amendments of said permits, and the submission of proofs of completion of works and beneficial use of water.

Dated this 28 day of May, 1987.

Clyde B. Matters

Clyde B. Matters, Vice-President
Twin Lakes Property Association

STATE OF IDAHO)
) ss.
County of Kootenai)

On this 28th day of May, 1987, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

seal

Silas J. Boemmeling
Notary Public
Residing at Rathdrum

My Commission expires:
life

MICROFILMED
AUG 25 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Kootenai, } ss.

Lynelle Holom being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thurs. issue of said newspaper for 2 consecutive weeks, commencing on the 4 day of June, 1987 and ending on the 11 day of June, 1987, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Lynelle Holom

Subscribed and sworn to before me this 11 day of June, 19 87

Roberta Manley
Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.
Commission expires 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8487
JOHNSTON, GEORGE O.
RT. 1 BOX 81G, ATHOL, ID 83801
Source: SPRINGS trib. to SINKS
Diversion Pt: NWNWSE
NWSWNE Sec 27 T 53N R 02W
Use: RECREATION STORAGE (1.0 AF); DIVERSION TO STORAGE (0.020 CFS)
Date Filed: 05/27/1987
In: SENW Sec 27 T 53N R 02W

95-8546
TWIN LAKES VILLAGE PROPERTY OWNERS ASSN.
RT. 4 BOX V-551, RATHDRUM, ID 83858
Source: GROUNDWATER
Diversion Pt: NENESE Sec 08 T 52N R 04W
Use: IRRIGATION (2.0 CFS); DIVERSION TO STORAGE (2.0 CFS); IRRIGATION FROM STORAGE (40.0 AF); IRRIGATION STORAGE (40.0 AF); RECREATION STORAGE (40.0 AF)
Date Filed: 05/28/1987
In: S½NE & SE¼ Sec 8, T52N, R04W for 70 acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before JUNE 22, 1987.

KEN DUNN, Dir.

Legal 750
June 4, 11, 1987

6/12/87

RECEIVED
AUG 25 1987
Department of Water Resources
Northern District Office

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

December 31, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TWIN LAKES VILLAGE PROPERTY OWNERS ASSN
RT 4 BOX V551
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08546

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a **preliminary order** issued by the Department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED
APR 13 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) the petition for reconsideration is disposed of; or
> (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED
APR 13 1999

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILM
APR 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the **31st** day of **December, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 95-08546

TWIN LAKES VILLAGE PROPERTY OWNERS ASSN
RT 4 BOX V551
RATHDRUM ID 83858

Kari Lynn Townsend
Secretary

MICROFILMED
APR 13 1999

MEMORANDUM

TO: File 95-08546

FROM: Sharla

DATE: December 23, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 95-08546 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use

T52N, R4W, S8 - the SWSE is associated with **Gov. Lot 4**

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	1.56 cfs	210.0 afa
Recreation Storage	1/1 - 12/31		20.5 afa
Diversion. to Storage	1/1 - 12/31	1.56 cfs	
	TOTALS	1.56 cfs	230.5 afa

In a phone conversation with Steve Martin (greens maintenance supervisor), he stated that both wells are not always used at the same time, but usually are pumped simultaneously. He confirmed that the capacities of the wells are 400 gpm and 300 gpm; these rates are an accurate reflection of their use and that to obtain higher rates, they would have to change the pumps. The measured rate of 700 gpm will be licensed; the rate is above the normal inch/acre rate based on the fact that the irrigation is for a golf course.

The irrigation storage and irrigation from storage uses will not be listed. The size of the pond associated with the irrigation use is larger than could be depleted in a 24-hour period of continuous diversion and will be treated as a regulating pond and part of the diversion system. The pond's volume is accounted for in the recreation storage use.

The standard volume/acre for this area is 3.0 afa/ac.

Exam Date: July 9, 1998
Examiner: David Pagel

MICROFILMED

APR 1 3 1999

8. Description of proposed uses (*if irrigation only, go to item 9*):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
52N	4W	8			CT 2 15	CT 2 15									CT 3 30	CT 3 20	CT 4 10	12	102

Total number of acres to be irrigated 102

10. Describe any other water rights used for the same purposes as described above. 95-04139
95-07618, 95-07624, 95-08546

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08874

Proposed Priority: July 20, 1994 Maximum Diversion Rate: 2.04 CFS

This is to certify, that **TWIN LAKES VILLAGE**
2600 E VILLAGE BLVD
RATHDRUM ID 83858
has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
IRRIGATION	03/15 to 11/15	2.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 8, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN	RGE	SEC		ACRES		ACRES		ACRES	TOTAL
52N	04W	8	SWNE	15	SENE	15	NESE	30	
			NWSE	20	SWSE	10	SESE	12	102

Total number of acres irrigated: 102

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1999.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
7. Construction of the well must comply with Idaho well construction standards.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
9. Place of use is located within Twin Lakes Village 1st Addition Subdivision.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08874

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

5th day of October, 1994.

R. Keith Higginson, Director

for

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08546 DATE ~~9/30~~ 10/7/98 REVIEWER: SHARLA

	Change/OK
NAME	OK
Address	OK
SOURCE	OK Does change clarifiy orig. intended source? If no, Void permit
POINT OF DIV	OK _ Change (P39 /P47) _ Add (P45/P42) Feds - P40

W32 (multiple in ¼¼) 2
W36 (overlap)
W59 (subd. desc)

Overlaps: Right(s): _____
File reviewed ___ Profile reports printed ___

PLACE OF USE OK _ Change (P41/P47) _ Add (P41/P42) Feds - P43

W60 (subd. desc)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed ___ Profile reports printed ___

PD & PU amend (P37) Feds - P48

RATE OF DIV
Permitted Rate 2.00 cfs
Fee limit 2.00 cfs $125.00
Measured 1.56 cfs @ 365' lift and 0 psi (open discharge)
Theoretical 1.43 cfs 1.02(60hp)+.84(50hp)=1.86
Recommended Total Div Rate 1.56 cfs

WATER USES OK Change (P46)

Irr.	1.56 cfs	70X3.0 af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
" Stes	___ cfs	~~20.5~~ af	5.4	supp. gw (WB7/065/079)
frm Stes	___ cfs	~~20.5~~ af	5.4	overlap spec. combined rts (W35)
Rec Stes	___ cfs	20.5 af		<1acre (W31)
Div to Stes	1.56 cfs	___ af	Domestic	(W01/WB5/070/071/075)
TOTALS	1.56 cfs	~~230.5~~ af	Power	(W42 or W43/025/027/R22 or R23)
			Fish (042)	Fire (077) Wtr Quality (081/R07)

Flow rate 1.56 cfs X 246 days X 1.98 = 759.8 af

REMARKS _____

ADD'L CONDITIONS ____ Watermaster Control WD# ____
____ GW Measurement/Measuring Device
____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

SWSE = Lot 4
3.0 af/ac
02/03 @ 5.4

Advance Priority ___ yes ✓ no SRBA Claim N/A

Adjust Memo OK golf course > 1"/ac div.
Amend letters ____

Form 219
6/92

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 17 1998
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08546

1. Owner: Twin Lakes Village Property Owners Assn. Phone No. (208) 687-1311

Current Address: Rt. 4 Box V-551 Rathdrum ID 83858

2. Accompanied by: Terry Holt, Steve Martin EXAM DATE: July 9, 1998

Address: Same Phone No.

Relationship to Permit Holder: assistant grounds keeper, greens maintenance supervisor

3. Source: Groundwater tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-07618

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. **Point(s) of Diversion:**

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1	03		NE	SE	8	52N	4W	Kootenai	USGS 7.5' Quad., Aerial Photo
#2	03		NE	SE	8	52N	4W	Kootenai	USGS 7.5' Quad, Aerial Photo

2. **Place(s) of Use:** Indicate Method of Determination Aerial Photo, Planimeter


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	4W	8			02-9	02-20									03-15	03-10	03-8	03-8	70

MICROFILMED
APR 13 1999

total = 70 acres

3. **Delivery System Diagram**: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

See irrigation system plans: 9, A-E - 10, A-F - 11, A-E



Scale: 1" = _____.

✓ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

✓ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well # 1		50		Submersible	
Well # 2		60		Submersible	

Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow meter		McCrometer		95-3338 4		
Flow meter		McCrometer		95-3339 4		

2. **Measurements:** #1 - 50 Hp pump at 48 psi = 300 gpm (.67 cfs)
#2 - 60 Hp pump at 48 psi = 400 gpm (.89 cfs)

MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted at a combined maximum rate of 700 gpm (1.56 cfs) from 2 wells. Well #1 utilizes a 50 horsepower pump, well #2 a 60 horsepower pump to divert water into a storage pond for irrigation. The capacity of the storage pond is 5.35 a.f.

Water is then pumped from storage using (2) 50 horsepower and (1) 10 horsepower pumps for irrigation of 70 acres through an underground sprinkling system.

Water is also being used to fill an additional 7 ponds around the course for recreational storage. The combined volume of these ponds is 20 af.

The copies of the irrigation plans (included), #'s 9, A-E 10A-F 11, A-E are of the "front" 9 holes. Steve Martin (greens maintenance supervisor) stated that the irrigation system for the back 9 holes are basically the same but the design plans were lost in a fire.

Have conditions of permit approval been met? ✓ yes ___ no

MICROFILMED

APR 1 3 1999

F. FLOW CALCULATIONS

✓ Additional Computation Sheets Attached

Measured Method:

700 gpm (1.56 cfs)

see Theoretical Calculations

$\frac{1 cfs}{x} = \frac{448.83 gpm}{700 \cdot gpm} = \frac{(448.83)(x)}{448.83} = \frac{700}{448.83} = X = 1.56 cfs$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R}$ = (Acres Irrigated) x (Irrigation Requirement) = (70 acres)(3.5 af/acre/season) = 245 afa

$V_{D.R}$ = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = (1.56 cfs)(245 days)(1.9835) = 758 afa

V = Smaller of $V_{I.R}$ and $V_{D.R}$ = 245 afa

2. Volume Calculations for Other Uses: Recreation storage (8 ponds) .6 = slope factor

(360 ft)(90 ft)(12 ft)(.6) = 233280 ft^3 / 43560 ft^3 = 5.35 af

(370 ft)(82 ft)(12 ft)(.6) = 218448 ft^3 / 43560 ft^3 = 5.01

(206 ft)(80 ft)(8 ft)(.6) = 79104 ft^3 / 43560 ft^3 = 1.82

(260 ft)(90 ft)(12 ft)(.6) = 140400 ft^3 / 43560 ft^3 = 3.87

(4 ponds)(200 ft)(50 ft)(8 ft)(.6) = 192000 ft^3 / 43560 ft^3 = 4.41

20.46 af

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Irrigation	3/15	11/15	1.56	245
Irrigation Storage	1/1	12/31		20
Irrigation from Storage	3/15	11/15		245
Recreation Storage	1/1	12/31		20
Diversion to Storage	1/1	12/31		265
		Totals:	1.56 cfs	265 afa

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ✓ None

___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name David A. Pezel Date Aug 13, 1998

Reviewer _____ Date _____

SEAL

MICROFILMED
APR 13 1999

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08546, TWIN LAKES
DATE: 10-JUL-98
COMPLETE BY: PAGEL

HORSEPOWER = 50

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 365 FEET

SYSTEM PRESSURE = 48 PSI

QUANITY = 0.65 CFS

MICROFILMED
APR 13 1999

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08546, TWIN LAKES
DATE: 10-JUL-98
COMPLETE BY: PAGEL

HORSEPOWER = 60


PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 365 FEET

SYSTEM PRESSURE = 48 PSI

QUANITY = 0.78 CFS


MICROFILMED
APR 13 1999



(SPIRIT LAKE WEST)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

P.D.




95-08546

T. 52N., R. 04W., Sec. 08

TWIN LAKES Village Prop. Owners Assoc.

Township 52 North Range 5 West



95-08546

T. 52 N. R. 04 W., Sec. 8

PERMIT # 95-08546

STATE OF IDAHO


URCES
NT


S



Point of diversion well # 1

Point of diversion well # 2






Irrigation Storage Pond


PERMIT # 95-08546


STATE OF IDAHO
URCES
NT
S



Pump house...
Flow meters
Pipe works

Diversion to irrigation Storage





Pumping system from storage to place of use- irrigation

DEC 13 1995

PERMIT # 95-08546

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Place of USE



Place of USE

PERMIT # 95-08546

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES



Place of USE



Form 238-7
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Twin Lakes Well # 2

Address Rt 4 Box V 551
Rathdrum Idaho 83858

Owner's Permit No. 95-87-N-92

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness		Diameter		From		To	
.250	inches	8	inches +	2	feet	480	feet
	inches		inches		feet		feet
	inches		inches		feet		feet
	inches		inches		feet		feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch
Size of perforation 1/16 inches by 2 inches

Number		From		To	
4rows 85per	perforations	400	feet	440	feet
6rows 85per	perforations	440	feet	480	feet
	perforations		feet		feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from ___ feet to ___ feet
Surface seal depth 100 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

N / W / E / S

Subdivision Name _____
Lot No. ___ Block No. ___
County Kootenai
NE ¼ SE ¼ Sec. 8, T. 52 N., R. 4W. W.

7. WATER LEVEL

Static water level 365 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow —
Artesian closed-in pressure — p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature ___ °F. Quality Good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10½	0	40	Sand & Boulders		X
	40	125	Cemented Gravel		X
	125	175	Sand & Gravel & Clay		X
	175	225	Sand & Clay Mix		X
	225	330	Gravel & Boulders		X
	330	352	Shale Gray	X	
	352	480	Cemented Gravel	X	

RECEIVED
AUG 12 1987
Department of Water Resources
Northern District Office

RECEIVED
AUG 24 1987
Department of Water Resources

10.

Work started 6-26 finished 7-4-87

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

UNITED DRILLING INC.
Firm Name _____ Firm No. 414
P. O. BOX 2499 CD"A ID. 83814
Address _____ Date 7-15-87

Signed by (Firm Official) Elton R. Valley Jr.
and
(Operator) Tim + Elton Valley

USE ADDITIONAL SHEETS IF NECESSARY

Form 238-7
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Twin Lakes

Address RT 4 Box V551
Rathdrum Id. 838

Owner's Permit No. 95-87-N-48

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	8 inches	+2 feet	446 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch
Size of perforation 1/16 inches by 2 inches

Number		From	To
1'000	perforations	380 feet	446 feet
500	perforations	330 feet	380 feet
_____	perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 100 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

N / W / E / S

Subdivision Name _____

Lot No. _____ Block No. _____

County KOOTENAI

S/E ¼ N/E ¼ Sec. 8, T. 52 N, R. 4 W.

7. WATER LEVEL

Static water level 366 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow 0
Artesian closed-in pressure 0 p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
500	440	8 to 10

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10¼	0	40	sand ; Boulders		X
	40	125	Cemented Gravel		X
	125	175	Sand;gravel;clay		X
	175	225	sand;claymix		X
	225	330	gravel;boulders		X
	330	352	shal ;gray	X	
	352	446	Cemented gravel	X	
			Mud drilled to 450 feet 7/78. Reamed to 450 feet 10¼. Set 8 inch casing to 446. Perforated from 330;440 feet. Went in and developed 8 to 10 hours.		

RECEIVED
JUL 02 1987
Department of Water Resources
APR 13 1999

10.

Work started 3/10/87 finished 3/30/87

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name United Drilling Inc. Firm No. 414


Address Pobox 2499 Date 3/31/87
Coeur D Alene, Idaho

Signed by (Firm Official) _____

and

(Operator) Tim R volking

10-A



95-8546 Twin Lakes Property
Owners QSSW.

10-B

N 103,500

2385

2390

93 92 91 89 88 87 86

H-2-C

H-1-B

1½"

3"

H-3-B

3"

H-10-B

K-1-B

K-10-A

K-10-A

2½"

2½"

2½"

3"

K-9-A

K-9-A

3"

K-8-A

3"

K-8-A

K-7-A

3"

K-7-A

2½"

3"

K-6-A

3"

3"

3"

K

L-6-

Twin Lakes Park
Owners Case
9-8-76

MICROFILMED
APR 13 1983

10-C

N 100,000

E 100,000

84 83 82 81 2380 79 78 77 76

H-8-B H-9-B H-11-B H-12-B H-4-B H-5-B H-6-B H-7-B

#12

PROVIDE SCH. 40
2" SLEEVE

G-4-B G-5-B G-6-B G-7-B G-1-B G-2-B G-3-B G-8-B

#16 #18

L-1-A L-2-B L-5-A

95-8546
Twin Lakes
Prop. Comm. Ctr.

2380

NOTES 10-D

1. PLACE 120 VOLT POWER WIRES INTO CONDUIT AT [illegible] 120 VOLT BURY WITH HIGHLINE
2. ALL WIRE SPLICES TO BE MADE WITH WIRE CONNECTORS & LOCATED IN 4" METER [illegible] TO BE LOCATED IN 4" METER
3. PROVIDE THRUST BLOCKING IN ACCORDANCE [illegible]
4. ALL GATE VALVES TO BE PLACED IN VALVE BOXES, PROVIDE EXTENSIONS
5. ALL AIR RELIEF VALVES TO BE PLACED IN VALVE BOX. PROVIDE EXTERIOR [illegible]
6. WHERE TWO HEADS ARE STAGGERED ON SAME RETURN, PROVIDE GATE VALVE TO SATELLITE CONTROLLER
7. 120 VOLT [illegible]

HOT - BLACK
COMMON - WHITE
GROUND - [illegible]
[illegible] - RED
VIOLET

LEGEND

- CLASS 160 PVC MAIN LINES
- 120 VOLT CONTROLLER
- GATE VALVE, PROVIDE [illegible]
- △ PATRIOT 44 PC QUICK COUPLER
- ◆ PATRIOT 44 QUICK COUPLER VALVE
- ● WATERMAN AIR RELIEF ASSY
- ◪ PATRIOT PC SA MASTER CONTROL
- □ PATRIOT SA-1360 SATELLITE
- ● PATRIOT 11/[illegible]

HEAD REF.
SATELLITE DESIGNATION
SATELLITE [illegible]
HEAD TYPE

A - [illegible] 91 DT 11/2 x 15/[illegible]
B - PATRIOT 51 DT 3/4 x 21
C - PATRIOT 41 DT 3/4

FUTURE SATELLITE CONTROLLER [illegible]
MAINLINE THIS CONTRACT

E 100,000

PROVIDE SCH. 40 2" SLEEVE


E 99,500

MATCH LINE SEE SHEET NO. 9

Twin Lakes
Property Owners
Assn.

95-8548

MICROFILMED



95-8546 Twin Lakes
Asp. Owners Assn.

10-E

L-6-A
L-5-A
L-7-A
L-8-A
L-9-A
M-1-A
L-2-B
L-3-A
L-1-A
L-4-A
M-10-A
M-9-A
M-8-A
M-7-A
G-8-B
G-9-B
G-10-B
G-11-A
J-7-A
J-7-A
PROVIDE CONDUIT SLEEVE
7
9
N 103,000
E 99,500
95-8546
Twin Lakes Prop.
Owners Assn
10-F
MATCH LINE SEE SHEET NO. 9

MATCH LINE SEE SHEET NO. 10

F-1-D
F-5-B
F-4-B
F-2-C
F-1-C
F-3-B
I-1-B
I-1-A
I-2-A
I-2-B
E-4-B
E-1-B
E-2-B
#16
F
M
E

N 104,000

95-0858

Twin Lakes

Prop owners Assn.

#9-A

NOTES

W/C MAINLINE

SERVICE; SEE (13/12)

1. PLACE 120 VOLT POWER WIRES DO NOT BURY WITH MAINLINE.
2. ALL WIRE SPLICES TO BE MAD

7

8

M-3-A

M-4-A

M-5-A

M-6-B

E-7-B

E-8-B

I-3-A

I-4-A

I-5-A

I-6-A

D-7-B

D-6-B

D-5-B

4"

3"

2½"

N 103500

2380

2375

2360

2365

95-08546

Twin Lakes Property owners assn

9-B

N 103,000

J-6-A

2½"

J-5-A

2½"

J-4-A

9

2½"

J-3-A

4"

J-2-A

4"

4"

2½"

J-1-A

2½"

J-2-A

4"

J-1-A

4"

I-8-A

4"

I-9-A

4"

I-7-B

4"

1½"

I-7-C

4"

D-1-B

J-6-A

4"

J-5-A

4"

J-4-A

4"

8"

J-3-A

E 99,

Twin Lakes Property Owners Assn.

95-8544

9-C

#10

LEGEND

N 104,000

CLASS 160 PVC MAINLINE
SIZE AS SHOWN

120 VOLT CONTROLLER SERVICE; SEE (18/12)

GATE VALVE; RATED 125 PSI; LINE SIZE

RAINBIRD 44 PC QUICK COUPLE VALVE

RAINBIRD 44 QUICK COUPLE VALVE W/ 12" VALVE BOX

WATERMAN AIR RELIEF AVR50-2 W/ 2" I.P. & GATE VALVE

RAINBIRD MC-SS MASTER CONTROLLER

RAINBIRD SC-1260 SATELLITE CONTROLLER

RAINBIRD 91/95 DP OR 47/51 DP

HEAD KEY: B - 9 - A

SATELLITE DESIGNATION

SATELLITE STATION

HEAD TYPE

HEAD TYPES:

A - RAINBIRD 91 DP 11/32 x 15/64 NOZZLE
B - RAINBIRD 91 DP 5/16 x 3/16 NOZZLE
C - RAINBIRD 47 DP 1/4 NOZZLE


FUTURE SATELLITE CONTROLLER; PULL IN 120 V WIRING THIS CONTRACT

NOTES

N 103,500

1. PLACE 120 VOLT POWER WIRES INTO SEPERATE TRENCH. DO NOT BURY WITH MAINLINE.
2. ALL WIRE SPLICES TO BE MADE WITH IMPERIAL 83C-4 WIRE CONNECTORS & 83C-5 SEALER. ALL WIRE JUNCTIONS TO BE LOCATED IN 6" AMETEK VALVE BOX.
3. PROVIDE THRUST BLOCKS IN ACCORDANCE WITH (5/12)
4. ALL GATE VALVES TO BE PLACED IN AMETEK VALVE BOXES; PROVIDE EXTENDERS AS REQUIRED.
5. ALL AIR RELIEF VALVES TO HAVE AMETEK 10-410-106 VALVE BOX. PROVIDE EXTENDERS AS REQUIRED.
6. WHERE TWO HEADS ARE PROGRAMED FOR SAME CONTROLLER SAME STATION, PROVIDE SEPARATE WIRES FOR EACH HEAD TO SATELLITE CONTROLLER.
7. 120 VOLT WIRE COLOR CODE SCHEDULE:

HOT	BLACK	
COMMON	WHITE	
SPRINGE	GREEN	
GREENS/TEES	RED	(4 PROGRAM)
FAIRWAYS	BLUE	(6 STATION)
FAIRWAYS	GREEN	(8 STATION)
EXTRA	VIOLET	



9-D

95-8546
Twin Lakes Prop
Owner Assn.

EPTATE TRENCH.

IMPERIAL GSC.
ALL WIPE JUNCTIONS
BOX.

WITH (5/12)

METER
REQUIRED.

10-110-106
EQUIPED.

GAME CONTROLLER,
ES FOR EACH HEAD

N 103,500

D-7-B

4"

D-6-B

4"

D-5-B

#D

4"

D-4-B

4"

I-7-B

4"

4"

I-7-C

D

I-B

#B

D-2-B

D-3-B

N 103,000

59 61 63 64 66 67 68 69 71 73 74 76 77 78 79 80

2360 2365 2370 2375 2380

9-E

95-8546
Twin Lakes
Prop. Owner ASSN.

LEGE

95-8546
Twin Lakes
Prop. owners
Assn.

IHA

Irrigation Engineering Plans - Sheet # 11

E 100,500


N 102,500

2380

77

78

79



95-8546

Twin Lakes

Project No. 4252.4

11-B


MICROFILMED

GEND

NOTES

CLASS 160 PVC MAINLINE
SIZE AS SHOWN

1. PLACE 120 VOLT POWER
DO NOT "BURY" WITH MA




95-8546
Twin Lakes
Prop Owners
Assn.

II-C

MICROFILMED
APR 1 9

...WER WIRES INTO SEPARATE TRENCH.
MAINLINE
TO BE MADE WITH IMPERIAL GSC.


56
57
C-11-A
C-11-B
C-11-C
C-11-D
C-11-E
C-11-F
1½
1½
2½
2½
73
74
000'101 N
11-D
95-8546
Twin Lakes Prop.
Owners Assn.

N 102,000

N 101,500

LEGEND

- CLASS 160 PVC MAINLINE SIZE AS SHOWN
- 120 VOLT CONTROLLER SERVICE; SEE (13/12)
- GATE VALVE; BRONZE 125 PSI; LINE SIZE
- △ RAINBIRD 44 PC QUICK COUPLE VALVE
- ◆ RAINBIRD 44 QUICK COUPLE VALVE W/ 12" VALVE BOX
- ● WATERMAN AIR RELIEF AVESO-2 W/ 2" I.P.; GATE VALVE
- ◪ RAINBIRD MC-36 MASTER CONTROLLER
- □ RAINBIRD SC-1260 SATELLITE CONTROLLER
- ● RAINBIRD 91/95 DP OR 47/51 DP

HEAD KEY: B - 9 - A
- SATELLITE DESIGNATION
- SATELLITE STATION
- HEAD TYPE

HEAD TYPES:
- A - RAINBIRD 91 DP 11/32 x 15/64 NOZZLE
- B - RAINBIRD 51 DP 5/16 x 3/16 NOZZLE
- C - RAINBIRD 47 DP 1/4 NOZZLE
- [ ] FUTURE SATELLITE CONTROLLER; PULL IN 120 V WIRING THIS CONTROL

11-E

NOTES

1. PLACE 120 VOLT POWER WIRES INTO SEPARATE TRENCH. DO NOT RUN WITH MAINLINE.
2. ALL WIRE SPLICES TO BE MADE WITH IMPERIAL 666 WIRE CONNECTORS & 666-5 SEALER. ALL WIRE JUNCTIONS TO BE LOCATED IN 6" AMETEK VALVE BOX.
3. PROVIDE THRUST BLOCKS IN ACCORDANCE WITH (5/12).
4. ALL GATE VALVES TO BE PLACED IN AMETEK VALVE BOXES; PROVIDE EXTENDERS AS REQUIRED.
5. ALL AIR RELIEF VALVES TO HAVE AMETEK 10-170-100 VALVE BOX. PROVIDE EXTENDERS AS REQUIRED.
6. WHERE TWO HEADS ARE PROGRAMMED FOR SAME CONTROLLER, SAME STATION, PROVIDE SEPARATE WIRES FOR EACH HEAD TO SATELLITE CONTROLLER.
7. 120 VAT WIRE COLOR CODE SHALL BE AS FOLLOWS:
   - HOT
   - COMMON
   - SPARE
   - GREEN/YELLOW
   - FUTURE
   - FUTURE
   - SPARE

95-8546

Twin Lakes Prop Owners Assn.

December 28, 1990

TWIN LAKES VILLAGE PROPERTY OWNERS ASSN.
RT. 4 BOX V-551
RATHDRUM, ID 838580000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08546

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED
FEB 07 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-85546 Date: 12-13-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
N Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file — probably req'd for well # drilled 7-15-87.
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: needs reinstatement

U Priority Calculation:

Date proof received	Aug. 87	_____
Date proof due	Aug. 1	- _____
No. of days late		= 26
Priority date	May 28 87	+ 148
NEW PRIORITY DATE	June 13, 87	= 164

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 13, 1990

TWIN LAKES VILLAGE PROPERTY OWNERS ASSN.
RT. 4 BOX V-551
RATHDRUM, ID 838580000

LAPSE NOTICE

RE: PERMIT NO. 95-08546

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar ($15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

MICROFILMED
FEB 07 1991

CERTIFICATION OF MAILING

I hereby certify that on 8-15-90 a copy/an original of this document was deposited in the United States mail, postage prepaid addressed to the individual(s) named above.

138886

May 31, 1990

TWIN LAKES VILLAGE PROPERTY OWNERS ASSN.
RT. 4 BOX V-551
RATHDRUM, ID 838580000

PROOF DUE NOTICE

RE: PERMIT NO. 95-08546

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED
FEB 07 1991

Form 204-p
6/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 95-8546

Name(s) of Permit Holder(s): T.L.V. Property Owners Association

Post Office Address: Rt. 4, Box V-551
Rathdrum, Id. 83858 Phone No. (208) 687-1311

MICROFILMED

FEB 07 1991

☒ I hereby certify that construction of the diverting works for the above referenced permit began on April [illegible]. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

T.L.V Property Assoc.

*Note: A financing difficulty is not an acceptable reason.

9-11-87
Date

W. J. Hatch, Pres.
Signature of Permit Holder

TLV Property Association
Rt. 4, Box V-551
Rathdrum, Id. 83858

11 SEP 87

USA 22

RECEIVED

SEP 14 1987

Department of Water Resources

MICROFILMED

FEB 07 1991

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

- -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 24, 1987

TWIN LAKES VILLAGE PROPERTY OWNERS ASSN.
RT. 4 BOX V-551
RATHDRUM, ID 83858

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8546

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN addition TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED
AUG 25 1987

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

Form No. 202a
3/79

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KK APPLICATION NUMBER: 95-8546

CHECK:

- ☑ Source.
- ☑ Point of diversion.
- ☑ County.
- ☑ Quantity of water and period of use.
- ☑ Description of diverting works.
- ☑ Time required for beneficial use of water.
- ☑ Place of use or acres irrigated.
- ☑ Map.
- ☑ Signature.
- ☑ Fee.

Field check by: _____
Date: _____
Comments: _____

- ☐ Yes ☑ No Field check required.
- ☐ Yes ☑ No Critical groundwater area.
- ☐ Yes ☑ No Request dam safety information. Sent by: _____ Date: _____
- ☑ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
- ☐ Idaho Fish and Game Department.
- ☐ Idaho Department of Lands.
- ☐ U.S. Bureau of Land Management.
- ☐ U.S. Forest Service.
- ☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
- ☐ Yes ☐ No Other rights on same place of use. _____
- ☑ Yes ☐ No* In form for advertising.
  Final date for protests: 6/22/87
- ☐ Yes ☑ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☑ Affidavit of publication received. Date: 6/12/87
- ☑ Application published correctly. If not, record action taken: _____
- ☑ Fee amount, receipt date & number, recorded on application.
- ☑ Publication dates and paper, recorded on application.
- ☑ Protests, dates, withdrawal, etc., recorded on application.
- ☑ Recommendation & initial, recorded on application.
- ☐ Yes ☑ No Measuring device required.
- ☑ Yes ☐ No Access port required.
- ☐ Yes ☑ No Will water be delivered by watermaster? If yes, what district? _____
- ☑ 5/28/87 Date of priority recommended.

Special conditions of approval or cover letter. _____

allow excess water for irrig. of golf course - will exceed 1" per acre/wk due to irrig. practice
allow 3 cfs. for B/U development -

By: RJH Date: 6/24/87

STATE OFFICE REVIEW:

203,217 0/6 26

☐ See attached sheet for more information.
By: fw Date: 7/7/87

MICROFILMED
AUG 05 1987

RECEIVED
JUN 29 1987
Department of Water Resources

Landmark

LAND PLANNING AND LANDSCAPE ARCHITECTURE

May 28, 1987

State of Idaho
Department of Water Resources
Attn: Mr.Bob Haynes
4055 Government Way, #9
Coeur d'Alene, ID 83814

RE: TWIN LAKES VILLAGE GOLF COURSE
WELL PERMIT PROCESS

Dear Bob:

Pursuant to our conversation of May 27, 1987 with regard to the above referenced project, Landmark has prepared the following land descriptions that best represent the approximate location of the existing golf course and the proposed nine holes. All descriptions fall within Section 8, township 52 North, Range 4 West.

The descriptions for the new nine holes are:

a) 4.2 acres lying in the southwest quarter of the northeast quarter of Section 8.

b) 19.4 acres lying in the southeast quarter of the northeast quarter of Section 8.

c) 7.2 acres lying in the northeast quarter of the southeast quarter of Section 8.

d) 1.0 acre lying in the southeast quarter of the southeast quarter of Section 8.

The descriptions for the existing golf course are:

a) 9.7 acres in the northwest quarter of the southeast quarter of Section 8.

b) 7.9 acres in the northeast quarter of the southeast quarter of Section 8.

c) 10.35 acres in the southwest quarter of the southeast quarter of Section 8.

d) 10.12 acres in the southeast quarter of the southeast quarter of Section 8.

MICROFILMED
AUG 25 1987

1000 West Hubbard at Harbor Center • Coeur d'Alene, ID 83814 • (208) 667-5614
11 - 105th Ave. S.E. • Bellevue, WA 98004 • (206) 462-8056

The total acreages to be irrigated are:

Existing Nine Holes	-	38.07 acres
Proposed Nine Holes w/Driving Range	-	31.8 acres
	Total	69.87 acres

The total acreage is reduced from the 85 acres quoted in Les Killingsworth's projection as our orginal estimates submitted to Les included a fringe of rough, (15.13 acres) to be watered: Rough areas on the existing nine will be watered in accordance with the availability of water in a given year. Rough acres on the new nine holes consist of a native plant material complex of grasses/ground covers, understory shrubs and large, overstory trees that will not be watered and will only receive moisture from snow and monthly rainfall.

We hope this information is of use to your office in the approval of the permits for the wells at Twin Lakes Village. If you require any additional information or have any questions, please call.

Sincerely,

LANDMARK/ARCHITECTS WEST

Jonathan Mueller, ASLA

Landscape Architect

cc: Twin Lakes Village Owners Association
Project File

JM/el

MICROFILMED
AUG 25 1987

95-8546

TWIN LAKES VILLAGE PROPERTY OWNERS ASSN.

RT. 4 BOX V-551, RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: NENESE Sec 08 T 52N R 04W

Use:		
	IRRIGATION	(2.0 CFS)
	DIVERSION TO STORAGE	(2.0 CFS)
	IRRIGATION FROM STORAGE	(40.0 AF)
	IRRIGATION STORAGE	(40.0 AF)
	RECREATION STORAGE	(40.0 AF)

Date Filed: 05/28/1987


In: S½NE & SE¼ Sec. 8, T52N, R04W for 70 acres

Pat,

Pow 7/29/87

The advertising on this is done and sent out except after it was sent to the paper I discovered that storage should be included. This sheet should be substituted for the one that was sent to the paper. I included this one with the one you did for the press. This sheet needs to go to the Press today Bob

MICROFILMED
AUG 25 1987



PANHANDLE HEALTH DISTRICT I

2195 Ironwood Court
Coeur d'Alene, Idaho 83814

Environmental Health
Vital Statistics
Home Health
Health Education
Family Planning
Well Child Conference
WIC Clinics
Immunizations

Phone (208) 667-3481

May 20, 1987

Mr. and Mrs. Wayne Schnabel
250 N. Raymond Rd., C-1
Spokane, WA 99206

Dear Mr. and Mrs. Schnabel:

We issued a sewage permit for 16 living units in the Twin Lakes Village last July. We have not received any proposals since then but if we do they will be given a complete review by the Panhandle Health District and the Division of Environment.

Your concerns about water availability for the golf course should be directed to the Dept. of Water Resources because they have jurisdiction in that area.

Thank you for your concern in this matter and if you have any questions please contact me at the Panhandle Health District.

Sincerely,

Edgar O. Hale

Edgar O. Hale
Environmental Health Specialist

EOH/cjm

xc: Water Resources
Division of Environment
Kootenai County Commissioners

RECEIVED
MAY 21 1987
Department of Water Resources
Northern District Office

RECEIVED
AUG 25 1987