



Ronald Steen
(Applicant)

T. 52 N.

T. 51 N.

5294

47'30"

5292

5290

HAYDEN 2.3 MI.



NAME: RONALD STONE
PD: T51N, R3W, SEC. 17, SENE (1)
PU: SAME
SOURCE: HAYDEN LAKE


PERMIT NUMBER: 95-08453
MAP # 27
QUAD: E-55

TRIBUTARY TO: SINKS

MICROFILMED

SEP 24 1990





NAME: RONALD STONE
 PD: T51N,R3W, SEC.17, SENE (1)
 PU: SAME
 SOURCE: HAYDEN LAKE

PERMIT NUMBER: 95-
 MAP
 QUAD

TRIBUTARY TO: SINKS

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08543

Priority: April 30, 1987

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that RONALD STONE
4660 ENGLISH POINT RD.

HAYDEN LAKE, ID 838350000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 30, 1987; and
has submitted Proof of Beneficial Use on June 30, 1988. An examination indicates
that the works have a diversion capacity of .040 cfs of water from:

HAYDEN LAKE tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 1(SENE), Sec. 17, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 17 LOT 1(SENE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

SEP 24 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08543

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of AUGUST, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED


1. Name of applicant RONALD STONE Phone 792 2700
Post office address 8010 LOCKHART #8 HAYDEN LAKE, ID. 83835
2. Source of water supply Hayden Lake which is a tributary of Sinks
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot 1
Sec. 17 Township 51N Range 3W B.M. _____ County; additional
points of diversion if any AKABKA, lot 6, English Point Building Sites
4. Water will be used for the following purposes:
Amount .04 cfs for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Pump and pipeline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

RECORDED & INDEXED

AUG 25 1991

T51N R3W S.17

NE
SEC Cor



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald Steen
(Applicant)

Proposed Priority 4/30/87

Received by

Date 4/30/87 Time 3:30 PM

Preliminary check by

7

Fee \$ 300

Received by

38287

Date

4/30/87

Publication prepared by

Date

5/14/87

Published in

5/21-28/87

Publication approved

Date

6/2/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8543, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1988

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District No. 95A, Hayden Lake.

Witness my hand this 8th day of July, 1987.

Chief, Operations Bureau

J. Newington

RECEIVED

AUG 25 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Lynelle Holom

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Thurs*
issue of said newspaper for *2* consecutive *weeks*
commencing on the *21* day of *May*, 19*87*, and
ending on the *28* day of *May*, 19*87*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Lynelle Holom

Subscribed and sworn to before me this

28

day of

May

1987

MICROFILMED

AUG 25 1987

Roberta Stanley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Commission Expires: 2-3-93

RE

Department

Northern

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

95-8543

STONE, RONALD
8010 LOCKHAVEN NO. 8,
HAYDEN LAKE, ID 83835
Source: HAYDEN LAKE trib.
to SINKS
Diversion Pt: LOT 01 (SENE)
Sec 17 T 51N R 03W
Use: DOMESTIC (0.040 CFS)
Date Filed: 04/30/1987
In: LOT 01 (NENE) Sec 17 T
51N R 03W

95-8544

RULLMAN, DALE
P. O. BOX 139, WALLACE, ID
83873
Source: GROUNDWATER
Diversion Pt: LOT 03 (NWSW)
Sec 30 T 49N R 03W
Use: DOMESTIC (0.110 CFS)
Date Filed: 05/11/1987
In: LOT 02 (SWNW) Lot 03
(NWSW) Sec 30 T 49N R 03W

95-8545

FRENCH GULCH PART-
NERS
1208 CRESTLINE, COEUR D
ALENE, ID 83814
Source: FRENCH GULCH
trib. to SINKS
Diversion Pt: NWNE Sec 18 T
50N R 03W
Use: IRRIGATION (0.2 CFS)
Dated Filed: 04/28/1987
In: NENE NWNE SWNE Sec
18 T 50N R 03W FOR 12
ACRES.

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Government
Way, Suite 9, Coeur d'Alene,
Idaho 83814 on or before JUNE
8, 1987.

KEN DUNN, Dir.

Legal 682

May 21, 28, 1987

August 24, 1990

RONALD STONE
4660 ENGLISH POINT RD.
HAYDEN LAKE, ID 838350000

RE: PERMIT NO. 95-08543

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

RECEIVED

JUN 27 1990

(1) B/U Acknowledgment Letter Sent

Department of Water Resources

This Examination Report Contains the Following Documents.

(*) Field Report

(*) Quad Sheet

(*) Gov. Lot Plat

(*) Rules Check list

() Aerial Photo

(*) Photo PD/PU

() Well Log

Number of Diagrams Attached _____

Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts: _____

Remarks: _____

MICROFILMED

SEP 24 1990

Exam Completed By JKing

Date _____

Sr. Agent Review JK

Date 4/7

Regional Manager Review _____

Date _____

PERMIT NUMBER

95-08543

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 9508543

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8)

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- ✓ Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature Tom King Date 4/7/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08543

1. Owner: RONALD STONE

Phone No. 772-2700

Current Address: 4660 ENGLISH PT. RD. HAYDEN LAKE, ID 83835

2. Accompanied by: SAME

EXAM. DATE: 4-7-89

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: HAYDEN LAKE tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 24 1990

Scale: 1" = MFS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached CAMERA DISFUNCTION
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3/4 HP SUBMERSIBLE PUMP & PIPING TO HOME

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERISABLE		3/4			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:


Indicate Method of Determination *MA*

[illegible]

Do not use this space

SEP 24 1990

INCHON FILMED



NAME: RONALD STONE
 PD: T51N,R3W, SEC.17, SENE (1)
 PU: SAME
 SOURCE: HAYDEN LAKE


PERMIT NUMBER: 95-08453
 MAP # 27
 QUAD: E-55

TRIBUTARY TO: SINKS

MICROFILMED

SEP 24 1990





Do not use this space


D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1. *NO METHOD AVAILABLE*

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

ONE HOME

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

ONE HOME

MICROFILMED

SEP 24 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
DOMESTIC	1-1 12-31	0.04 cfs	1.2

Totals:

0.04

1.2

J. AUTHENTICATION

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

Field Examiner's Name

TOM O. KING

Signature

[Signature]


Certification Date

2/17/89

Field Report Preparation Date

2/6/89

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MICROFILMED

SEP 24 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 17, 1988

RECEIVED
OCT 20 1988

Mr. Ronald R. Stove
4660 English Pt. Rd.
Hayden Lake, Id. 83835

Department of Water Resources

Re: 95-8543

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 24 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8543

Date: 9/26/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
_____ Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED
JUL - 5 1988

RECEIVED

STATE OF IDAHO

JUN 30 1988

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

Northern District Office

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received N/A
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8543

Name(s) of Permit Holder: RONALD R. STOVE

Post Office Address: 4660 ENGLISH PT. RD.

HAYDEN LAKE ID. 83835 Telephone No. 778 2700

Source of Water: HAYDEN LAKE

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 6/15/87 7/15/87

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

APPLICANT

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

OCT 14 1988

Date

Signature of Permit Holder (and title, if appropriate)

138900
CERTIFIED MAIL
May 31, 1988

STONE, RONALD
8010 LOCKHAVEN NO. 8
HAYDEN LAKE, ID 83835

PROOF DUE NOTICE

RE: Permit No. 95-8543

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

OCT 14 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 24, 1987

STONE, RONALD
8010 LOCKHAVEN NO. 8
HAYDEN LAKE, ID 83835

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8543

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 25 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *t*

APPLICATION NUMBER: 95-854/3

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☐ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☐ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 6/8/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/29/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 95-A✓
☒ 4/30/87 Date of priority recommended.
Special conditions of approval or cover letter. _____

RECEIVED

AUG 25 1987

By: *RJA*

Date: 6/9/87

JUN 29 1987

STATE OFFICE REVIEW:

 L/16

 04 05(95A, Hayden Lake)

- ☐ See attached sheet for more information.

By: *KW*

Date: 7-7-87

RECEIVED

RECEIVED

JUN 11 1987

Department of Water Resources

95-8543

STONE, RONALD

8010 LOCKHAVEN NO. 8, HAYDEN LAKE, ID 83835

Source: HAYDEN LAKE trib. to SINKS

Diversion Pt: LOT 01 (SENE) Sec 17 T 51N R 03W

Use: DOMESTIC (0.040 CFS)

Date Filed: 04/30/1987

In: LOT 01 (~~SENE~~) Sec 17 T 51N R 03W

~~SENE~~

*changed
on computer
6/23/87*

MICROFILMED

AUG 25 1987