



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. T50N RSW



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carolyn W. Dolvin
(Applicant)



MICROFILMED

NOV 02 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08541

Priority: March 24, 1987

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:¹

0.6 AF

This is to certify, that W. F. GALVIN
CAROLYN W. GALVIN

S. 1315 PLEASANT VIEW RD.

POST FALLS, ID 838540000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 24, 1987; and has submitted Proof of Beneficial Use on March 8, 1988. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

SPOKANE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	03/15 to 11/15	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 5(NESE), Sec. 7, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 05W 7 LOT 5(NESE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for irrigation of lawn and garden.

MICROFILMED

NOV 12 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08541

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of OCTOBER, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

NOV 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8541

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant W.F. Galvin & Carolyn W. Galvin Phone 773-9796
Post office address S. 1315 Pleasantview, Post Falls ID 83854
2. Source of water supply Spokane River which is a tributary of Columbia R.
3. Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 5
Sec. 7 Township 50N Range 5W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pump & pipeline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED
MAY 13 1987

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

ponding place of use below. See instructions for standard symbols.

Total number of acres to be irrigated

State of Idaho

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

12. Remarks:

MAY 13 1967

03 MAY 1964

T50N R5W



Carolyn W. D. Davis
(Applicant)

Proposed Priority 3/24/87
Received by [Signature] Date 3/24/87 Time Noon
Fee \$ 30.00
Received by [Signature] # 38253 Date 3/24/87
Publication prepared by [Signature] Date 3/26/87 Published in [Signature] 4/22/87
Publication approved by [Signature] Date 4/15/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8541 and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1988.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
e. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 30th day of April, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED
MAY 13 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Calvin Sellers

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *three* issue of said newspaper for *2* consecutive *Weeks* commencing on the *2* day of *April*, 19*87*, and ending on the *9* day of *April*, 19*87*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Calvin Sellers

Subscribed and sworn to before me

9 day of *April*

MICROFILMED

MAY 13 1987

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Commission Expires: 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

95-8541

GALVIN, W. F. &/or
CAROLYN W.

S. 1315 PLEASANT VIEW
DR., POST FALLS, ID 83854

Source: SPOKANE RIVER
trib. to COLUMBIA RIVER

Diversion Pt: LOT 05 (NESE)
Sec 07 T 50N R 05W

Use: DOMESTIC (0.040 CFS)
Date Filed: 03/24/1987

In: LOT 05 (NESE) Sec 07 T
50N R 05W

95-8542

LOESCH, JOHN D.
418 E. AUGUST ST.,
SPOKANE, WA 99207

Source: COEUR D ALENE
LAKE trib. to SPOKANE
RIVER

Diversion Pt: LOT 03 (SENE)
Sec 24 T 49N R 04W

Use: DOMESTIC (0.040 CFS)
Date Filed: 03/18/1987

In: LOT 03 (SENE) Sec 24 T
49N R 04W

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Government
Way, Suite 9, Coeur d'Alene,
Idaho 83814 on or before
APRIL 20, 1987.

Legal 456
Apr. 2, 9, 1987

KEN DUNN, Dir.

E I V E D

APR 10 1987

Department of Water Resources
Northern District Office

October 11, 1990

W. F. GALVIN
CAROLYN W. GALVIN
S. 1315 PLEASANT VIEW RD.
POST FALLS, ID 838540000

RE: PERMIT NO. 95-08541

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

NOV 02 1990

September 18, 1990

W. F. GALVIN
CAROLYN W. GALVIN
S. 1315 PLEASANT VIEW RD.
POST FALLS, ID 838540000

RE: PERMIT NO. 95-08541

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 12 1990

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 95-08541

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8)

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- ✓ Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

____ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

____ Check with permit and well log for discrepancies

Signature

Sam D. King

Date

7/11/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

☒ B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

☒ Field Report ☒ Quad Sheet ☒ Gov. Lot Plat () Sr. Agent Review

() Aerial Photo () Photo PD/PU () Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts:

Remarks:

MICROFILMED


NOV 02 1990

Exam Completed By	<u>JK</u>	Date	<u>6/8/89</u>
Sr. Agent Review	<u>JK</u>	Date	<u>7/11/89</u>
Regional Manager Review	<u>DJA</u>	Date	<u>6/12/90</u>

PERMIT NUMBER

95-08541

POOR QUALITY



RECEIVED
JUN 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8541

1. Owner: W.F. GALVIN Phone No. _____

Current Address: 51316 PLEASANT VIEW POST FALLS ID. 83854

2. Accompanied by: NONE EXAM. DATE: 6/8/89

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: SPOKANE R. tributary to COLUMBIA R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N7S

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED
NOV 02 1990

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SUBMERSIBLE PUMP IN RIVER WITH 1 1/2" PVC TO LAWN & GARAGE

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE		400K			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	5	NE 1/4	7	50N	5W	Kootenai			WMP

6. Place(s) of Use:

Indicate Method of Determination *WMP*

Twp.	Rge.	Sec.	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE 1/4	NE
------	------	------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	----

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

DOMESTIC IRRIGATION (4) 2.5 GPM SPRINKERS = 102 cfs
448.8

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.8$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 9.7$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.8$

2. Volume Calculations for Other Uses:

$13000 \text{ gpd} (245) = 9.8 \text{ AF/A}$
 $325,828.4 \text{ g/A}$

DOMESTIC IRR
1/2 ACRE IRR 1.2 AF

MICROFILMED

NOV 02 1990

0.6 AFA

DOMESTIC IRR 0.6 AF

1. What is the main purpose of the study?
 The main purpose of the study is to investigate the effects of a new educational program on student performance.

2. What are the research questions?
 The research questions are: (1) Does the new program improve student scores? (2) Are there any side effects?

3. What is the significance of the study?
 The study is significant because it provides evidence for the effectiveness of the new program, which can inform educational policy.

4. What are the limitations of the study?
 The limitations include a small sample size and a short duration, which may limit the generalizability of the findings.

5. What are the conclusions?
 The conclusions are that the new program shows promise in improving student performance, but further research is needed to confirm these findings.

1. Recommended Amounts

Period of Use
From _____ **To** _____

Rate of Diversion
Q (cts)

Annual Volume
V (afa)

51-11 51-15

201

9.

9'	20'
----	-----

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Tom King

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above


☒ None



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DECLASSIFIED

NOV 20 1961



W. F. GALVIN
 PD: T50N, R5W, SEC. 7, NESE (5)
 PU: SAME
 SOURCE: SPOKANE RIVER

PERMIT NUMBER: 95-08541
 MAP # 24
 QUAD: F3

TRIBUTARY TO: COLUMBIA RIVER

MICROFILMED

NOV 02 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

October 17, 1988

R. KEITH HIGGINSON

Director

RECEIVED
OCT 20 1988

Department of Water Resources

Mr. W. F. Galvin
S. 1315 Pleasant View Rd.
Post Falls, Id. 83854

Re: 95-8541

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

NOV 12 1990

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8541

Date: 7/15/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

MAR 8 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Department of Water Resources

RECEIVED

MAR 14 1988

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

Department of Water Resources
Northern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8541

Name(s) of Permit Holder: W.F. &/or Carolyn W Galvin

Post Office Address: S 1315 Pleasant View Post Falls ID 83854 -

Telephone No. 773-9796

Source of Water: Spokane River - Surface water

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs / _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? Yes No Fee enclosed \$ NA
Installed? Yes No (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

As above

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 14 1988

3/8/88

Date

Cordyn Galvin

Signature of Permit Holder (and title, if appropriate)

138378

CERTIFIED MAIL
February 28, 1988

GALVIN, W. F. & CAROLYN W.
S. 1315 PLEASANT VIEW RD.
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: Permit No. 95-8541

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MAY 06, 1987

GALVIN, W. F. & CAROLYN W.
S. 1315 PLEASANT VIEW RD.
POST FALLS, ID 83854

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8541

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED
MAY 13 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 2

APPLICATION NUMBER: 95-8541

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4/20/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/10/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district?
☒ 3/24/87 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

MAY 13 1987

By: [Signature] Date: 4/22/87

STATE OFFICE REVIEW:

L16 04

- ☐ See attached sheet for more information.

By: KW Date: 4/29/87

RECEIVED

APR 27 1987

Department of Water Resources

95-8541

GALVIN, W. F. &/or CAROLYN W.

S. 1315 PLEASANT VIEW DR., POST FALLS, ID 83854

Source: SPOKANE RIVER trib. to COLUMBIA RIVER

Diversion Pt: LOT 05 (NESE) Sec 07 T 50N R 05W

Use: DOMESTIC (0.040 CFS)

Date Filed: 03/24/1987

In: LOT 05 (NESE) Sec 07 T 50N R 05W

MICROFILMED

MAY 13 1987

March 26, 1987

Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8541

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED

MAY 13 1987

C
O
P
Y