

North



1

Paul Baker
(Applicant)

S28 T50NR3W

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.
Lynelle Holom

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thurs. issue of said newspaper for 2 consecutive weeks commencing on the 16 day of Apr., 1987, and ending on the 23 day of Apr., 1987, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Lynelle Holom
Subscribed and sworn to before me this 23 day of Apr., 1987

Roberta Z. Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Commission Expires: 2-3-93

MICROFILMED

JUL 10 1987

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8540

BAKER, FRANK C.
C/O HOPE REALTY, 4025
GOVERNMENT WAY,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt.: LOT 01
(NWSW) Sec 28 T 50N R 03W
Use: IRRIGATION (0.040
CFS); DOMESTIC (0.140 CFS)
Date Filed: 02/19/1987

In: NWSW Sec 28 T 50N R 03W
FOR 5 ACRES

96-8480

TOMADA, GENE L. &/or
BETTY R.
P.O. BOX 378, ATHOL, ID
83801

Source: GROUNDWATER
Diversion Pt.: SWSWSW Sec
11 T 53N R 03W
Use: DOMESTIC (0.1 CFS)
Date Filed: 03/26/1987
In: SWSW SESW Sec 11 T 53N
R 03W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before MAY 4, 1987.

KEN DUNN, Dir.

Legal 517
April 16, 23, 1987

APR 24 1987

Department of Water Resources
Northern District Office

SW 1/4 Sec 28 Twp. 50 N.R. 3 W.B.M.

(50N03W-28)



1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40

KOOTENAI COUNTY
IDAHO

SECTION NUMBER SYSTEM
IN STANDARD TOWNSHIP


1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40

QUARTER NAME AND NUMBER SYSTEM
IN STANDARD SECTION

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40



NOV 21 1991

NE NW SW



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08540

1. Owner: FRANK BAKER Phone No. 667-1394
Current Address: 40 WATER WORKS 4025 GOUT. WAY COEUR D'ALENE
LARRY RUNKLE, HOPE REALTY, 1410 LINCOLN WAY 10. 83814
2. Accompanied by: NONE EXAM. DATE: 3/15/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED

NOV 21 1991



HARRISON
French

17
x 2565
LANE

ALENE BM 2153

Fernan Lake
village
Mile 2

Potlatch
Hill

Beach

COEUR

Mile 2 x

32

FERNAN
ELEVATION 2125

BM 2139

D'ALENE
ELEVATION 2125

Bennett
Bay

95-D8540
PD-T50N R3W
28

PL SAME

F-5

LAT

BM 2145
Light

BM 2142

Boat
Ramp


BM 2160

RECEIVED
NOV 21 1991

"EAGLES NEST"

PRIME COEUR D'ALENE


LAKE VIEW PARCELS



LOCATED CLOSE TO TOWN

AT

BENNETT BAY



LOCATION: 3 1/2 miles from downtown Coeur d'Alene. I 90 South to Sunnyside road, turn on Sunnyside Road, driveway approximately 100 yards on left. See back for survey and lot description. FEATURES: All three parcels have the finest lake views available, an interest in a community drainfield, Parcel #3 & 4 have an interest in a 60 gpm well, Parcel #2 has a private 12 gpm well, water and sewer lines extended close to building sites, power and phone service to each parcel, great road access, all lots have southern exposure, all parcels are ready to build.

PARCELS & PRICE:

#2 - 6.82 acres, private 12 gpm well, sewer effluent line installed.	\$79,000
#3 - 2.95 acres, interest in community well and drainfield, includes small commercial portion	\$55,000
#4 - .76 acres, interest in community well and drainfield.	sold
#5 - .76 acres with rancher.	sold

- Will discount for cash


- OFFERED BY LARRY RUNKLE - Office: 208/765-3641; Residence: 208/667-3769

NOTED

NOV 21 1991

HOPE REALTY

1410 Lincoln Way ■ Coeur d'Alene, Idaho 83814 ■ (208) 765-3641
Residential ■ Commercial ■ Investment ■ Acreage ■ Lake Property ■ Business ■ Farm & Ranch
FAX (208) 667-0842



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08540

Priority: May 14, 1987

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 4.8 AF

This is to certify, that FRANK C BAKER
C/O HOPE REALTY
1410 LINCOLN WAY
COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 19, 1987; and has submitted Proof of Beneficial Use on August 24, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 28, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

50N 03W 28 NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of OCTOBER, 1991.

Acting for

R. Keith Higginson, Director

RECORDED

NOV 21 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8540 IN THE)
NAME OF FRANK C. BAKER) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before June 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 24, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8540 be REINSTATED and the priority advanced to May 14, 1987.

Dated this 17th day of December, 1990.

L. Glen Saxton
L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

JAN 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8540

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Frank C. Baker Phone 765-3641
Post office address c/o Hope Realty 4025 Government Way COEUR D'ALENE, ID.
83814
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SW 1/4, Govt. Lot 1
Sec. 28 Township 50N Range 3 W B.M. Koderai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.14 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for IRRIGATION purposes from 9-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.14 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

JUL 10 1987

CONFIDENTIAL

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? App

11. a. Who owns the property at the point of diversion? App

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

* 5/18/87

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

North




(Applicant)

S28 T50NR3W

Proposed Priority 2/19/87

Received by

Date

2/19/87 Time 8:15 AM

Preliminary check by

Fee \$ 30.00

Received by

#

38226

Date

2/19/87

Publication prepared by

Date

2/23/87

Published in

3/5-12/87 4/16-23/87

Publication approved

Date

3/16/87 4/27/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 95-8540, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

June 1, 19 90

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 19th day of May, 1987.

D. Allen Saylor
Chief, Operations Bureau

MICROFILMED
JUL 10 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Linelle Holom being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *weeks* commencing on the *16* day of *Apr.*, 19*87*, and ending on the *23* day of *Apr.*, 19*87*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Linelle Holom
Subscribed and sworn to before me this

23

day of

Apr.

19*87*

MICROFILMED

JUL 10 1987

Roberta Zandley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Commission Expires: 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8540

BAKER, FRANK C.
C/O HOPE REALTY, 4025
GOVERNMENT WAY,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt.: LOT 01
(NWSW) Sec 28 T 50N R 03W
Use: IRRIGATION (0.040
CFS); DOMESTIC (0.140 CFS)
Date Filed: 02/19/1987

In: NWSW Sec 28 T 50N R 03W
FOR 5 ACRES

95-0100

TOMADA, GENE L. &/or
BETTY R.
P.O. BOX 378, ATHOL, ID
83801
Source: GROUNDWATER
Diversion Pt.: SWSWSW Sec
11 T 53N R 03W
Use: DOMESTIC (0.1 CFS)
Date Filed: 03/26/1987
In: SWSW SESW Sec 11 T 53N
R 03W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before MAY 4, 1987.

KEN DUNN, Dir.

Legal 517
April 16, 23, 1987

Department of Water Resources
Northern District Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Charles Sellers being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Times issue of said newspaper for 5 consecutive Weeks commencing on the 5 day of March, 1987, and ending on the 12 day of March, 1987, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 12 day of March

MICROFILMED

JUL 10 1987

Robert D. Dwyer

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Commission Expires: 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8540

BAKER, FRANK C.
C/O HOPE REALTY, 4025
GOVERNMENT WAY,

COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: LOT 01 (NWSW)

Sec 28 T 50N R 03W

Use: IRRIGATION (0.040

CFS) DOMESTIC (0.140 CFS)

Date Filed: 02/19/1987

In: NWSW Sec 28 T 50N R 03W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before MARCH 23, 1987.

KEN DUNN, Dir.

Legal 338

March 5, 12, 1987

RECEIVED

MAR 25 1987

Department of Water Resources
Northern District Office

October 24, 1991

FRANK C BAKER
C/O HOPE REALTY
1410 LINCOLN WAY
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08540

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

NOV 21 1991

October 4, 1991

FRANK C BAKER
C/O HOPE REALTY
1410 LINCOLN WAY
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08540

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

NOV 21 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8540

Name/Address change? ok ✓

Priority date Advance? yes no ✓
 Memo to advance
 Order to reinstate needed? yes no ✓

Total cfs Limited by fee 10¢
 Limited by capacity ✓

Total volume Limited by flow
 Chart checked for AF rate/ac N/A

Capacity Actual measurement checked
 Theoretical checked
 If greater than permit, check for other rts

Source Changed? yes no ✓
 If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓
 More than one per 1/4 Remember remark
 Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓
 > 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 ✓
 Description of non-irrig uses
 Special overlap condition

Conditions -
 Measuring device
 W.Master control
 Overlap
 Water quality
 Other

Dates/Misc. -
 Water Dist
 App Rec'd
 Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed
 Filed - needs amended
 Add'l fee required
 Not filed -
 Not needed

Comments/Changes to Examiner's Recommendations:

NOV 21 1991

License 10-day ✓ 30-day

Back of field report signed?
 Reviewer Q. Curtis Date 9/30/91 Review time 5 min.

STATE OF IDAHO
DEPATRMANT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
INITIAL CHECK LIST

RECEIVED
JUN 28 1991

STATUS

Y/N/* (* = see remarks)

Department of Water Resources

- N Non-Standard Approval Conditions (If yes attach copy of conditions)
N Measuring Device required
Y Report labled and Quad sheet attached
N Aerial Photo requested: date _____ by _____
Y Aerial Photo attached
Y Subdivision or Ownership Plat attached
Y Government Lot Plat attached
N Additional Information from microfische attached
N Possible Overlap found, Abstract attached
Y Well log numbered and attached
Y Well inspection form numbered and attached
Y Plotted on exam maps
Y Ready For Field Examination

Person to contact for Appointment: _____

Phone _____

Address _____

Remarks:

w/w
772-7788 - SUNNYSIDE LOT 1 WEST CONC CULVERT
PRESSURE TANK TO HOMES ON HILL
LARRY RUNKLE WELL ON TOP OF HILL
LINCOLN & WALNUT

NOV 21 1991

PERMIT NUMBER

95-8540

SW 1/4 Sec. 28 Twp. 50 N. R. 3 W. B.M.

50N03W-28



1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92	93	94	95	96
97	98	99	100	101	102	103	104	105	106	107	108
109	110	111	112	113	114	115	116	117	118	119	120

KOOTENAI COUNTY
IDAHO

SECTION NUMBER SYSTEM
IN STANDARD TOWNSHIP

1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92	93	94	95	96
97	98	99	100	101	102	103	104	105	106	107	108
109	110	111	112	113	114	115	116	117	118	119	120

QUARTER NAME AND NUMBER SYSTEM
IN STANDARD SECTION

1	2	3	4	5	6	7	8	9	10	11	12
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92	93	94	95	96
97	98	99	100	101	102	103	104	105	106	107	108
109	110	111	112	113	114	115	116	117	118	119	120

BENNETT BAY

U.S. HIGHWAY 10

BENNETT BAY RD. W. SUBDIVISION RD.

#991

#992

#991

#992

29 28
32 33

SCALE: 1" = 100' 100'

NOV 8 1991

NE NW SW



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08540

1. Owner: FRANK BAKER

Phone No. 667-1394

Current Address: 40 WATER WORKS 4025 GODDARD WAY COBUR DALENE
LARRY RUNKLE, HOPE REALTY, 1410 LINCOLN WAY 10. 83814

2. Accompanied by: NONE

EXAM. DATE: 3/15/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N.T.S.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08540

1. Owner: FRANK BAKER

Phone No. 467-1394

Current Address:

UPDALENE
83814

2. Accompanied by

'91

Address: _____

Relationship to

3. Source: GRO

B. OVERLAP REVIEW

1. Other water right

_____ copies Attached


2. Other water right

_____ Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System
size/ditch size/

ts. Indicate weir



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

NOV 21 1991

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A SIX IN. X 350 FT. WELL W/SWL @ 200 FT. SUBMERSIBLE
PUMP WITH PIPELINE TO STORAGE TANK TO HOME & THREE
GRUBS

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE		UNK			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SW	28	50N	3W	KOOTENAI	MAP

6. Place(s) of Use:


Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50N	3W	28									20								1

RECEIVED

NOV 21 1991

Do not use this space



HARRISON
French

17
x 2565
LANE

ALBANY
2153

FERNAN
ELEVATION 2125
Lake
Mile 2

Potlatch
Hill

Beach

COEUR

Mile 2 X

32

D'ALENE
ELEVATION 2125

95-D8540
PD-TSON R3W
28 NOV 21 1991
PU SAME

F-5

BM 2145
Light

BM 2142

Boat
Ramp

BM 2160

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Domestic 0.04

*3 Homes - .02 cfs
1 Commercial .02 cfs
1 ACU (L&G) .03 cfs*

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ *28.9 + ≈ 29 AF*

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*3 Homes @ 1.2 = 3.6
1 Comm @ .6 = .6*

4.2 AF

NOV 21 1991

THE LUTHERAN

Field Examiner's Name Tom D. King Signature Tom D. King
Certification Date 5/16/97 Field Report Preparation Date 5/27/97

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (af)
Domestic (4)	1-1 12-31	0.04	4.2
Totals:		0.04	4.2

1. RECOMMENDATIONS

H. REMARKS AND OVERLAP REVIEW ANALYSIS

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08540

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☐	N ☒	Static Water Level:	<u>200</u>
Pressure Gauge:	Y ☐	N ☒	Casing Diameter:	<u>6"</u>
Flowing:	Y ☐	N ☒	Temperature:	<u>✓</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

RECEIVED

NOV 21 1991

"EAGLES NEST"

PRIME COEUR D'ALENE

LAKE VIEW PARCELS



LOCATED CLOSE TO TOWN

AT

BENNETT BAY

LOCATION: 3 1/2 miles from downtown Coeur d'Alene. I 90 South to Sunnyside road, turn on Sunnyside Road, driveway approximately 100 yards on left. See back for survey and lot description.

FEATURES: All three parcels have the finest lake views available, an interest in a community drainfield, Parcel #3 & 4 have an interest in a 60 gpm well, Parcel #2 has a private 12 gpm well, water and sewer lines extended close to building sites, power and phone service to each parcel, great road access, all lots have southern exposure, all parcels are ready to build.

PARCELS & PRICE:

#2 - 6.82 acres, private 12 gpm well, sewer effluent line installed. . . .	\$79,000
#3 - 2.95 acres, interest in community well and drainfield, includes small commercial portion	\$55,000
#4 - .76 acres, interest in community well and drainfield.	sold
#5 - .76 acres with rancher.	sold

- Will discount for cash

- OFFERED BY LARRY RUNKLE - Office: 208/765-3641; Residence: 208/667-3760

NOTED

NOV 21 1991

HOPE REALTY

1410 Lincoln Way ■ Coeur d'Alene, Idaho 83814 ■ (208) 765-3641
Residential ■ Commercial ■ Investment ■ Acreage ■ Lake Property ■ Business ■ Farm & Ranch
FAX (208) 667-0842



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED
JAN 07 1991

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 17, 1990

FRANK C. BAKER
C/O HOPE REALTY
4025 GOVERNMENT WAY
COEUR D ALENE, ID 838140000

Department of Water Resources

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08540

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

NOV 21 1991

RECEIVED

RECEIVED

JAN 07 1991

Department of Water Resources

11/21/91 11:11 AM

95-8540

December 17, 1990

FRANK C. BAKER
C/O HOPE REALTY
4025 GOVERNMENT WAY
COEUR D ALENE, ID 838140000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08540

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

JAN 18 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 93-8540

Date: 12-13-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change ☐ If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
☐ 1. well log in file
☒ 2. drilling permit
☐ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ N/A Is rate or volume and fee appropriate?
☐ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

needs reinstatement

*Needs
reinstatement*

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

** Aug. 24, 90 236*
June 1 - 152
= 84
Feb 19, 87 + 50
May 14, 87 = 134

** date of receipt*

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

[Signature]

RECEIVED
AUG 27 1990

For Office Use Only

Amt. of Fee \$

Date 8/24/90

Receipt No.

Received by TOK

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08540

Telephone No. 667-1394

Name(s) of Permit Holder(s): FRANK BAKER

Post Office Address: 96 WATER WORKS 4025 GOVT WAY COEUR D'ALENE, ID
83814

Source of Water: GROUND

If ground water, well driller's name: H2O

Date drilled: 1987

Extent of Use:

Domestic 5 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1987

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

SAME
Name

Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 18 1991

Date

8/24/90

Signature (and title if on behalf of a company or organization)

Frank Baker

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.USE TYPEWRITER OR
BALLPOINT PEN

1. WELL OWNER Name <u>FRANK BAKER</u> Address <u>Bennett Burg Cda</u> Owner's Permit No. <u>95-87-N-27</u>		7. WATER LEVEL Static water level <u>200</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of. Quality _____ <i>Describe artesian or temperature zones below.</i>																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>10</u></td><td><u>350</u></td><td><u>2</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>10</u>	<u>350</u>	<u>2</u>																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																									
<u>10</u>	<u>350</u>	<u>2</u>																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From To</th><th>Material</th><th>Water Yen No</th></tr></thead><tbody><tr><td>8"</td><td>0 35'</td><td>SHALE (HARD)</td><td>K</td></tr><tr><td>6"</td><td>35 169'</td><td>SHALE (HARD)</td><td>K</td></tr><tr><td>6"</td><td>169 175'</td><td>SOFT SALT SHALE</td><td>K</td></tr><tr><td>6"</td><td>175 200'</td><td>HARD SHALE</td><td>K</td></tr><tr><td>6"</td><td>200 254'</td><td>HARD SHALE</td><td>K</td></tr><tr><td>6"</td><td>254 265'</td><td>BROKEN SHALE</td><td>M</td></tr><tr><td>6"</td><td>265 281'</td><td>HARD SHALE</td><td>M</td></tr><tr><td>6"</td><td>281 296'</td><td>BROKEN SHALE</td><td>M</td></tr><tr><td>6"</td><td>296 350'</td><td>HARD SHALE</td><td>K</td></tr></tbody></table>		Bore Diam.	Depth From To	Material	Water Yen No	8"	0 35'	SHALE (HARD)	K	6"	35 169'	SHALE (HARD)	K	6"	169 175'	SOFT SALT SHALE	K	6"	175 200'	HARD SHALE	K	6"	200 254'	HARD SHALE	K	6"	254 265'	BROKEN SHALE	M	6"	265 281'	HARD SHALE	M	6"	281 296'	BROKEN SHALE	M	6"	296 350'	HARD SHALE	K
Bore Diam.	Depth From To	Material	Water Yen No																																								
8"	0 35'	SHALE (HARD)	K																																								
6"	35 169'	SHALE (HARD)	K																																								
6"	169 175'	SOFT SALT SHALE	K																																								
6"	175 200'	HARD SHALE	K																																								
6"	200 254'	HARD SHALE	K																																								
6"	254 265'	BROKEN SHALE	M																																								
6"	265 281'	HARD SHALE	M																																								
6"	281 296'	BROKEN SHALE	M																																								
6"	296 350'	HARD SHALE	K																																								
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED DECEMBER 11 1987 Department of Water Resources Northern District Office DEC 04 1987 Department of Water Resources																																									
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>6 inches</td><td>16 feet</td><td>35 feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number <u>LINER 4" PVC PERFORATED</u> perforations <u>330'</u> feet feet perforations _____ feet feet perforations _____ feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>35'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	250 inches	6 inches	16 feet	35 feet																																
Thickness	Diameter	From	To																																								
250 inches	6 inches	16 feet	35 feet																																								
6. LOCATION OF WELL Sketch map location must agree with _____ <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table> County <u>Root</u> <u>SW 1/4 SW 1/4 Sec. 28 T. 50 N. 3 E. 40</u> Subdivision Name _____ Lot No. _____ Block No. _____ JAN 18 1991		N					W				E						DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>H2O well service</u> Firm No. <u>448</u> Address <u>Hayden Idaho</u> Date <u>11-16-87</u> Signed by (Firm Official) <u>John Whalen</u> and (Operator) <u>William L. Lister</u>																										
N																																											
W				E																																							

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED
OCT 30 1987

Department of Water Resources

1. Applicant Frank Baker

2. Address _____

(☒ Well Owner () Well Operator () Other, specify _____)

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location 1/4 SW 1/4 Sec 1/4, or Gov't lot No. _____,

Sec. 28, Twp. 50N, Rge. 3W, County Boole,

Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

(☒ Domestic () Stockwater () Monitoring

() Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

6. Well construction information:

(☒ New well () Deepen () Replace

Proposed surface diameter 6" Proposed depth 250'

Anticipated bottom hole temperature:

- (☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

MICROFILMED

JAN 18 1991

7. Anticipated construction start date 10-30-87

8. Well Driller (if known) 448 Wheeler

Address Hayden

Date 10-28-87 Applicant's signature John Wheeler

Title Driller

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

MICROFILMED

JAN 18 1991

Dated this 28 day of October, 1987.

Signed

Title

REGIONAL SUPERVISOR

Received by

Fee

Date

Receipt No.

Construction start date

Construction start extension to

Extension approved by

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 9, 1990

Frank C. Baker
10400 Hayden Lake Rd.
Hayden Lake, ID 83835

Dear Mr. Baker:

Re: Permit No. 95-8540

LAPSE NOTICE

Under the provisions of Section 42-218a of the Idaho Code, the above referenced permit has lapsed. This office did not receive an acceptable request for an extension of time to the letter dated March 31, 1990 or Rita Fleck's letter of June 11, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

Your permit cannot be reinstated unless you submit the proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal including the examination fee or a completed field examination report or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which brings title to the water in question.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

Enclosures

MICROFILMED

JAN 18 1991

CERTIFICATION OF MAILING

I hereby certify that on 8-9-90
a copy/an original of this document was
deposited in the United States mail
postage prepaid addressed to the
individual(s) named above.

Rita Fleck

June 11, 1990

Frank C. Baker
10400 Hayden Lake Rd.
Hayden Lake, ID 83835

Dear Mr. Baker:

Re: Permit No. 95-8540

Returned is the request for extension of time form submitted to this office on May 14, 1990. Before the department can consider the request, a \$15 filing fee is required.

If you sent the fee and the receipt number was inadvertently left off the form, please advise me of the number or the name the receipt was written in.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JAN 18 1991

FROM

Rita Fleck

DATE 4-23-90

TO

File 95-8540

SUBJECT

Returned Mail

Note the yellow label on the envelop. It appears the new address for Hope Realty is 1410 Lincoln Way, Coeur d'Alene, Id 83814.

I'm forwarding the notice to this new address.

MICROFILMED

JAN 18 1991

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1 North Orchard Street
Boise, Idaho 83706-2237

NOT REFILED

JAN 18 1991

HOPEDES 328142003 1289 01/08/90
PRINTING TIME EXPIRED
HOPE DESK
1410 LINCOLN WAY
GEOR D ALBINE ID 83814
RETURN TO SENDER

Notified/identified

138592

March 31, 1990

FRANK C. BAKER
C/O HOPE REALTY
4025 GOVERNMENT WAY
COEUR D ALENE, ID 838140000

PROOF DUE NOTICE

RE: PERMIT NO. 95-08540

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MAY 20, 1987

BAKER, FRANK C.
C/O HOPE REALTY
4025 GOVERNMENT WAY
COEUR D'ALENE, ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8540

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

JUL 10 1987

INTER-DEPARTMENT MEMO — 1

FROM

Kay

TO

Northern

SUBJECT

App. 95-8540

DATE

3/30/87

How many acres do these folks
plan to develop? We're reluctant
to do any further processing until
this is resolved-

Thanks!!

4/6/87 - CALLED M. BAKER

SAC
- K

Do Not Film!!

SIGNATURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Z

APPLICATION NUMBER: 95-8540

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☐ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: [Signature] Date: 2/23/87

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/23/87 / 5/4/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/13/87 / 4/24/87
☒ Application published correctly. If not, record action taken: None. no action shown
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 2/19/87 Date of priority recommended.
Special conditions of approval or other letter _____

none

JUL 10 1987

RECEIVED
15 1987

By: [Signature] Date: 3/24/87 Department of Water Resources

STATE OFFICE REVIEW:

L17 26

RECEIVED

- ☐ See attached sheet for more information.

By: [Signature] Date: 5/18/87 Department of Water Resources

MAR 26 1987

95-8540

BAKER, FRANK C.

C/O HOPE REALTY, 4025 GOVERNMENT WAY, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: LOT 01 (NWSW) Sec 28 T 50N R 03W

Use: IRRIGATION (0.040 CFS)
DOMESTIC (0.140 CFS)

Date Filed: 02/19/1987

In: NWSW Sec 28 T 50N R 03W FOR 5 ACRES

*Added 5
acres on computer
4/9/87*

MICROFILMED

JUL 10 1987

February 23, 1987

Divn. of Environment
2110 Ironwood Parkway
Coeur d'Alene, Id. 83814

Re: 95-8540

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED

JUL 10 1987

C
O
P
Y