


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Spring W. Gilman
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No
(☒) () B/U Acknowledgement Letter Sent *me* 12/8/87 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() () Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

PERMIT 95-8534

EXAM COMPLETED BY *Zach Dubrovsky* DATE 8/88
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW *RMA* *PSR* DATE 6/89
ENTERED ON COMPUTER BY _____ DATE _____
PRELIMINARY OVERLAP REVIEW BY *King* DATE 1-88
(☒) NO OVERLAP FOUND

95-7258 } Ross Point
95-8477 } WATER - DOES NOT PROVIDE IRRIGATION WATER.

NO WELL LOG FOUND - AVG. SURROUNDING STATIC WATER LEVEL $\pm$ 200'
CALLED 7/12/88 got answering machine.



Well
and
meter

UNFILMED

SEP 17 1992



PERMIT HOLDER LARRY GILMAN PERMIT # 95-8534

P D TWP 61N RGE 5W SEC 36 SW SW SW

P/U TWP RGE SEC SAME

SOURCE GROUND WATER

TRIBUTARY TO

MAP PLOT 27 IRR. ACRES 6


USGS QUAD F3 SCALE 7 1/2

MICROFILMED

SEP 17 1992

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Louis Suhovad

Date 7/17/78

PHOTOFILMED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08534

Priority: November 13, 1986

Maximum Diversion Rate:

0.36 CFS

Maximum Diversion Volume:

9.3 AF

This is to certify, that LARRY W GILMAN
PO BOX 129

COEUR D ALENE ID 838140000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 13, 1986; and has submitted Proof of Beneficial Use on October 26, 1987. An examination indicates that the works have a diversion capacity of .360 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/31	0.36 CFS	9.3 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 35, Township 51N, Range 05W
KOOTENAI County

<u>PLACE OF USE:</u> IRRIGATION						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
37N	02E	30	SENW			
51N	05W	35	SWSW	3.1		3.1

Total number of acres irrigated: 3.1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 3.0 afa per acre for the lands above.
6. Place of use is also known as Tract 57, Block 35, Post Falls Irrigated Tracts.

MICROFILMED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08534

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of AUGUST, 1992.

Acting for Ronan Young
R. Keith Higginson, Director

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant LARRY W. GILMAN Phone 208-773-0689
Post office address PO Box 129 COEUR D'ALENE, ID 83814
2. Source of water supply groundwater* ~~Random Wells~~ which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 51N Range 5W B.M. KOOTENAI County; additional
points of diversion if any: AKA TR 57 BLK 35 POST FALLS IRRIGATED TRACTS
4. Water will be used for the following purposes:
Amount .36 for IRRIGATION purposes from MARCH 15 to OCT 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .36 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 8" WELL, 15 HP SUBMERSIBLE PUMP, 4" PIPE LINE, 2" PIPELINE, AND 1" PIPING TO 3/4" HYDRANTS
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 250 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

RECORDED
MAY 13 1987

*EW 4/15/87

ponding place of use below. See instructions for standard symbols

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

8. Description of proposed uses (if irrigation only, go to item 9):

[illegible]

9 Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? APPLICANT

If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

applicant to make this filing.

12. Remarks: WATER TO BE USED FOR IRRIGATION FOR 44 HOURS. PUMP TO BE ON 7AM TO 7PM MONDAY, WED, FRIDAY AND SATURDAY. WATER DELIVERED TO ~ 60 HYDRAUNTS. ALL ACRES ARE WATERED AT THE SAME TIME. PUMP IS SHUT DOWN ON ALTERNATE DAYS.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Henry W. Gilman
(Applicant)

Proposed Priority 11/13/86

Received by

Date 11/13/86 Time 3:15 P.

Preliminary check by

7

Fee \$ 4500

Received by

38162

Date

11/13/86

Publication prepared by

Date

11/26/86

Published in

12/4+11/86

Publication approved

Date

12/15/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 95-8534

APPROVED

, and said application is hereby

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

May 1, 19 89

c. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 15 day of April, 1987.

J. Alan Saylor
Chief, Operations Bureau

MICROFILMED
MAY 13 1981

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai.

ss.

Dynelle Holom being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 4 day of Dec 1986 and ending on the 11 day of Dec 1986 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 11 day of Dec 1986.

Robert D. Dandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

Department of Water Resources
Northern District Office

MICROFILMED
MAY 13 1987

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8532
GARWOOD WATER COOP.,
-ERATIVE
P.O. BOX 1197, HAYDEN, ID
83835

Source: GROUNDWATER
Diversions Pt: NWNESE Sec 24
T 52N R 04W
Use: IRRIGATION (0.330
CFS); COMMERCIAL (0.010
CFS); DOMESTIC (0.330 CFS)
Priority Date: 11/06/1986
In: NESE Sec 24 T 52N R 04W
NENW NWNW SWNW SENW
NESW NWSW SWSW SESW
NESE NWSE SWSE SESE Sec
19 T 52N R 03W NENE NWNE
SWNE SENE NENW NWNW
Sec 30 T 52N R 03W NESE Sec
24 T 52N R 04W NENW NWNW
SWNW SENW NESW NWSW
SWSW SESW NESE NWSE
SWSE SESE Sec 19 T 52N R
03W NENE NWNE SWNE
SENE NENW NWNW Sec 30 T
52N R 03W FOR 19 ACRES

95-8533
JEGUM, BRUCE &/or
ERIN

P.O. BOX 805, HAYDEN
LAKE, ID 83835

Source: GROUNDWATER
Diversions Pt: SESESE Sec 33
T 52N R 03W
Use: DOMESTIC (0.040 CFS)
Date Filed: 11/07/1986
In: SESE Sec 33 T 52N R 03W
FOR 6 ACRES

95-8534
GILMAN, LARRY W.
P.O. BOX 129, COEUR D
ALENE, ID 83814

Source: GROUNDWATER
Diversions Pt: SWSWSW Sec 35
T 51N R 05W
Use: IRRIGATION (0.300
CFS)
Date Filed: 11/12/1986
In: SWSW Sec 35 T 51N R 05W
FOR 6 ACRES

95-8472
PEND OREILLE LODGE
INC.

311 MONTGOMERY ST.,
POST FALLS, ID 83854

Source: SPIRIT LAKE trib. to
SPIRIT CREEK
Diversions Pt: LOT 66 (SWSE)
Sec 07 T 52N R 04W
Use: DOMESTIC (0.120 CFS)
Date Filed: 11/08/1986
In: LOT 66 (SWSE) Sec 07 T
52N R 04W

95-8474
BOMAR, GEORGE
ANDERSON, J. H.

RT. 1 BOX 84, ATHOL, ID
83801

Source: SAGE CREEK trib. to
SINK
Diversions Pt: NWSW Sec 32 T
53N R 02W
Use: IRRIGATION (0.4 CFS);
DOMESTIC (0.040 CFS)
Date Filed: 11/19/1986
In: NWSW Sec 32 T 53N R 02W
FOR 20 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Id 83814 on or before DECEMBER 22, 1986.

KEN DUNN, Dir.

Legal 899
Dec. 4, 11, 1986

August 24, 1992

LARRY W GILMAN
PO BOX 129
COEUR D ALENE ID 838140000

RE: WATER RIGHT NO. 95-08534

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 95-8534

Date 8-11-90

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
			<u>.36cfs (IRR)</u>
	☐	☒	Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? <u>.36cfs</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>3-15 to 10-31 Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
			<u>3.1 x 3.0 = 9.3 afa (IRR)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R24</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres
Higher rate/acre justified by system originally per
Joint memo 4-14-87 + FE/Volume limited to Acres

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence _____

WR0749NP
No. L95-08534

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/11/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LARRY W GILMAN PO BOX 129 COEUR D ALENE ID 838140000 (208) 664-8714	11/13/1986	IRRIGATION	03-15 10-31	0.36 CFS	9.3 AFA
				TOTAL DIVERSION:	0.36 CFS	9.3 AFA

Water Source: GROUNDWATER Tributary to:

Point(s) of Diversion Capacity: 0.36 CFS

Point(s) of Diversion: T51N R05W S35 SW SW

Place of use Legal Description for: IRRIGATION

NE		NW		SW		SE	
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: SUM
51N	05W	35	:	:	:	:	:
				03	TOTAL ACRES		3.1

Pou County: KOOTENAI

Other Water Rights Listing Overlapping Place(s) of use:
95-08477 95-08534 E95-08477

Conditions of Approval:

R24 - This right when combined with all other rights shall provide no
- more than 3.0 afa per acre for the lands above.

Remarks:

Place of use is also known as Tract 57, Block 35, Post Falls
Irrigated Tracts.

Dates:

App. Received: 11/13/1986 Priority Date: 11/13/1986
Proof Due Date: 05/01/1989 Proof Made Date: 10/26/1987
Exam Made Date: 07/13/1988 Exam Sent to S.O.: 03/20/1991
Licensed Date:

Misc:

Water District Number: Field Exam Fee: R (Received)

Audit:

08/11/92 SKAGGS

MEMORANDUM

TO: Jim Johnson, Water Rights Supervisor - Permits Section

FM: Tom King, Sr. Water Resource Agent - Northern Region TDK

Date: March 18, 1991

Subject: Field Exam Report #95-08534

=====

The above referenced report has been reviewed and the recommendation has not been changed on the basis that Mr. Gilman does not oppose what the examiner recommended. He did at first oppose the recommended acreage until it was pointed out that he does not irrigate roads and trailer houses. Mr. Gilman does oppose the rate of diversion proposed on the draft license. He insists that the system will not operate properly with a lesser diversion rate.


RECEIVED
JUL 19 1991

SEP 17 1991

HAND DELIVERED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 NORTH ORCHARD STREET
STATEHOUSE MAIL
BOISE, IDAHO 83720

3 JANUARY, 1991



RE: WATER RIGHT NO. 95-08534

GENTLEMEN:

I AM IN RECEIPT OF YOUR LETTER OF THE 27th OF DECEMBER, 1990 INCLUDING THE DRAFT COPY OF PROPOSED LICENSE FOR PERMIT NUMBER 95-08534.

I DISAGREE WITH THE PROPOSED DIVERSION RATE AND THE NUMBER OF ACRES TO BE IRRIGATED.

I HEREBY REQUEST A RE-EXAMINATION OF THE PROPOSED LICENSE.

RESPECTFULLY SUBMITTED,

LARRY W. GILMAN
P.O. BOX 129
COEUR D'ALENE, ID 83814
208-664-8714

RECEIVED

SEP 17 1992

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 9508534

JK ✓ **A. GENERAL INFORMATION**

1. Name and address are most current available. (Check BU statement)
2. Exam Date
3. Source (Check Permit)

✓ **B. OVERLAP REVIEW**

1. & 2. (Rule 5,1,4)

✓ **C. SYSTEM DESCRIPTION**

- JK ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8)

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

JK ✓ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ **H. REMARKS AND OVERLAP ANALYSES**

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

JK ✓ **I. RECOMMENDATIONS**

- JK ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

✓ **J. AUTHENTICATION**

- ✓ Name, Signature, Certification Date, Exam Date.

#JK ✓ **WELL INSPECTION REPORT**

- ✓ Check with permit and well log for discrepancies

RECEIVED
JUN 27 1990

Department of Water Resources

RECEIVED


JAN - 9 1991

NORTHERN REGION
IDWR

Signature [Signature]

Date 7/13/89

Tom -
Exam returned
per your request.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No

PERMIT 95-8534

- (☒) () B/U Acknowledgement Letter Sent 12/8/87 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() () Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY Zuzi Dubrovsky DATE 8/88
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW RMA PSR DATE 6/89
ENTERED ON COMPUTER BY _____ DATE _____
PRELIMINARY OVERLAP REVIEW BY sp King DATE 1-88
(☒) NO OVERLAP FOUND

95-7258 } RESS POINT
95-8477 } WATER - DOES NOT PROVIDE IRRIGATION WATER.

NO WELL LOG FOUND - AVG. SURROUNDING STATIC WATER LEVEL $\leq 20'$
CALLED 7/12/88 got answering machine.

well
and
meter

SEP 17 1992

95-8534

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECORDED
JUN 27 1990
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8534

1. Owner: Larry W. Gilman Phone No. (208) 773-0689
Current Address: PO Box 129, Coeur d'Alene, ID. 83814
2. Accompanied by: Larry Gilman EXAM. DATE: 7/13/88
Address: SAME Phone No. SAME
Relationship to Permit Holder: SAME


3. Source: ground water tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: SEE SUPPLEMENT SEE - "H" ☐ Copies Attached
2. Other water rights with same point of diversion: — ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECORDED
SEP 17 1992

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A well with 15 hp motor supplies ⁵ ~~3~~ ⁴ ~~2~~ ¹ through a 4" buried
main and a' spur lines. Then each individual household
waters as they see fit. This system supplies yard and
garden irrigation & for 49 horses.

☐ See Remarks on page 4 for continuation

			SUBMERSIBLE / SHP		
Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

SEP 17 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Meter	gpm	McCrometer				

2. Measurements:

165 gpm or .37 cfs
Acreage calculations 500' x 800' = 400,000 ft²
9.18 acres - 1/3 of this is trailers
1/2 is roads and driveways and 1/3 is irrigated lawns.
3.1 acres irrigated

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

289

2. Alternate Method for Checking Purposes:

$h_p = 15$ $\epsilon = .75$ $p = 41 \text{ psi}$ $h = 190$
 $Q = \frac{8.8(h_p)\epsilon}{2.31(p) + H} = .39 \text{ cfs} \rightarrow$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{3.1}{.36} \times 9.3 \text{ afa} = 78.25 \text{ afa}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{245}{175} \times 22.5 \times 1.9835 = 22.05 \text{ afa}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9.3 \text{ afa}$

2. Volume Calculations for Other Uses:

SEP 17 1982

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~ADAMS~~ ROSS POINT WATER (95-07258 & 95-08477) DOES NOT PROVIDE IRRIGATION WATER

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
IRRIGATION	3/15 11/15	0.36 cfs	93.0 afa

Totals:

0.36 cfs

9.3 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

J. AUTHENTICATION


Field Examiner's Name
Signature
Certification Date
Field Report Preparation Date

Louis Sukoraty
2/17/89
6/14/89

Licensing recommendation shall be prepared by an Idaho Department of Water Resources

employee on a computer printout attached hereto.

12/11/90
SC



SEP 17 1992

RECEIVED

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.


1. Legal Description of well location. Twp. 51 N, Rge. SW,
Sec. 35, Qtr./Qtr. SW SW or Lot _____
2. Owner Larry Gilman
Address Box 129, City Coeur d'Alene, State Id
3. Approx. date of well construction 1987
Well Driller ?
4. Casing: Diameter 8" Condition good
5. Casing length above land surface 2'
6. Well depth (ft) 250' Flowing _____ Temp. _____
Access port yes
7. Condition of piping and valving good
8. Evidence of well seal yes
9. Shut in pressure or static water level 190'
10. Evidence of leakage around the casing no
11. Does well need repair No
12. Comments NONE

(OVER)

SEP 17 1988

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Louis Luthovak

Date ~~8/14/88~~ 7/14/88

1992

MEMORANDUM

TO: File 95-8534
FROM: Sharla
DATE: January 4, 1991
RE: Field Exam

Per a telecon with Tom King on this date, the permit holder has informed Northern Region that he does not agree with the findings of the examiner and has requested a re-exam. The field exam is being returned to Tom for this purpose.

MICROFILMED

SEP 17 1992

December 27, 1990

LARRY W. GILMAN
P.O. BOX 129
COEUR D ALENE, ID 838140000

RE: WATER RIGHT NO. 95-08534

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit No. 95-8534

Name/Address change? ok ☒

Priority date Advance? yes no
Memo to advance
Order to reinstate needed? yes no

Total cfs Limited by fee ☒ OK
Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac ☒ 3.5

Capacity Actual measurement checked ☒
Theoretical checked ☒
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 4/1-11/1

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions -	Dates/Misc. -
Measuring device <u> </u>	Water Dist <u> </u>
W.Master control <u> </u>	App Rec'd <u> </u>
Overlap <u>R50</u>	Proof Rec'd <u> </u>
Water quality <u> </u>	
Other <u> </u>	

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒
Reviewer S. Curtis Date 12/11/90 Review time 8 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8534
Name(s) of Permit Holder(s): LARRY W GILMAN
Post Office Address: PO Box 129 COA ID 83814
Tel. No. 208-243-189

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 4-24-87 (date) I understand that I must continue to develop the water system with diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works for the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.



4-27-87
Date

Larry W Gilman
Signature of Permit Holder

LARRY WILLIAMS

PO Box 129

IDA, ID 83814



MICROFILMED

SEP 17 1992



APR 29 1987

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources IDAHO 83720



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

DECEMBER 8, 1987

LARRY GILMAN
P.O. BOX 129
COEUR D'ALENE, ID 83814

RE: Permit No. 95-8534

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECEIVED
MAR 19 1988

RECEIVED

OCT 29 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

Department of Water Resources
Northern District Office

For Office Use Only
Fee Received 400.00
Date 10/26/87
Receipt # 41813
Receipt by RA
Reviewed by RA
Sent to region 43-89

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8534

Name(s) of Permit Holder: LARRY W GILMAN

Post Office Address: PO Box 129 COEUR D'ALENE, ID 83814

Telephone No. 208 773 0689

Source of Water: GROUND WATER

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 6 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .36 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: APRIL 24 1987

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

LARRY W GILMAN

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10.26.87

Date

Larry W Gilman
Signature of Permit Holder (and title, if appropriate)

MAR 19 1988

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 16, 1987

GILMAN, LARRY W.
P.O. BOX 129
COEUR D'ALENE, ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8534

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

MAY 13 1987

MEMORANDUM

TO: File 95-8534

FROM: Jim Johnson 

DATE: April 14, 1987

RE: Telecon with Larry Gilman

This application is requesting 0.06 cfs/ac. for irrigation and did not provide much in terms of justification, so I called Mr. Gilman to get more information.

Mr. Gilman informed me that this system had already been installed and used for one year. He has carefully monitored the discharge using a measuring device that includes a totalizing meter. During the peak water-demand months of July and August, the discharge has been as high as 150 gpm (0.33 cfs). The pump and 15hp motor are rated at 160 gpm (0.36 cfs).

Following is a summary of other information provided:

Pump motor size: 15hp

Depth to pump intake: 230 feet

Static water level: 190 feet

Hours of operation: 4 day/wk at 12 hrs/day

Irrigation characteristics: Soil is a sandy type and does not retain a good moisture profile. Irrigation of lawns is required two times a week to avoid wilting.

I then checked past applications approved for the Department of Parks to determine if the Department had ever approved a rate greater than 0.03 cfs/ac. Of the five I checked, following is a summary of the rate/acre approved:

63-8600 - 0.4 cfs/10 ac = 0.04 cfs/ac, Sunset Park

63-8263 - 0.8 cfs/5.5 ac = 0.14 cfs/ac ----

63-9326 - 0.9 cfs/10 ac = 0.09 cfs/ac, DeMeyer Park

63-9362 - 0.67 cfs/7.8 ac = 0.086 cfs/ac, Londoner Park

63-9670 - 0.38 cfs/7 ac = 0.056 cfs/ac, Median on freeway

If we approve this application as is, it does not appear to be out of line with permits approved in the past for similar uses.

MICROFILMED

MAY 13 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: pk

APPLICATION NUMBER: 95-8534

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

See remarks for justification of excess diversion rate

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 12/22/86
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12/2/86
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 11/13/86 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED
MAY 13 1987

excessive water pk due to irrigation practice used - see memo of 4/14/87

2 yrs. is reasonable for B/U development -

By: pk
STATE OFFICE REVIEW:

Date: 1/22/87

6/7

26

RECEIVED
JAN 27 1987

- ☐ See attached sheet for more information.
By: kw

Date: 4/15/88 Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8534

GILMAN, LARRY W.

P.O. BOX 129, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: SWSNW Sec 35 T 51N R 05W

Use: IRRIGATION (0.360 CFS)

Date Filed: 11/13/1986

In: SWSW Sec 35 T 51N R 05W FOR 6 ACRES

MICROFILMED

MAY 13 1987