

T50N
R4W

MICROFILMED

* Shyllis A. Bender
(Applicant)

SCALE 2 IN. = 1 MILE

FOR SALE BY


METSKER MAPS

11 SOUTH 10TH ST., TACOMA, WASHINGTON
320 THIRD AVE., SEATTLE, WASHINGTON

R 4 W
TOWNSHIP 50 N., RANGE
KOOTENAI COUNTY,

32

To Rathdrum



TWP. 50 N., RGE. 4W SEC. 8 MAP # MET PERMIT # 95-8518

DATE OF EXAM 3/25/87



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-8518

DATE

INITIALS



APPROVED
MAR 04 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-8518

Priority: July 9, 1986 Amount: .04 CFS 4.1 AFA

This is to certify, that DENNIS BENDER
PHYLLIS BENDER

W. 5655 RIVERVIEW DR.
COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 9, 1986, and has submitted proof to the Department of Water Resources on July 9, 1986, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .04 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	.02 cfs	3.5 afa
Domestic	01/01 to 12/31	.02 cfs	.6 afa
Totals		.04 CFS	4.1 AFA

LOCATION OF POINT OF DIVERSION(S): NESW , Sec. 8, Township 50N, Range 4W
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	4W	8	NESW	1			1

Total number of acres irrigated: 1

PLACE OF USE: Domestic, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29th day of February, 1988.

MICROFILMED

Director

MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho


APPROVED

1. Name of applicant Dennis &or Phyllis Bender Phone 667-5168
Post office address W. 5655 Riverview Drive Coeur d'Alene ID 83814
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 8 Township 50N Range 4W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.02cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02cfs for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Pump & Pipeline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 450 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED

MAR 04 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth:

Phyllis A. Bender
(Applicant)

Proposed Priority 7/9/86

Received by

Date 7/9/86

Preliminary check by

RGH

Fee \$ 30.00

Received by

#

Date

38048

Published in

Date

7/17/86

Publication prepared by

Date

8/4/86

Publication approved

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 95-8518

APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

September 1

, 19 87

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Witness my hand this

19th

day of August, 1986.

Chief, Operations Bureau

[Signature]

MICROFILMED

MAR 04 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Kootenai, }

Phyllis Holm being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 24 day of July, 1986 and ending on the 31 day of July, 1986, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Phyllis Holm
Subscribed and sworn to before me this 31 day of July, 1986.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8517

FLESLAND, HAROLD
COVE ENTERPRISES, N. 603
HAVANA, SPOKANE, WA
99211

Source: COEUR D'ALENE
LAKE trib. to SPOKANE
RIVER

Diversion Pt: LOT 01 (NENE)
Sec 11 T 47N R 04W

Use: DOMESTIC (0.110 CFS)

Date Filed: 07/10/1986

In: NENE SENE Sec 11 T 47N
R 04W

95-8518

BENDER, DENNIS &/or
PHYLISS

W. 5655 RIVERVIEW DR.,
COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: NENESW Sec 08
T 50N R 04W

Use: IRRIGATION (0.020
CFS)

DOMESTIC (0.020 CFS)

DATE FILED: 07/09/1986

IN: NENSW Sec 08 T 50N R 04
FOR 1 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before AUGUST 11, 1986.

KEN DUNN, Dir.

Legal 455

July 24, 31, 1986

RECEIVED
JUL 28 1986
Department of Water Resources
Northern District Office

MICROFILMED

MAR 04 1988

DENNIS & PHYLLIS BENDER
W. 5655 RIVERVIEW DR.
COEUR D ALENE, ID 83814

February 29, 1988

RE: Permit No. 95-8518

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{3.5 = 3.5} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{8.5} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

INDEXED

MAR 04 1988

Friend

RECOMMENDED AMOUNTS

Permit No.	7-9-1986	Amount	7-9-1986	Date Proof Submitted	0.04 cfs
Priority	7-9-1986	App. Date	7-9-1986	System Capacity	0.04 cfs

Dennis & or Phyllis Bender

W. 5455 Riverview Dr., Coeur d'Alene, ID

tributary to _____ 92

6. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (afa)

11. Irish.

12-31

0.0205

0.6 AFA

Domestic (1)

Allowable Maximums:

0.04 cfs

4.1 AFA

7. Point(s) of Diversion: ✓

No.	Govt. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County
		NE	NE SW	8	50N	4W		Kootenai

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	Totals
50N	4W	8													1
															Total Acres

9. Recommended Conditions/Remarks:

For fat at Northern: Pt. holder would like license issued.

10. Recommended Amendments

NOT RECORDED

☐ None

☐ Add P.D. as reflected above

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by K. Wheeler

Date _____

Date _____

Date 2-1-88

RECEIVED
APR 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8518

1. Owner: DENNIS BENDER

Phone No. 667-5168

Current Address: W 5655 RIVERVIEW DR. COEUR D'ALENE ID 83814

2. Accompanied by: SAME

EXAM. DATE: _____

Address: SAME

Phone No. _____

Relationship to Permit Holder: SAME

3. Source: GW

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

MICROFILMED

MAR 04 1988

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

10" 450' WELL WITH SUBMERSIBLE PUMP TO HOME & SPRINKLERS

Well Log - 65 SWL TEST PUMP 1 GPM FOR 2 HR.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
548NE0318LE					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	4	50N	40	KOOTENAI	MAP

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	Totals
50N	40	5																	1

Do not use this space

MAR 04 1988

RECEIVED

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>None</i>						

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

ONE HOME .02 cfs
ONE ACRE .02 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{1}{.02} \times \frac{3.5}{245} = 3.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 9.7$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.5$

2. Volume Calculations for Other Uses:

ONE HOME 0.6

RECORDED
MAR 04 1988

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (af)
	From	To		
IRR	3-15	11-15	0.02	3.5
Dom (1)	1-1	12-31	0.02	0.6
Totals:				
			0.04	4.1

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom J King
 Signature [Signature]
 Certification Date _____
 Field Report Preparation Date 3/25/87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MAILED

MAR 04 1988

SCALE 2 IN. = 1 MILE

FOR SALE BY


METSKER MAPS

11 SOUTH 10TH ST., TACOMA, WASHINGTON
320 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 50 N., RANGE 4 W.
KOOTENAI COUNTY, IDAHO

32

To Rathdrum



TWP. 50 N., RGE. 4W SEC. 8 MAP # MET PERMIT # 95-8518
DATE OF EXAM 3/25/87



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-8518

DATE

INITIALS



FILED
MAR 04 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

851
Permit No.

95-8518
RECEIVED
APR 09 1987

Department of Water Resources
Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 7 11/6/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 7 4/6/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed James K 4/1/87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent 7 4/1/87 (Initial and date)
Exam Reviewed by Manager of Regional Office PSA 4/7/87 (Initial and date)
Exam Date Entered in Computer 4/7/87 (Initial and date)
Exam sent to State Office 4/7/87 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

RECEIVED
MAR 04 1988

RCW

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

OCTOBER 3, 1986

DENNIS BENDER
W. 5655 RIVERVIEW DR
COEUR D ALENE, ID 83814

RE: Permit No. 95-8518

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECEIVED
MAR 04 1988

rec'd same
day application
was filed - kw

For Office Use Only
Fee Received N/A
Date 7/9/86
Receipt # 7
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 9-19

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8518

Name(s) of Permit Holder: DENNIS OR PHYLLIS BENDER

Post Office Address: W 5655 RIVERVIEW DR.

COEUR D'ALENE ID. 83814 Telephone No. 6675168

Source of Water: GROUNDWATER

Extent of Use:

Domestic 1 (number of households) Stockwater (number and type of stock)

Irrigation 1 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.04 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 7/9/86

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No Fee enclosed \$ 00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

SAME
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

MAR 04 1988

7/9/86
Date

Phyllis A. Bender
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
AUGUST 20, 1986

BENDER, DENNIS & PHYLLIS
W. 5655 RIVERVIEW DR.
COEUR D'ALENE, ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8518

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

MAR 04 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RENA

APPLICATION NUMBER: 95-8518

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/11/86
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/31/86
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/9/1986 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: _____ Date: _____

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By: fw

Date: 8/19/86

RECEIVED
AUG 19 1986

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

95-8518

BENDER, DENNIS &/or PHYLLIS

W. 5655 RIVERVIEW DR., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: NENESW Sec 08 T 50N R 04W

Use: IRRIGATION (0.020 CFS)
DOMESTIC (0.020 CFS)

Date Filed: 07/09/1986

In: NESW Sec 08 T 50N R 04W FOR 1 ACRES

INDEXED

MAR 04 1988