


11. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Curtis Construction Co
(Applicant)
M L Curtis Pres.

MICROFILMED

Photographs



INTERIOR

WELL HOUSE



SWALE →

← GM DIESEL
& PUMP

POND →

UNRECORDED

AUG 09 1991

95-08510




MICROFILMED
AUG 09 1991

95-08510

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the ¼/¼ with respect to houses, roads, other wells or readily identifiable features.



Inspected by J. D. King

Date 10/25/89

MicroFILMED

AUG 09 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08510

Priority: May 30, 1986

Maximum Diversion Rate:

0.50 CFS

Maximum Diversion Volume:¹

13.1 AF

This is to certify, that CURTIS CONSTRUCTION CO.

E. 5825 RAILROAD AVE.

SPOKANE, WA 992120933

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 30, 1986; and has submitted Proof of Beneficial Use on June 28, 1989. An examination indicates that the works have a diversion capacity of .500 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	03/01 to 12/30	0.50 CFS	13.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 1, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: INDUSTRIAL
TWN RGE SEC

51N 04W 1 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit.
6. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
7. Industrial use is for washing sand and gravel.

RECEIVED

AUG 09 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08510

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18TH
day of July, 1991.

Acting for


R. Keith Higginson, Director

ALC 09 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO


IN THE MATTER OF REMOVING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 95-8510) ORDER
IN THE NAME OF CURTIS CONSTRUCTION CO.)

WHEREAS, Permit No. 95-8510 was issued with a condition requiring the installation of a measuring device approved by the Department and,

WHEREAS, the Department of Water Resources has determined that a measuring device is not required at this time for a determination of the quantity of water appropriated under this permit;

NOW THEREFORE, the condition of approval on Permit No. 95-8510 requiring that a measuring device be installed is hereby REMOVED.

Dated this 36th day of June, 1991.



L. GLEN SAXTON
Chief, Water Allocations Bureau

RECEIVED

AUG 09 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Curtis Construction Co. Phone (509) 535-2428

Post office address E. 5825 Railroad Ave., Spokane, WA. 99212-0933

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 51N

Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1 for Washing Gravel purposes from March 1 to Dec. 30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 3 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.3 for IRR purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, Pump & Pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 425 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: $W\frac{1}{2}$ & $NE\frac{1}{4}$ & $N\frac{1}{2}$ of $SE\frac{1}{4}$
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 1 Township 51N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 600 *

(5) If water is to be used for other purposes describe: Washing Sand & Gravel & Domestic

* per T/C w/ MR LUTIS - R 6/10/86

NOT FILMED

b. If water is for irrigation, indicate acreage in each sub-division in the tabulation below:

[illegible]

Per T/C w/MR CURTIS 6/10/86-JE

Total number of acres to be irrigated

134
~~150~~

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Curtis Construction Co.


b. Who owns the land to be irrigated or place of use M. G. Curtis & Curtis Construction Co.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED

11. Map of proposed project showing clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Curtis Construction Co
(Applicant)
M. L. Curtis Pres.

MICROFILMED

Proposed Priority 5/30/86
Received by [Signature] Date 5/30/86 Time 3:30 PM Preliminary check by [Signature]
Fee \$ 105.00 Received by RJA # 32111 Date 5/30/86
Publication prepared by [Signature] Date 6/5/86 Published in Crem. & Abn. Q. J.
Publication approved [Signature] Date 6/30/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8510, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Witness my hand this 24th day of July, 1986.

[Signature]
Chief, Operations Bureau

MICROFILMED

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Kootenai.

Dynelle Holom being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thurs. issue of said newspaper for 2 consecutive weeks commencing on the 19 day of June, 1986, and ending on the 26 day of June, 1986, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Dynelle Holom
Subscribed and sworn to before me this 26 day of June, 1986.

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

NOTICE OF
APPLICATION
FOR WATER RIGHT
The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

95-8510

CURTIS CONSTRUCTION
CO., E. 5625 Railroad Ave.,
Spokane, WA 99212. Source:
Groundwater. Diversion Pt.:
SWSW Sec. 01 T 51N R 04W.
Use: Irrigation (0.3 CFS); In-
dustrial (1.0 CFS); Domestic
(3.0 CFS). Date Filed:
05/30/1986. In: NENW NWNW
SWNW SENW NESW NWSW
SWSW SESW NESE NWSE
NENE NWNE SWNE SENE
Sec 01 T 51N R 04W for 154
acres.

95-8511

JETT, TERREL RAYE
&/or CYNTHIA GAIL, 5040
Highland Dr., Post Falls, ID
83854. Source: Groundwater.
Diversion Pt.: NESWSW Sec
20 T 50N R 04W. Use: Irriga-
tion (0.1 CFS); Domestic
(0.040 CFS). Date Filed:
06/11/1986. In: SWSW Sec 20 T
50N R 04W for 5 acres.
The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Government
Way, Suite 9, Coeur d'Alene,
Idaho 83814 on or before July 7,
1986.

KENN DUNN, Dir.

Published 6/19 & 6/26/86.

Legal 310

June 19, 26, 1986

RECEIVED

JUN 30 1986

Department of Water Resources
Northern District Office

MICROFILMED

July 26, 1991

CURTIS CONSTRUCTION CO.
E. 5825 RAILROAD AVE.
SPOKANE, WA 992120933

RE: WATER RIGHT NO. 95-08510

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

AUG 09 1991

July 3, 1991

CURTIS CONSTRUCTION CO.
E. 5825 RAILROAD AVE.
SPOKANE, WA 99212-0933

RE: WATER RIGHT NO. 95-08510

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Also enclosed is an ORDER removing the measuring device requirement of the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MAILED
AUG 09 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8510

Name/Address change? ok ☒

Priority date Advance? yes no

Memo to advance

Order to reinstate needed? yes no

Total cfs Limited by fee ☒

Limited by capacity ☒

Total volume Limited by flow

Chart checked for AF rate/ac

Capacity Actual measurement checked

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap

Remarks More than one p/d in 44

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device

W.Master control

Overlap

Water quality 208, 207

Other

Dates/Misc. -

Water Dist

App Rec'd ☒

Proof Rec'd ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed

RECEIVED

Comments/Changes to Examiner's Recommendations:

AUG 09 1991

License 10-day ☒

30-day

Back of field report signed?

Reviewer Date 6/5/91 Review time min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08510

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8) method of determination

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

RECEIVED
JUN 27 1990

Department of Water Resources


Signature John King Date 10/25/89

Photographs



INTERIOR

WELL HOUSE



SWALE →

← GM DIESEL
& PUMP

POND →

UNRECORDED

AUG 09 1991

95-08510

RECEIVED
JUN 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08510


1. Owner: CURTIS CONSTRUCTION CO. Phone No. _____
Current Address: E. 5825 RAILROAD AVE. SPOKANE, WA. 99212-0933
2. Accompanied by: W.C. WARRENHOVER EXAM. DATE: 10/16/89
Address: 13650 GOV. WAY COEURD'ALENE, ID. 83814 Phone No. 724-4107
Relationship to Permit Holder: EMPLOYEE
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

AUG 09 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" x 420' WELL WITH SWL @ 285', SUBMERSIBLE 225 gpm PUMP, APPROX 3000' FEET OF BURIED 4" MAIN TO 75X35X8' EXHAUSTED HOLDING TEND. THE WATER IS REMOVED FROM THE POND WITH A GM DIESEL ENGINE PUMP 4" TO 6" WITH 1" AND DELIVERED TO THE GRAVEL WASH 3 4" INCREASED TO 6" PIPE

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1				RATED @ 225 gpm	4"
#2	GM	126	746533	TRACBANKS	1"

*Code to correspond with No. on map and aerial photo


5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					SW 34 1	SIN	440	Kootenai	MAP

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4	NE 1/4 NW 1/4	SE 1/4 NW 1/4	SE 1/4	NW 1/4	NE 1/4 NW 1/4	SE 1/4 NW 1/4	SE 1/4	SW 1/4	NE 1/4 NW 1/4	SE 1/4 NW 1/4	SE 1/4	Totals
SIN	440	1													



MICROFILMED
AUG 09 1991

95-08510

Do not use this space


D. FLOW MEASUREMENTS *NONE*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{225 \text{ GPM}}{448.8} = 0.50 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$8 \text{ HRS/DAY}, 5 \text{ days/wk}, 8 \text{ WKS/YEAR} = \frac{320 \text{ HRS}}{24 \text{ HRS}} = 13.3 (24 \text{ hr}) \text{ days}$$

$$(13.3 \text{ days})(1.9835)(5 \text{ cfs}) = 26.4 \text{ AF} \approx 13.19 \text{ ADK}$$

UNRECORDED

AUG 09 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No Domestic or Irrigation uses
Industrial use is washing Gravel
DUE TO ~~THE~~ RATED CAPACITY OF PUMP & SIZE OF
MAIN, RECOMMEND REMOVAL OF MD REQUIREMENT

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Industrial	3-1	12-30	0.50	13.19
Totals:			0.5	13.19

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom D. King
Signature Tom D. King
Certification Date _____
Field Report Preparation Date 10/25/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

AUG 09 1991

Form 238-I
09/89

State of Idaho
Department Of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be attached to the beneficial use field report. If well construction standards do not appear to be met, a copy of this form should be forwarded to Groundwater Protection Section.

Water Right Permit No. 95 08510

1. Legal Description of Well Location:

Twp. 51 N, Rge. 4W Sec. 1, SW $\frac{1}{4}$ SW $\frac{1}{4}$ Gov. Lot

2. Owner: CURTIS CONST. CO.

Address: E 5825 RAILROAD AVE, City SPOKANE, State WA

3. Approximate date of well construction 1986

99212-0933

Well driller: UNITED

4. Casing: Diameter 6" Condition GOOD

5. Casing length above land surface 2' (1' ABOVE CONC. SLAB)

6. Well depth (ft) 430 Flowing Temperature Access Port Y

7. Condition of piping and valving GOOD

8. Evidence of well seal YES

9. Shut in pressure or static water level 285

10. Evidence of leakage around the casing NO

11. Does well need repair NO

12.


Comments

RECEIVED
AUG 29 1991

over

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the 1/4 with respect to houses, roads, other wells or readily identifiable features.




Inspected by J. King

Date 10/25/89

AUG 09 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Curtis Construction</u> Address <u>E. 5825 RAILROAD AVE.</u> Owner's Permit No. <u>SPokane WA. 99212</u>	7. WATER LEVEL Static water level <u>285'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>48</u> °F. Quality <u>Good</u> Describe artesian or temperature zones below																																																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>300</u></td><td><u>400</u></td><td><u>30 hrs</u></td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300</u>	<u>400</u>	<u>30 hrs</u>																																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																		
<u>300</u>	<u>400</u>	<u>30 hrs</u>																																																																		
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☒ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8"</td><td>0</td><td>130</td><td>Boulders, Gravel Sand</td><td>X</td></tr><tr><td></td><td>130</td><td>138</td><td>Brown Clay</td><td>X</td></tr><tr><td></td><td>138</td><td>185</td><td>Boulder Gravel Sand</td><td>X</td></tr><tr><td></td><td>185</td><td>190</td><td>Boulder Gravel</td><td>X</td></tr><tr><td></td><td>190</td><td>215</td><td>Hard Gravel</td><td>X</td></tr><tr><td></td><td>215</td><td>217</td><td>White Clay</td><td>X</td></tr><tr><td></td><td>217</td><td>222</td><td>Brown Clay</td><td>X</td></tr><tr><td></td><td>222</td><td>300</td><td>Gravel Sand</td><td>X</td></tr><tr><td></td><td>300</td><td>340</td><td>Red Clay</td><td>X</td></tr><tr><td></td><td>340</td><td>370</td><td>Hard Gravel</td><td>X</td></tr><tr><td>6"</td><td>370</td><td>420</td><td>Apple Gravel Gravel</td><td>X</td></tr><tr><td></td><td>420</td><td>430</td><td>Hard Gravel</td><td>X</td></tr></tbody></table>	Bore Diam.	Depth		Material	Water Yes No	From	To	8"	0	130	Boulders, Gravel Sand	X		130	138	Brown Clay	X		138	185	Boulder Gravel Sand	X		185	190	Boulder Gravel	X		190	215	Hard Gravel	X		215	217	White Clay	X		217	222	Brown Clay	X		222	300	Gravel Sand	X		300	340	Red Clay	X		340	370	Hard Gravel	X	6"	370	420	Apple Gravel Gravel	X		420	430	Hard Gravel	X
Bore Diam.	Depth		Material	Water Yes No																																																																
	From	To																																																																		
8"	0	130	Boulders, Gravel Sand	X																																																																
	130	138	Brown Clay	X																																																																
	138	185	Boulder Gravel Sand	X																																																																
	185	190	Boulder Gravel	X																																																																
	190	215	Hard Gravel	X																																																																
	215	217	White Clay	X																																																																
	217	222	Brown Clay	X																																																																
	222	300	Gravel Sand	X																																																																
	300	340	Red Clay	X																																																																
	340	370	Hard Gravel	X																																																																
6"	370	420	Apple Gravel Gravel	X																																																																
	420	430	Hard Gravel	X																																																																
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other <u>MUD</u>	RECEIVED MAY 30 1986 Department of Water Resources Northern District Office AUG 09 1991																																																																			
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>6</u> inches</td><td><u>3 1/2</u> feet</td><td><u>420</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>420</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>3 1/2</u> feet	<u>420</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																			
Thickness		Diameter	From	To																																																																
<u>250</u> inches	<u>6</u> inches	<u>3 1/2</u> feet	<u>420</u> feet																																																																	
_____ inches	_____ inches	_____ feet	_____ feet																																																																	
_____ inches	_____ inches	_____ feet	_____ feet																																																																	
_____ inches	_____ inches	_____ feet	_____ feet																																																																	
Number	From	To																																																																		
_____ perforations	_____ feet	_____ feet																																																																		
_____ perforations	_____ feet	_____ feet																																																																		
_____ perforations	_____ feet	_____ feet																																																																		
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Pocahontas</u> Sec. <u>36</u> T. <u>51</u> N/S, R. <u>4</u> E/W.	10. Work started <u>11-3-86</u> finished <u>1-1-86</u>																																																																			
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>United Resource Firm No. 4114</u> Address <u>P.O. Box 2499</u> Date <u>5-3-86</u> <u>Gregory P. Hagg</u> Signed by (Firm Official) _____ and (Operator) <u>Edward R. Hagg</u>																																																																				



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS

Governor

August 14, 1989

R. KEITH HIGGINSON

Director

Curtis Construction Co.
E. 5825 Railroad Ave.
Spokane, Wa. 99212

Re: 95-8510

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/

TOM D. KING

Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 25 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8510

Date: 7/30/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
N Reinstated

Source of Water:

N Surface water
Y Groundwater
Y 1. well log in file
N 2. drilling permit
N A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N Is a measuring device or access port required?
A Has one been installed?
A Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUN 28 1989

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received 100.00
Date 6/29/89
Receipt # CN 7965
Receipt by R. Young
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8510

Name(s) of Permit Holder: Curtis Construction Co.

Post Office Address: E. 5825 Railroad Ave., Spokane, WA 99212-0933

Telephone No. (509) 535-2428

Source of Water: well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark Washing Gravel/Batchplant

Total rate and/or volume for which proof is submitted .5 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: August 1986

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ \$100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

W. C. (Willie) Warmenhoven

(208) 774-4107

(Name)

(Telephone Number)

13650 N. Government Way, Hayden Lake, Idaho 83835

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

6-22-89

Date

M. L. Curtis
Signature of Permit Holder (and title, if appropriate)

SEP 25 1989
President

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: C007915

Date: 06/29/89
Time: 11:57:46

Received

From: CURTIS CONSTRUCTION CO.

Type of Payment	Program Acct Class	Amount
BENEFICIAL USE (95-8510)	0650122 1238 6490	\$100.00
	Total	\$100.00

CHECK 7029

Idaho Department of Water Resources

Region: STATE

Signature: _____

K. Young

MICROFILMED

SEP 25 1989

PAYEE: DETACH THIS STATEMENT BEFORE DEPOSITING

CURTIS CONSTRUCTION CO.

DATE	ACCOUNT OR INVOICE NO.	DESCRIPTION	AMOUNT	DISCOUNT OR DEDUCTION	NET AMOUNT
6-23-89		Proof of Beneficial Use Permit #95-8510 RECEIVED	\$100.00	#5330	

SEP 25 1989

EMPLOYEE'S
NAME


CURTIS CONSTRUCTION CO.

PAY PERIOD ENDING	HOURS	RATE	GROSS EARNINGS	P.I.C.A.	FED. WITH TAX	STATE WITH TAX	NET EARNINGS PAID
	REG. T. O.T.						

DEDUCTIONS

EMPLOYEE: THIS IS A STATEMENT OF YOUR EARNINGS AND DEDUCTIONS FOR PERIOD INDICATED. KEEP THIS FOR YOUR PERMANENT RECORD.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Curtis Construction</u> Address <u>E. 5825 RAILROAD AVE.</u> Owner's Permit No. <u>Spokane WA. 99212</u>		7. WATER LEVEL Static water level <u>285</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>48</u> °F. Quality <u>Good</u> . Describe erosion or temperature zones below.																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Sailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>300</u></td><td><u>400</u></td><td><u>30 HRS</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300</u>	<u>400</u>	<u>30 HRS</u>																																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																				
<u>300</u>	<u>400</u>	<u>30 HRS</u>																																																																				
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☒ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8"</td><td>0</td><td>130</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>130</td><td>138</td><td>Gravelly Clay</td><td>X</td></tr><tr><td></td><td>138</td><td>185</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>185</td><td>190</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>190</td><td>215</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>215</td><td>217</td><td>White Clay</td><td>X</td></tr><tr><td></td><td>217</td><td>222</td><td>Gravelly Clay</td><td>X</td></tr><tr><td></td><td>222</td><td>300</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>300</td><td>340</td><td>Red Clay</td><td>X</td></tr><tr><td></td><td>340</td><td>370</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>370</td><td>430</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>430</td><td>430</td><td>Hard Gravel</td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	8"	0	130	Gravelly Sand	X		130	138	Gravelly Clay	X		138	185	Gravelly Sand	X		185	190	Gravelly Sand	X		190	215	Gravelly Sand	X		215	217	White Clay	X		217	222	Gravelly Clay	X		222	300	Gravelly Sand	X		300	340	Red Clay	X		340	370	Gravelly Sand	X		370	430	Gravelly Sand	X		430	430	Hard Gravel	X
Bore Diam.	Depth		Material		Water Yes No																																																																	
	From	To																																																																				
8"	0	130	Gravelly Sand	X																																																																		
	130	138	Gravelly Clay	X																																																																		
	138	185	Gravelly Sand	X																																																																		
	185	190	Gravelly Sand	X																																																																		
	190	215	Gravelly Sand	X																																																																		
	215	217	White Clay	X																																																																		
	217	222	Gravelly Clay	X																																																																		
	222	300	Gravelly Sand	X																																																																		
	300	340	Red Clay	X																																																																		
	340	370	Gravelly Sand	X																																																																		
	370	430	Gravelly Sand	X																																																																		
	430	430	Hard Gravel	X																																																																		
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other <u>MUD</u>		RECEIVED MAY 30 1986 Department of Water Resources Northern District Office RECEIVED JUN 13 1986 Department of Water Resources																																																																				
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ Inches _____ Inches _____ feet _____ feet Inches _____ Inches _____ feet _____ feet Inches _____ Inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>430</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____																																																																						
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision No. _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> SW 1/4 SW 1/4 Sec. 1 T. 51 N. R. 4 W.		10. Work started <u>4-3-86</u> finished <u>4-7-86</u>																																																																				
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were applied with at the time the rig was removed. Firm Name <u>UNITED DRILLING CO.</u> Address <u>P.O. Box 2499</u> Date <u>5-3-86</u> Signed by (Firm Official) <u>Edmund R. Volz</u> and (Operator) <u>Edmund R. Volz</u>																																																																						

138329
May 31, 1989

CURTIS CONSTRUCTION CO.
E. 5825 RAILROAD AVE.
SPOKANE, WA 992120933

PROOF DUE NOTICE

RE: PERMIT NO. 95-08510

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8510
Name(s) of Permit Holder(s): Curtis Construction Co.
Post Office Address: E. 5825 Railroad Ave.
Spokane, WA. 99212-0933 Tel. No. (509) 535-2428

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on 7-1-86 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

8-22-86

Date


Signature of Permit Holder

Curtis Construction Co.

E. 5825 Railroad Ave.

Spokane, WA, 99213-7063



MICROFILMED

SEP 25 1989



RECEIVED

AUG 27 1986

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Handwritten signature or initials.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 25, 1986

CURTIS CONSTRUCTION CO.
E. 5825 RAILROAD AVE.
SPOKANE, WA 99212

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8510

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: k

APPLICATION NUMBER: 95-8510

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other.

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. 7/7/86
☐ Yes ☒ No Final date for protests. _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/30/86
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 5/30/86 Date of priority recommended.
☒ Special conditions of approval or cover letter.

allow 3 years for B/U development-

By: RMA

Date: 7/10/86

STATE OFFICE REVIEW: 103, L17

 016 26 09C

MICROFILMED

RECEIVED

- ☐ See attached sheet for more information.

By: kw

Date: 7/22/86

JUL 14 1986

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

June 17, 1986

Curtis Construction Co.
E. 5825 Railroad Ave.
Spokane, Wa. 99212

Re: 95-8510

Gentlemen:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 95-8510. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Coeur d'Alene Press. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. 32111 for the amount of \$105.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms
Enc. - Receipt

MICROFILMED

95-8510

CURTIS CONSTRUCTION CO.

E. 5825 RAILROAD AVE., SPOKANE, WA 99212

Source: GROUNDWATER

Diversion Pt: SWSW Sec 01 T 51N R 04W

Use: IRRIGATION	(0.3 CFS)
INDUSTRIAL	(1.0 CFS)
DOMESTIC	(3.0 CFS)

Date Filed: 05/30/1986

In: NENW N4NW S4NW SENW NESW NWSW SWSW SESW NESE NWSE NENE NWNE SWNE SENE
Sec 01 T 51N R 04W FOR 154 ACRES

MICROFILMED