



This is a topographic map of the Round Mountain area. The map features contour lines indicating elevation, with a contour interval of 20 feet. The central feature is Round Mountain, with a peak elevation of 3456 feet. Other labeled features include Lone Mtn, Gravel Pit, and Ramsey. A rectangular area is marked with a black box and labeled with handwritten notes 'PD7' and 'P147'. The map includes a scale bar (1:24,000) and a north arrow. The map is divided into sections by a grid, with section numbers 27, 26, 25, 34, 35, and 36 visible. The map also shows a trail, a pipeline, and a road labeled 'RAMSEY ROAD'. The map is titled 'NATIONAL FOREST' at the top.

Application for permit to appropriate the public waters of
 X Betty R. Humphrey
 X Thelma Frowap
 (Applicant)

MICROFILMED



(HAYDEN)
2679 IV SE
SCALE 1:24,000

95-8498
T.52N. R.4W. Sec 2.

INTERIOR-GEOLOGICAL SURVEY, U.S.
R.4W. R.3W.
ROAD CLASSIFICATION
avy-duty Light-d.

RECEIVED
JUL 27 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # _____

PHOTOGRAPHS



MICROFILMED

DEC 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Wallace Umhrey</u> Address <u>E 7515 Rocky Rd. Rathdrum Id 83858</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>325</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>67</u> F. Quality <u>Good</u> <i>Describe artesian or temperature zones below</i>																																																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>10 GPM</u></td><td><u>360</u></td><td><u>3hrs.</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>10 GPM</u>	<u>360</u>	<u>3hrs.</u>																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																					
<u>10 GPM</u>	<u>360</u>	<u>3hrs.</u>																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>12</u></td><td><u>0</u></td><td><u>40</u></td><td><u>Sand & Gravel</u></td><td></td><td><u>X</u></td></tr><tr><td></td><td><u>40</u></td><td><u>82</u></td><td><u>Sand & Gravel</u></td><td></td><td><u>X</u></td></tr><tr><td><u>8</u></td><td><u>82</u></td><td><u>260</u></td><td><u>Sand & Gravel</u></td><td></td><td><u>X</u></td></tr><tr><td></td><td><u>260</u></td><td><u>284</u></td><td><u>Sand & Gravel</u></td><td></td><td><u>X</u></td></tr><tr><td><u>6</u></td><td><u>284</u></td><td><u>320</u></td><td><u>Basalt & Gravel layered</u></td><td></td><td><u>X</u></td></tr><tr><td></td><td><u>320</u></td><td><u>340</u></td><td><u>Gray Clay</u></td><td><u>X</u></td><td></td></tr><tr><td></td><td><u>340</u></td><td><u>360</u></td><td><u>Sand & Gravel</u></td><td><u>X</u></td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>12</u>	<u>0</u>	<u>40</u>	<u>Sand & Gravel</u>		<u>X</u>		<u>40</u>	<u>82</u>	<u>Sand & Gravel</u>		<u>X</u>	<u>8</u>	<u>82</u>	<u>260</u>	<u>Sand & Gravel</u>		<u>X</u>		<u>260</u>	<u>284</u>	<u>Sand & Gravel</u>		<u>X</u>	<u>6</u>	<u>284</u>	<u>320</u>	<u>Basalt & Gravel layered</u>		<u>X</u>		<u>320</u>	<u>340</u>	<u>Gray Clay</u>	<u>X</u>			<u>340</u>	<u>360</u>	<u>Sand & Gravel</u>	<u>X</u>	
Bore Diam.	Depth		Material		Water																																																		
	From	To		Yes	No																																																		
<u>12</u>	<u>0</u>	<u>40</u>	<u>Sand & Gravel</u>		<u>X</u>																																																		
	<u>40</u>	<u>82</u>	<u>Sand & Gravel</u>		<u>X</u>																																																		
<u>8</u>	<u>82</u>	<u>260</u>	<u>Sand & Gravel</u>		<u>X</u>																																																		
	<u>260</u>	<u>284</u>	<u>Sand & Gravel</u>		<u>X</u>																																																		
<u>6</u>	<u>284</u>	<u>320</u>	<u>Basalt & Gravel layered</u>		<u>X</u>																																																		
	<u>320</u>	<u>340</u>	<u>Gray Clay</u>	<u>X</u>																																																			
	<u>340</u>	<u>360</u>	<u>Sand & Gravel</u>	<u>X</u>																																																			
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED FEB 21 1986 Department of Water Resources Northern District Office RECEIVED MICROFILMED FEB 28 1986 JUL 16 1991 Department of Water Resources																																																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>200</u> inches</td><td><u>10</u> inches</td><td><u>1</u> feet</td><td><u>82</u> feet</td></tr><tr><td><u>250</u> inches</td><td><u>8</u> inches</td><td><u>1</u> feet</td><td><u>284</u> feet</td></tr><tr><td><u>250</u> inches</td><td><u>6</u> inches</td><td><u>207</u> feet</td><td><u>363</u> feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/16</u> inches by <u>1/16</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>75</u> perforations</td><td><u>340</u> feet</td><td><u>360</u> feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	<u>200</u> inches	<u>10</u> inches	<u>1</u> feet	<u>82</u> feet	<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>284</u> feet	<u>250</u> inches	<u>6</u> inches	<u>207</u> feet	<u>363</u> feet	Number	From	To	<u>75</u> perforations	<u>340</u> feet	<u>360</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																								
Thickness	Diameter			From	To																																																		
<u>200</u> inches	<u>10</u> inches			<u>1</u> feet	<u>82</u> feet																																																		
<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>284</u> feet																																																				
<u>250</u> inches	<u>6</u> inches	<u>207</u> feet	<u>363</u> feet																																																				
Number	From	To																																																					
<u>75</u> perforations	<u>340</u> feet	<u>360</u> feet																																																					
_____ perforations	_____ feet	_____ feet																																																					
_____ perforations	_____ feet	_____ feet																																																					
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td>X</td><td>E</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Nebo</u> <u>NE</u> <u>1/4</u> Sec. <u>2</u> T. <u>52</u> N. R. <u>4</u> E/W.		N				W		X	E																																														
N																																																							
W		X	E																																																				
10. Work started <u>1-15-86</u> finished <u>1-28-86</u>		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>United Drilling Inc.</u> Firm No. <u>414</u> Firm Name <u>PO Box 2499 CD'A Id 83814</u> Address _____ Date _____ Signed by (Firm Official) <u>Tom R. Volberg</u> and (Operator) <u>Tom R. Volberg</u>																																																					

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08498

Priority: January 31, 1986

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

7.2 AF

This is to certify, that WALLACE E UMPHREY
BETTY R UMPHREY
WAYNE FROVAP
THELMA FROVAP

E 7515 ROCKY RD

RATHDRUM ID 838580000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 31, 1986; and has submitted Proof of Beneficial Use on February 13, 1991. An examination indicates that the works have a diversion capacity of .070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
Totals		0.04 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 2, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	2	SWSE	2		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

DEC 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08498

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of OCTOBER, 1992.

Acting for R. Keith Higginson, Director

DEC 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant UMPHREY, WALLCE E. OR BETTY R & FROVARD, WAYNE OR THELMA Phone 687-1126
687-1253
Post office address E. 1515 ROCKY RD. RATHDRUM, ID. 83858
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 2 Township 52N Range 4W B.M. FOOTENAL County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.08 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP & PIPELINE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 368 feet.
SKL 300'
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

CONFIDENTIAL


- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

Total number of acres to be irrigated 10

- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. CONTRACT AGREEMENT

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number,

NATIONAL FOREST



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Buty R. Amphrey
Thelma Lowarp
 (Applicant)

MICROFILMED

Proposed Priority 1/31/86

Received by PM Date 1-31-86

Fee \$ 30.00

Received by PM Date 2/6/86

Publication prepared by PM Date 2/6/86

Publication approved PM Date 3/14/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 95-8498

APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

April 1

, 19 91

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 2nd day of April, 1986.

J. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Synelle Holom being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thur. issue of said newspaper for 2 consecutive weeks, commencing on the 6 day of Mar, 1986, and ending on the 13 day of Mar, 1986, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Synelle Holom
Subscribed and sworn to before me this 13 day of Mar, 1986.

Roberta Munkley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that Application for Permit No. 95-8498 in the name of Wallace E. &/or Betty R. Umphrey &/or Wayne &/or Thelma Frovarp was advertised incorrectly on February 13 & 20, 1986.

The number of irrigated acres was inadvertently left out. Ten acres are being irrigated.

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 455 Gov't Way, Ste. 14, Coeur d'Alene, Id 83814 on or before March 24, 1986.

KEN DUNN, Dir.

Legal 855

March 6, 13, 1986

RECEIVED
MAR 14 1986

Department of Water Resources
Northern District Office

RECORDED

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Synelle Holm being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular Thur.
issue of said newspaper for 2 consecutive weeks
commencing on the 13 day of Feb, 1986, and
ending on the 20 day of Feb, 1986, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Synelle Holm
Subscribed and sworn to before me this 20 day of Feb
1986

Robert D. Dandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have be filed to ap-
propriate the public waters of
the State of Idaho:

95-8498

UMPHREY, WALLACE E.
&/or BETTY R.
FROVARP, WAYNE &/or
THELMA

E. 7515 ROCKY RD.,
RATHDRUM, ID 83858

Source: GROUNDWATER
Diversion Pt: NESWSE Sec 02
T 52N R 04W

Use: IRRIGATION (0.2 CFS);
DOMESTIC (0.080 CFS)

Date Filed: 01/31/1986

In: SWSE Sec 02 T 52N R 04W

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Gov't. Way,
Coeur d'Alene, Id 83814 on or
before MARCH 3, 1986.

KEN DUNN, Dir.

Legal 772

Feb. 13, 20, 1986

RECEIVED
FEB 21 1986

Department of Water Resources
Northern District Office

RECORDED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1992

WALLACE E UMPHREY
BETTY R UMPHREY
WAYNE FROVARP
THELMA FROVARP
E 7515 ROCKY RD
RATHDRUM ID 838580000

RE: WATER RIGHT NO. 95-08498

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

OCT 23 1992

RECEIVED

SEP 30 1992

Department of Water Resources

Sept 25, 1992

State of Idaho
Dept of Water Resources
1301 No. Orchard Street
Boise, ID 83720-9000

Attn: Pamela Skaggs

We have all agreed that the
0.04 CFS is sufficient for our needs.
Thank you very much for
contacting us.

Sincerely,

Buty R. Umphrey.

Water Rights No. 95-08498
Permit No. 95-08498

RECEIVED

DEC 15 1992

RECEIVED
SEP 30 1992

Department of Water Resources

WATER RIGHT NO. 95-08498

Priority: January 31, 1986

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

7.2 AF

This is to certify, that WALLACE E UMPHREY
BETTY R UMPHREY
WAYNE FROVAP
THELMA FROVAP

E 7515 ROCKY RD

RATHDRUM ID 838580000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 31, 1986; and has submitted Proof of Beneficial Use on February 13, 1991. An examination indicates that the works have a diversion capacity of .070 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 2, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	2	SWSE	2		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

DEC 15 1992

WATER RIGHT NO. 95-08498

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this _____ day of _____, 19____.

R. Keith Higginson, Director

RECEIVED
DEC 13 1992

DEC 13 1992

September 18, 1992

WALLACE E UMPHREY
BETTY R UMPHREY
WAYNE FROVARP
THELMA FROVARP
E 7515 ROCKY RD
RATHDRUM ID 83858

RE: Permit No. 95-08498

Dear Permit Holder(s):

We are in the process of licensing the above referenced water right. Because of an insufficient examination fee, the Department has no alternative but to issue the license for less than the amount actually diverted unless an additional fee is received. The amount of water to be licensed will be limited to 0.04 cfs rather than 0.06 cfs.

You can submit the additional exam fee along with a late payment penalty. The priority of the right will be advanced according to the number of days from the date of this letter to the date we receive the extra fee.

The exam fee required to cover the 0.06 cfs is \$50.00 and the late payment penalty is \$25.00, for a total of \$75.00.

The Department will hold action on licensing this right for 30 days to allow you to submit the above fee. If we do not receive the additional fee, we will proceed with licensing the water right for the limited amount of water.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:c2

Enclosure

RECEIVED
DEC 15 1992

LICENSE REVIEW CHECKLIST

Permit # 95-08498

Date 9-10-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	No Fee Pd/Limit to .04 unless Fee pd.
	☒	☐	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☒	☐	<u>.06 or .04 cfs (DOM) 2x.03 = .06 or .04 cfs (IRR)</u>
	☒	☐	Disagree with Theoretical? <u>5x8.8x.7 = .072</u>
	☒	☐	Limited by Capacity? <u>.07</u> <u>335' x (2.31 x 40)</u> <u>@ 360' = .068</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
			Disagree with Examiner's Calculations?
			<u>2x3.0 = 6.0 cfs (IRR) 2x.6 = 1.2 cfs (DOM)</u>
			Limited by Flow? <u>.04 x 245 x 1.9835 = 19.4</u> <u>> 4.0</u> <u>.06 x 245 x 1.9835 = 29.2</u>
SOURCE			Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
			Notice of Intent to Void.
P/D			Verify with Map
			Amendment Needed?
			Is Overlap Analysis a Consideration?
P/U			Verify with Map
			Amendment Needed?
			Is Overlap Analysis a Consideration?
USES			Change(s) in Nature of Use?
			Amendment Needed?
REMARKS			Multiple P/Ds in 1/4 1/4?
			Non-Irr. Uses <u>DOM/2 Homes</u>
			Special Overlap Condition
			Other
CONDITIONS			Measuring Device
			W/Master Control
			Overlap
			Water Quality
			DATES/MISC
			Water Dist.
			App Rec'd
			Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate, acres
5 HP pump from Proof / 325' static level - Used 335'
minimum dynamic level / 40 psi from proof + low
end DOM estimate.

License 10-Day ☒ 15-Day ☐ Special Correspondence ☒

Letter - more water / additional fee
No fee per letter! 9-30-92 / Issued @ .04 cfs

WR0749NP
No. L95-08498

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/10/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WALLACE E UMPHREY	01/31/1986	IRRIGATION	03-15 11-15	0.04 CFS	6.0 AFA
C	BETTY R UMPHREY		DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
C	WAYNE FROVARP					
C	THELMA FROVARP					
	E 7515 ROCKY RD			TOTAL DIVERSION:	0.04 CFS	7.2 AFA
	RATHDRUM ID 838580000					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.07 CFS

Point(s) of Diversion: T52N R04W S02 SW SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
52N	04W	2	:																	:	2.0
																				TOTAL ACRES	2.0

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Other Water Rights Listing Overlapping Place(s) of use:
95-08498 95-08639 E95-08498

Conditions of Approval:

- R49 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 3.0 afa per acre for the
- lands above.

Remarks: Domestic use is for 2 homes.

Dates:	App. Received:	01/31/1986	Priority Date:	01/31/1986
	Proof Due Date:	04/01/1991	Proof Made Date:	02/13/1991
	Exam Made Date:	10/04/1991	Exam Sent to S.O.:	07/22/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 09/10/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 95-08498
1. Owner: WALLACE E. UMPHREY ET. AL. Phone No. 697-1253
Current Address: E. 7515 ROCKY RD. RATHBURN, ID. 83858
2. Accompanied by: NONE EXAM. DATE: 10/14/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: _____ tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N.T.S.

RECORDED

DEC 15 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

✓ A 6" x 36" WELL WITH SUBMERSIBLE PUMP, PIPING
TO PRESSURE SYSTEM & HOMES

To PRESIDENT SYSTEMS HOMES

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
5106251065		UNK			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1. *none*

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

*TWO HOMES w/LEG
NO FEE*

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated})^2 \times (\text{Irrigation Requirement})^3 = \underline{\quad 6 \quad}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

IRR 2 ACRE / HOME - LAWN & GARDEN

RECORDED

DEC 15 1992

DEC 15 1992

Department of Water Resources

Field Report Preparation Date

Certification Date

Signature

Field Examiner's Name

AUTHENTICATION

- ☐
- Change P.U. as reflected above

- ☐
- Change P.D. as reflected above

2. Recommended Amendments

1.7	0.0	Totals:
-----	-----	---------

Totals:

Dom (2)

12-31

150.0

2. ✓

Beneficial Use

Period of Use
From To


Rate of Diversion
Q (cts)

Annual Volume (a7a)

1. Recommended Amounts

RECOMMENDATIONS

REMARKS AND OVERLAP REVIEW ANALYSIS



RECEIVED


JUL 27 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # _____

P H O T O G R A P H S



958498
UMPHREY

MICROFILMED

DEC 15 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08498

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☐	N ☒	Static Water Level:	<u>325</u>
Pressure Gauge:	Y ☐	N ☒	Casing Diameter:	<u>6"</u>
Flowing:	Y ☐	N ☒	Temperature:	<u> </u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MICROFILMED

DEC 15 1992

May 14, 1991

WAYNE FROVARP
THELMA FROVARP
WALLACE E. UMPHREY
BETTY R. UMPHREY
E. 7515 ROCKY RD.
RATHDRUM, ID 838580000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08498

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 16 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-5472

Date 5-13-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Well log in file?
☒ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

- NC Required?
0 Amount submitted?
yes Correct amount?

MEASURING DEVICE

- no Measuring device or access port required?
no Installed?
no Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

LB Date proof received NA _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

95-8498

RECEIVED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

FEB 13 1991

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. ~~319321~~ 95-8498 Telephone No. 208-687-1126

2. Name(s) of Permit Holder(s): Betty Umphrey

3. Post Office Address: E 7515 Rocky Rd, Rathdrum, ID 83858

4. Source of Water: _____

a. If ground water, well driller's name: UNITED DRILLING INC Date drilled: 1-30-86

b. Pump horsepower: 5HP Pressure (psi): 40 Dynamic pumping level (ft.): 360'

5. Extent of Use:

Domestic 2 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 10.29 cfs 10 gpm (per well log) acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

WALLACE UMPHREY / WAYNE FROVARR 208-687-1253
Name Telephone No.

E 7515, Rocky Rd Rathdrum
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-6-91
Date

Betty Umphrey
Signature (and title if on behalf of a company or organization)

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: Wallace Umhrey Address: 7515 Rocky Rd. Rathdrum Id 83858 Owner's Permit No.		7. WATER LEVEL Static water level: 325 feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow Artesian closed-in pressure p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature: 49° F. Quality: Good <i>Describe artesian or temperature zones below</i>																																																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>10 GPM</td><td>360</td><td>3hrs.</td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	10 GPM	360	3hrs.																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																					
10 GPM	360	3hrs.																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>12</td><td>0</td><td>40</td><td>Sand & Gravel</td><td></td><td>X</td></tr><tr><td>40</td><td>82</td><td></td><td>Sand & Gravel</td><td></td><td>X</td></tr><tr><td>8</td><td>82</td><td>260</td><td>Sand & Gravel</td><td></td><td>X</td></tr><tr><td></td><td>260</td><td>284</td><td>Sand & Gravel</td><td></td><td>X</td></tr><tr><td>6</td><td>284</td><td>320</td><td>Basalt & Gravel layered</td><td></td><td>X</td></tr><tr><td></td><td>320</td><td>340</td><td>Gray Clay</td><td>X</td><td></td></tr><tr><td></td><td>340</td><td>360</td><td>Sand & Gravel</td><td>X</td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	12	0	40	Sand & Gravel		X	40	82		Sand & Gravel		X	8	82	260	Sand & Gravel		X		260	284	Sand & Gravel		X	6	284	320	Basalt & Gravel layered		X		320	340	Gray Clay	X			340	360	Sand & Gravel	X	
Bore Diam.	Depth		Material		Water																																																		
	From	To		Yes	No																																																		
12	0	40	Sand & Gravel		X																																																		
40	82		Sand & Gravel		X																																																		
8	82	260	Sand & Gravel		X																																																		
	260	284	Sand & Gravel		X																																																		
6	284	320	Basalt & Gravel layered		X																																																		
	320	340	Gray Clay	X																																																			
	340	360	Sand & Gravel	X																																																			
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other		RECEIVED FEB 21 1986 Department of Water Resources Northern District Office RECEIVED FEB 28 1986 JUL 16 1991 Department of Water Resources																																																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>377 inches</td><td>10 inches</td><td>1 foot</td><td>82 feet</td></tr><tr><td>250 inches</td><td>8 inches</td><td>1 foot</td><td>284 feet</td></tr><tr><td>250 inches</td><td>6 inches</td><td>207 feet</td><td>363 feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation: 7/16 inches by 1/16 inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>75 perforations</td><td>340 feet</td><td>360 feet</td></tr><tr><td>perforations</td><td>feet</td><td>feet</td></tr><tr><td>perforations</td><td>feet</td><td>feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth: 20 feet Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	377 inches	10 inches	1 foot	82 feet	250 inches	8 inches	1 foot	284 feet	250 inches	6 inches	207 feet	363 feet	Number	From	To	75 perforations	340 feet	360 feet	perforations	feet	feet	perforations	feet	feet																								
Thickness	Diameter	From	To																																																				
377 inches	10 inches	1 foot	82 feet																																																				
250 inches	8 inches	1 foot	284 feet																																																				
250 inches	6 inches	207 feet	363 feet																																																				
Number	From	To																																																					
75 perforations	340 feet	360 feet																																																					
perforations	feet	feet																																																					
perforations	feet	feet																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td>X</td><td>E</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td>S</td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County: <u>Kootenai</u> Sec. <u>2</u> T. <u>52</u> N. R. <u>4</u> E.W.		N				W		X	E						S			10. Work started 1-15-86 finished 1-28-86																																					
N																																																							
W		X	E																																																				
	S																																																						
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. United Drilling Inc. Firm No. 414 Firm Name PO Box 2499 Co. A Id 83814 Address _____ Date _____ Signed by (Firm Official) <u>Tom R. Volney</u> and (Operator) <u>Tom R. Volney</u>																																																							

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 31, 1991

WAYNE FROVAP
THELMA FROVAP
WALLACE E. UMPHREY
BETTY R. UMPHREY
E. 7515 ROCKY RD.
RATHDRUM, ID 838580000

PROOF DUE NOTICE

RE: PERMIT NO. 95-08498

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Rita Fleck
Secretary/Records Manager

Enclosures

JUL 16 1991

*2/11/91
Please note.
I mailed the original
3 yrs ago. have heard
nothing. thank you
Betty Umphrey*

Department of Water Resources

No 31932

Boise, Idaho, 1/31, 1986

RECEIVED
FROM

J. H. Hays

of J. H. Hays

\$ 15.00

DOLLARS

Chk # 92-27
1231

FOR

1/2 payment on	\$ 15.00
Adrian Permit	\$
Good	\$
	\$
TOTAL - - -	\$ 15.00

[Signature]

RECORDED

JAN 16 1991

138054
January 31, 1991

WAYNE FROVAP
THELMA FROVAP
WALLACE E. UMPHREY
BETTY R. UMPHREY
E. 7515 ROCKY RD.
RATHDRUM, ID 838580000

PROOF DUE NOTICE
RE: PERMIT NO. 95-08498

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8498
Name(s) of Permit Holder(s): WALLACE UMPHREY & WAYNE FROVARD
Post Office Address: E. 7515 ROCKY RD, BATH DRUM,
ID. 83858 Tel. No. 687-1126



- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 4-11-86 (date) I understand that I must continue to develop the water system with due diligence and maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

4-18-86
Date

Betty R. Humphrey
Signature of Permit Holder

Wallace, Unincorporated
E 7515 Rocky Rd
Rathdrum, ID
83858



RECEIVED



JUL 16 1991

APR 23 1986

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 03, 1986

UMPHREY, WALLACE E. & BETTY R.
E. 7515 ROCKY RD.
RATHDRUM, ID 83858

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8498

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED. AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RMA APPLICATION NUMBER: 95-8498

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: 3/3/86

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 3/14/86

☒ Application published correctly. If not, record action taken: renewal left out - re-adv.

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

☒ 1/31/86 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: RMA

Date: 3/27/86

STATE OFFICE REVIEW:

L17

26

☐ See attached sheet for more information.

By: KW

Date: 4/1/86

MICROFILMED

RECORDED

APR 01 1986

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that Application for Permit No. 95-8498 in the name of Wallace E. &/or Betty R. Umphrey &/or Wayne &/or Thelma Frovarp was advertised incorrectly on February 13 & 20, 1986..

The number of irrigated acres was inadvertently left out. Ten acres are being irrigated.

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Ste. 14, Coeur d'Alene, Id. 83814 on or before March 24, 1986.

KEN DUNN, Dir.

Published in the Coeur d'Alene Press on 3/6 and 3/13/86.

MICROFILMED

95-8498

UMPHREY, WALLACE E. &/or BETTY R.
FROVARR, WAYNE &/or THELMA

E. 7515 ROCKY RD., RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: NESWSE Sec 02 T 52N R 04W

Use: IRRIGATION (0.2 CFS)
DOMESTIC (0.080 CFS)

Date Filed: 01/31/1986

In: SWSE Sec 02 T 52N R 04W

MICROFILMED