

N.W. 1/4 Sec. 33 Twp. 50 N.R. 3 W.B.M.


[illegible]

BOOTENAI COUNTY
IDAHO

SECTION NUMBER SYSTEM
IN STANDARD TOWNSHIP

2	1	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

QUARTER NAME AND NUMBER STS
IN STANDARD SECTION


[illegible][illegible]

COUR D'APPEL

MICROFILMED

NOV 24 1989

SCALE: 4 mm = 100 feet



ERNAN
ELEVATION 2125

LAKE

20

21

22

23

29

28

27

26

Bennett Bay

D'ALENE
ELEVATION 2125

MICROFILMED
NOV 24 1989

Boat Ramp

33

34

35

F-5 95-8497

SOURCE: CDA LAKE
PD

L.I (NENE) SEC 33

T50N R3X1

PU

SAME

(MT. COEUR D'ALENE)
2679 II SW

SCALE 1:24 000


0 2000 3000 4000 5000 6000 7000 FEET

0 1 KILOMETER

the Geological Survey

from aerial photographs
dated 1981

coordinate



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08497

Priority: January 2, 1986

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that EDWIN G. HATTER, JR.
MICHAEL L. HATTER

3415 S. WALKERS BAY RD.

COEUR D'ALENE, ID 838140000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 2, 1986; and has submitted Proof of Beneficial Use on January 21, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

COEUR D'ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NWNW), Sec. 33, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 03W 33 LOT 1(NWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home within Tract 6, Lakeshore Addition to Sunnyside Subd.

MICROFILMED

NOV 24 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08497

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16th
day of NOVEMBER, 1987.


R. Keith Higginson, Director

NOV 24 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant EDWIN G. & OR MICHAEL L. HATTER, JR Phone 208-2821
Post office address 3609 BUCKSKIN RD. COEUR D'ALENE, ID 83814
2. Source of water supply LAKE COEUR D'ALENE which is a tributary of SPOKANE RIVER
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot LOT 1
Sec. 33 Township 50N Range 3W B.M. KOOTENAI County; additional
points of diversion if any: TRACT 6 LAKESHORE ADDN TO SUNNYSIDE
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

SECRET

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

- c. Municipal; show name of municipality.
- d. Domestic; show number of households.

Total number of acres to be irrigated _____

- b. Who owns the land to be irrigated or place of use? _____

12. Remarks: _____

P.D.
P.H.

33

T-50N

R-3W

MICROFILM

Edmund D. Little, Jr.
(Applicant)

Proposed Priority 1/2/86 Received by WLF Date 1/2/86 Time 2:00P
 Received by WLF Date 1/8/86 # 31918 Fee \$ 30.00
 Publication prepared by WLF Date 1/9/86 Published in 1/16-23/86
 Publication approved WLF Date 1/27/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8497, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

March 1, 19 88

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 11 day of February, 1986.

D. New Stanton
 Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Kootenai, ss.

Lyndelle Holom being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thurs.
issue of said newspaper for 2 consecutive weeks,
commencing on the 16 day of Jan, 1986 and
ending on the 23 day of Jan, 1986 and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Lyndelle Holom
Subscribed and sworn to before me this 23 day of Jan, 1986.

Robert J. [Signature]
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

HATTER, JR., EDWING.,
HATTER, MICHAEL L.,
3609 Buckskin Rd., Coeur
d'Alene, ID 83814. Source:
Coeur d'Alene Lake trib. to
Spokane River. Diversion Pt.:
Lot 01 (NENE) Sec. 33 T. 50N
R 03W. Use: Domestic (0.040
CFS). Date Filed: 01/02/1986.
In: Lot 01 (NENE) Sec. 33, T
50N, R 03W.

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Gov't Way,
Coeur d'Alene, Id. 83814 on or
before FEBRUARY 3, 1986.

KEN DUNN, Dir.

Legal 657
Jan. 16, 23, 1986

November 16, 1989

EDWIN G. HATTER, JR.
MICHAELE L. HATTER
3415 S. WALKERS BAY RD.
COEUR D ALENE, ID 838140000

RE: PERMIT NO. 95-08497

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOT RECORDED

NOV 24 1989

October 26, 1989

EDWIN G. HATTER, JR.
MICHAELE L. HATTER
3415 S. WALKERS BAY RD.
COEUR D ALENE, ID 838140000

RE: PERMIT NO. 95-08497

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

ENCLOSURE

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9508497	50N	03W	33	NE NE	1	COEUR D ALENE LAKE	HATTER, MICHAELE L.
NO MATCHES FOR THIS POD							

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECORDED
JUN 26 1989

Department of Water Resources

Yes No

PERMIT 95-8497

- (☒) B/U Acknowledgement Letter Sent pm 3/16/88 (INITIAL & DATE)
(☐) Aerial Photo Date Requested _____ by _____
(☒) Quad Sheet
(☒) GL Plat
(☐) Copies of overlapping License Field Report Claim
(☐) Photo PD/PU
(☐) Correspondence (Date) _____
(☐) Other (List) SUB'D MAP

EXAM COMPLETED BY Paul Sub DATE 6/9/88
SR AGENT REVIEW _____ DATE 5-14-88
REGIONAL MANAGER REVIEW _____ DATE 5-14-88
ENTERED ON COMPUTER BY _____ DATE 6/5/88
PRELIMINARY OVERLAP REVIEW BY J King DATE 4-88
(☐) NO OVERLAP FOUND

SEVERAL IN AREA- CHECK TO SEE IF THIS IS STRICTLY L & G
STOPPED BY 6/9/88 everything locked up with probably
need appointment - J
FILM DID NOT DEVELOPE 22

MICROFILMED


NOV 24 1989

95-8497

As Shown on the 1896 Plat, the boundaries of the 1896 Plat are shown in red ink. The boundaries of the 1896 Plat are shown in red ink.

29 26
32 33

NW 1/4 Sec. 33 Twp. 50 N. R. 3 W. E. M.



1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92	93	94	95	96
97	98	99	100	101	102	103	104	105	106	107	108
109	110	111	112	113	114	115	116	117	118	119	120

COOTENAI COUNTY
IDAHO

SECTION NUMBER SYSTEM
IN STANDARD TOWNSHIP

1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92	93	94	95	96
97	98	99	100	101	102	103	104	105	106	107	108
109	110	111	112	113	114	115	116	117	118	119	120

QUARTER, HALF AND NUMBER SYSTEM
IN STANDARD SECTION


1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92	93	94	95	96
97	98	99	100	101	102	103	104	105	106	107	108
109	110	111	112	113	114	115	116	117	118	119	120

1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92	93	94	95	96
97	98	99	100	101	102	103	104	105	106	107	108
109	110	111	112	113	114	115	116	117	118	119	120


COEUR D'ALENE LAKE

MICROFILMED

NOV 24 1989



SCALE 1"=1/2 MILE



F-5 95-8497 (23)

SOURCE: CDA LAKE

PD

L-1 (NENE) SEC 33

T50N R3W

PU

SAME

UNFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8497

1. Owner: Edwin G & or Michael L. Hatter

Phone No. 265-2821

Current Address: 3415 S. Walkers Bay Road Coeur d'Alene, Id 83814

2. Accompanied by: Scott Hatter

EXAM. DATE: 6/9/88

Address: Same Phone No. Same

Relationship to Permit Holder: Son

3. Source: Lake Coeur d'Alene tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more of Water Resources)

JUN 26 1989

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A line and submersible pump stretch 200' out into Lake Coeur d'Alene and then to the house. In the house the water is chlorinated and then unchlorinated and then has the normal household system of ~~water~~ water heater, etc.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:


[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space



NAN
ELEVATION 2125

LAKE

MULLAN

TRAIL

Water Tanks

Well

Kern Butte

Bennett Bay

Boat Ramp

Boat Ramp

Blue Creek

D'ALENE
ELEVATION 2125


MICROFILMED
NOV 24 1983

F-5 95-8497
SOURCE: CDA LAKE
PD
L.I (NONE) SEC 33
T50N R3W
PU

SAME

(MT. COEUR D'ALENE)
2679 II SW

SCALE 1:24 000



the Geological Survey

from aerial photographs
dated 1981

coordinate

GN
MN

1983

Do not use this space

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

NONE 1 HOME

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 HOME .04 cfs or 1.2 af

MICROFILMED

NOV 24 1969

SECRET

Revised: Rayanne McCarty

Field Examiner's Name
Signature
Certification Date
Field Report Preparation Date

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Add P.U. as reflected above

☐ Other

104275

1.227

DOMESTIC

Period of Use To

12/31

10975

(S) D

1204

V (afa) V

RECOMMENDATIONS

~~NE NE~~ was not the location of the site
DOT ~~SW NW - SE~~ was so it was changed to
SW NW - SE 66.1 S33 T50N R3W

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

MARCH 16, 1988

EDWIN G. MATTER
3415 S WALKERS BAY
COEUR D ALENE, ID 83814

RE: Permit No. 95-8497

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

Microfilm
NOV 24 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8497

Date: 2-3-1988

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested.

Remarks: Prof - acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

For Office Use Only
 Fee Received
 Date
 Receipt #
 Receipt by
 Reviewed by
 Sent to region

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8497

Name(s) of Permit Holder: Edwin George and Michael L. Hatter

Post Office Address: 3415 So. Walkers Bay Rd., Coeur d'Alene, Idaho, 83814 Telephone No. 765-2821

Source of Water: Lake Coeur d'Alene

Extent of Use:

Domestic X 1 household (number of households) Stockwater (number and type of stock)
 Irrigation (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.04 cfs 100 ft lot on lake acre-feet

Show the date water was first diverted and beneficially used under this permit: July 1987

Measuring Device: Required? Yes No
 Installed? Yes No

Fee enclosed \$ None
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
 Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Ed Hatter (Name) 765-2821 (Telephone Number)

3415 So. Walkers Bay, CDA, Id 83814 (Address) MAR 04 1988

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Jan. 15, 1988
 Date

Michael L. Hatter
 Signature of Permit Holder (and title, if appropriate)

If you need more info.
 let me know - I contacted
 Water Resources Dept in
 CDA + they said just
 fill this out + send in.

138214
CERTIFIED MAIL
December 31, 1987

HATTER, JR., EDWIN G. & *Michael L.*
3609 BUCKSKIN RD.
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: Permit No. 95-8497

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 04 1988

MR & MRS ED HATTER
3415 S. WALKERS BAY RD.
COEUR d'ALENE, ID 83814



State Department of Water Resources
1301 North Orchard Street
Boise, Idaho

83706-2237



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

STANLEY F. HAMILTON
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
JIM JONES
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT OF PUBLIC INSTRUCTION

February 5, 1986

Mr. Edwin G. Hatter
3609 Buckskin Road
Coeur d'Alene, ID 83814

RE: 95-8497

Dear Mr. Hatter:

Recently the Department of Lands received a copy of the above numbered diversion application which you submitted to the Department of Water Resources. Coeur d'Alene Lake is a navigable lake and a temporary permit and an encroachment permit will be required from the Department of Lands for the pump and waterline.

If the application to Water Resources is for a system installed prior to 1974, please furnish drawings and the \$10.00 temporary permit fee.

If the application is for a new system, please complete the enclosed application as per the instructions on the back of the form. Mail along with your payment in the amount of \$60.00 to this office. The temporary permit fee is \$10.00, runs for five years and is renewable. The encroachment application fee is \$25.00 and advertising cost of \$25.00. Please submit a plat and property description showing location of the waterline.

Very truly yours,

LANCE E. NIELSEN, Chief
Bureau of Navigable Waters

LEN:bv
Encls.

cc: Navigable Waters-CdA
Water Resources - CdA ✓

RECEIVED
FEB 10 1986
Department of Water Resources
Northern District Office

EQUAL OPPORTUNITY EMPLOYER

MICROFILMED

Speed Letter

TO: Water Resources- Northern Region

FROM: Department of Lands

Subject 95-8497 Edwin G. Hatter

MESSAGE

The applicant has been advised he will need an encroachment permit and a temporary permit. Both are in process.

Date 2/13/86

Signed

Bonnie

REPLY

RECEIVED
FEB 18 1986
Department of Water Resources
Northern District Office

Date

Signed

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
FEBRUARY 12, 1986

HATTER, JR., EDWIN G.
3609 BUCKSKIN RD.
COEUR D ALENE, ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-8497

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8497

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/3/86
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/86
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1/2/86 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RSW

Date: 2/3/86

MICROFILMED

STATE OFFICE REVIEW:

417

26

- ☐ See attached sheet for more information.

By: KW

Date: 2/10/86

RECEIVED

FEB 07 1986

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

95-8497

HATTER, JR., EDWIN G.
HATTER, MICHAEL L.

3609 BUCKSKIN RD., COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER

Diversion Pt: LOT 01 (NENE) Sec 33 T 50N R 03W

Use: DOMESTIC (0.040 CFS)

Date Filed: 01/02/1986

In: LOT 01 (NENE) Sec 33 T 50N R 03W

MICROFILMED



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 3, 1986

Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8497

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED