


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arthur Cunningham
(Applicant)

AFFIDAVIT OF PUBLICATION

OF IDAHO,
County of Kootenai, } ss.

Synelle Holm being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (p. clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circ in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *22* day of *Aug*, 19*85* ending on the *29* day of *Aug*, 19*85* and publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *29* day of *Aug*, 19*85*

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

&/or DEBI &/or WILLIAM M.
HC 12 BOX 257, COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 08-08-1985
Diversion Pt: SWNE Sec 01 T
48N R 05W
Use: DOMESTIC (0.04 CFS)
In: SWNE Sec 01 T 48N R 05W
95-8486

STEWART, KIM R. &/or
VELLENE
RT. 2 BOX 289, HAYDEN
LAKE, ID 83835
Source: HAYDEN LAKE trib.
to SINKS
Date Filed: 08/12/1985
Diversion Pt: LOT 05 Sec 21
T 51N R 03W
Use: DOMESTIC (0.02 CFS)
In: LOT 05 Sec 21 T 51N R 03W
The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Gov't. Way,
Coeur d'Alene, Id 83814 on or
before SEPTEMBER 9, 1985.
KEN DUNN, Dir.

Legal 83
Aug. 22, 29, 1985

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

94-7293

GOOTRAD, LISA

P.O. BOX 34, HARRISON, ID
83833

Source: SPRING trib. to
SINKS

Date filed: 08/09/1985

Diversion Pt: NWNW SWNW
Sec 14 T 48N R 03W

Use: DOMESTIC (0.04 CFS)

In: NWNE SWNE Sec 14 T 48N
R 03W

95-8485

CUNNINGHAM, ARTHUR J.

RECEIVED
AUG 29 1985

Department of Water Resources
Northern District Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08485

1. Owner: William M. Cunningham Phone No. (208) 664-1822
Current Address: HC 12 Box 257, Coeur d'Alene, ID 83814
2. Accompanied by: _____ EXAM. DATE: 4/3/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

AUG 23 1991



200 000 FEET

57°30"

504

505

55'

507

WORLEY 11 MI
PLUMMER 17 MI

95-8485 (WORLEY) 2679 IV NW

SCALE 1:24 000

1 1/2 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 5 KILOMETER

AUG 23 1991

T. 48 N. R. 5 W. Sec. 1

GN MN

Pr ha Se ha

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08485

Priority: August 8, 1985

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that ARTHUR J. CUNNINGHAM
DEBIE CUNNINGHAM
WILLIAM M. CUNNINGHAM

HC 12 BOX 257

COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 8, 1985; and has submitted Proof of Beneficial Use on August 29, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 1, Township 48N, Range 05W
ROOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 05W 1 SWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of AUGUST, 1991.



Acting for

Norman Young
R. Keith Higginson, Director

AUG 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

DEBIE CUNNINGHAM, OR
WILLIAM M. CUNNINGHAM, OR

1. Name of applicant ARTHUR J. CUNNINGHAM Phone 664 1822

Post office address HC-12 Box 257 Coeur d'Alene, ID 83814

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 1 Township 48N Range 5W B.M. KOOTENAI County; additional
points of diversion if any: (2 POINTS)

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP, PIPELINE TO
HOME

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.
CURRENTLY 4'-0" X 25'

c. Proposed well diameter is 6 inches; proposed depth of well is 300' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

MICROFILMED



c. Municipal; show name of municipality.

e. Other, describe fully.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

ponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.

10. Describe any other water rights used for the same purposes as described above. *None*

11. a. Who owns the property at the point of diversion? App (CURRENT WELL)
 b. Who owns the land to be irrigated or place of use? App


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. VERBAL CONSENT

applicant to make this filing. VERBAL ASSIGNMENT

12. Remarks: CURRENT WELL INSUFFICIENT - PLAN TO ADD SECOND WELL TO

AUGMENT WATER SUPPLY

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arthur Cunningham
(Applicant)

MICROFILMED

Proposed Priority 8/8/85

Received by 7 Date 8/8/85 Time 12:12 PM Preliminary check by RH

Received by 7 # 31815 Date 8/8/85

Published in Coand Allen Jones Date 8/13/85

Publication approved by 7 Date 8/30/85

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8485 APPROVED and said application is hereby

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

September 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 26th day of September, 1985.

D. New Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

County of IDAHO, } ss.
County of Kootenai, }

Stewart, Kim R. being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (p. clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily, Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circ in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 1 consecutive days commencing on the 22 day of Aug, 1985 ending on the 27 day of Aug, 1985 and publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 27 day of Aug, 1985

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-7293
GOOTRAD, LISA
P.O. BOX 34, HARRISON, ID 83833

Source: SPRING trib. to SINKS

Date filed: 08/09/1985
Diversion Pt: NWNW SWNW Sec 14 T 48N R 03W

Use: DOMESTIC (0.04 CFS)
In: NWNE SWNE Sec 14 T 48N R 03W

95-0485
CUNNINGHAM, ARTHUR J.

95-0485
&/or DEBI &/or WILLIAM M. HC 12 BOX 257, COEUR D ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 08-08-1985

Diversion Pt: SWNE Sec 01 T 48N R 05W

Use: DOMESTIC (0.04 CFS)
In: SWNE Sec 01 T 48N R 05W

95-0486
STEWART, KIM R. &/or VELLENE

RT. 2 BOX 289, HAYDEN LAKE, ID 83835

Source: HAYDEN LAKE trib. to SINKS

Date Filed: 08/12/1985
Diversion Pt: LOT 05 Sec 21 T 51N R 03W

Use: DOMESTIC (0.02 CFS)
In: LOT 05 Sec 21 T 51N R 03W

The permit(s) will be subject to all prior water rights.

Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id 83814 on or before SEPTEMBER 9, 1985.

KEN DUNN, Dir.

Legal 83
Aug. 22, 29, 1985

RECEIVED
AUG 29 1985
Department of Water Resources
Northern District Office

MICROFILMED

August 20, 1991

ARTHUR J. CUNNINGHAM
DEBIE CUNNINGHAM
WILLIAM M. CUNNINGHAM
HC 12 BOX 257
COEUR D ALENE, ID 83814

RE: WATER RIGHT NO. 95-08485

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
AUG 28 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8485

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity ✓

Total volume Limited by flow ✓

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked ✓

Theoretical checked ✓

If greater than permit, check for other rts ✓

Source Changed? yes no ☒

If so, is memo needed to clarify? ✓

P/D Verify with map ✓ permit ✓

More than one per 1/4 Remember remark ✓

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses ✓

Special overlap condition ✓

Conditions -

Measuring device ✓
W.Master control ✓
Overlap ✓
Water quality ✓
Other ✓

Dates/Misc. -

Water Dist ✓
App Rec'd ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed ✓

Filed - needs amended ✓

Add'l fee required ✓

Not filed - ✓

Not needed ✓

Comments/Changes to Examiner's Recommendations:

AUG 23 1991

License ✓ 10-day ✓ 30-day ✓

Back of field report signed? ✓

Reviewer [Signature] Date 8/12/91 Review time 5 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
INITIAL CHECK LIST

RECEIVED
JUN 28 1991

Permit # 95-08485 Department of Water Resources

YES NO

() (X) Aerial Photo date requested _____ by _____

(X) () Microfisch checked for additional infromation

(X) () Overlap Review conducted

() (X) Overlap found, Abstract attached

(X) () Government Lot Plat checked C-14 No GC

(X) () Quad sheet # 5-53

(X) () Plotted on exam maps

(X) () Ready For Field Examianation

Remarks: _____

AUG 23 1991

95-08485

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08485

1. Owner: William M. Cunningham Phone No. (208) 664-1822

Current Address: HC 12 Box 257, Coeur d'Alene, ID 83814

2. Accompanied by: _____ EXAM. DATE: 4/3/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached

2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

AUG 28 1991

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

46" x 450' R/W @ 2.5' A SUBMERSIBLE PUMP
& PIPELINE TO PRESSURE SYSTEM TRENCH TO HOME

3 PIPELINE TO PRESSURE SYSTEM 1 THEN TO 4th

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No. *	548				
Motor Make					
Hp	400				
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *M.H.P.*

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

one shown

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

AUG 23 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.04	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name Tom D. King
 Signature [Signature]
 Certification Date 4/10/91
 Field Report Preparation Date 4/8/91

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



AUG 23 1991



95-8485

AUG 23 1991

T48N. R5W. Sec.1

1. WELL OWNER

Name Bill Cunningham
 Address HC 12 Box 257
 Owner's Permit No. Cda Idaho

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
250 inches	6 inches	1 1/2 feet	150 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 50 Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent


Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name Aug 23 1997

Lot No. _____ Block No. _____

County Kootenai

SW 1/4 NE 1/4 Sec. 1 T. 48 S. R. 5 E 10

7. WATER LEVEL

Static water level 25 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>1 gal</u>	<u>425'</u>	<u>3 hrs</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0'	10'	Top Soil Brown Clay		X
8"	10'	50'	Red Clay		X
8"	50'	80'	Dark Brown Clay		X
8"	80'	125'	Tan Clay		X
8"	125'	140'	Sandy Tan Clay		X
8"	140'	150'	Decomposed Granite		X
6"	150'	175'	Hard Black & White Granite		X
6"	175'	180'	Soft Black & White Granite		X
6"	180'	190'	Hard Black & White Granite		X
6"	190'	200'	Soft white Quartz Brown Granite		X
6"	200'	220'	Hard Black & White Granite		X
6"	220'	225'	Soft Black & White Granite		X
6"	225'	245'	Hard Black & White Granite		X
6"	245'	250'	Soft Black & White Granite		X
6"	250'	270'	Hard Black & White Granite		X
6"	270'	280'	Soft white quartz brown granite	X	
6"	280'	288'	Hard Black & White Granite		X
6"	288'	344'	Soft Black & White Granite	X	
6"	344'	375'	Hard Black & White Granite		X
6"	375'	387'	Soft Black & White Granite		X
6"	387'	390'	Hard Black & White Granite		X
6"	390'	420'	Soft Black & White Granite		X
6"	420'	450'	Hard Black & White Granite		X

10.

Work started 5-14-87 finished 5-20-87

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name A20 Firm No. 448

Address Hayden Date 4/30/87

Signed by (Firm Official) John Wheeler

and
 (Operator) William L. Peter

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. _____

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ 1/4 _____ 1/4 Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☐	N ☒	Static Water Level:	<u>25</u>
Pressure Gauge:	Y ☐	N ☒	Casing Diameter:	<u>6"</u>
Flowing:	Y ☐	N ☒	Temperature:	<u> </u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

AUG 23 1991

November 1, 1990

ARTHUR J. CUNNINGHAM
DEBIE CUNNINGHAM
WILLIAM M. CUNNINGHAM
HC 12 BOX 257
COEUR D ALENE, ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08485

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,


Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 27 1990

For Office Use Only
Amt. of Fee \$ N/A
Date _____
Receipt No. _____
Received by AP. 10-25-90



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08485 Telephone No. 664 1822

Name(s) of Permit Holder(s): William M. Cunningham

Post Office Address: HC 12 Box 257 COEUR D'ALENE, ID. 83814

Source of Water: _____

If ground water, well driller's name: H₂O Date drilled: 5-87

Extent of Use:
Domestic X 1 Home (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: summer of 1987

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes XNo

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes XNo

Fee Enclosed: \$ Not Applicable (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:


Same as above.
Name Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-29-90
Date

WM Cunningham
Signature (and title if on behalf of a company or organization)



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8485

Date: 10-25-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
 1. well log in file May 1987
 2. drilling permit N/A
 N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ NO Is a measuring device or access port required?
 Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>N/A</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138013
June 30, 1990

ARTHUR J. CUNNINGHAM
DEBIE CUNNINGHAM
WILLIAM M. CUNNINGHAM
HC 12 BOX 257
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08485

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

NOT RECORDED

NOV 27 1990

September 30, 1985

RE: Permit No. 95-8485

Debie, William M. & Arthur J. Cunningham
HC 12, Box 257
Coeur d'Alene, ID 83814

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 95-8485

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/9/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/30/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/8/85 Date of priority recommended.
Special conditions of approval or cover letter. _____

STATE OFFICE REVIEW:

By: RJA

Date: 9/12/85

L17

26 04

- ☐ See attached sheet for more information.

By: RJA

Date: 9/25/85

MICROFILMED

RECEIVED
SEP 17 1985

95-8485-

CUNNINGHAM, ARTHUR J. &/or DEBIE &/or WILLIAM M.

HC 12 BOX 257, COEUR D ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 08/08/1985

Diversion Pt: SWNE Sec 01 T 48N R 05W

Use: DOMESTIC (0.04 CFS)

In: SWNE Sec 01 T 48N R 05W

MICROFILMED