

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

RECEIVED
MAR 8 1990

Department of Water Resources

Issue
license



PRESORTED
FIRST CLASS



95-8462 S

not listed as
property owner w/ assessor's
office 3/15/90 JS

KISL995 X838142003 1888 03/06/90
RETURN TO SENDER
UNABLE TO FORWARD
RETURN TO SENDER

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |


16. Examiner's/Consultant's Signature [Signature] Date 4/10/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date _____ CONSULTANT SEAL



TWP. 50 N RGE. 4 W SEC. 20 MAP # F-4 MAP SCALE

DATE OF FIELD EXAM 4/10/85

FIELD REPORT MAP PERMIT # 95-8462

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08462

Priority: August 31, 1984

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.4 AF

This is to certify, that DALE KISLER
SHERI KISLER

W. 5995 CLEMETSON RD.
COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 31, 1984; and has submitted Proof of Beneficial Use on August 31, 1984. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 20, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

50N 04W 20 SENW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 5 head; domestic use is for 1 home.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08462

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of April, 1990.

Acting for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DANE OR SHERI KISLER Phone _____
Post office address W. 5995 CLEMETSON RD. COEUR D'ALENE, ID 83814
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 50N
Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year -- maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

- (1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 50N
Range 4W B.M.

- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.

- (3) List number of each kind of livestock to be watered 5

- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

- (5) If water is to be used for other purposes describe: _____

MICROFILMED

CHALLENGE

Total number of acres to be irrigated

None


APPLICANT

//

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dale E. Kisher

(Applicant)

RECEIVED
FEB 20 1968

MICROFILMED

Proposed Priority 8/31/84

Received by KK Date 8/31/84 Time 10:30
Preliminary check by KK Fee \$ 30.00
Received by KK Date 8/31/84 # 31638
Publication prepared by Mr. [signature] Date 9/6/84
Published in Courier & Press, Orem
Publication dates 9/13 & 20/84
Publication approved Mr. [signature] Date 10/2/84
Protests filed by: Thorne
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Paul [signature] lu

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8462, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 24th day of October, 1984.

D. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Regina Mason being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

notice

of which the annexed is a printed copy, was published in the regular Three
issue of said newspaper for 2 consecutive weeks
commencing on the 13 day of Sept, 1984, and
ending on the 20 day of Sept, 1984, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Regina Mason

Subscribed and sworn to before me this 20 day of Sept
1984

Robert D. Dwyer

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8462

KISLER, DALE &/or SHERI
W. 5996 CLEMETSON RD.,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER

Date Filed: 08/31/1984

Diversion Pt: SENW Sec 20 T
50N R 04W

Use: STOCKWATER (0.02
CFS), DOMESTIC (0.04 CFS)

In: SENW Sec 20 T 50N R 04W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before OCTOBER 6, 1984.

KEN DUNN, Dir.

Legal 869

Sept. 13, 20, 1984

RECEIVED
OCT 1 1984

Department of Water Resources
Northern District Office



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

April 5, 1990 DIRECTOR

DALE KISLER
SHERI KISLER
W. 5995 CLEMETSON RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08462

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson'.

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08462

Priority: August 31, 1984

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.4 AF

This is to certify, that DALE KISLER
SHERI KISLER

W. 5995 CLEMETSON RD.
COEUR D'ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 31, 1984; and has submitted Proof of Beneficial Use on August 31, 1984. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 20, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

50N 04W 20 SENW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 5 head; domestic use is for 1 home.


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08462

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2nd
day of April, 1990.

Acting for


R. Keith Higginson, Director

STATE OF IDAHO
DEPT. OF WATER RESOURCES
1301 N. ORCHARD
BOISE, IDAHO 83706

RECEIVED
APR 16 1990
Department of Water Resources

*No
Current
Address*

L95-08462
DALE KISLER
W. 5995 CLEMETSON RD.

COEUR D ALENE ID 83814

KISL995 838142011 IN 04/11/90
RETURN TO SENDER
NO FORWARD ORDER ON FILE
UNABLE TO FORWARD
RETURN TO SENDER

April 5, 1990

DALE KISLER
SHERI KISLER
W. 5995 CLEMETSON RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08462

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

MAR 8 1990

February 23, 1990

Department of Water Resources

DALE KISLER
SHERI KISLER
W. 5995 CLEMETSON RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08462


Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,


JIM JOHNSON
Water Rights Supervisor
JJ:sc

Enclosure

WATER RIGHT NO. 95-08462

Priority: August 31, 1984

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.4 AF

This is to certify, that DALE KISLER
SHERI KISLER

W. 5995 CLEMETSON RD.
COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 31, 1984; and has submitted Proof of Beneficial Use on August 31, 1984. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 20, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

50N 04W 20 SENW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

WATER RIGHT NO. 95-08462

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this _____
day of _____, 19____.

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

95-8462 S

Issue
License

not listed as
property-owner of above
Office 3/15/90 JS

Department of Water Resources

KISL955 X838142003 1888 03/06/90
RETURN TO SENDER
UNABLE TO FORWARD
RETURN TO SENDER

February 23, 1990

DALE KISLER
SHERI KISLER
W. 5995 CLEMETSON RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08462

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

Department of Water Resources

Permit No. 95-8462

Phone No. 666-1147

1. Owner: Paul & Sheri Kiser Phone No. 666-1647
Current Address: W 5995 CLEMETSON RD. COEUR D'ALENE ID. 83814

2. Accompanied by: DALE Shari Kiser EXAM. DATE: 4/10/85
Address: _____ Phone No. _____
Relationship to Permit Holder: SAME

3. Source: GA tributary to _____

4.	Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

~~18" VERTICAL PUMP - 14" DEEP, 1 HP SUBMERSIBLE MOTOR PUMP
WITH PIPE LINE TO HOME~~

6" ~~X~~ 150' WELL, PUMP & PIPELINE TO HOME

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

7. Measurements ☐ Additional data/computation sheets attached

one Home

5 Hcl

8. Point(s) of Diversion: Indicate Method of Determination *MP*

Indicate Method of Determination *in HP*

[illegible]

9. **Place(s) of Use:** Irrigation - give acres served by system at time of exam.
Indicate Method of Determination Map

Irrigation - give acres served by system at time of exam.


Indicate Method of Determination

[illegible]

10. Other water rights on these lands see

11. Other water right diverted from same p.d. see

12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

16. Examiner's/Consultant's Signature [Signature]

Consultant's License Number _____

IDWR Director's Authorization to Conduct _____

Beneficial Use Examination _____

Date _____

CONSULTANT SEAL

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

Date 4/10/85

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

MAY 2 1985

Permit No. 85-8462

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

one hole 0.04
540 stock 0.02

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

one hole 1.2 AF
58 stock 0.2

2. Overlap Review

- a) Other water rights with same place of use: none

- b) Other water rights with same point of diversion: none

- c) Analysis:

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
95-8462		0.06			0.06

- | | | | | | | | | |
|-----|-----------|---------------|---------------|---------------|------|------|----------|--------|
| No. | Govt. Lot | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | Sec. | Twp. | Rge. | County |
| | | | SE NW | 20 | 50N | 4W | 500 TENN | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

[illegible]


9. Recommended Conditions/Remarks:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

Examiner's Signature		Date	4/11/85
Checked in Regional Office by		Date	4/29/85
Approved in State Office by		Date	

Checked in Regional Office by

Approved in State Office by



TWP. 50 N RGE. 4 W SEC. 20 MAP # F-4 MAP SCALE

DATE OF FIELD EXAM 4/10/85

FIELD REPORT MAP PERMIT # 95-8462

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JANUARY 3, 1985

DALE KISLER
W. 5995 CLEMETSON RD.
COEUR D'ALENE ID 83814

RE: Permit No. 95-8462

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as an agreement that the permit holder(s) has agreed to development to the extent shown below of No. 95-8462.

Name(s) of Permit Holder: DALE OR SHERI RISLER

Post Office Address: W 5995 CLEMETSON RD.
COEUR D'ALENE, ID 83814 Tel. No. 666-1647

Source of Water: GROUNDWATER

Extent of Use: ☒ Domestic 1 (number of households)
☒ Stockwater 5 (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/31/84
 Date

MICROFILMED

Dale L. Risler
 Signature of Permit Holder

PLACE
3 CENT
STAMP
HERE

RECEIVED

AUG 31 1984

Department of Water Resources
Northern District Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

November 1, 1984

RE: Permit No. 95-8462

Dale or Sheri Kistler
W. 5995 Clemetson Rd.
Coeur d'Alene, ID 83814

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JS

APPLICATION NUMBER: 95-8462

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 10/1/84 (new ad page 10/6/84)
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/1/84
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/31/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RS

Date: 10/16/84

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: KW

Date: 10-23-84

RECEIVED
OCT 22 1984

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

95-8462-

KISLER, DALE &/or SHERI

W. 5995 CLEMETSON RD., COEUR D ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 08/31/1984

Diversion Pt: SENW Sec 20 T 50N R 04W

Use: STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: SENW Sec 20 T 50N R 04W

MICROFILMED