




← MOBILE Home

← SPRING
IN "GULCH"

MICROFILMED

JAN 18 1991

9508456



95-08456

FILMED
JUN 18 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08456

Priority: August 13, 1984

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that **EBERT O. ALME**
ESTHER ALME

S. 3115 MILLSAP LOOP
POST FALLS, ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 13, 1984; and has submitted Proof of Beneficial Use on July 25, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to **SKALAN CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWSE , Sec. 18, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

50N 05W 18 SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

JAN 18 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08456

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of JANUARY, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED

JAN 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ebert O. &/or Esther Alme Phone 773-4088
Post office address S. 3115 Milsap Loop Post Falls ID 83854
2. Source of water supply unnamed springs which is a tributary of SKalan Cr.
3. Location of point of diversion is ^{SW} SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 50N
Range 5W B.M. Kootenai County, additional points of diversion if any: _____
From map - JK - 8/14/84

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .10 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Developed spring and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 50N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion


b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Esther Alme
(Applicant)

MICROFILMED

MICROFILMED

Proposed Priority 8/13/84

Received by RMH Date 8/13/84 Time 4:00 PM
Preliminary check by TR Fee \$ 30.00
Received by RMH Date 8/13/84 # 31618
Publication prepared by RMH Date 8/16/84
Published in Columbia River
Publication dates 8/23-30/84
Publication approved RMH Date 9/14/84
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RMH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8456, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 24th day of September, 1984.

D. M. Saylor
Chief, Operations Bureau

A. FIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Regina Mason being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

notice

of which the annexed is a printed copy, was published in the regular *Three*
issue of said newspaper for *2* consecutive *weeks*
commencing on the *23* day of *Aug*, 19*84* and
ending on the *30* day of *Aug*, 19*84* and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Regina Mason

Subscribed and sworn to before me this

30

day of

Aug

19 *84*

Robert D. Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8456

ALME, EBERT O. &/or
ESTHER

S. 3115 MILSAP LOOP, POST
FALLS, ID 83854

Source: SRPINGS trib. to
SKALAN CREEK

Date Filed: 08/13/1984

Diversion Pt: SWSE Sec 18 T
50N R 05W

Use: IRRIGATION (0.10 CFS)
DOMESTIC (0.04 CFS)

In: SWSE Sec 18 T 50N R 05W
FOR 5 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before SEPTEMBER 10, 1984

KEN DUNN, Dir.

Legal 783

Aug. 23, 30, 1984

RECEIVED
SEP 4 1984

Department of Water Resources
Northern Division

January 11, 1991

EBERT O. ALME
ESTHER ALME
S. 3115 MILLSAP LOOP
POST FALLS, ID 83854

RE: WATER RIGHT NO. 95-08456

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JAN 18 1991

December 12, 1990

EBERT O. ALME
ESTHER ALME
S. 3115 MILLSAP LOOP
POST FALLS, ID 83854

RE: WATER RIGHT NO. 95-08456

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JAN 18 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8456

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee .04 ☒

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked NONE

Theoretical checked NONE

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd ☒
Proof Rec'd ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of file report signed? ☒

Reviewer S. Curtis Date 12/11/90 Review time 8 min.

JAN 18 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 9528-456

A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ☐ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8) method of determination

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

RECEIVED
JUN 27 1990

Department of Water Resources

Signature Tom A. King Date 11/20/89

Photographs / Remarks



← MOBILE HOME

← SPRING
IN "GULCH"

RECEIVED
FILMED

JAN 18 1991

9508456

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Ebert or Esther Alme Permit No. 9508456
Current Address: 3315 Millsap Loop Post Falls, ID 83854 Phone No. 773-4088
2. Accompanied by: None EXAM. DATE: 10/10/89
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Spring tributary to Shoshone Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JAN 18 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

DEVELOPED SPRINGS WITH PUMP & PIPE TO HEAT

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
IRREGULAR					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

JAN 18 1961

DECLASSIFIED

Do not use this space

D. FLOW MEASUREMENTS *none*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

one hour

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

one hour

MICROFILMED

JAN 18 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Source is Marshy Area & May Be More Than One Spring

Blank lines for remarks and overlap review analysis.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (ata)
	From	To		
Domestic (1)	1-1	12-31	0.04	1.2

Totals:				
			0.04	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom J. Long


Signature [Signature]

Certification Date 12/25/89

Field Report Preparation Date 10/25/89


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

12/11/90



MICROFILMED

JAN 18 1991





State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS

Governor

September 12, 1989

R. KEITH HIGGINSON

Director

Mr. Ebert Alme
S. 3115 Millsap Loop
Post Falls, Id. 83854

Re: 95-8456

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/

TOM D. KING
Senior Water Resource Agent

TDK/pms



MICROFILMED

SEP 23 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8456

Date: 8/9/89

General Considerations:

Y Name same as permit
OK Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
N Reinstated

Source of Water:

Y Surface water
Y Groundwater
 1 well log in file
 N/A 2. drilling permit
 A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested


Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



STATE OF IDAHO

Department of Water Resources
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received N/A
Date _____
Receipt # _____
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8456

Name(s) of Permit Holder: Ebert O. for Esther Alme

Post Office Address: S. 3115 Millsap Loop

Post Falls Id. 83854 Telephone No. 773-4088

Source of Water: unnamed springs - a tributary of Skalan Cr.

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)
Irrigation 0 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-foot

Show the date water was first diverted and beneficially used under this permit: 9/1984

Measuring Device: Required? Yes X No
Installed? Yes Yes No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes Yes No

Person to contact to accompany the Department representative during the field examination:

SAME AS ABOVE.

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

SEP 25 1989

7/25/89
Date

Ebert Alme
Signature of Permit Holder (and title, if appropriate)

138427
June 30, 1989

EBERT O. ALME
ESTHER ALME
S. 3115 MILSAP LOOP
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-08456

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8456
Name(s) of Permit Holder(s): Ebert O Eber Esther Alme
Post Office Address: 53115 Millsad Loop
Post Falls Idaho 83854 Tel. No. 773-4088

☒ I hereby certify that construction of diversion works for the above referenced permit began on Oct 5, 1984 (date) I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

10-22-84
Date

Ebert O Alme
Signature of Permit Holder

Ebert or other
83115 Millap
Post Falls, Ida 83854



MICROFILMED

SEP 25 1989

RECEIVED



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

Department of Water Resources

October 5, 1984

RE: Permit No. 95-8456

Ebert O. &/or Esther Alme
S. 3115 Milsap Loop
Post Falls, ID 83854

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JA

APPLICATION NUMBER: 95-8456

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/10/84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/4/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/13/84 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: RJA

Date: 9/17/84

MICROFILMED

STATE OFFICE REVIEW:

L17

36

- ☐ See attached sheet for more information.
By: EW

Date: 9-21-84

SEP 21 1984

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8456-

ALME, EBERT D. &/or ESTHER

S. 3115 MILSAP LOOP, POST FALLS, ID 83854

Source: SPRINGS trib. to SKALAN CREEK

Date Filed: 08/13/1984

Diversion Pt: SWSE Sec 18 T 50N R 05W

Use: IRRIGATION	(0.10 CFS)
DOMESTIC	(0.04 CFS)

In: SWSE Sec 18 T 50N R 05W FOR 5 ACRES

MICROFILMED