

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Aileen Smith being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular four
issue of said newspaper for 2 consecutive weeks,
commencing on the 5 day of July, 1984, and
ending on the 12 day of July, 1984, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Aileen Smith
Subscribed and sworn to before me this 12 day of July, 1984.

RECEIVED

Robert J. D. Smith
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

JUL 13 1984

LEADER

Department of Water Resources
Northern District Office

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8446

LONG, UDELL &/or LINDA L.

P.O. BOX 875, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/21/1984

Diversion Pt: SWSW SESW

Sec 09 T 50N R 03W

Use: IRRIGATION (0.08

CFS); DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W

FOR 4 ACRES

95-8447

HARBOR VIEW ESTATES

P.O. BOX 1506, COEUR

D'ALENE, ID 83814

Source: COEUR D'ALENE

LAKE trib. to SPOKANE

RIVER

Date Filed: 06/26/1984

Diversion Pt: NWNW Sec 06

T 49N R 03W

Use: IRRIGATION (0.39

CFS); DOMESTIC (0.39 CFS)

In: NWNW Sec 06 T 49N R 03W

NENE Sec 01 T 49N R 04W

SESE SWSE NWSE SENE

NESE NENE SWNE Sec 35 T

50N R 04W FOR 125 ACRES

95-8448

LONG, UDELL &/or LINDA L.

P.O. BOX 875, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/21/1984

Diversion Pt: SESW Sec 09 T

50N R 03W

Use: IRRIGATION (0.20

CFS); STOCKWATER (0.02

CFS); DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W

FOR 10 ACRES

95-8449

WOLLENBURG, PAUL D.

&/or MARY L.

W. 432 WASHINGTON ST.

RATHDRUM, ID 83853

Source: GROUNDWATER

Date Filed: 06/25/1984

Diversion Pt: SWNW Sec 28 T

52N R 04W

Use: IRRIGATION (0.12

CFS); DOMESTIC (0.08 CFS)

In: NWNW SWNW Sec 28 T

52N R 04W FOR 6 ACRES

The permit(s) will be sub-

ject to all prior water rights.

Protests must be filed with the

Director, Dept. of Water Re-

sources, 4055 Gov't. Way,

Coeur d'Alene, Id. 83814 on or

before JULY 23, 1984.

KEN DUNN, Dir.

Legal 601

July 5, 12, 1984

OK
7/13/84

Photographs



↑ Pump House IN FOREGROUND

#1 Home

#1 Home IN BACKGROUND


RECEIVED
FEB 17 1991



↑ #3 Home

#2 Home

95-08449



Sturgeon
2313

BM
2309

VA BM 2290
Rathdrum Magnetic

BM
2282

BM
2272

Pine Grove Cem

MICROFILMED

FEB 1 1961

95-08449

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08449

Priority: June 25, 1984

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

3.6 AF

This is to certify, that MARY L. WOLLENBURG
PAUL D. WOLLENBURG

W. 432 WASHINGTON ST.
RATHDRUM, ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 25, 1984; and has submitted Proof of Beneficial Use on May 19, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 28, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

52N 04W 28

NWNW

SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of FEBRUARY, 1991.

RECEIVED

FEB 07 1991

Acting for

R. Keith Higginson, Director

R. Keith Higginson

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Paul D. &/or Mary L. Wollenburg Phone 687-0548
Post office address W 432 Washington St Rathdrum ID 83858
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion SW¹/₄ NW of NW ¹/₄ of Section 28 Township 52N
Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .12 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Well and pump

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses: NN²/₃SW¹/₄NW¹/₄

- a. If water is not for irrigation:

(1) Give the place of use of water: SW¹/₄ NW of NW ¹/₄ of Section 28 Township 52N

Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

b. If w

9

9

None

- 1 day
1 day

Same system as 95-7902

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T52N R4W

A blank sheet of graph paper with a grid pattern. The number 28 is written in the top left corner. The grid consists of 15 columns and 20 rows. A small square box is located at the top left corner, containing the number 28.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul D. Wollenburg
(Applicant)

(Applicant)

Proposed priority 6/25/84

Received by [Signature] Date 6/25/84 Time 12:55 PM

Preliminary check by [Signature] Fee \$ 3000

Received by [Signature] Date 6/25/84 # 31565

Publication prepared by [Signature] Date 6/27/84

Published in Lowville Area News

Publication dates 7/5-12/84

Publication approved [Signature] Date 7/13/84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____

Date _____

Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8449, and said application is hereby APPROVED.
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 30 day of July, 1984.

David R. Tuttle
Active Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

..... of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 1984, and ending on the day of 1984, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of 1984.

R

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

JUL 13 1984

LEADER

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-0446

LONG, UDELL &/or LINDA L.

P.O. BOX 875, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/21/1984

Diversion Pt: SWSW SESW

Sec 09 T 50N R 03W

Use: IRRIGATION (0.08

CFS); DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W

FOR 4 ACRES

95-0447

HARBOR VIEW ESTATES

P.O. BOX 1506, COEUR

D'ALENE, ID 83814

Source: COEUR D'ALENE

LAKE trib. to SPOKANE

RIVER

Date Filed: 06/20/1984

Diversion Pt: NWNW Sec 08

T 49N R 03W

Use: IRRIGATION (0.39

CFS); DOMESTIC (0.39 CFS)

In: NWNW Sec 08 T 49N R 03W

NENE Sec 01 T 49N R 04W

SESE SWSE NWSE SENE

NESE NENE SWNE Sec 35 T

50N R 04W FOR 125 ACRES

95-0448

LONG, UDELL &/or LINDA

L.

P.O. BOX 875, COEUR

D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/21/1984

Diversion Pt: SESW Sec 09 T

50N R 03W

Use: IRRIGATION (0.20

CFS); STOCKWATER (0.02

CFS); DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W

FOR 10 ACRES

95-0449

WOLLENBURG, PAUL D.

&/or MARY L.

W. 432 WASHINGTON ST.

RATHDRUM, ID 83858

Source: GROUNDWATER

Date Filed: 06/25/1984

Diversion Pt: SWNW Sec 28 T

52N R 04W

Use: IRRIGATION (0.12

CFS); DOMESTIC (0.08 CFS)

In: NWNW SWNW Sec 28 T

52N R 04W FOR 6 ACRES

The permit(s) will be sub-

ject to all prior water rights.

Protests must be filed with the

Director, Dept. of Water Re-

sources, 4055 Gov't. Way,

Coeur d'Alene, Id. 83814 on or

before JULY 23, 1984.

KEN BUNN, Dir.

Legal 601

July 5, 12, 1984

RECEIVED

JUL 13 1989

Department of Water Resources

July 11, 1989

Mr. Paul Wollenburg
W. 332 Washington St.
Rathdrum, Id. 83858

Re: 95-8449

Dear Mr. Wollenburg:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

February 5, 1991

MARY L. WOLLENBURG
PAUL D. WOLLENBURG
W. 432 WASHINGTON ST.
RATHDRUM, ID 83858

RE: WATER RIGHT NO. 95-08449

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

FEB 07 1991

January 17, 1991

MARY L. WOLLENBURG
PAUL D. WOLLENBURG
W. 432 WASHINGTON ST.
RATHDRUM, ID 83858

RE: WATER RIGHT NO. 95-08449

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

FEB 07 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8449

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee ☒ 04

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked NONE

Theoretical checked NONE

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per $\frac{1}{4}$? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap

Remarks More than one p/d in $\frac{1}{4}$

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device	<u> </u>	Dates/Misc. -	
W.Master control	<u> </u>	Water Dist	<u> </u>
Overlap	<u> </u>	App Rec'd	<u> </u>
Water quality	<u> </u>	Proof Rec'd	<u> </u>
Other	<u> </u>		

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Not filed - send form

Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer J. Curcio Date 12/3/90 Review time 7 min.

MICROFILMED

FEB 17 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08449

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8) method of determination

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

RECEIVED
JUN 27 1990

Department of Water Resources

Signature J King Date 10/23/89

Photographs



↑
PUMP HOUSE IN FOREGROUND
#1 HOME IN BACKGROUND


#1 HOME
FEB 17 1951



↑ #3 HOME

#2 HOME

95-08449



RECEIVED

JUN 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08449

1. Owner: PAUL WOLLENBURG

Phone No. _____

Current Address: W 432 WASHINGTON ST, RATHDRUM, ID. 83858

2. Accompanied by: RENTOR

EXAM. DATE: 10/17/89

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 95-07902

☐ Copies Attached


2. Other water rights with same point of diversion: 95-07902

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

FEB 07 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8" x 300' well with submersible pump & pipeline to Thomas & Frost Bldgs with ~~gas~~ klyne hoses for 1st lawn & garden!

~~For 1st & 2nd~~

~~James & Robert Price Discrees with ^{my} ~~my~~ Kings Hoses~~

8" X 300' WELLS WITH SUBMERSIBLE PUMP & PIPELINE TO

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination

6. Place(s) of Use:

[illegible]

Do not use this space

UNRECORDED

FEB 6 1967

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

3 HOMES DU STATEMENT = 1.04 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

3 HOMES LAWN/GARDEN = 36 AF

MICROFILMED

FEB 07 1991

MICROFILMED

FEB 17 1991

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Field Examiner's Name Tom D. King
Signature [Signature]
Certification Date 10/17/89
Field Report Preparation Date 10/17/89

J. AUTHENTICATION

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

2. Recommended Amendments

Totals:					
Annual Volume V (afa)	Rate of Diversion Q (cfs)	Period of Use From To	Beneficial Use		
3.6	0.04	1-1 12-31	Domestic (3)		

1. Recommended Amounts

I. RECOMMENDATIONS

H. REMARKS AND OVERLAP REVIEW ANALYSIS

95-67902

Not to exceed 0.04 cfs / 3.6 AF when combined w/

Form 238-I
09/89

State of Idaho
Department Of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be attached to the beneficial use field report. If well construction standards do not appear to be met, a copy of this form should be forwarded to Groundwater Protection Section.

Water Right Permit No. 95-08449

1. Legal Description of Well Location:

Twp. 52N N, Rge. 4W Sec. 28, SW $\frac{1}{4}$ NW $\frac{1}{4}$ Gov. Lot _____

2. Owner: PAUL WOLLENBARGER

Address: 432 WASHINGTON, City RATHORUM, State ID. 83858

3. Approximate date of well construction 1984

Well driller: UNK

4. Casing: Diameter 8" Condition Good

5. Casing length above land surface 2'

6. Well depth (ft) 300 Flowing _____ Temperature _____ Access Port _____

7. Condition of piping and valving Good

8. Evidence of well seal no

9. Shut in pressure or static water level ?

10. Evidence of leakage around the casing no

11. Does well need repair no

12.

MICROFILMED

FEB 07 1991

Comments

over

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8449

Date: 6-5-1989

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
✓ Groundwater
NB 1. well log in file - *well over a year old*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

✓ Rate of diversion appropriate for uses
✓ Is rate or volume and fee appropriate?
✓ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested


Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

MICROFILMED

JUL 18 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES


For Office Use Only
Fee Received \$ 00
Receipt #
Received by JR
Reviewed by
Sent to Region By D68-89

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit # 95-08449

Name of Permit Holder : PAUL WOLLENBURG ET U
Post Office Address: W 332 WASHINGTON ST.
RATHDRUM, ID 83858



Telephone No: 687-0548

Source of water: GROUND WATER ☒

Department of Water Resources

Extent of use: Domestic (number of homes) 3 ☒
Stock (number and type of stock) ☒
Irrigation (number of acres)
Other/Remarks

Total Rate and/or volume for which proof is submitted 0.04 cfs/ 0.0 acre-feet
Show the date water was first diverted and beneficially used under this permit:
6/24/84

Measuring Device:	Required ?	Yes	No X	Fee Enclosed \$ 0.00 ☒
	Installed ?	Yes	No X	(See License Examination Fee Sched.)
Flow Measurement Port:	Required ?	Yes	No X	
	Installed ?	Yes	No X	

Person to contact to accompany the Department representative during the field examination:

Name: PERMIT HOLDER Telephone Number

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

May 19, 1989
Date

Paul D. Wollenburg
Signature of permit holder (and title, if appropriate)

MICROFILMED

JUL 18 1989

PAUL D. WOLLENBURG
MARY L. WOLLENBURG
W. 432 WASHINGTON ST.
RATHDRUM, ID 83858

April 30, 1989

138231

PROOF DUE NOTICE

RE: PERMIT NO. 95-08449

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8449
Name(s) of Permit Holder(s): PAUL D. / MARY L. WOLLENBURG
Post Office Address: W 432 WASHINGTON ST.
RATHDRUM, IDAHO 83858 Permit No. 687-0548


- ☒ I hereby certify that construction of diversion works for the above referenced permit began on August 6, 1984 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:
- _____

*Note: A financing difficulty is not an acceptable reason.

Aug. 6, 1984
Date

Paul D. Wollenburg
Signature of Permit Holder

PAUL WOLLENBURG
W432 WASHINGTON ST.
RATHDRUM, ID, 83858



RECEIVED

AUG 9 1984

MICROFILMED
JUL 18 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

July 31, 1984

RE: Permit No. 95-8448

Paul D. &/or Mary L. Wollenburg
W. 432 Washington St.
Rathdrum, ID 83858

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

UNRECORDED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8449

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/23/84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/13/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/23/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: AKA

Date: 7/23/84

STATE OFFICE REVIEW:

L17

516

- ☐ See attached sheet for more information.

By: kw

Date: 7-27-84

RECEIVED
JUL 26 1984

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8449

WOLLENBURG, PAUL D. &/or MARY L.

W. 432 WASHINGTON ST., RATHDRUM, ID 83858

Source: GROUNDWATER

Date Filed: 06/25/1984

Diversion Pt: SWNW Sec 28 T 52N R 04W

Use: IRRIGATION	(0.12 CFS)
DOMESTIC	(0.08 CFS)

In: NWNW SWNW Sec 28 T 52N R 04W FOR 6 ACRES