

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Allen Smith being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular four issue of said newspaper for 2 consecutive weeks commencing on the 5 day of July, 1984, and ending on the 12 day of July, 1984, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 12 day of July, 1984.

RECEIVED

Robert D. Denny
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

JUL 13 1984

LEADER

Department of Water Resources
Northern District Office

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8446

LONG, UDELL &/or LINDA L.

P.O. BOX 875, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/21/1984

Diversion Pt: SWSW SESW Sec 09 T 50N R 03W

Use: IRRIGATION (0.08 CFS); DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W FOR 4 ACRES

95-8447

HARBOR VIEW ESTATES

P.O. BOX 1506, COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER

Date Filed: 06/26/1984

Diversion Pt: NWNW Sec 06 T 49N R 03W

Use: IRRIGATION (0.39 CFS); DOMESTIC (0.39 CFS)

In: NWNW Sec 06 T 49N R 03W NENE Sec 01 T 49N R 04W

SESE SWSE NWSE SENE NESE NENE SWNE Sec 35 T 50N R 04W FOR 125 ACRES

95-8448

LONG, UDELL &/or LINDA L.

P.O. BOX 875, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/21/1984

Diversion Pt: SESW Sec 09 T 50N R 03W

Use: IRRIGATION (0.20 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W FOR 10 ACRES

95-8449

WOLLENBURG, PAUL D. &/or MARY L.

W. 432 WASHINGTON ST. RATHDRUM, ID 83858

Source: GROUNDWATER

Date Filed: 06/25/1984

Diversion Pt: SWNW Sec 28 T 52N R 04W

Use: IRRIGATION (0.12 CFS); DOMESTIC (0.08 CFS)

In: NWNW SWNW Sec 28 T 52N R 04W FOR 6 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before JULY 23, 1984.

KEN DUNN, Dir.

Legal 601

July 5, 12, 1984

BAY

Light

Donavons Point

Casco Bay

COEUR

Tubbs Point Light

D'ALENE
ELEVATION 1125

Mile
0

Kid Island

North Cape

Stevens Point MC

Bay

Kid Island

Spring

Mile
115

Creek

Threemile Point

Cellar Point

Twin Beaches

Swede Point

95-08447

T. 49N, R. 03W, Sec. 6

T. 49N, R. 04W, Sec. 1

T. 50N, R. 04W, Sec. 35

JAN 04 1999


sec. 6
NW 1/4 NW 1/4

Mile
116

MICROFILMED

P.O.D.

Township N°49 North Range



Topographic map showing sections 1, 2, 11, 12, 13, 14, 34, 35, and 37. A blue hatched area is in the top right. A red dashed line runs vertically and horizontally. Handwritten text "49N 4W" is in the center, and "NE" is written vertically. A blue stamp "HARB" is in the bottom right.


<i>Posts</i>	<i>Courses</i>	<i>Ch²Lk²</i>	<i>Posts</i>
--------------	----------------	-------------------------------------	--------------

JAN 04 1999

49 N 4W

95-08447

HARBOR VIEW EST.



The above Map of Township 1N, Range 4W, Idaho, is strictly in accordance with the notes of the survey thereof on file in this Office, which have been approved by the Surveyor General's Office.

Boise City, Idaho.


February 23, 1893.

Will

50N 4W 35

MICROFILMED
JAN 04 1999

95-08447



STATE OF IDAHO
DEPT OF WATER RESOURCES
REPORT SUPPLEMENT
PHOTOGRAPH

POD with 2 pumps
Power service for POD



3" WATER LINE FROM
LAKE

RAW WATER
FROM LAKE TO SAND
Filter Boys.




VIDEO FILMED
JAN 10, 1992



SAND Filter Bays
-only 2 operating
do to Lower Demand
for water @
this time.



4 - SAND Filter
BAYS



WATER LINE #1 that
serves water to
4 Bays. Total of
two (2) LINES.

MICROFILMED
JAN 04 1999

PERMIT # 95-08447

STATE OF IDAHO
DEPT OF WATER RESOURCES
REPORT SUPPLEMENT

PHOTOGRAPHS



2-1 H.P. pumps
w/ Pressure Tank to
serve 2 homes that
are located too close to
Reservoir for adequate
pressure from Gravity system.

1" MAINLINE

GE Motors #1 - #9860191
#2 - #9860191

SAND filter
BAYS



MICROFILMED

JAN 04 1999

95-08447

STATE OF IDAHO
DEPT OF WATER RESOURCES
REPORT SUPPLY
PHOTOGRAPH

PLACE OF USE
120,000 gal. Reservoir

Reservoir & View
2-3 HP Berkeley Reservoir Pump
JAN 04 1999



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT
PHOTOGRAPH



2242E0F45E

MICROFILMED
JAN 04 1999

PERMIT #

95-08447

STATE OF IDAHO
DEPARTMENT OF WATER
AND REPORT SUPPLY
PHOTOGRAPH

FIRE HYDRANTS
WATER SERVICE METER

Place of USE
Place of USE
FILMED
JAN 04 1999



State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 95-08447

Priority: June 26, 1984

Maximum Diversion Rate:

0.39 CFS

Maximum Diversion Volume:

255.6 AF

This is to certify, that HARBOR VIEW ESTATES
PO BOX 1506

COEUR D ALENE ID 83814 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 26, 1984; and has submitted Proof of Beneficial Use on May 13, 1992. An examination indicates that the works have a diversion capacity of 0.390 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.39 CFS	183.0 AF
DOMESTIC	01/01 to 12/31	0.39 CFS	72.6 AF
	Totals	0.39 CFS	255.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5 (NWNW), Sec. 6, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	6	NWNW 3			3
	04W	1	NENE 5	SWNE 1		6
50N	04W	35	SENE 13	NESE 16	NWSE 3	
			SWSE 8	SESE 12		52

Total number of acres irrigated: 61

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
2. Domestic use is for 121 homes and does not include lawn, garden, landscape, or other types of irrigation.
3. The irrigation occurring under this right shall not exceed 1/2 acre within each lot upon which a home is constructed. This right does not provide for irrigation of common areas.

MICROFILMED

JAN 04 1999

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-08447


CONDITIONS OF APPROVAL AND REMARKS

4. Place of use is located within Lots 1-26, 27A, 27B, 28A, 28B, 29A, 29B, 30-63, Blk. 1; Lots 1-7, 8A, 8B, 9A, 9B, 10-47, Blk. 2; Harbor View Estates and Lots 1-8, Blk. 1, Harbor View Estates Phase II.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 31st day of

DECEMBER, 1996

Acting for


KARL J. DREHER Director

MICROFILMED

JAN 04 1999

State of Idaho
Department of Water Resources

RECEIVED

DEC 28 1998

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08447

Date of Priority: June 26, 1984

Maximum Diversion Rate: 0.39 CFS

Maximum Diversion Volume: 259.8 AF

Comes now HARBOR VIEW ESTATES
PO BOX 1506
COEUR D ALENE ID 83814

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-08447, and requests that the permit be changed as follows:

Source: COEUR D ALENE LAKE

tributary to SPOKANE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.39 CFS	*183.0 ~~186.0~~ AF
DOMESTIC	01/01 to 12/31	0.39 CFS	~~73.8~~ AF *72.6
	Totals	0.39 CFS	~~259.8~~ AF *255.6

LOCATION OF POINT(S) OF DIVERSION: Lot 5 (NWNW), Sec. 6, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	6	NWNW 43*			43*
	04W	1	NENE 5	SWNE 1		6
50N	04W	35	SENE 13	NESE 16	NWSE 3	
			SWSE 8	SESE 12		52

Total number of acres irrigated: ~~62~~ 61*

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Coeur d'Alene, Idaho, this 20th day of December, 1998.

MICROFILMED

* Charges approved per telecon 12/29/98

JAN 04 1999

[Signature] sect.
(signature) Harbor View Estates
Inc. as Idaho corp.

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08447

FOR DEPARTMENT USE ONLY

Preliminary check by SVK Fee = 50.00 Receipted by HW # 0044210 Date 12/28/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08447 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
2. Domestic use is for 121 homes and does not include lawn, garden, landscape, or other types of irrigation.
3. The irrigation occurring under this right shall not exceed 1/2 acre within each lot upon which a home is constructed. This right does not provide for irrigation of common areas.
4. Place of use is located within Lots 1-26, 27A, 27B, 28A, 28B, 29A, 29B, 30-63, Blk. 1; Lots 1-7, 8A, 8B, 9A, 9B, 10-47, Blk. 2; Harbor View Estates and Lots 1-8, Blk. 1, Harbor View Estates Phase II.

Witness my hand this 31st day of December, 1998.


Acting for **KARL J. DREHER, Director**

MICROFILMED
JAN 04 1999

RECEIVED
MAY 13 1992

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 5-13-92
Receipt No. 1029131
Receipt by ulh

Department of Water Resources
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08447 Telephone No. 765-3815
2. Name(s) of Permit Holder(s): Harbor View Estates
3. Mailing Address: PO Box 1506 Coeur d'Alene, ID 83814
4. Source of Water: Groundwater Coeur d'Alene Lake
If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 125 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 124 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.20 cfs OR _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

OR
Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)
9. Person to contact to accompany the Department representative during field examination of the water system.

Gale H. Nichols

Name

Telephone No.

1119 Ironwood Parkway Coeur d'Alene ID 83814

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-8-92
Date

Sherman M. Zarnar Pres.
Signature (and title, if on behalf of a company or organization)

MAILED
MAY 22 1992

RECEIVED
JUN 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by K. Young
Date 6/29/89
Receipt # CM 7916

REQUEST FOR EXTENSION OF TIME

Department of Water Resources To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-08447

Name(s) of Permit Holder: HARBOR VIEW Estates, Inc.

Post Office Address: P. O. Box 1506, Coeur d' Alene, Idaho 83814

Telephone No. 208-667-2518

Date Proof Is Due: July 1, 1989

Describe what work has been completed toward the development of this water right: 80% of all waterlines have
(This must be filled out! If no work has been completed, show "none".)

been constructed in order to service 80 of the 125 anticipated residences. Three homes have
been constructed and are presently deriving water from the temporary water system. A pilot
facility for a slow sand filter system has been constructed and is being evaluated for
permanent use.

Costing \$ 75,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The original approved system was a filtered chlorine treatment system approved by the
Department of Health and Welfare. Since original approval, the Department has requested
that we upgrade the system to a sand filtration system if possible. This has required the
construction of a pilot facility to determine the feasibility for installation on this
particular site. The installation of the remainder of the waterlines has been delayed
pending the completion of the pilot sand filtration system.

Permit holder(s) request an extension to July 1, 1992.
(1 yr. minimum)

FEE: \$15.00

R. Walser
LEMPESIS, KROEGER, P.A.
Corporate Attorneys for
HARBOR VIEW ESTATES, INC.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MICROFILMED

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to July 1, 1992.

Signed this 14th day of August, 19 89.

Z. Glen Saylor
Chief, Water Allocations Bureau

APPROVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
JUN 23 1984

To appropriate the public waters of the State of Idaho

Department of Water Resources
Northern District Office

1. Name of applicant Harbor View Estates Phone 667-2518

Post office address P.O. Box 1506 Coeur d'Alene, Id. 83814 Spokane River*

2. Source of water supply Lake Coeur d'Alene which is a tributary of "N/A"

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 6 Township 49N

Range 3W B.M. Kootenai County, additional points of diversion if any:

N/A

4. Water will be used for the following purposes:

Amount .39 cfs for Irrigation purposes from Mar. 15 to Nov. 15 - Telcon. J. DeSmet 6/29/84
(cfs or acre-feet per annum) Jan. 1 to Dec. 31 (both dates inclusive) pms

Amount .39 cfs for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .39 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6 inch submerged suction line in
the lake. Water to be pumped to storage steel reservoir at higher elevation.

b. Height of storage dam 16 feet, active reservoir capacity .15 acre-feet; total reservoir
capacity .2 acre-feet, materials used in storage dam: steel

Period of year when water will be diverted to storage all year long to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is N/A inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township

Range B.M. Same as 8.b.

(2) Amount of power to be generated: N/A horsepower under feet of head.

(3) List number of each kind of livestock to be watered none

(4) Name of municipality to be served Harbor View Estates, or number of families to be
supplied with domestic water 125.

(5) If water is to be used for other purposes describe: Lawn irrigation

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
49N*	3W*	6					45												45*
49N*	4W*	1	6																6*
50N*	4W*	35															15		15*
50N*	4W*	35														8			8*
50N*	4W*	35													7				7*
50N*	4W*	35				13							11.5						24.5*
50N*	4W*	35																	17*
50N*	4W*	35				2													2*

*Kw 7/27/84

Total number of acres to be irrigated 124.5*

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Harbor View Estates, Inc.

b. Who owns the land to be irrigated or place of use Same as Above

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing Sherman M. Farrar is president of Harbor View Estates, Inc.

10. Remarks

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. The lines are evenly spaced and extend across the entire page, leaving no margins or additional markings.

S. M. Danar Pres
(Applicant)

Received by Mr. [Signature] Date 6/25/84 Time 9:35 AM (approx)
Priority 6/26/84 Mr. [Signature]
9:48 AM (see rec.)

Fee \$ 45.00

Date 6/26/24 (31575)

Date 6/28/84

1/2000 d. 10/10/10

$$7/5 + 12/87$$

Date 7/13/84

1850

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for ~~approval~~ denial by ~~SA~~ km

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 95-8447, and said application is hereby APPROVED

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

fore July 1, 1989.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 30 day of July, 1984.

Diana R. Tuttle
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Allen Smith being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular True issue of said newspaper for 2 consecutive weeks commencing on the 5 day of July, 1984, and ending on the 12 day of July, 1984, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 12 day of July, 1984.

R

Allen Smith
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

JUL 13 1984

LEADER

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-0446

LONG, UDELL &/or LINDA L.

P.O. BOX 875, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/21/1984

Diversion Pt: SWSW SESW

Sec 09 T 50N R 03W

Use: IRRIGATION (0.08

CFS); DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W

FOR 4 ACRES

95-0447

HARBOR VIEW ESTATES

P.O. BOX 1506, COEUR

D'ALENE, ID 83814

Source: COEUR D'ALENE

LAKE trib. to SPOKANE

RIVER

Date Filed: 06/22/1984

Diversion Pt: NWNW Sec 06

T 49N R 03W

Use: IRRIGATION (0.39

CFS); DOMESTIC (0.20 CFS)

In: NWNW Sec 06 T 49N R 03W

NENE Sec 01 T 49N R 04W

SESE SWSE NWSE SENE

NESE NENE SWNE Sec 35 T

50N R 04W FOR 135 ACRES

95-0448

LONG, UDELL &/or LINDA L.

P.O. BOX 875, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/21/1984

Diversion Pt: SESW Sec 09 T

50N R 03W

Use: IRRIGATION (0.20

CFS); STOCKWATER (0.02

CFS); DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W

FOR 10 ACRES

95-0449

WOLLENBURG, PAUL D.

&/or MARY L.

W. 422 WASHINGTON ST.

RATHDRUM, ID 83836

Source: GROUNDWATER

Date Filed: 06/26/1984

Diversion Pt: SWNW Sec 28 T

52N R 01W

Use: IRRIGATION (0.12

CFS); DOMESTIC (0.08 CFS)

In: NWNW SWNW Sec 28 T

52N R 01W FOR 6 ACRES

The permit(s) will be subject to all prior water rights.

Protests must be filed with the

Director, Dept. of Water Resources,

605 Gov't. Way,

Coeur d'Alene, Id. 83814 on or

before JULY 23, 1984.

KEN DUNN, Dir.

Legal 601

July 5, 12, 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER ANALYSIS SHEET

71095

INITIAL REVIEW BY: AB

1. Right number 95-8447 Applicant HARBOR VIEW ESTATES WATER + SEWER DISTRICT.

2. Type of right: ☐ Decree ☐ License ☐ Claim

3. Purpose of transfer: ☐ Change point of diversion ☐ Add diversion point(s) ☒ Change place of use
☐ Other NATURE OF USE

4. Check:

a. ☒ Source ☒ Priority ☒ Amount ☒ Purpose ☒ Period of use

b. ☒ Description of original point of diversion.

c. ☒ Description of original place of use.

5. Amount of land &/or water transferred:

a. ☒ All of right.

b. ☒ Part of right (NOTE! Part B should be filled in only if part of the right is owned by the applicant).

c. ☒ Check description of point(s) of diversion.

d. ☒ Check description of place of use.

e. ☒ Check map (shows p.d. and p.u. after transfer).

f. ☒ Check for correct signature, notarization, and fee.

g. ☒ Check proof of ownership of right &/or land from which water is transferred.

h. ☐ Check for expansion in use of right. Comments _____

i. ☐ Check for existing water rights from same source, on land water is being transferred to.

Right number(s) _____

j. ☐ Is use within a Watermaster District? ☐ Yes ☐ No

If yes, what district? _____

FINAL PROCESSING REVIEW BY: _____

1. Watermaster recommendation requested on _____ Received on _____

2. Is transfer published correctly? ☒ Yes ☐ No

3. Protest received? ☐ Yes ☒ No

RECOMMENDED ACTION

1. ☒ Approve

2. ☐ Deny

3. Conditions* _____

4. By pent Date 5/25/04

RECEIVED

JUN 01 2004

DEPARTMENT OF
WATER RESOURCES

Pub in C&A Press
5/6 + 13/04
Last date for protest
5/24/04

Receipt Details for ID N016101

Status	Adjustment Type	Version
		1

General Information:

Date Received	Date Deposited	Region	Total Amount	Payment Type
2/27/2004 9:51:11 AM	2/27/2004 2:26:49 PM	NORTHERN	\$250.00	Check
Payer		HARBOR VIEW ESTATES WATER & SEWER DISTRICT		

Account Information:

Check #	Account #	Credit Card Name	Authorization #
1017			
Card Expiration Date	Credit Card Transaction #		

Comment Transfer of WR 95-8447

Fee Detail:

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
\$250.00	TRANSFERS	65105	0229	21		1155

Refund(s):

Amount	Payee	Date	Document Number
--------	-------	------	-----------------

*Copy for
info only*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 31, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HARBOR VIEW ESTATES
PO BOX 1506
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08447

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

1999 04 14

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 31st day of December, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 95-08447

HARBOR VIEW ESTATES
PO BOX 1506
COEUR D ALENE ID 83814


Kari Lynn Townsend
Secretary

MICROFILMED

JAN 04 1999

DODSON & RAEON LAW OFFICES

ASSOCIATES IN THE PRACTICE OF LAW
EASTLAKE PROFESSIONAL SUITES
1424 SHERMAN AVENUE, SUITE 300
COEUR D'ALENE ID 83814

RECEIVED

DEC 28 1998

Department of Water Resources

CHARLES M. DODSON
TELEPHONE (208) 664-1577
FACSIMILE (208) 666-9211

JAMES A. RAEON
TELEPHONE (208) 765-5875
FACSIMILE (208) 666-9211

December 23, 1998


State of Idaho
Department of Water Resources
ATTN: Shelley W. Keen
P.O. Box 83720
Boise ID 83720-0098

Dear Ms. Keen:

Enclosed herein please find the application for amendment of Harbor View Estates, Inc., an Idaho Corporation, for amendment to water right No. 95-08447, together with a check in the amount of \$50.00. Please cause the appropriate processing to take place and forward any and all other materials regarding the same (receipt or otherwise) to Harbor View Estates, Inc., P.O. Box 1506, Coeur d'Alene, Idaho 83816-1506.

Thank you for your consideration in this matter, and the consideration of your local Coeur d'Alene Office in coordinating and explaining the ramifications of this amendment.

Sincerely,



Charles M. Dodson
Attorney at Law

CMD/mab
Enclosure
cc: Harbor View Estates

MICROFILMED
JAN 04 1999

MEMORANDUM

TO: File 95-08447

FROM: Sharla

DATE: December 29, 1998

RE: Licensing Recommendation Adjustments

On this date, I spoke with Chris Kreighbaum (Secretary of Harbor View Estates) and told him about the adjustments to the use volumes, number of acres and number of homes that were made after my discussion with Chuck Nikula. I told Chris I wanted him to know why the license would be slightly different from the amendment he'd sent in.

Chris agreed with the changes. The license can be issued without re-sending another amendment for signature.

MICROFILMED

JAN 04 1999

MEMORANDUM

TO: File 95-08447

FROM: Sharla

DATE: December 17, 1998

RE: Telecon

On this date, Chuck Nikula called me in response to earlier correspondence asking for information on the number of lots/homes served by the system under this right. He informed me that Lots 1-3 under Harbor View Estates Phase II were re-apportioned by the owners into only two lots with a home on each. Lot 5 and 6 of the same block are a single ownership with one home. Thus the total number of homes in the development is 121. There are a total of seven homes in two subdivisions outside the boundaries of Harbor View that also receive their water from this system, but the planned development for those areas will include a total of more than 40 homes. That development will require another water right filing.

Finally, Mr. Nikula told me that we'd never get a response by sending the mail to Box 1506. It was only by chance that he was given my letters from the developer. He requested that the amendment request be sent to Box 1513, which is the box for the water users association. He said they'd be sure to take care of submitting the amendment.

MICROFILMED
JAN 04 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 10, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HARBOR VIEW ESTATES
PO BOX 1506
COEUR D ALENE ID 83814

Box 1513

RE: WATER RIGHT NO. 95-08447

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

JAN 04 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 24, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HARBOR VIEW ESTATES
PO BOX 1506
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08447

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that your place(s) of use is in a location other than what was described on your permit. Therefore, before a license can be issued, the permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

JAN 04 1999

WR0749NP
No. L95-08447

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/24/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	HARBOR VIEW ESTATES PO BOX 1506 COEUR D ALENE ID 83814	06/26/1984	IRRIGATION DOMESTIC	03/15 11/15 01/01 12/31	0.390 CFS 0.390 CFS	186.00 AFA 73.80 AFA
TOTAL DIVERSION:					0.390 CFS	259.80 AFA

Water Source: COEUR D ALENE LAKE

Tributary to: SPOKANE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.390 CFS

Point(s) of Diversion: T49N R03W S06 Lot 05(NWNW)

KOOTENAI County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
				MENE	MWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
49N	03W	6	:					:		04			:					:							:	4.0
49N	04W	1	:	05			01	:					:					:							:	6.0
50N	04W	35	:				13	:					:					:	16	03	08	12			:	52.0
																							TOTAL ACRES		62.0	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
95-04728 95-08447

Other Water Rights Listing Overlapping Place(s) of use:
95-08447

Conditions of Approval:

- R62 - This right when combined with all other rights shall provide no
- more than 0.02 cfs per acre nor more than 3.0 afa per acre at the
- field headgate for irrigation of the lands above.

Remarks: GEN Domestic use is for 123 homes and does not include lawn, garden,
landscape, or other types of irrigation.
The irrigation occurring under this right shall not exceed
1/2 acre within each lot upon which a home is constructed. This
right does not provide for irrigation of common areas.
Place of use is located within Lots 1-26, 27A, 27B, 28A, 28B,
29A, 29B, 30-63, Blk. 1; Lots 1-7, 8A, 8B, 9A, 9B, 10-47, Blk. 2;
Harbor View Estates and Lots 1-8, Blk. 1, Harbor View Estates
Phase II.

WR0749NP
No. L95-08447

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/24/98
PAGE: 2

=====
Dates: App. Received: 06/26/1984 Priority Date: 06/26/1984
Proof Due Date: 07/01/1992 Proof Made Date: 05/13/1992
Exam Made Date: 01/23/1998 Exam Sent to S.O.: 01/23/1998
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 05/13/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 04/22/98 SCURTIS 04/28/98 SCURTIS 06/12/98 SCURTIS 11/24/98 SCURTIS

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM	
		NE		NW		SW		SE		NE		NW		SW		SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L9508447	T49N R03W S 6 COEUR D ALENE LAKE																		
	:							04										4	
NO MATCHES FOR THIS POU IN AJ-POU																			
9504328	COEUR D AL : 01-01																	1	
9504347	COEUR D AL : 01-01																	1	
9507510	COEUR D AL :																04-02	2	
9508447	COEUR D AL :							45										45	
NO MAPPING INFO AVAILABLE																			
L9508447	T49N R04W S 1 COEUR D ALENE LAKE																		
	:		05		01													6	
NO MATCHES FOR THIS POU IN AJ-POU																			
9504293	COEUR D AL :												05					5	
9508447	COEUR D AL : 06																	6	
NO MAPPING INFO AVAILABLE																			
L9508447	T50N R04W S35 COEUR D ALENE LAKE																		
	:					13										16	03	08	12 : 52
NO MATCHES FOR THIS POU IN AJ-POU																			
9504608	SPRING :													05				5	
9508194	COEUR D AL :									03-01								1	
9508447	COEUR D AL : 17				02	13										12	07	08	15 : 74
9508625	COEUR D AL :									03-01								1	
NO MAPPING INFO AVAILABLE																			

MEMORANDUM

TO: File 95-08447

FROM: Sharla

DATE: November 25, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 95-08447 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of use:

T49N, R3W, S6 - NWNW (4 acres)

R4W, S1 - NENE (5 acres), SWNE (1 acre)

R5W, S35 - SENE (13 acres), NESE (16 acres), NWSE (3 acres).

SWSE (8 acres), SESE (12 acres)

TOTAL = 62 acres

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.39 cfs	186.0 afa
Domestic	1/1 - 12/31	0.39 cfs	73.8 afa
	TOTALS	0.39 cfs	259.8 afa

The acres were calculated by allowing ½ acre/lot for irrigation, rounding the number of acres per ¼ to the nearest whole number. The ¼ descriptions themselves were determined from the as-built plat maps provided by the county clerk's office. The volume has been calculated accordingly.

The standard volume for irrigation use in this area is 3.0 af/acre.

Examiner: Herman Spangle

Exam Date: September 2, 1997

MICROFILMED
JAN 04 1998

Analysis of System Capacity for Subdivisions

Operator: S. Curtis

Date: 4/28/98

Right No.: 95-08447

Existing or Proposed System

Storage capacity in gallons	120000 gal	
Pump horsepower	30 hp	
Dynamic lift	540 ft	
Pump discharge pressure	50 psi	
Theoretical pumping capacity	0.28 cfs	126.5 gpm
Measured pumping capacity	0.39 cfs	175. gpm

Requirements

Number of homes	125 homes
Gallons per day per home	1000 gal
Area irrigated	62.5 acres
Peak demand period	60 min

Calculations

Peak instantaneous demand	1.92 cfs	863.7 gpm
Suggested pump capacity	0.58 cfs	259.1 gpm
Peak demand volume	85481 gal	
Max potential daily diversion vol.	252046 gal	
Total daily volume required	192320 gal	0.59 af
Time required to pump daily vol.	18.3 hr	1099 min
Time required to refill storage	8.1 hr	488 min

Key Questions

Does existing storage capacity exceed peak demand volume?	Yes
Does existing pumping capacity meet or exceed the suggested pumping capacity?	No
Can the system produce the required daily volume in under 24 hours?	Yes

Notes:

other pumps take water from pond filter to reservoir
main pump goes into filter bays

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08447 DATE 4/22/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (Para P39 - gov P40/P47) ☐ Add (P45/P42)

W32 (multiple in 1/4/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE Chg ☐ Change (P41 - gov P43/P47) ☒ Add (P41/P42)

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

RATE OF DIV

Permitted Rate .39 cfs
 Fee limit .20 cfs \$50.00 (add'l fee req'd)
 Measured .39 cfs engineer test
 Theoretical .28 cfs

Recommended Total Div Rate .39 cfs

WATER USES	<u>OK</u>	<u>68.5</u> cfs	<u>195.9</u> af	<u>187.2</u> af	overlap (R58-R61, R62-R65, R66-R69)
<u>Irr.</u>	<u>.39</u>	<u>68.5</u> cfs	<u>3.0</u> af	<u>187.2</u> af	supp. gw (WB7/065/079)
<u>Dom.</u>	<u>.39</u>	<u>123.6</u> cfs	<u>123.6</u> af	<u>73.8</u> af	overlap spec. combined rts (W35)
_____	_____	_____ cfs	_____ af	_____ af	<1acre (W31)
_____	_____	_____ cfs	_____ af	_____ af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.39</u>	<u>39</u> cfs	<u>268.8</u> af	<u>268.8</u> af	Power (W42 or W43/025/027/R22 or R23)
					Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .39 cfs X 365 days X 1.98 = 281.9 af

REMARKS Spec on WBS (123)

ADD'L CONDITIONS ☐ Watermaster Control WD# _____
☐ GW Measurement/Measuring Device
☐ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☐ yes ☒ no SRBA Claim NA Adjust Memo val/ac.
 Amend letters P41 P38
P42



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 26, 1998

Harbor View Estates
C/O Chuck Nikula
PO Box 1506
Coeur d'Alene ID 83814

Re: Permit No. 95-08447

Dear Mr Nikula:

On July 17, 1998 I sent correspondence to you regarding the above referenced permit. At that time I requested that you respond with information concerning the number and location of homes served by your water system so that a final license can be issued.

As I mentioned in my July letter, the department's examiner stated that there were 122 homes within the subdivision boundaries and 3 homes outside the boundaries of Harbor View Estates that are served under this water delivery system. I again ask for clarification as to the total number of homes and their placement inside or outside of the subdivision boundaries and whether or not there are any cases where two or more lots are singly owned with a single home on them.

The map attached to the exam shows 123 homes, and the license will be issued accordingly if I do not receive clarification from you regarding this matter **by November 12, 1998.**

If you have any questions, you may call me direct at (208)327-5452.

Sincerely,

Sharla Curtis
Water Resource Agent

SC/rl

MICROFILMED

JAN 04 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 17, 1998

Harbor View Estates
c/o Chuck Nikula
PO Box 1506
Coeur d'Alene, ID 83814

RE: Permit No. 95-08447

Dear Mr. Nikula:

We are in the process of reviewing the above referenced permit for licensing. I am enclosing a copy of the as-built subdivision plat map and have highlighted all of the lots as a means of counting the domestic units. As you can see, the total comes out to be 123 homes.

The department's examiner, however, stated that there were 122 homes within the subdivision and 3 homes outside the boundaries of the Harbor View Estates that are served under this water delivery system.

Can you please clarify for me the total number of homes served and indicate on the map the location of the homes, if any, outside the boundaries. If there are any cases where two or more lots are singly owned and have a single home on them, please flag those as well. After I receive your response, we can continue with our review for the purpose of issuing a final license on the right.

Thank you for your assistance. If you have any questions, please call me at (208)327-5452.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

Sharla Curtis
Water Resource Agent

Enclosure

MICROFILMED

JAN 04 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

**KARL J. DREHER
DIRECTOR**

May 22, 1998

Kootenai County Clerk

Dear County Clerk:

Could you please send me copies of the "as-built" plat maps for the following subdivisions:

Harbor View Estates
Syringa Heights

An 8½ X 11 version would be most helpful, but whatever you can give us is fine. Thank you for your help in this matter. If you are unable to fill this request, please let me know so that I can pursue another avenue.

Sincerely,

Sharla Curtis
Water Resource Agent

MICROFILMED

JAN 04 1999

RECEIVED

JAN 27 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No.

95-08447

1. Owner: HARBOR VIEW ESTATES

Phone No. (208)-765-3815

Current Address: P.O. Box 1506 COEUR D'ALENE, ID. 83814

2. Accompanied by: CHUCK NIKULA

EXAM DATE: 9-2-97

Address: SAME AS ABOVE

Phone No. (208)-765-5523

Relationship to Permit Holder: _____

3. Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE -

2. Other water rights with the same point of diversion: NONE -

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
<u>RD #1</u>	<u>#5</u>	<u>NW</u>	<u>NW</u>	<u>NW</u>	<u>06</u>	<u>49N</u>	<u>03W</u>	<u>Kootenai</u>	<u>US. G.S. 7.5' QUAD; site Vis. +</u>

2. Place(s) of Use:

Indicate Method of Determination USGS 7.5' QUAD

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>49N</u>	<u>03W</u>	<u>06</u>						<u>D</u>											<u>Domestic</u>
<u>49N</u>	<u>03W</u>	<u>06</u>						<u>2.5</u>											<u>2.5</u>
<u>49N</u>	<u>04W</u>	<u>01</u>	<u>D</u>	<u>D</u>			<u>D</u>												<u>Domestic</u>
<u>49N</u>	<u>04W</u>	<u>01</u>	<u>5</u>	<u>5</u>			<u>5</u>												<u>15.0</u>
<u>50N</u>	<u>04W</u>	<u>35</u>	<u>D</u>	<u>D</u>	<u>D</u>	<u>D</u>							<u>D</u>	<u>D</u>	<u>D</u>	<u>D</u>	<u>D</u>	<u>D</u>	<u>Domestic</u>
<u>50N</u>	<u>04W</u>	<u>35</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>							<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>45.0</u>
								<u>MICROFILMED</u>											

JAN 27 1998

Total 62.5
Domestic

NOV 04 1998

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Engineering Firm Measurement of Volume in Pond Filter						


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PD #1	Submersible	150		GRUNDFOS	6" 1.6" line
	Submersible	150		GRUNDFOS	6" 1.6" line with 3 pumps

4.

Scale: 1" = _____
X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
X Aerial Photo Attached (required for irrigation of 10+ acres)
X Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

2-15 HP Submersible pumps pump water to 4 Bays
that are used as sand filtering system. After
water has been treated water is pumped to a 120,000
gallon Reservoir for gravity fed system.

122 Homes with $\frac{1}{2}$ acre of Lawn and Landscape
is within the Harbor View Estates Subdivision.

3 Homes are outside the Boundary of Harbor View
Estates. A total of 125 Homes are on the system.

* 2- 3HP Magtek Century Electric pumps pump water
from the sand filters to the Reservoir.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JAN 04 1993

F. FLOW CALCULATIONS

Measured Method:

* Additional Computation Sheets Attached

* See Run: year's Volume
Measurement is for the entire
Calculation.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (62.5)(3.5) = 218.75$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.39)(245)(1.9835) = 189.5$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 189.5 \text{ ACRES FT.}$$

2. Volume Calculations for Other Uses:

$$125 \text{ Acres @ } 0.6 = 75.0 \text{ ACRES FT.}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRIGATION
DOMESTIC

Period of Use

From 3-15
To 11-15
12-31

Rate of Diversion

Q (cfs)
.39
.39

Annual Volume

V (ata)
189.5
75.0

Totals:

.39

264.5

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Thermon Sparks
Date *Dec. 2, 1997*

Reviewer

Date

SEAL

MICRO FILMED
JAN 14 1998

BAY

Light

Donavons Point

Casco Bay

COEUR

Tubbs Point Light

D'ALENE
ELEVATION 125

Mile 0

Kid Island

North Cape

Stevens Point MC

LAKA

Mile 115

ROAD

Sec. 6
NW 1/4 NW 1/4

JAN 04 1958

Cellar Point

Twin Beaches

Swede Point

Bay

Creek

HILL

Spring 2

Spring

95-08447

T. 49N, R. D3W, Sec. 6

T. 49N, R. 04W, Sec. 1

T. 50N, R. 04W, Sec. 35

Township N° 49 North Rail



49N


300

6

95-08447

HARBOR VIEW EST.

Boise Meridian




Meanders of
Posts Courses Chalk Posts

49 N 4 W
T E
A K E

MICROFILMED
JAN 0 4 1989

95-08447
HARBOR VIEW EST.



The above Map of Township 135N, Range 130W, Meridian T4220 is a true and correct copy of the survey thereof on file in this Office, which have been

Surveyor General's Office,
Boise City, Idaho.
February 23, 1893.

Will

MICROFILMED

JAN 04 1989

50N 4W 35

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08447
DATE: 11-SEP-97
COMPLETE BY: HERM

HORSEPOWER = 15

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 540 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.14 CFS X 2

MICROFILMED

JAN 8 4 1999


93-07447

Coeur d'Alene
LAKE

STATE OF IDAHO
DEPT OF WATER RESOURCES
REPORT SUPPLEMENT
PHOTOGRAPH

2 PUMPS
← INTAKE
LINE

ROAD WITH 2 PUMPS
PUMP SERVICE FOR ROAD




3 1/2" WATER LINE FROM
LAKE






SAND FILTER BAYS
- only 2 operating
do to lower demand
for water @
this time.



4 - SAND FILTER
BAYS



WATER LINE #1 that
SERVES water to
4 BAYS. Total of
two (2) LINES.

MICROFILMED
JAN 04 1999

PERMIT 95-08447

STATE OF IDAHO
DEPT OF WATER RESOURCES
REPORT SUPPLEMENT

PHOTOGRAPHS

2-1 H.P. pumps

w/ PRESSURE TANK & C


serve 2 homes that
are located too close to
Reservoir for adequate
pressure from Gravity system.

1" MAINLINE

GE. Motors #1 - 9860191

#2 - 9860191

SAND FILTER
BAYS



MICROFILMED

JAN 04 1999

95-08447

STATE OF IDAHO
DEPT OF WATER RESOURCES
REPORT SUPPLY
PHOTOGRAPH

PLACE OF USE
120,000 gal. #5-1

Reservoir & View (B)
2-3 H.P. BERKELEY RESERVOIR



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT
PHOTOGRAPH

PLACE OF USE



STATE OF IDAHO
DEPARTMENT OF WATER
AND REPORT
PHOTOGRAPH



FIRE HYDRANTS
WATER SERVICE METER BOX



PLACE OF USE
PLACE OF USE



RUEN-YEAGER & ASSOCIATES, INC.

CONSULTING ENGINEERS AND LAND SURVEYORS

July 7, 1997

Mr. Herman L. Spangle
State of Idaho
Department of Water Resources
Northern Region
1910 Northwest Blvd. Suite #210
Coeur d'Alene, ID 83814-2615

RECEIVED
JUL 09 1997
NORTHERN REGION
IDWR

Re: Harbor View Estates

Dear Mr. Spangle:

As requested in your letter of June 26, 1997, please find enclosed the water distribution record plan for the above referenced development.

If you have any questions in regards to the above, please feel free to contact me.

Yours Truly,
RUEN-YEAGER & ASSOCIATES, INC.



Bruce M. Grachal, P.E.

BMG:jb
cc: Charles Dodson
Harbor View Estates
241G

MICROFILMED

JAN 04 1999

dwrhve.ltr

June 26, 1997

Ruen Yeager & Associates Inc.
C/O Bruce Grachal
E. 5685 Seltice Way
Post Falls, ID. 83854

RE: Harborview Estates

Dear Mr. Grachal,


Our office is in the process of scheduling a beneficial use exam on the Harborview Estates water right permit from Coeur d'Alene Lake.

In order to conduct the exam a copy of the design "As-Builts" are needed. I am requesting a complete copy of the water distribution plans for our files.

If you have any questions, please call the Northern Regional Office at (208)-769-1450.

I appreciate your time in this matter.

Sincerely,



Herman L. Spangle

MICROFILMED

JAN 04 1999

May 15, 1992

HARBOR VIEW EST.
P.O. BOX 1506
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08447

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
MAY 22 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08447

Reviewed by Klg

Date 5/13/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irrigate - 124
domestic 125
Correct Uses? yes

SOURCE OF WATER

☒ Surface water source
☐ Ground water source

NA Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☒ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof accepted

DATA ENTRY

New Address _____

Proof Made 5/13/92
5/15/92 Klg

April 30, 1992

HARBOR VIEW EST.
P.O. BOX 1506
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08447

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 22 1992



August 16, 1989

Harbor View Estates, Inc.
P. O. Box 1506
Coeur d'Alene, ID 83814

Gentlemen:

RE: Permit No. 95-8447

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to July 1, 1992.

The department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

SEP 25 1989

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 95-8447Reviewed by NJDate 8-8-89

BASIC INFORMATION

Y Date stamp received
Y Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
Y Fee received and receipted
Y Name and signature same as permit
N Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN - *Recommend approval based on due diligence for 3 years*

Special conditions or remarks:

N/A Reinstate Date extension received _____ = _____
Proof due date _____ = _____
No. of days late _____ = _____
Priority date _____ = + _____
ADJUSTED PRIORITY DATE _____ = _____

_____ Prepare coding sheet
_____ Change rolodex card

Lempesis, Kroeger, P.A.
attorneys at law

Charles B. Lempesis
Paul R. Kroeger
James W. Atwood
R.D. Watson

RECEIVED
JUN 28 1989

Department of Water Resources

June 26, 1989

Rita Fleck
Secretary/Records Manager
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

RE: Permit No. 95-08447

Dear Ms. Fleck:

Thank you so much for your assistance during our telephone conversation last week. Enclosed is the appropriate request for extension which I have prepared. If for any reason you see any deficiency in this request, please notify me immediately. The delay to Harbor View Estates has been largely occasioned by their desire to upgrade their system at the request of the appropriate regulatory agency. I trust that they won't be penalized for that effort.

Thank you once again for your assistance.

Very Truly Yours,

R. Watson

CHARLES B. LEMPESIS

CBL/cp
enclosure

MINUTEMAN

SEP 25 1989

(208) 773-3561 Post Office Box 218 • Idaho Business Center • 401 East Seltice Way • Post Falls, Idaho 83854

HARBOR VIEW EST.
P.O. BOX 1506
COEUR D ALENE, ID 83814

April 30, 1989

138229

PROOF DUE NOTICE

RE: PERMIT NO. 95-08447

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 25 1989

July 31, 1984

RE: Permit No. 95-8447

Harbor View Estates
Box 1506
Coeur d'Alene, ID 83814

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RWH

APPLICATION NUMBER: 95-8447

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: ms Date: 6/28/84

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. 7/23/84
Final date for protests: 7/23/84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/13/84
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/26/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RWH Date: 7/23/84

STATE OFFICE REVIEW:

L17 26 04

- ☐ See attached sheet for more information.

By: KW Date: 7-27-84

RECEIVED
JUL 26 1984

95-8442

HARBOR VIEW ESTATES

P.O. BOX 1506, COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER

Date Filed: 06/26/1984

Diversion Pt: NWNW Sec 06 T 49N R 03W

Use: IRRIGATION	(0.39 CFS)
DOMESTIC	(0.39 CFS)

In: NWNW Sec 06 T 49N R 03W NENE Sec 01 T 49N R 04W SESE SWSE NWSE SENE NESE
NENE SWNE Sec 35 T 50N R 04W FOR 125 ACRES

UNRECORDED



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

STANLEY F. HAMILTON
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
JIM JONES
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT OF PUBLIC INSTRUCTION

July 5, 1984

Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

RE: 95-8447
Harbor View Estates

Gentlemen:

Thank you for the opportunity to review the above numbered diversion application.

The applicant will be required to make application for a temporary permit and an encroachment permit from the Department of Lands. The applicant has been advised.

Very truly yours,

MARVIN G. VANDENBERG, Chief
Bureau of Navigable Waters

MGV:by

cc: Navigable Waters-CdA

RECEIVED

JUL 9 1984

Department of Water Resources
Northern District Office

RECEIVED

EQUAL OPPORTUNITY EMPLOYER



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

Date: 6/28/84

Dept. of Lands
Statehouse
Boise, Id. 83720

Re: No. 95-8447

Gentlemen:

Enclosed is a recent filing with this Department that may be
of interest to you.

Sincerely,

15/
ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Appln.

MAILED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

Date: 6/28/84

Divn. of Environment
2110 Ironwood Parkway
Coeur d'Alene, Id. 83814

Re: No. 95-8447

Gentlemen:

Enclosed is a recent filing with this Department that may be
of interest to you.

Sincerely,

10/
ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Appln.

RECEIVED

V. David Webb Associates, Inc.

ENGINEERING
P. O. BOX 934 SANDPOINT, IDAHO 83864

SANDPOINT OFFICE

DOVER HIGHWAY
P.O. Box 934
SANDPOINT, IDAHO 83864
Ph. (208)263-6581

COEUR D'ALENE OFFICE

LIBERTY BUILDING
118 North Seventh St.
COEUR D'ALENE, IDAHO 83814
Ph. (208)664-9382

Bob Haynes
Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, Id 83814


June 25, 1984

Dear Bob:

Here is the final application for Harbor View Estates. Also included is the record of survey for same subdivision. I have used a red pencil to locate the proposed intake line.

If you have any questions, please give me a call. Thank you for your help and consideration.

Sincerely,



Jim De Smet

RECEIVED

JUN 25 1984

Department of Water Resources
Northern District Office

RECEIVED

V. David Welch Associates, Inc.

ENGINEERING
P. O. BOX 934 SANDPOINT, IDAHO 83864

SANDPOINT OFFICE

DOVER HIGHWAY
P.O. Box 934
SANDPOINT, IDAHO 83864

Ph. (208)263-8581

COEUR D'ALENE OFFICE

LIBERTY BUILDING
118 North Seventh St.
COEUR D'ALENE, IDAHO 83814

Ph. (208)664-9382

Harbor View Estates

Bob Haynes
Idaho Dept. of Resources
4055 Government Way
Coeur d'Alene, Id 83814

June 14, 1984

Dear Bob:

Here is a dry run copy of the diversion application for Harbor View Estates. The only thing missing is a scale map. I am intending to include a current Record of Survey done by this office.

Should this application be satisfactory, please call me so that I may submit a final copy to you thereafter. Thank you for your time and consideration.

Sincerely,

Jim De Smet
Jim De Smet

RECEIVED
JUN 14 1984

Department of Water Resources
Northern District Office

MICROFILMED

Discussed on phone

6/18/84

RSF