


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec. 3 Section 3 Township 51 N. Range 3 W - UPR house



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


x Karleen Gibson
 (Applicant)


MICROFILMED

Proposed by 4/11/11

(4-675a.)

Range No 3 West of the Boise Meridian





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08444

Priority: May 29, 1984

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that KARLEEN GIBSON
319 S. 24TH ST.

COEUR D ALENE, ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 29, 1984; and
has submitted Proof of Beneficial Use on May 4, 1989. An examination indicates
that the works have a diversion capacity of .040 cfs of water from:

HAYDEN LAKE tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NWNW), Sec. 3, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 3 LOT 3(NWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 95A
6. Domestic use is for 1 home.

MICROFILMED

SEP 24 1990

51m

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08444

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of AUGUST, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Karleen Gibson Phone 208-664-2278

Post office address 319 S. 24th St. COEUR D'ALENE, ID. 83814

2. Source of water supply Hayden Lake which is a tributary of Alder

3. Location of point of diversion is (NW $\frac{1}{4}$ NW $\frac{1}{4}$) * Downer lot 3 1/4 of Section 3 Township 51 N

Range 3 W B.M. Kootenai County, additional points of diversion if any: Division at

Taylor Terrace - Block A Lots 6 & 7; N $\frac{1}{2}$ lot 7 - Block B

4. Water will be used for the following purposes: Home use

Amount 0.04 cfs for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cfs cubic feet per second and/or b. N/A acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

no pump in lake & pipeline

b. Height of storage dam N/A feet, active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet, materials used in storage dam: N/A

Period of year when water will be diverted to storage N/A to N/A inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: Downer lot 3 (NW $\frac{1}{4}$ NW $\frac{1}{4}$) * 1/4 of Section 3 Township 51 N

Range 3 W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MicroTutor
TWP

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. *None*

9. a. Who owns the property at the point of diversion *W*

b. Who owns the land to be irrigated or place of use


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

61. 3 Section 3 Township 51 N. Range 3 W. - UDE house



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Karleen Nelson
 (Applicant)

MICROFILMED

MICROFILMED

Proposed Priority 5/29/84

Received by Mr. [Signature] Date 5/9/84 Time 7:00 AM
Preliminary check by Mr. [Signature] Fee \$ 30.00
Received by Mr. [Signature] Date 6/5/84 (31550)
Publication prepared by Mr. [Signature] Date 6/20/84
Published in Coastal Area News
Publication dates 6/28 or 7/5/84
Publication approved Mr. [Signature] Date 7/6/84
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8444, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Use of water under this permit is subject to control by the watermaster of State Water District 95A, Hayden Lake.

Witness my hand this 30 day of July, 1984.


ACTING Chief, Operations Bureau

David R. Tuttle

(4,676.1)

Range No 3 West of the Boise Meridian

E d n c b



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Aileen Smith being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thursday
issue of said newspaper for 2 consecutive weeks
commencing on the 28 day of June, 1984, and
ending on the 5 day of July, 1984, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 5 day of July, 1984.

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

95-8444

GIBSON, KARLEEN
319 S. 24TH ST., COEUR D
ALENE, ID 83814

Source: HAYDEN LAKE trib. to
SINKS

Date Filed: 05/29/1984

Diversion Pt: LOT 03 Sec 03 T 51N
R 03W

Use: DOMESTIC (0.04 CFS)

In: LOT 03 Sec 03 T 51N R 03W
95-8445

SANDERS DEVELOPMENT
E. 2407 N. ALTAMONT BLVD.,
SPOKANE, WA

Source: GROUNDWATER

Date Filed: 06/20/1984

Diversion Pt: LOT 01 (SENW)
Sec 17 T 48N R 04W

Use: DOMESTIC (0.33 CFS)

In: LOT 01 Sec 17 T 48N R 04W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id,
83814 on or before JULY 16, 1984.

KEN DUNN, Dir.

Legal 567

June 28, July 5, 1984

August 17, 1990

KARLEEN GIBSON
319 S. 24TH ST.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08444

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 24 1990

SENIOR AGENT REVIEW

Check List
For
Beneficial Use Field Report

Permit 95-02444

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
TDL ✓ Photo of pd and/or pu or explanation
TDL ✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
TDL ✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Irrigation (Rule 5,1,8) Method of determination

Department of Water Resources

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- ✓ Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature W. King Date 4/10/90

RECEIVED
JUN 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95 08444
Phone No. 208 664 2278
EXAM. DATE: 9/7/89
Phone No. _____

1. Owner: LARSEN GIBSON
Current Address: 319 S. 24th ST. LOEUR DALENE 83814
2. Accompanied by: _____
Address: _____

Relationship to Permit Holder: _____


3. Source: HAYDEN LAKE tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE NA
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE NA
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached PHOTO DID NOT DEVELOPE
(required for all but single household domestic groundwater, and stockwater).

SEP 24 1990

3. **Narrative:** Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

By BMEISIBLE pump under boat dock with

Buried black portable hose to house

☐ See Remarks on page 4 for continuation

Well or Division Identification No.*	540155				
Motor Make					
Hp	1		From		
			E.I. TOC		
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

SEP 24 1990

NOT FILMED

Do not use this space


D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{8.8 \text{ } 60\% \text{ } 14p}{2.3 \text{ } 40psi \text{ } + 50} = .04 \text{ cfs.}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1.2 AFA PER YR.

MICROFILMED

SEP 24 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Period of Use
From To

1-1 12-31

Rate of Diversion
Q (cfs)

.04

Annual Volume
V (ata)

1.2

Totals:

.04

1.2

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name

Robert E. Haynes

Signature

Certification Date

2/17/89

Field Report Preparation Date

9/8/89


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



☒ None
☐ Other

MICROFILMED

SEP 24 1990





State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 12, 1989

RECEIVED
JUN 14 1989

Ms. Karleen Gibson
319 S. 24th St.
Coeur d'Alene, Id. 83814

Department of Water Resources

Re: 95-8444

Dear Ms. Gibson:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 24 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8444

Date: 5-17-1989

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

☒ Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks: *Permit acceptable*

2/14 Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
MAY 04 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

no \$ enclosed *Kelly*
Department of Water Resources **PROOF OF BENEFICIAL USE**

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by *14*
Sent to region *9-17-89*

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 9 5-0 8 444

Name(s) of Permit Holder: KARLEEN GIBSON

Post Office Address: 319 So. 24th St.

Coon d'Alene ID Telephone No. 664-2278

Source of Water: Hayden Lake

Extent of Use:

Domestic ☒ 1-2 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-foot

Show the date water was first diverted and beneficially used under this permit: 9-1-86

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No Fee enclosed \$ Not applicable
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

KARLEEN GIBSON 664-2278
(Name) (Telephone Number)

319 So. 24th St. Coon d'Alene ID
Home used in summer only
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MicroFILMED

5-1-89 Karleen Gibson
Date Signature of Permit Holder (and title, if appropriate)

JUN 15 1989

CEDAR MOTEL & CAMPGROUND
319 S. 24th STREET
COEUR D'ALENE, IDAHO 83814



State of Idaho- Dept. of Water Resources
1301 North Orchard St.
Statehouse Mail
Moise, ID 83720



KARLEEN GIBSON
319 S. 24TH ST.
COEUR D ALENE, ID 83814

April 30, 1989

138226

PROOF DUE NOTICE

RE: PERMIT NO. 95-08444

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAIL ROOM
JUN 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8444
Name(s) of Permit Holder(s): Karlson J. Larson
Post Office Address: 3019 S. 24th St
Coeur d'Alene, Idaho Tel. No. _____

- ☒ I hereby certify that construction of diversion works on the above referenced permit began on Aug 3, 1984. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:


*Note: A financing difficulty is not an acceptable reason.

Aug 3, 1984
Date

Karlson J. Larson
Signature of Permit Holder



*Karl Gibson
Cedar Motel and Camp
319 South 24th Street
Coeur d'Alene, Idaho 83814*



MICROFILMED

JUN 15 1989



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

July 31, 1984

RE: Permit No. 95-8444

Karleen Gibson
319 S. 24th St.
Coeur d'Alene, ID 83814

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

RECEIVED
JUL 31 1984
WATER ALLOCATION SECTION

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8444

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/16/84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 95A
5/20/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RJA

Date: 1/23/84

STATE OFFICE REVIEW:

- L17 36 05 (95A, Hayden Lake)
☐ See attached sheet for more information.
By: CW Date: 4-27-84
JUL 20 1984

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

95-8444-

GIBSON, KARLEEN

319 S. 24TH ST., COEUR D'ALENE, ID 83814

Source: HAYDEN LAKE trib. to SINKS

Date Filed: 05/29/1984

Diversion Pt: LOT 03 Sec 03 T 51N R 03W

Use: DOMESTIC (0.04 CFS)

In: LOT 03 Sec 03 T 51N R 03W