

42°30'

23

2679 II NW
(FERNAN LAKE)

SPOKANE, WASH. 40 MI
COEUR D'ALENE (U.S. 95) 8 MI

40'

R 3 W R 2 W

24

COEUR D'ALENE

ELEVATION 2125

LAKE

WOLF

LODGE

BAY + Mile 6

Boat Ramp

Mine

Picnic Area

Rosea irrigator

NATIONAL FOREST

Minera

Beauty Bay

Beauty Bay Picnic Area

Beauty Creek Campground

Caribou Mine

Gray Wolf Mine

Beauty Creek

Caribou

Mount Coeur d'Alene
Lookout Tower

COEUR

D'ALENE

3575

3780

4236

3456

3546

2860

BM 2408

BM 2568

BM 2216

BM 2133

BM 2140

BM 2454

10

15

22

23

24

12

13

91

10

90

6

2138

2200

2782

2400

3000

3220

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

3000

of The Boise Meridian

Sec. 33

Sec. 34

Sec. 35

C

B

A


Well

Not embraced in this Contract

T 50 N
is the

Meander

Posts Co



Sec. 10.

Sec. 12.

Sec. 15.

Sec. 14.

Sec. 13.

mountainous
d.

MICROFILMED

0


2232



AUG 23 1991

RED

Sec. 16.



MICROFILMED

AUG 23 1991

D'ALENE
ELEVATION 2125

2679 ft NW
(FERVAN LAKE)

LAKE WOLF

SPOKANE, WASH. 40 MI
COEUR D'ALENE (U.S. 95) 8 MI


LODGE

R3W R2W

MT. COEUR D'ALENE
IDAHO-K
7.5 MINUTE SER
SW 4 LANE

280 000 FEET

WOLF



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08422

Priority: August 2, 1983

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:¹

1.8 AF

This is to certify, that U.S. DEPT. OF INTERIOR

BUREAU OF LAND MANAGEMENT

COEUR D ALENE DISTRICT

1808 N. 3RD ST.

COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 2, 1983; and has submitted Proof of Beneficial Use on February 5, 1985. An examination indicates that the works have a diversion capacity of .090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 10(SWSW), Sec. 1, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	1	LOT 10(SWSW)	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.


AUG 23 1991

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08422

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 20TH
day of AUGUST, 1991.

Acting for


R. Keith Higginson, Director

AUG 28 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8422 IN THE)
NAME OF BUREAU OF LAND MANAGEMENT) ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before February 1, 1985; and,

WHEREAS, Sec. 42-218a, Idaho Code provides that the Department notify permit holders sixty days prior to the proof due date; and,

WHEREAS, the Department timely sent notice to the permit holder by certified mail that proof was due with instructions as to the steps to be taken to make said proof; and,

WHEREAS, timely receipt of the certified notice by the permit holder was delayed by the postal service; and,

WHEREAS, on February 1, 1985, the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Sec. 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use;

UNRECORDED

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8422 be REINSTATED
with no advance in priority.

Dated this 19th day of February, 1985.

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
990

APPROVED

To appropriate the public waters of the State of Idaho

AUG 2 1983

Department of Water Resources

1. Name of applicant USDI, Bureau of Land Management Phone (208) 765-7356

Post office address Coeur d'Alene District, 1808 N. 3rd St., Coeur d'Alene, ID 83814

2. Source of water supply Groundwater #2 which is a tributary of _____

3. Location of point of diversion is *Government Lot 10
(SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 49N.

Range 3W. B.M. Kootenai County, additional points of diversion if any: _____

*kw 1/6/1984

4. Water will be used for the following purposes:

Amount 0.09 for irrigation purposes from 5/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.5 for irrigation purposes from 5/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: Acre ft limit to be determined at time of License Exam
JK-10/28/83

a. 0.09 cubic feet per second and/or b. 1.5 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. This dug well is a slotted 5 inch pipe in a gravel pack. The pump discharges through a 2 $\frac{1}{4}$ inch o.d. line that supplies the solid set lawn sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 5 inches; ~~proposed~~ depth of well is 10 to 20 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is (Completed) 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECEIVED

[illegible]

9. a. Who owns the property at the point of diversion
U.S. _____
b. Who owns the land to be irrigated or place of use
U.S. _____
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks	This system waters the lawn area (over 20,000 ft.²) in the Mineral Ridge picnic area. The system use level of 0.09 cfs is based on number of sprinklers ran by the system and it appears to need 35-40 gpm to run properly. The system was probably installed the summer of 1977.
-------------	---

[illegible]

42°30'

23

2679 ft NW
(FERNAN LAKE)

SPOKANE, WASH 40 MI
COEUR D'ALENE (U.S. 95) 8 MI

40'

R3W R2W


COEUR D'ALENE

LAKE WOLF


1 Mile 5

LODGE

BAY 1 Mile 6



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Jones
 Dist. Manager (Applicant)

MICROFILMED

Proposed Priority 8/2/83

Received by SRC Date 8/2/83 Time 10:35
ID-910-BP3-003
Preliminary check by ✓ Fee \$ 30.00
Received by mg Date 12-27-83 # 33664
Publication prepared by Mr Date 11/3/83
Published in Green D. Allen
Publication dates 11/10-17/83
Publication approved pmr Date 11/8/83
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____
Recommended for approval denial by kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8422, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 12th day of January, 1984.

D. Allen
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai } ss.

Regina Mason being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular then
issue of said newspaper for 2 consecutive week
commencing on the 10 day of Nov, 1983, and
ending on the 17 day of Nov, 1983, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 17 day of Nov,
1983

Roberta Dranley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

95-8422

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT., 230
COLLINS RD., BOISE, ID 83702
Source: GROUNDWATER
Date Filed: 08/02/1983
Diversion Pt: SWSW Sec 01 T 49N
R 03W
Use: IRRIGATION (0.09 CFS)
In: SWSW Sec. 01 T 49N R 03W
FOR 1 ACRES

95-8423

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT., 230
COLLINS RD., BOISE, ID 83702
Source: GROUNDWATER
Date Filed: 08/02/1983
Diversion Pt: SWSW Sec 01 T 49N
R 03W
Use: WILDLIFE (0.02 CFS);
DOMESTIC (0.02 CFS)
In: SWSW SESW Sec 01 T 49N R
03W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id,
83814 on or before NOVEMBER
28, 1983.

KEN DUNN, Dir.

Legal. 712
Nov. 10, 17, 1983

RECEIVED

NOV 18 1983

Department of Water Resources
Northern District Office

August 20, 1991

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
COEUR D ALENE DISTRICT
1808 N. 3RD ST.
COEUR D ALENE, ID 83814

RE: WATER RIGHT NO. 95-08422

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECORDED
AUG 23 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8422

Name/Address change? ☒ ok ☐

Priority date Advance? yes ☐ no ☒

Memo to advance
Order to reinstate needed? yes ☐ no ☒

Total cfs Limited by fee OK

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac 3.5

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes ☐ no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 3/15 - 11/15

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed

Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day 30-day

Back of field report signed?
Reviewer Q. Curtis Date 8/12/91 Review time 6 min.

AUG 23 1991

Range No. 3 West of the Boise Meridian

Sec. 35

Sec. 28

D

Sec. 32

C

Sec. 34

B

Sec. 36

(Not embraced by this Certificate)



Sec. 9

Sec. 10

Sec. 12

Sec. 16

Sec. 15

Sec. 14

Sec. 13

AUG 27 1991

RED

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED
JUN 28 1991

Department of Water Resources
Permit 75-08422

✓ **A. GENERAL INFORMATION**

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ **B. OVERLAP REVIEW**

- ✓ 1. & 2. (Rule 5,1,4)

✓ **C. SYSTEM DESCRIPTION**

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
✓ Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
✓ Compare USGS/Land Survey? Aerial Photos/Permit.

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

✓ **G. VOLUME CALCULATIONS**

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ **H. REMARKS AND OVERLAP ANALYSES**

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ **I. RECOMMENDATIONS**

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ **J. AUTHENTICATION**

✓ Name, Signature, Certification Date, Exam Date.

✓ **WELL INSPECTION REPORT**



✓ Check with permit and well log for discrepancies

Signature

John K. Long

Date

11/12/90



MICROFILMED

AUG 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: U.S.D., Bureau of Land Management Permit No. 95-08422
Current Address: Coeur d'Alene District, 1808 N. 3rd St., Coeur d'Alene ID 83814 Phone No. 765-1514
2. Accompanied by: David Fortier EXAM. DATE: 8/31/90
Address: 1808 No. 3rd, CdA 83814 Phone No. 765-1511
Relationship to Permit Holder: Hydrologist for BLM
3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 95-8423 for domestic
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached- NA
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with barred line to well house. From well house there are four sprinkler lines. Each line has 4 pop up lawn sprinklers (one line has only 3 sprinklers) at 45 psi. 1/2 acre at picnic area is irrigated.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2HP		Sta Rite	CP 4602-B

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	%	%	%	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	10			50 SW 1		49N 3W		Kootenai	Map

6. Place(s) of Use:

Indicate Method of Determination
Map

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	Totals
49N	3W	1																1/2

AUG 23 1991

D'ALENE
ELEVATION 2125

21.9 11 NW
(FERNAN LAKE)

SPOKANE, WASH. 40 MI.
COEUR D'ALENE (U.S. 95) 8 MI.

LAKE

WOLF

LODGE

BAY


Mile 6

COEUR D'ALENE
IDAHO-K
7.5 MINUTE SE

SW 1/4 LANE

280 000 FEET

Wolf



Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{(24p)(8.8)(60\%)}{(231)(45)+20} = \frac{10.56}{123.95} = 0.09 \text{ cfs}$ system capacity
2. Alternate Method for Checking Purposes: Max of $0.03/\text{ac} (LSac) = 0.03$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5 \times 3.5 = 17.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.09 \text{ cfs}) (153) (1.9835) = 27.3 \text{ AF}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 17.5 \text{ AFA} \quad 9.1 \text{ AF}$

2. Volume Calculations for Other Uses:

AUG 23 1991

1. Recommended Amounts

Benet's Use

Period of Use From 5-1 To 10-31

Rate of Diversion

(S13) D

5

600

Dr. D. D. D.

570 ~~500~~
600

Totals:

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date


06/18/80
06/19/80

Theresa J. Bright

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

4/86

RECEIVED

ID-910-BP8-0010

RECEIVED

JUL 06 1987

1987 JUN 15 AM 7:45 DEPT OF WATER RESOURCES

BLM-1800 DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received \$50.

Date 8-30-88

Receipt # C002389

Receipt by hg

Sent to S.O.

EXAMINATION FEE INFORMATION

1. Permit No. 95-8422

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: USDI, Bureau of Land Management

3. Post Office Address: 1808 N. Third Street, Coeur d'Alene, Idaho 83814

Telephone No. (208) 765-7356

4. Source of Water: Groundwater #2

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation 1/2 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 0.09 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

summer 1977 (permit application 1983)

8. Person to contact to accompany the department representative during the field examination:

David Fortier, Hydrologist

AUG 23 1991

(Name)

USDI, BLM 1808 N. Third Street, Coeur d'Alene, Idaho 83814

(208) 765-7356

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

June 12, 1987

Date

Trif H. Rennebaum

District Manager

Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

RECEIVED

JUN 16 1988

Department of Water Resources

M E M O R A N D U M

TO: Rita Fleck

FM: Tom King *JK*

Date: June 14, 1988

SUBJECT: #95-8422

According to the permit holders statement 0.09 cfs is required to operate the system,so an Examination Fee is required.

RECEIVED

AUG 23 1991



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, IDAHO 83706



IN REPLY REFER TO:

7250 (931)

June 26, 1987

RECEIVED
JUL 06 1987

Water Allocation Division
Department of Water Resources
Statehouse
Boise, ID 83720

Department of Water Resources

Gentlemen:

95-8422

Enclosed for processing is one (1) "Examination Fee for Mineral Ridge" form and one (1) "Proof of Beneficial Use" form. Billing is to be made through order number ID-910-BP7-0015. 34-7418

Please return the approved applications to the following address:

Steven A. Ellis
Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, Idaho 83706

Thank you for your cooperation.

Sincerely yours,

Steven A. Ellis
Soil Scientist/Hydrologist

Enclosures

AUG 28 1987

RECEIVED
JUN 20 1988

Department of Water Resources

MEMORANDUM

TO: Rita Fleck

FM: Tom King

Date: June 14, 1988

SUBJECT: #95-8422

According to the permit holders statement 0.09 cfs is required to operate the system,so an Examination Fee is required.

JUN 23 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

95-8422
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
230 COLLINS RD.
BOISE, ID 83702

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 17, 1987

Dear Permit Holder:

LAPSE NOTICE License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be on no further force nor effect on June 17, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 17, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 17, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

jf

43392



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

95-8422
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
230 COLLINS RD.
BOISE, ID 83702

Mailing address:
Statehouse
Boise, Idaho 83720

138475

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners' results from the recently enacted HB 671 and is being developed at this time. A listing

AUG 23 1991

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

AUG 29 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MARCH 4, 1985

BUREAU OF LAND MANAGEMENT
1808 N. 3RD
COEUR D ALENE ID 83814

RE: Permit No. 95-8422

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

ENCLOSURE

RECEIVED
AUG 28 1991

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8422

Name(s) of Permit Holder: Bureau of Land Management

Post Office Address: 1808 No. 3rd

83814

Coeur d'Alene, Id. Tel. No. 208-765-7356

Source of Water: Groundwater well #2 constructed in 1977

Extent of Use: ☐ Domestic (number of households)

☐ Stockwater (number and type of stock)

☒ Irrigation 1/2 (acres)

☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

January 30 1983 Date David Fortner Hydrologist Signature of Permit Holder

Bureau of Land Management
1808 North Third St
Coeur d'Alene, Idaho 83814

PLACE
13 CENT
STAMP
HERE



RECEIVED

FEB 5 1985

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
230 COLLINS RD.
BOISE, ID 83702

138509

PROOF DUE NOTICE

NOVEMBER 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-8422 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 1, 1984

RE: Permit Nos. 74-7197 & 95-8422

Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed are copies of your approved Applications for Permit. We direct your attention to the conditions of approval on the fourth pages.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use postcard that must be submitted when your project is completed.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosures

MICROFILMED

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



ATTEMPTED - ~~NOT~~ CHARGED TO ACCOUNT
DEC 7 1984

*Refused
C 506
an*

*C-647
3908 Fed* DATE

RECEIVED
DEC 10 1984

Department of Water Resources

138509

*Returned Regular
Mail 12-20-84 by*

CLAIM CHECK
NO.

092347

☐ HOLD

DATE

12-5

1ST NOTICE

2ND NOTICE

RETURN

Detached from
PS Form 3849-A
Oct. 1980

FROM D. TUTHILL

DATE 1/5/84

TO 95-8422

SUBJECT Excessive Rate of Flow

The reasons for accepting the requested rates of flow on the above-referenced application for permit are:

1. The place of use is utilized by the public as a picnic area, so continuous irrigation is not feasible.
2. No groundwater shortages are known to have been experienced in the vicinity of the point of diversion.

DET

SIGNATURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *JS*

APPLICATION NUMBER: 95-8422

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: 11/28/83

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 11/18/83

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

☒ 8/2/83 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: *JS*

Date: 11/30/83

STATE OFFICE REVIEW:

 2/6

☐ See attached sheet for more information.

By: *EW*

Date: 1/6/84

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

95-8422

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT., 230 COLLINS RD., BOISE, ID 83702

Source: GROUNDWATER

Date Filed: 08/02/1983

Diversion Pt: SWSW Sec 01 T 49N R 03W

Use: IRRIGATION (0.09 CFS)

In: SWSW Sec 01 T 49N R 03W FOR 1 ACRES

NOT RECORDED



United States Department of the Interior

IN REPLY REFER TO
7250 (931)

BUREAU OF LAND MANAGEMENT

Idaho State Office
3380 Americana Terrace
Boise, Idaho 83706

August 1, 1983

CERTIFIED--RETURN RECEIPT REQUESTED

Water Allocation Division
Department of Water Resources
Statehouse
Boise, ID 83720

Gentlemen:

Enclosed are 21 applications for processing. Billing is to be made through order number ID-910-PH3-0003.

Please return approved applicaitons to the following address:

State Hydrologist
Bureau of Land Management
3380 Americana Terrace
Boise, ID 83706

Thank you for your cooperation.

Sincerely yours,

Karl Gebhardt
Hydrologist

Enclosures as stated.

MICROFILMED

11 apps to Northern
10 apps to Western

RECEIVED

OCT 28 1983

Department of Water Resources
Northern District Office