

ip N° 51 North, Range N° 3 West of the Boise Mo



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
MAY 2 1985

95-8421
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

SEE 219A



- b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

- c) Volume Calculations for Other Uses:

SEE 219A

2. Overlap Review

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion: _____

- c) Analysis:

MICROFILMED

NOV 24 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08421

Priority: October 17, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that RONNIE G. TRIPLETT
PATRICIA A. TRIPLETT

P.O. BOX 772

HAYDEN LAKE, ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 17, 1983; and has submitted Proof of Beneficial Use on June 7, 1984. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 2(NWNE), Sec. 3, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 3 LOT 2(NWNE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 31st day of October, 1989.

Bobby D. Flannery for
R. Keith Higginson, Director

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant RONNIE OG. OR PATRICIA A. TRIPLETT Phone 772-3766
Post office address Box 772 HAYDEN LAKE, ID 83835
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is Gov Lot 2 ¼ of _____ ¼ of Section 3 Township 51N
Range 3W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 8 inches; proposed depth of well is 350 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation: Gov Lot 2
- (1) Give the place of use of water: _____ ¼ of _____ ¼ of Section 3 Township 51N
Range 3W B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.
- (5) If water is to be used for other purposes describe: _____

MICROFILMED

1997-1998

Total number of acres to be irrigated

None


Applicant

11

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patricia A. Triplett
(Applicant)

Proposed Priority 10/17/83

Received by KK Date 10/17/83 Time 3:00 p
Preliminary check by JK Fee \$ 30.00
Received by KK Date 10/17/83 # 31974
Publication prepared by JK Date 10/26/83
Published in Coeur d'Alene Press
Publication dates 10/27-11/3/83
Publication approved JK Date 11/7/83
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JK KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8421, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore November 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 23rd day of November, 1983.

D. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Carole Hodge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Times issue of said newspaper for 2 consecutive Weeks commencing on the 27 day of Oct, 1983, and ending on the 3 day of Nov, 1983, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carole Hodge
Subscribed and sworn to before me this 3 day of Nov, 1983

Robert G. Gandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8421

TRIPLETT, RONNIE G. &/or
PATRICIA A.
P. O. BOX 772, HAYDEN LAKE,
ID 83835

Source: GROUNDWATER

Date Filed: 10/17/1983

Diversion Pt: LOT 02 Sec 03 T 51N
R 03W

Use: DOMESTIC (0.04 CFS)

In: LOT 02 Sec 03 T 51N R 03W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before NOVEMBER 14, 1983.

KEN DUNN, Dir.

Legal 643

Oct. 27, Nov. 3, 1983

October 31, 1989

RONNIE G. TRIPLETT
PATRICIA A. TRIPLETT
P.O. BOX 772
HAYDEN LAKE, ID 83835

RE: PERMIT NO. 95-08421

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc


Enclosure

RECORDED

NOV 24 1989

46759

ip N° 51 North, Range N° 3 West of the Boise M



NOV 24 1989

4. Permit Holder:

Address:

5. Source: _____ tributary to _____

Annual Volume
V (afa)

12-31

2 ✓

0.0.0

2.1

[illegible][illegible]

DECLASSIFIED

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Checked in Regional Office by 2 Dec 1970

WOK

28/11/20

4/20/85

11/5/84


ER6L 22 ANN

CONFIDENTIAL

Phone No. 772-3766

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☒ Photo of Diversion & System Attached
☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ None
☐ Other
16. Examiner's/Consultant's Signature _____ Date 10/31/89
Consultant's License Number _____
IDWR Director's Authorization to Conduct _____
Beneficial Use Examination _____
Date _____

NOV 24 1989
CONSULTANT SEAL



NOV 24 1989

TWP. 51N RGE. 3W SEC. 3

MAP # ESS

MAP SCALE

7 1/2

DATE OF FIELD EXAM

FIELD REPORT MAP PERMIT # 95-8421

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JULY 31, 1984

RONNIE TRIPLETT
BOX 772
HAYDEN LAKE ID 83835

RE: Permit No. 95-8421

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 45-8421

Name(s) of Permit Holder(s): RONNIE G. OR PATRICIA A. TRIPLETT

Post Office Address: Box 77A

HAYDEN LAKE, ID 83835 Tel. No. 208-72-3766

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on OCT 83 (date) I understand that I must continue to develop the water system with due diligence and maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

10/17/83
Date

Patricia A. Triplett
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

NOV 16 1983

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



MICROFILMED

OCT 17 1983

Department of Water Resources
Northern District Office

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8921.

Name(s) of Permit Holder: RONNIE G or PATRICIA A. TRIPLETT

Post Office Address: Box 772

HAYDEN LAKE, ID 83835 **RECEIVED**

Source of Water: GROUNDWATER

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater (number and 1 of stock 1984)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/7/84

Date

Patricia A. Triplett
 Signature of Permit Holder

Department of Water Resources

Northern District Office

RECEIVED

JUN 7 1984

Department of Water Resources
Northern District Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
13 CENT
STAMP
HERE

RECEIVED

JUN 11 1984

Department of Water Resources

NOT RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

TRIPLETT, RONNIE G. & PATRICIA A.
P.O. BOX 772
HAYDEN LAKE, ID 83835

DECEMBER 06, 1983

RE: PERMIT NO. 95-8421

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: R

APPLICATION NUMBER: 95-8421

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 11/14/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/4/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
10/17/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: per

Date: 11/16/83

STATE OFFICE REVIEW:

217

26

- ☐ See attached sheet for more information.

By: kw

Date: 11/21/83

Department of Water Resources

MICROFILMED

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	Gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	Gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	Gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	Gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	Gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

95-8421-

TRIPLETT, RONNIE G. &/or PATRICIA A.

P.O. BOX 772, HAYDEN LAKE, ID 83835

Source: GROUNDWATER

Date Filed: 10/17/1983

Diversion Pt: LOT 02 Sec 03 T 51N R 03W

Use: DOMESTIC (0.04 CFS)

In: LOT 02 Sec 03 T 51N R 03W

MICROFILMED