

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

91-7093
MURPHY, GILBERT W.
RT. 2 BOX 181, ST. MARIES, ID
83861

Source: GROUNDWATER
Date Filed: 07/13/1983
Diversion Pt: SESE Sec 31 T 47N
R 02W
Use: IRRIGATION (0.14 CFS)
In: SESE Sec 31 T 47N R 02W
FOR 7 ACRES

94-7277
ELDER, JOHN
1800 - 74TH AVE. S. E., EV-
ERETT, WA 94203
Source: ROBINSON CREEK trib.
to COEUR D ALENE RIVER
Date Filed: 07/13/1983
Diversion Pt: SWSE Sec 30 T 48N
R 01W
Use: IRRIGATION (0.20 CFS);
IRRIGATION STORAGE (5.0
AF); IRRIGATION FROM
STORAGE (5.0 AF); STOCK-
WATER (0.02 CFS); STOCK-
WATER STORAGE (5.0 AF);
STOCKWATER FROM
STORAGE (5.0 AF)
In: SWSE Sec 30 T 48N R 01W
FOR 10 ACRES

94-7278
HUFF, TOM
P. O. BOX 140, SILVERTON, ID
83867
Source: SPRINGS trib. to SINKS
Date Filed: 07/13/1983
Diversion Pt: SESW Sec 02 T 48N
R 01W
Use: IRRIGATION (0.14 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: SESW sec 02 T 48N R 01W
FOR 8 ACRES

95-8399
ERICKSON, DAVID
2495 NETTLETON RD., COEUR
D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 07/06/1983
Diversion Pt: NWSE Sec 06 T 50N
R 03W
Use: DOMESTIC (0.08 CFS)
In: NWSE Sec 06 T 50N R 03W
95-8400
VEDDER, NORBERT
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: SPRING trib. to COEUR
D ALENE LAKE
Date Filed: 07/01/1983
Diversion Pt: SENE Sec 03 T 49N
R 04W
Use: DOMESTIC (0.04 CFS)
In: SENE Sec 03 T 49N R 04W

95-8401
MATHESON BROS.
8720 N. HAUSER LAKE RD.,
POST FALLS, ID 83854
Source: HAUSER LAKE trib. to
HAUSER CREEK
Date Filed: 07/08/1983
Diversion Pt: NWNW Sec 07 T
51N R 05W
Use: IRRIGATION (0.03 CFS)
In: NWNW Sec 07 T 51N R 05W
FOR 1 ACRES

95-8402
SHORES, WOODLAND
414 ONB BUILDING, SPOKANE,
WA 99206
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: LOT 06 Sec 17 T 48N
R 04W
Use: IRRIGATION (0.35 CFS);
DOMESTIC (0.35 CFS)
In: LOT 06 LOT 07 Sec 17 T 48N
R 04W FOR 55 ACRES

95-8403
DUMAIS, GUY
9506 E. 1ST ST., SPOKANE, WA
99206
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: LOT 06 Sec 03 T 48N
R 04W
Use: DOMESTIC (0.20 CFS)
In: LOT 06 (NWSE) NWSW
NESW SWSW SESW Sec 03 T 48N
R 04W

95-8404
OLSON, JOSEPH B.
BUSH, THOMAS E.
E. 11220 20TH ST., SPOKANE,
WA 99206
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 07/12/1983
Diversion Pt: LOT 03 Sec 20 T 48N
R 04W
Use: DOMESTIC (0.14 CFS)
In: LOT 03 LOT 04 LOT 05 Sec 20
T 48N R 04W

95-8405
RUEN, ELAINE L.
P. O. BOX 105, CLARK FORK, ID
83811
Source: HAYDEN LAKE trib. to
SINKS
Date Filed: 07/14/1983
Diversion Pt: LOT 02 Sec 19 T 51N
R 03W
Use: IRRIGATION (0.04 CFS);
DOMESTIC (0.04 CFS)
In: Lot 02 Sec 19 T 51N R 03W
FOR 2 ACRES

95-8405
RAMSEY - 53 WATER ASSN.
INC.
N. 20 RAMSEY RD.,
RATHDRUM, ID 83856
Source: GROUNDWATER
Date Filed: 07/06/1983
Diversion Pt: SWSW Sec 26 T 52N
R 04W
Use: IRRIGATION (0.10 CFS)
In: SWSW Sec 26 T 52N R 04W
FOR 5 ACRES

95-8407
DYER, MARIE
S. 1515 WOLF LODGE RD.,
COEUR D ALENE, ID 83814
Source: WOLF LODGE CREEK
trib. to COEUR D ALENE LAKE
Date Filed: 07/25/1983
Diversion Pt: SWSW Sec 21 T 50N
R 02W
Use: IRRIGATION (0.02 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.02 CFS)
In: SWSW Sec 21 T 50N R 02W
FOR 1 ACRES

95-8408
FARQUHAR, MICHAEL H. &/or
CYNTHIA E.
DAVIS, GLENN &/or PATRICIA
HURT, STEVEN &/or SUSAN
E. 2465 MALLORY RD.,
RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 07/27/1983
Diversion Pt: NWSE Sec 29 T 52N
R 04W
Use: DOMESTIC (0.12 CFS)
In: NWSE Sec 29 T 52N R 04W

95-8410
FELBER, ROBERT
RT. 1 BOX 123, FAIRFIELD, WA
99012
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 07/28/1983
Diversion Pt: SESE Sec 23 T 49N
R 04W
Use: DOMESTIC (0.04 CFS)
In: SESE Sec 23 T 49N R 04W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4056
Gov't Way, Coeur d'Alene, Id,
83814 on or before AUGUST 29,
1983.

KEN DUNN, Dir.

Legal 350
Aug. 11, 18, 1983

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 1983, and ending on the day of 1983, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Subscribed and sworn to before me this day of 1983

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
Northern District Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

☒ B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

☒ Field Report ☒ Quad Sheet ☒ Gov. Lot Plat ☐ Rules Check list
☐ Aerial Photo ☐ Photo PD/PU ☒ Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

☐ Correspondence (Date) _____

☐ Other (List) _____

Contacts: _____

Remarks: _____



MICROFILMED

OCT 25 1990

Exam Completed By _____ Date _____

Sr. Agent Review _____ Date _____

Regional Manager Review *RWH* _____ Date *6/11/90*


PERMIT NUMBER

95-08399

AVE, SEATTLE, WASHINGTON

KOOTEN


25



R3W, SEC.6, QUAD: F-5
NWSE

PERMIT #95-08399
GL: **MINUTEMAN**
ACRES: 1.990
OCT 13 1990

GROUNDWATER



2 221 000
FEET

5285

5286

PIPELINE

BOUNDARY

Trailer Park

CORPORATE

Bestland Cem

BEST AVE

Borah Sch

Olaf Bustad Sch

Borrow Pit

DALENE

Bryan Sch

St Thomas Cem

Sherman Ave

St Thomas Cem

St Thomas Cem

St Thomas Cem

St Thomas Cem

St Thomas Cem

St Thomas Cem

PERMIT #95-08399
GL: ^
ACRES: ^

ERICKSON
PD: T50N, R3W, SEC. 6
PU:
SOURCE: GROUNDWATER

PAGE 2

MICROFILMED

OCT 25 1990

ACRES:

OCT 25 1990
MICROFILMED

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

1. Other water rights with same place of use:


2. Other water rights with same point of diversion:

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 475'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)



PD: T50N, R3V, SEC. 6, NW
PU:
SOURCE: GROUNDWATER
PAGE 2

ERICKSON
PD: T50N, R3V, SEC. 6, NWSE
QUAD: F-5
GL: -
ACRES: -
PERMIT #95-08399
SOURCE: GROUNDWATER

Inspected by

Date

Charles H. Johnson
Aug 15 1989

STATE OF ID 40
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>David A. and Robert C. Erickson</u> Address <u>Rt. 9, Box 614, Coeur d'Alene, Id 83814</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>200</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of. Quality _____																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>1 1/2</u></td> <td></td> <td></td> </tr> <tr> <td colspan="3">Estimated Airlift</td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1 1/2</u>			Estimated Airlift																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																									
<u>1 1/2</u>																																											
Estimated Airlift																																											
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yield No.</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>0</td> <td>25</td> <td>Shale, Light-Brown</td> <td>X</td> </tr> <tr> <td>6</td> <td>25</td> <td>60</td> <td>Shale, Gray</td> <td>X</td> </tr> <tr> <td>6</td> <td>60</td> <td>75</td> <td>Shale, Blue</td> <td>X</td> </tr> <tr> <td>6</td> <td>75</td> <td>260</td> <td>Slate, Dark-Gray, Med. Hard</td> <td>X</td> </tr> <tr> <td>6</td> <td>260</td> <td>600</td> <td>Slate, Dark-Gray, Hard</td> <td>X</td> </tr> <tr> <td>6</td> <td>600</td> <td>615</td> <td>Slate, Dark-Gray, Med. Hard</td> <td>X</td> </tr> <tr> <td>6</td> <td>615</td> <td>640</td> <td>Slate, Dark-Gray, Hard</td> <td>X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yield No.	From	To	6	0	25	Shale, Light-Brown	X	6	25	60	Shale, Gray	X	6	60	75	Shale, Blue	X	6	75	260	Slate, Dark-Gray, Med. Hard	X	6	260	600	Slate, Dark-Gray, Hard	X	6	600	615	Slate, Dark-Gray, Med. Hard	X	6	615	640	Slate, Dark-Gray, Hard	X
Hole Diam.	Depth		Material	Water Yield No.																																							
	From	To																																									
6	0	25	Shale, Light-Brown	X																																							
6	25	60	Shale, Gray	X																																							
6	60	75	Shale, Blue	X																																							
6	75	260	Slate, Dark-Gray, Med. Hard	X																																							
6	260	600	Slate, Dark-Gray, Hard	X																																							
6	600	615	Slate, Dark-Gray, Med. Hard	X																																							
6	615	640	Slate, Dark-Gray, Hard	X																																							
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. RECEIVED MAY 18 1981 Department of Water Resources No PVC Liner Installed 6" Drive Shoe Installed																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>19</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19'</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between struts Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION <u>cb dl</u> I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Penderson Drilling Firm Name <u>A Development, Inc.</u> Firm No. <u>229</u> <u>E. 6010 Broadway</u> Address <u>Spokane, WA 99204</u> Date <u>May 8, 1981</u> Signed by (Firm Official) <u>Keith Vermillion</u> and (Operator) <u>Keith Vermillion</u>										
Thickness	Diameter	From	To																																								
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet																																								
_____ inches	_____ inches	_____ feet	_____ feet																																								
_____ inches	_____ inches	_____ feet	_____ feet																																								
_____ inches	_____ inches	_____ feet	_____ feet																																								
Number	From	To																																									
_____ perforations	_____ feet	_____ feet																																									
_____ perforations	_____ feet	_____ feet																																									
_____ perforations	_____ feet	_____ feet																																									
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name <u>_____</u> Lot No. _____ Block No. _____ County <u>Bozeman</u> State <u>MT</u> Section <u>6</u> T. <u>29</u> N. R. <u>30E</u> S.W.	12. RECEIVED MAY 18 1981 Department of Water Resources																																										

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WRITTEN COPY TO THE DEPARTMENT

MICROFILMED

OCT 25 1990

STATE OF ID 40
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>David A. and Robert C. Erickson</u> Address <u>Rt. 9, Box 614, Coeur d'Alene, Id 83814</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>200</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of. Quality _____																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>1 1/2</u></td> <td></td> <td></td> </tr> <tr> <td><u>Estimated Airlift</u></td> <td></td> <td></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1 1/2</u>			<u>Estimated Airlift</u>																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																			
<u>1 1/2</u>																																																					
<u>Estimated Airlift</u>																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>0</td> <td>25</td> <td>Shale, Light-Brown</td> <td></td> <td>☒</td> </tr> <tr> <td>6</td> <td>25</td> <td>60</td> <td>Shale, Gray</td> <td></td> <td>☒</td> </tr> <tr> <td>6</td> <td>60</td> <td>75</td> <td>Shale, Blue</td> <td></td> <td>☒</td> </tr> <tr> <td>6</td> <td>75</td> <td>260</td> <td>Slate, Dark-Gray, Med. Hard</td> <td>☒</td> <td></td> </tr> <tr> <td>6</td> <td>260</td> <td>600</td> <td>Slate, Dark-Gray, Hard</td> <td></td> <td>☒</td> </tr> <tr> <td>6</td> <td>600</td> <td>615</td> <td>Slate, Dark-Gray, Med. Hard</td> <td></td> <td>☒</td> </tr> <tr> <td>6</td> <td>615</td> <td>640</td> <td>Slate, Dark-Gray, Hard</td> <td></td> <td>☒</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	6	0	25	Shale, Light-Brown		☒	6	25	60	Shale, Gray		☒	6	60	75	Shale, Blue		☒	6	75	260	Slate, Dark-Gray, Med. Hard	☒		6	260	600	Slate, Dark-Gray, Hard		☒	6	600	615	Slate, Dark-Gray, Med. Hard		☒	6	615	640	Slate, Dark-Gray, Hard		☒
Hole Diam.	Depth		Material	Water																																																	
	From	To		Yes	No																																																
6	0	25	Shale, Light-Brown		☒																																																
6	25	60	Shale, Gray		☒																																																
6	60	75	Shale, Blue		☒																																																
6	75	260	Slate, Dark-Gray, Med. Hard	☒																																																	
6	260	600	Slate, Dark-Gray, Hard		☒																																																
6	600	615	Slate, Dark-Gray, Med. Hard		☒																																																
6	615	640	Slate, Dark-Gray, Hard		☒																																																
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>5/4/81</u> finished <u>5/7/81</u>																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>19</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19'</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION <u>cb dl</u> I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Ponderosa Drilling Firm Name <u>& Development, Inc.</u> Firm No. <u>228</u> <u>2. 6010 Broadway</u> Address <u>Spokane, WA 99206</u> Date <u>May 8, 1981</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																				
Thickness	Diameter	From	To																																																		
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
Number	From	To																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name <u>_____</u> Lot No. _____ Block No. _____ County <u>Boone</u> T. <u>50</u> S. <u>30</u> E. <u>W.</u>	12. RECEIVED MAY 12 1981 Department of Water Resources North District Office																																																				

MICROFILMED

FEB 10 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08399

Priority: July 7, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that DAVID ERICKSON
2495 NETTLETON RD.

COEUR D ALENE, ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 6, 1983; and
has submitted Proof of Beneficial Use on November 2, 1988. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 6, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 03W 6 NWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

00125 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08399

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of OCTOBER, 1990.

Acting for


R. Keith Higginson, Director

RECEIVED

OCT 25 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8399 IN THE
NAME OF DAVID ERICKSON

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before November 1, 1988; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on November 1, 1988 the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,


WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on November 2, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8399 be REINSTATED and the priority advanced to July 7, 1983.

Dated this 27th day of December, 1988.

MICROFILMED

FEB 10 1989


L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DAVID ERICKSON Phone 664-3787
Post office address 2495 Nettleton Rd
COEUR D'ALENE, IDAHO 83814
2. Source of water supply Groundwater (WELL) which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 06 Township 50N
Range 03W B.M. At SE Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 50N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____


[illegible]

None

_____ *Adg*

_____ *Chapman*

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul E. Eason
(Applicant)

7/6/83

Proposed Priority

Received by JK Date 7-6-83 Time 9:41 AM

Preliminary check by JK Fee \$ 30.00

Received by JK Date 7-6-83 (28686)

Publication prepared by JK Date 7/29/83

Published in Courier of Alluvial Press

Publication dates 8/11-8/18/83

Publication approved JK Date 10/7/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JK JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 95-8399, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore November 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 4 day of November, 1983.

David R. Tuttle
Acting Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

91-7003
MURPHY, GILBERT W.
RT. 2 BOX 101, ST. MARIES, ID 83861

Source: GROUNDWATER
Date Filed: 07/13/1983
Diversión Pt: SESE Sec 31 T 47N R 02W
Use: IRRIGATION (0.14 CFS)
In: SESE Sec 31 T 47N R 02W
FOR 7 ACRES

94-7277
ELDER, JOHN
1800 - 74TH AVE. S. E., EVERETT, WA 98003
Source: ROBINSON CREEK trib. to COEUR D'ALENE RIVER
Date Filed: 07/13/1983
Diversión Pt: SWSE Sec 30 T 48N R 01W
Use: IRRIGATION (0.20 CFS); IRRIGATION STORAGE (5.0 AF); IRRIGATION FROM STORAGE (5.0 AF); STOCKWATER (0.02 CFS); STOCKWATER STORAGE (5.0 AF); STOCKWATER FROM STORAGE (5.0 AF)
In: SWSE Sec 30 T 48N R 01W
FOR 10 ACRES

94-7278
HUFF, TOM
P. O. BOX 140, SILVERTON, ID 83867
Source: SPRINGS trib. to SINKS
Date Filed: 07/13/1983
Diversión Pt: SESW Sec 02 T 48N R 01W
Use: IRRIGATION (0.14 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: SESW Sec 02 T 48N R 01W
FOR 8 ACRES

95-8400
ERICKSON, DAVID
2405 NETTLETON RD., COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 07/08/1983
Diversión Pt: NWSE Sec 04 T 50N R 03W
Use: DOMESTIC (0.08 CFS)
In: NWSE Sec 04 T 50N R 03W
FOR 1 ACRES

95-8401
VEDDER, NORBERT
STAR ROUTE, COEUR D'ALENE, ID 83814
Source: SPRING trib. to COEUR D'ALENE LAKE
Date Filed: 07/01/1983
Diversión Pt: SENE Sec 03 T 49N R 04W
Use: DOMESTIC (0.04 CFS)
In: SENE Sec 03 T 49N R 04W
FOR 1 ACRES

95-8402
SHORES, WOODLAND
414 ONB BUILDING, SPOKANE, WA 99206
Source: GROUNDWATER
Date Filed: 07/06/1983
Diversión Pt: LOT 06 Sec 17 T 48N R 04W
Use: IRRIGATION (0.35 CFS); DOMESTIC (0.35 CFS)
In: LOT 06 LOT 07 Sec 17 T 48N R 04W FOR 55 ACRES

95-8403
DUMAIS, GUY
9506 E. 1ST ST., SPOKANE, WA 99206
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversión Pt: LOT 06 Sec 03 T 48N R 04W
Use: DOMESTIC (0.20 CFS)
In: LOT 06 (NWSE) NWSW NESW SWSW Sec 03 T 48N R 04W

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 19 and ending on the day of 19 and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of 19

Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

Department of Water Resources
Northern District Office

95-8404
OLSON, JOSEPH B.
BUSH, THOMAS E.
E. 1800 30TH ST., SPOKANE, WA 99206
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 07/12/1983
Diversión Pt: LOT 03 Sec 20 T 48N R 04W
Use: DOMESTIC (0.14 CFS)
In: LOT 03 LOT 04 LOT 05 Sec 20 T 48N R 04W
FOR 2 ACRES

95-8405
RUEN, ELAINE L.
P. O. BOX 105, CLARK FORK, ID 83811
Source: HAYDEN LAKE trib. to SINKS
Date Filed: 07/14/1983
Diversión Pt: LOT 02 Sec 19 T 51N R 03W
Use: IRRIGATION (0.04 CFS); DOMESTIC (0.04 CFS)
In: Lot 02 Sec 19 T 51N R 03W
FOR 2 ACRES

95-8406
RAMSEY - 53 WATER ASSN. INC.
N. 20 RAMSEY RD., RATHDRUM, ID 83854
Source: GROUNDWATER
Date Filed: 07/06/1983
Diversión Pt: SWSW Sec 26 T 52N R 04W
Use: IRRIGATION (0.10 CFS)
In: SWSW Sec 26 T 52N R 04W
FOR 5 ACRES

95-8407
DYER, MARIE
S. 1515 WOLF LODGE RD., COEUR D'ALENE, ID 83814
Source: WOLF LODGE CREEK trib. to COEUR D'ALENE LAKE
Date Filed: 07/25/1983
Diversión Pt: SWSW Sec 21 T 50N R 02W
Use: IRRIGATION (0.02 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.02 CFS)
In: SWSW Sec 21 T 50N R 02W
FOR 1 ACRES

95-8408
FARQUHAR, MICHAEL E. & CYNTHIA E.
DAVIS, GLAWN & PATRICIA HURT, STEVEN & SUSAN E. 2445 MALLORY RD., RATHDRUM, ID 83854
Source: GROUNDWATER
Date Filed: 07/27/1983
Diversión Pt: NWSE Sec 29 T 52N R 04W
Use: DOMESTIC (0.12 CFS)
In: NWSE Sec 29 T 52N R 04W
FOR 1 ACRES

95-8410
FELBER, ROBERT
RT. 1 BOX 123, FAIRFIELD, WA 99013
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 07/25/1983
Diversión Pt: SESE Sec 23 T 48N R 04W
Use: DOMESTIC (0.04 CFS)
In: SESE Sec 23 T 48N R 04W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 600 Gov't Way, Coeur d'Alene, Id, 83814 on or before AUGUST 29, 1983.

KEN DUNN, Dir.

Legal 350
Aug. 11, 18, 1983

NOTIFIED

October 11, 1990

DAVID ERICKSON
2495 NETTLETON RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08399

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

OCT 26 1990

September 18, 1990

DAVID ERICKSON
2495 NETTLETON RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08399

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
SEP 21 1990

0014

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08399

A. GENERAL INFORMATION

1. Name and address are most current available. (Check BU statement)
2. Exam Date
3. Source (Check Permit)

B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
6. Irrigation (Rule 5,1,8) method of determination

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

- Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

- Check with permit and well log for discrepancies

RECEIVED
JUN 27 1990

Department of Water Resources

Signature

Date

10/25/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

(☒) B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(☒) Field Report (☒) Quad Sheet (☒) Gov. Lot Plat (☐) Rules Check list
(☐) Aerial Photo (☐) Photo PD/PU (☒) Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

(☐) Correspondence (Date) _____

(☐) Other (List) _____

Contacts: _____

Remarks: _____

95-08399




MICROFILMED

Exam Completed By _____ Date _____
Sr. Agent Review _____ Date _____
Regional Manager Review *RJA* Date *6/11/90*

PERMIT NUMBER

95-08399


AVE. SEATTLE WASHINGTON KOOTENAI



QUAD: F-5
R3W, SEC.6, NWSE

ROUNDWATER

PERMIT # 08399
GL: FILMED
ACRES: 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Robert Erickson Permit No. 95-8399
Current Address: E 2625 Mattleton Rd Laramie WY 83004 Phone No. 667-1636
2. Accompanied by: Mrs Erickson EXAM. DATE: Aug 15 1989
Address: E 2625 Mattleton Rd Phone No. 667-1636
Relationship to Permit Holder: Wife
3. Source: Groundwater tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

OCT 25 1990

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:


Indicate Method of Determination.

[illegible]

Do not use this space

0661 5 2 190

CHILDREN



5286

2 221 000
FEET

5285

PIPELINE

BOUNDARY

Trailer Park

CORPORATE

Bestland Cem

BEST

AVE

Netleton Gulch

Best Hill

PERMIT #95-08399

GL:

ACRES:

DIALENE

7 2157

AVE

ERICKSON
PD: T50N, R3W, SEC. 6
PU:
SOURCE: GROUNDWATER

MICROFILMED

ACRES:

PAGE 2

OCT 25 1990

SHERMAN AVENUE

BURLINGTON

NORTHERN

St Thomas

Cem

Euen

ld

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

OCT 25 1990

1.2 AF of Home w/ lawn

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Self on David's report letter to Robert Eubank. Robert's home is 958399

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Donna L. C.

Period of Use
From To

1-1 12-31

Rate of Diversion
Q (cfs)

0.0

Annual Volume
V (afa)

12

Totals:

0.0

12

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Charles E. Johnson
2/17/89
8-15-89

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

8/9/90

MICROFILMED

OCT 25 1990



State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 50N, Rge: 3W,
Sec. 6, Qtr./Qtr. NW SE or Lot _____
2. Owner Robert Erickson
Address 2495 Nettleton Rd., City IDA, State ID
3. Approx. date of well construction May 1981
Well Driller Ponderosa Drilling
4. Casing: Diameter 6 in Condition _____
5. Casing length above land surface 2 ft
6. Well depth (ft) 640 Flowing _____ Temp. _____
Access port yes
7. Condition of piping and valving _____
8. Evidence of well seal _____
9. Shut in pressure or static water level 200 ft
10. Evidence of leakage around the casing _____
11. Does well need repair _____
12. Comments _____

MICROFILMED

(OVER)

OCT 25 1990

OCT 25 1990

RECORDED

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

D. SYSTEM DESCRIPTION

1. Other water rights with same place of use:


2. Other water rights with same point of diversion:

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 400'

2. ☒ Copy of U.S.G.S. Quadangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached (required for irrigation of 10 acres or more).



PD: T50N, R3W, SEC. 6, NE
SOURCE: GROUNDWATER

PAGE 2

ERICSSON
PD: T50N, R3W, SEC. 6, NE
SOURCE: GROUNDWATER

Inspected by

Charles H. Johnson

Date

Aug 15 1989

STATE OF ID 40
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>David A. and Robert C. Erickson</u> Address <u>Rt. 9, Box 514, Coeur d'Alene, Id 83814</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>200</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ P.S.I. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Sailer ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>150</u></td> <td><u>Estimated At Risk</u></td> <td></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>150</u>	<u>Estimated At Risk</u>																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																									
<u>150</u>	<u>Estimated At Risk</u>																																										
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Y/N</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>0</td> <td>25</td> <td>Shale, Light-Brown</td> <td>X</td> </tr> <tr> <td>6</td> <td>25</td> <td>40</td> <td>Shale, Gray</td> <td>X</td> </tr> <tr> <td>6</td> <td>40</td> <td>75</td> <td>Shale, Blue</td> <td>X</td> </tr> <tr> <td>6</td> <td>75</td> <td>260</td> <td>Slate, Dark-Gray, Med. Hard</td> <td>X</td> </tr> <tr> <td>6</td> <td>260</td> <td>600</td> <td>Slate, Dark-Gray, Hard</td> <td>X</td> </tr> <tr> <td>6</td> <td>600</td> <td>615</td> <td>Slate, Dark-Gray, Med. Hard</td> <td>X</td> </tr> <tr> <td>6</td> <td>615</td> <td>660</td> <td>Slate, Dark-Gray, Hard</td> <td>X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Y/N	From	To	6	0	25	Shale, Light-Brown	X	6	25	40	Shale, Gray	X	6	40	75	Shale, Blue	X	6	75	260	Slate, Dark-Gray, Med. Hard	X	6	260	600	Slate, Dark-Gray, Hard	X	6	600	615	Slate, Dark-Gray, Med. Hard	X	6	615	660	Slate, Dark-Gray, Hard	X
Hole Diam.	Depth		Material	Water Y/N																																							
	From	To																																									
6	0	25	Shale, Light-Brown	X																																							
6	25	40	Shale, Gray	X																																							
6	40	75	Shale, Blue	X																																							
6	75	260	Slate, Dark-Gray, Med. Hard	X																																							
6	260	600	Slate, Dark-Gray, Hard	X																																							
6	600	615	Slate, Dark-Gray, Med. Hard	X																																							
6	615	660	Slate, Dark-Gray, Hard	X																																							
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Auger ☐ Other _____	10. WORK SCHEDULE Work started <u>5/5/78</u> Finished <u>5/7/78</u>																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Shot size _____ Set from _____ feet to _____ feet Diameter _____ Shot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>12</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between struts Describe access port _____	11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Penetration Drilling Firm Name <u>A. Erickson & Son, Inc.</u> Phone No. <u>228</u> Address <u>Coeur d'Alene, ID 83814</u> Date <u>May 8, 1978</u> Signed by Firm Official <u>Robert C. Erickson</u> and <u>Keith Vermillion</u> (Operator)																																										
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name <u>RECEIVED</u> Lot No. _____ Block No. _____ County <u>Shoshone</u> Section <u>36</u> Township <u>6 N</u> Range <u>20 E</u>	12. ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHOLE COPY TO THE DEPARTMENT																																										

MICROFILMED

OCT 25 1980



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

COEUR D' ALENE, IDAHO 83814

January 11, 1988

RECEIVED
JAN 16 1989

Mr. David Erickson
2495 Nettleton Rd.
Coeur d'Alene, Id. 83814

Department of Water Resources

Re: 95-8399

Dear Mr. Erickson:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

OCT 25 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8399

Date: 12.22.88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
N Proof received timely _____
Y Reinstated

Source of Water:

Y Surface water
Y Groundwater
Y 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Y Priority Calculation:
Date proof received Nov. 2, '88 306
Date proof due Nov. 1, '88 - 305
No. of days late = 1
Priority date July 6, '83 + 197
NEW PRIORITY DATE July 7, '83 = 100

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

03/86

RECEIVED

NOV 02 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08399-Name(s) of Permit Holder: DAVID EICKSON-Post Office Address: 2495 Nettleton Rd. Coeur d'Alene Id.

Telephone No. _____

Source of Water: well -

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1 1/2 GPM = .00345 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ NoInstalled? ☐ Yes ☒ NoFee enclosed \$ 15-0-
(See License Examination Fee Schedule)Flow Measurement Port: Required? ☐ Yes ☒ NoInstalled? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Bob Eickson

(Name)

667-1636

(Telephone Number)

E2625 Nettleton Rd. Co d A Id.

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

FEB 10 1989

10-30

Date

Dave Eickson

Signature of Permit Holder (and title, if appropriate)

To: File 95-8399

From: Groundwater Protection

Date: 12/19/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK

jm

MICROFILMED

FEB 11 1989

STATE OF ID 40
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>David A. and Robert C. Erickson</u> Address <u>Rt. 9, Box 614, Coeur d'Alene, Id 83814</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>200</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>1 1/2</u></td> <td></td> <td></td> </tr> <tr> <td>Estimated Air Lift</td> <td></td> <td></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1 1/2</u>			Estimated Air Lift																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																			
<u>1 1/2</u>																																																					
Estimated Air Lift																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Note</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yield</th> <th>Quality</th> </tr> </thead> <tbody> <tr> <td></td> <td>0</td> <td>25</td> <td>Shale, light-brown</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>25</td> <td>60</td> <td>Shale, Gray</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>60</td> <td>75</td> <td>Shale, Blue</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>75</td> <td>260</td> <td>Slate, Dark-Gray, Med. Hard</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>260</td> <td>600</td> <td>Slate, Dark-Gray, Hard</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>600</td> <td>615</td> <td>Slate, Dark-Gray, Med. Hard</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td>615</td> <td>640</td> <td>Slate, Dark-Gray, Hard</td> <td>X</td> <td></td> </tr> </tbody> </table>	Note	Depth		Material	Water		From	To	Yield	Quality		0	25	Shale, light-brown		X		25	60	Shale, Gray		X		60	75	Shale, Blue		X		75	260	Slate, Dark-Gray, Med. Hard	X			260	600	Slate, Dark-Gray, Hard	X			600	615	Slate, Dark-Gray, Med. Hard	X			615	640	Slate, Dark-Gray, Hard	X	
Note	Depth		Material	Water																																																	
	From	To		Yield	Quality																																																
	0	25	Shale, light-brown		X																																																
	25	60	Shale, Gray		X																																																
	60	75	Shale, Blue		X																																																
	75	260	Slate, Dark-Gray, Med. Hard	X																																																	
	260	600	Slate, Dark-Gray, Hard	X																																																	
	600	615	Slate, Dark-Gray, Med. Hard	X																																																	
	615	640	Slate, Dark-Gray, Hard	X																																																	
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED MAY 18 1981 Department of Water Resources																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>19</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19'</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between struts Describe access port _____		Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																				
Thickness	Diameter	From	To																																																		
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
Number	From	To																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name <u>RECEIVED</u> Lot No. _____ Block No. _____ County <u>Shoshone</u> NE 1/4 SE 1/4 Sec. 6, T. 20, R. 20E, S. 20E	10. DRILLER'S CERTIFICATION <u>cb dl</u> I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Drillerman <u>RECEIVED</u> Firm Name <u>E. Erickson & Son, Inc.</u> Firm No. <u>228</u> Address <u>Shoshone, ID 83866</u> Date <u>May 8, 1981</u> Signed by Firm Officer <u>[Signature]</u> and <u>[Signature]</u> (Operator) <u>Keith Weimer</u>																																																				

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE THIRD COPY TO THE DEPARTMENT

MICROFILMED

FEB 10 1989

November 15, 1988

Robert C. Erickson
E. 2625 Nettleton Gulch Rd.
Coeur d'Alene, ID 83814

Dear Mr. Erickson:

Re: Permit No. 95-8399

Returned is your check No. 4709 in the amount of \$15 submitted with the proof of beneficial use form on November 2, 1988.

For the diversion of water for one domestic use, no fee is required.

The proof is being reviewed and sent to the regional office to be put on the inventory of pending field inspections.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager


Enclosure

c: Acct. Sec.
Region

MICROFILMED

FEB 10 1989

Frickson
E 2625 Nettleton Rd.
Cl'A Id.
83814



State of Idaho
Dept of water Resources
Statehouse
Boise Idaho
83720

138406
August 31, 1988

DAVID ERICKSON
2495 NETTLETON RD.
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08399

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 10 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ERICKSON, DAVID
2495 NETTLETON RD.
COEUR D'ALENE, ID 83814

NOVEMBER 22, 1983

RE: PERMIT NO. 95-8399

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature]

APPLICATION NUMBER: 95-8399

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/29/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/24/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/6/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: [Signature]

Date: 10/12/83

STATE OFFICE REVIEW:

217

26

- ☐ See attached sheet for more information.

By: [Signature]

Date: 10/31/83

UNRECORDED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

35-8339

ERICKSON, DAVID

2495 NETTLETON RD., COEUR D'ALENE, ID 83814

Source. GROUNDWATER

Date Filed. 07/06/1983

Diversion Ft. NWSE Sec 06 T 50N R 03W

Use: DOMESTIC (0.08 CFS)

In: NWSE Sec 06 T 50N R 03W

MICROFILMED