

FOR WATER RIGHT
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

93-7044
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214

Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENE NWNE SWNE Sec 29 T 47N R 04W
Use: DOMESTIC (0.20 CFS)
In: NWNE NENE SWNE SENE Sec 29 T 47N R 04W

93-7046
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214

Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: SWNW Sec 32 T 47N R 04W
Use: DOMESTIC (0.16 CFS)
In: NENW NWNW SWNW SENW Sec 32 T 47N R 04W

94-7271
NEFF, STEVE V.
RT. 1 BOX 28C, HARRISON, ID 83861

Source: GROUNDWATER
Date Filed: 06/24/1983
Diversion Pt: NWNE Sec 26 T 47N R 03W
Use: IRRIGATION (0.20 CFS); DOMESTIC (0.06 CFS)
In: NWNE Sec 26 T 47N R 03W FOR 10 ACRES

94-7276
MATTSON, KATHY
P. O. BOX 585, ST. MARIES, ID 83861

Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: SESE Sec 22 T 47N R 03W
Use: IRRIGATION (0.13 CFS); STOCKWATER (0.05 CFS); DOMESTIC (0.02 CFS)
In: SESE Sec 22 T 47N R 03W FOR 10 ACRES

95-8380
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 28 T 47N R 04W
Use: DOMESTIC (0.08 CFS)
In: NENE Sec 28 T 47N R 04W

95-8381
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENW NWNE Sec 32 T 48N R 04W
Use: DOMESTIC (0.20 CFS)
In: NENW NWNE Sec 32 T 48N R 04W

95-8382
HUNT, ED
RT. 2 BOX 173, HARRISON, ID 83833
Source: SPRING trib. to THOMPSON CREEK; UNNAMED STREAM trib. to THOMPSON CREEK; THOMPSON CREEK trib. to THOMPSON LAKE.

Date Filed: 06/29/1983
Diversion Pt: SWNE SENE NWSE Sec 10 T 48N R 03W
Use: IRRIGATION (0.20 CFS); IRRIGATION STORAGE (15.0 AF); IRRIGATION FROM STORAGE (15.0 AF); STOCKWATER (0.05 CFS); STOCKWATER STORAGE (15.0 AF); STOCKWATER FROM STORAGE (3.0 AF); DOMESTIC (0.20 CFS)
In: NESE NWSE SWSE SESE Sec 10 T 48N R 03W NESE NWSE SWNE SENE Sec 10 T 48N R 03W FOR 16 ACRES

95-8383
BERRETH, LARRY L. &/or VIRGINIA G.
1309 MONTANA AVE., COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to HAUSER CREEK; UNNAMED STREAM trib. to HAUSER CREEK
Date Filed: 06/20/1983
Diversion Pt: NESE Sec 31 T 52N R 05W

Use: IRRIGATION (0.06 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: SESE Sec 31 T 52N R 05W FOR 2 ACRES

95-8386
SCHUTT, ELWIN W.
S. 910 SCHILLING LOOP, POST FALLS, ID 83864

Source: UNNAMED STREAM trib. to SPOKANE RIVER
Date Filed: 06/29/1983
Diversion Pt: SWNE Sec 10 T 50N R 05W
Use: IRRIGATION (0.10 CFS); STOCKWATER (0.02 CFS)
In: SWNE Sec 10 T 50N R 05W FOR 5 ACRES

95-8388
DONENDORF, MARVIN E.
28 AGATE ST., KELLOGG, ID 83837

Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 06/29/1983
Diversion Pt: SWNW Sec 23 T 48N R 04W
Use: DOMESTIC (0.04 CFS)
In: SWNW Sec 23 T 48N R 04W

95-8387
PRIMMER, DEAN A. &/or CLARA J.
N. 1795 HIGHWAY 41, RATHDRUM, ID 83858
Source: RATHDRUM CREEK trib. to SINKS
Date Filed: 06/29/1983
Diversion Pt: SWSE Sec 19 T 52N R 04W
Use: IRRIGATION (0.30 CFS)
In: SESE Sec 19 T 52N R 04W FOR 15 ACRES

95-8388
STEVENS, RYAN &/or MAC &/or ELIZABETH
E. 1700 STURGEON, RATHDRUM, ID 83858
Source: RATHDRUM CREEK trib. to SINKS
Date Filed: 06/30/1983
Diversion Pt: NWNW Sec 20 T 54N R 04W
Use: DOMESTIC (0.04 CFS)
In: NWNW Sec 20 T 54N R 04W

95-8389
BROWN, WARREN &/or KATHI
P. O. BOX 1206, COEUR D'ALENE, ID 83814
Source: SPRING trib. to SINKS; UNNAMED STREAM trib. to SINKS
Date Filed: 06/29/1983
Diversion Pt: NWSW Sec 05 T 49N R 03W
Use: IRRIGATION (0.20 CFS); IRRIGATION STORAGE (10.0 AF); IRRIGATION FROM STORAGE (10.0 AF); STOCKWATER (0.02 CFS); STOCKWATER STORAGE (10.0 AF); STOCKWATER FROM STORAGE (10.0 AF)
In: NWSW Sec 05 T 49N R 03W FOR 10 ACRES

95-8390
INMAN, ROBERT E. (GENE)
RT. 3 BOX 123, HAYDEN LAKE, ID 83855
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: NESW Section 31 T 52N R 03W
Use: IRRIGATION (0.04 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: NESW Sec 31 T 52N R 03W FOR 4 ACRES

95-8391
HERBERT, W.
S. 999 WOLF LODGE RD., COEUR D'ALENE, ID 83814
Source: MARIE CREEK trib. to WOLF LODGE CREEK
Date Filed: 06/30/1983
Diversion Pt: NWSW Sec 21 T 50N R 03W
Use: IRRIGATION (0.03 CFS)
In: NWSW Sec 21 T 50N R 03W FOR 1 ACRES

STATE OF IDAHO,
County of Kootenai,

} ss.

Department of Water Resources
Northern District Office

Carole Hodge

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice*

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *Weeks* commencing on the *21* day of *July*, 19*83*, and ending on the *28* day of *July*, 19*83*, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carole Hodge

Subscribed and sworn to before me this *28* day of *July*, 19*83*.

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

95-8392
COMAN, BEULAH B.
807 W. SPRAGUE AVE. # 916, SPOKANE, WA 99204
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 06/30/1983
Diversion Pt: LOT 01 Sec 26 T 50N R 04W
Use: DOMESTIC (0.04 CFS)
In: LOT 01 Sec 26 T 50N R 04W

95-8393
SCHOECHKERT, ROBERT D. &/or BEVERLEE J.
W. 348 IDAHO ST., RATHDRUM, ID 83858
Source: SPRING BRANCH CREEK trib. to RATHDRUM CREEK
Date Filed: 06/30/1983
Diversion Pt: NENE Sec 36 T 52N R 05W
Use: IRRIGATION (0.05 CFS)
In: NENE Sec 36 T 52N R 05W FOR 2 ACRES

95-8394
KEMMER, CHESTER
E. 5565 16TH, POST FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: SENE Sec 31 T 51N R 04W
Use: DOMESTIC (0.04 CFS)
In: SENE Sec 31 T 51N R 04W

95-8395
BESSETTE, RICHARD G.
2206 W. HONEYSUCKLE, COEUR D'ALENE, ID 83814
Source: SPRING trib. to SINKS
Date Filed: 06/30/1983
Diversion Pt: SENW Sec 09 T 52N R 03W
Use: IRRIGATION (0.10 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: SENW Sec 09 T 52N R 03W FOR 5 ACRES

95-8396
SMITH, RONALD P.
2015 E. 24TH AVE., SPOKANE, WA 99203
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 06/30/1983
Diversion Pt: LOT 04 Sec 23 T 49N R 04W
Use: DOMESTIC (0.04 CFS)
In: LOT 04 Sec 23 T 49N R 04W

95-8397
JOHNSON, CLARENCE &/or GRAYDON
100 MEADOWBROOK RD., COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to COEUR D'ALENE LAKE
Date Filed: 06/30/1983
Diversion Pt: SENW NESW SWNE Sec 21 T 50N R 04W
Use: STOCKWATER (0.02 CFS); DOMESTIC (0.02 CFS)
In: SENW SWNE NESW Sec 21 T 50N R 04W

95-8398
FLINT, THOMAS K. &/or KATHERINE A.
RT. 2 BOX 83, HARRISON, ID 83833
Source: TURNER CREEK trib. to COEUR D'ALENE LAKE
Date Filed: 06/30/1983
Diversion Pt: NWSE Sec 19 T 49N R 03W
Use: IRRIGATION (0.03 CFS)
In: NWSE Sec 19 T 49N R 03W FOR 8 ACRES

95-8399
BEALS, JR., SHERMAN J.
GENERAL DELIVERY, COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to SINKS
Date Filed: 06/30/1983
Diversion Pt: LOT 03 Sec 27 T 53N R 02W
Use: DOMESTIC (0.04 CFS)
In: LOT 03 Sec 27 T 53N R 02W

95-8398
PUCKETT, RAY C.
P. O. BOX 711, BAYVIEW, ID 83803
Source: SALEE CREEK trib. to PEND ORELLE LAKE
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 33 T 54N R 02W NWNW Sec 34 T 54N R 02W
Use: IRRIGATION (0.06 CFS); DOMESTIC (0.13 CFS)
In: SENE Sec 33 T 54N R 02W FOR 2 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before AUGUST 8, 1983.

KEN DUNN, Dir.

Legal 221
July 21, 28, 1983

RECEIVED
JUN 24 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT
RE-EXAMINATION

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: CHESTER KEMMER Permit No. 95-08394
Current Address: E 5565 16TH POST FALLS, ID. 83854 Phone No. 773-4309
2. Accompanied by: 1 EXAM. DATE: 6/26/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: ROSS POINT WATER DIST
95-0488, 95-07258, 95-0847 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

WELL
BURIED PIPELINE
HOME W/ PRESS
SYSTEM
0-1-0




Scale: 1" = NTS

FILED
AUG 23 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



NAME: CHESTER KEMMER
PD: T51N, R4W, SEC.31, SENE
PU:
SOURCE: GROUNDWATER

PERMIT NUMBER: 95-08394
GL: MAP: # 27
AC/IRR: QUAD: F-3,4

FILED
AUG 23 1991

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>ELSTER HENNING</u> Address: <u>RT 3 BOX 239 POST FALLS ID</u> Owner's Permit No. _____		2. WATER LEVEL Static water level: <u>200</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ Quality _____ Artesian closed in pressure ☐ Yes ☒ No Controlled by ☐ Valve ☐ Cap ☐ Plug	
3. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned (describe method of abandoning) _____		4. WELL TEST DATA Pump ☐ Rater ☒ Other _____ Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____	
5. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection		6. LITHOLOGIC LOG Hole Diam. _____ Depth _____ Material _____ Water Vel. _____ No. _____ 9 0-150 Sand & gravel 150-239 Sand, gravel & boulders 239-240 Boulder	
7. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other _____			
8. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>242</u> feet Casing schedule <u>4</u> Steel ☐ Concrete Thickness _____ Diameter _____ From _____ To _____ <u>320</u> inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>6</u> inches by <u>3/16</u> inches Number _____ From _____ To _____ <u>72</u> perforations <u>224</u> feet <u>239</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☒ Well cuttings Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing ☒ Overbore to seal depth			
9. LOCATION OF WELL Sketch map location must agree with written location. (45) Subdivision Name _____ TRA 32 Lot No. _____ Block No. <u>31</u> County <u>KOOTENAI</u> SE 1/4 NE 1/4 Sec. 31 T. 51 N. R. 4 SW		10. Work started <u>8/10/26</u> finished <u>8/23/26</u>	
		11. DRILLERS CERTIFICATION Firm Name <u>ALAN DANIELSON & SONS INC.</u> Firm No. <u>163</u> Address <u>PO BOX 1499</u> Date <u>8/23/26</u> Signed by (Firm Official) <u>Robert B. Danielson</u> and <u>David N. Danielson</u> (Operator)	

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

UNRECORDED

JAN 10 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08394

Priority: June 30, 1983

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that CHESTER KEMMER.

E. 5565 16TH

POST FALLS, ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 30, 1983; and has submitted Proof of Beneficial Use on July 20, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE, Sec. 31, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC


51N 04W 31 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director affixed at Boise, this 20TH day of AUGUST, 1991.

Acting for


R. Keith Higginson, Director

AUG 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Chester Kemmer Phone 773-4309
Post office address E 5565 16th Post Falls, Id 83854
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 31 Township 51N
Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 31 Township 51N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

[illegible]

~~Single family~~

domestic exemption.

Accepted

Applicant

applicant to make this filing

marks

A grid of graph paper with handwritten text. The text is as follows:

- At (1, 4): $R4W$
- At (5, 1): $T51N$
- At (3, 1): 31
- At (4, 2): $x Rd 2 \frac{1}{2}$

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

- Chester Kemmer
(Applicant)

Proposed Priority 6/30/1983

Received by JB Date 6-30-83 Time 1:25

Preliminary check by JB Fee \$ 30.00

Received by JB Date 6-30-83 (2824)

Publication prepared by JB Date 7/13/83

Published in C&A News

Publication dates 7-21-83

Publication approved JB Date 8/9/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 95-8394, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore September 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 19th day of September, 1983.

D. Alan Souton
Chief, Operations Bureau

FOR WATER RIGHT
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

95-7044
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENE NWNE SWNE Sec 20 T 47N R 04W
Use: DOMESTIC (0.20 CFS)
In: NWNE NENE SWNE SENE Sec 20 T 47N R 04W
FOR 2 ACRES

95-7046
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: SWNW Sec 22 T 47N R 04W
Use: DOMESTIC (0.16 CFS)
In: NENW NWNW SWNW SENW Sec 22 T 47N R 04W
FOR 10 ACRES

95-7271
NEFF, STEVE V.
RT. 1 BOX 502, HARRISON, ID 83601
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NWNE Sec 20 T 47N R 03W
Use: IRRIGATION (0.20 CFS); DOMESTIC (0.08 CFS)
In: NWNE Sec 20 T 47N R 03W
FOR 10 ACRES

94-7276
MATTSON, KATHY
P. O. BOX 585, ST. MARIES, ID 83861
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: SESE Sec 22 T 47N R 03W
Use: IRRIGATION (0.13 CFS); STOCKWATER (0.06 CFS); DOMESTIC (0.02 CFS)
In: SESE Sec 22 T 47N R 03W
FOR 10 ACRES

95-8380
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 20 T 47N R 04W
Use: DOMESTIC (0.08 CFS)
In: NENE Sec 20 T 47N R 04W
FOR 10 ACRES

95-8381
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 20 T 47N R 04W
Use: DOMESTIC (0.20 CFS)
In: NENE Sec 20 T 47N R 04W
FOR 10 ACRES

95-8382
HUNT, ED
RT. 2 BOX 173, HARRISON, ID 83633
Source: SPRING trib. to THOMPSON CREEK; UNNAMED STREAM trib. to THOMPSON CREEK; THOMPSON CREEK trib. to THOMPSON LAKE.
Date Filed: 06/29/1983
Diversion Pt: SWNE SENE NWSE Sec 10 T 48N R 03W
Use: IRRIGATION (0.20 CFS); IRRIGATION STORAGE (15.0 AF); IRRIGATION FROM STORAGE (15.0 AF); STOCKWATER (0.06 CFS); STOCKWATER STORAGE (15.0 AF); STOCKWATER FROM STORAGE (3.0 AF); DOMESTIC (0.20 CFS)
In: NESE NWSE SWSE SESE Sec 10 T 48N R 03W NENE SENE Sec 10 T 48N R 03W
FOR 16 ACRES

95-8383
BERRETH, LARRY L. &/or VIRGINIA G.
1809 MONTANA AVE., COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to HAUSER CREEK; UNNAMED STREAM trib. to HAUSER CREEK.
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 21 T 48N R 03W

STATE OF IDAHO,
County of Kootenai,

ss.

Department of Water Resources
Northern District Office

Carol Hodge

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice* of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *days*, commencing on the *27* day of *July*, 19*83*, and ending on the *28* day of *July*, 19*83*, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *28* day of *July*, 19*83*.

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

95-8385
COMAN, BEULAH B.
807 W. SPRAGUE AVE. # 016, SPOKANE, WA 99204
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 06/29/1983
Diversion Pt: LOT 01 Sec 26 T 50N R 04W
Use: DOMESTIC (0.04 CFS)
In: LOT 01 Sec 26 T 50N R 04W
FOR 2 ACRES

95-8387
SCHOECHERT, ROBERT D. &/or BEVERLEE J.
W. 348 IDAHO ST., RATHDRUM, ID 83858
Source: SPRING BRANCH CREEK trib. to RATHDRUM CREEK
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 26 T 52N R 05W
Use: IRRIGATION (0.05 CFS)
In: NENE Sec 26 T 52N R 05W
FOR 2 ACRES

95-8388
KEMMER, CHESTER E.
500 4TH, POST FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: SESE Sec 21 T 51N R 04W
Use: DOMESTIC (0.04 CFS)
In: SESE Sec 21 T 51N R 04W
FOR 4 ACRES

95-8389
BERSETTE, EDWARD G.
1306 W. HENRYBUCKLE, COEUR D'ALENE, ID 83814
Source: SPRING trib. to SESE
Date Filed: 06/29/1983
Diversion Pt: SENW Sec 09 T 51N R 05W
Use: IRRIGATION (0.10 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.05 CFS)
In: SENW Sec 09 T 51N R 05W
FOR 5 ACRES

95-8390
SMITH, RONALD P.
2015 E. 24TH AVE., SPOKANE, WA 99203
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 06/29/1983
Diversion Pt: LOT 04 Sec 23 T 48N R 04W
Use: DOMESTIC (0.04 CFS)
In: LOT 04 Sec 23 T 48N R 04W

95-8397
JOHNSON, CLARENCE &/or GRAYDON
100 MEADOWBROOK RD., COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to COEUR D'ALENE LAKE
Date Filed: 06/29/1983
Diversion Pt: SENW NENE SWNE Sec 21 T 50N R 04W
Use: STOCKWATER (0.02 CFS); DOMESTIC (0.02 CFS)
In: SENW SWNE NENE Sec 21 T 50N R 04W

95-8398
FLINT, THOMAS K. &/or KATHERINE A.
RT. 2 BOX 83, HARRISON, ID 83601
Source: TURNER CREEK trib. to COEUR D'ALENE LAKE
Date Filed: 06/29/1983
Diversion Pt: NWSE Sec 19 T 48N R 03W
Use: IRRIGATION (0.03 CFS)
In: NWSE Sec 19 T 48N R 03W
FOR 2 ACRES

95-8399
BEALS, JR., SHERMAN J.
GENERAL DELIVERY, COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to SESE
Date Filed: 06/29/1983
Diversion Pt: LOT 03 Sec 27 T 51N R 03W
Use: DOMESTIC (0.04 CFS)
In: LOT 03 Sec 27 T 51N R 03W

95-8398
PUCKETT, RAY C.
P. O. BOX 711, BAYVIEW, ID 83803
Source: SALES CREEK trib. to PEND ORELLE LAKE
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 23 T 54N R 05W NWNW Sec 24 T 54N R 05W
Use: IRRIGATION (0.05 CFS); DOMESTIC (0.13 CFS)
In: SESE Sec 23 T 54N R 05W
FOR 2 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 605 Gov't Way, Coeur d'Alene, Id, 83814 on or before AUGUST 8, 1983.

KEN DUNN, Dir.
Legal 21
July 21, 28, 1983

August 20, 1991

CHESTER KEMMER
E. 5565 16TH
POST FALLS, ID 83854

RE: WATER RIGHT NO. 95-08394

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
AUG 23 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8394

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A
Limited by capacity ☒

Total volume Limited by flow
Chart checked for AF rate/ac N/A

Capacity Actual measurement checked
Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses ☒
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

Comments/Changes to Examiner's Recommendations:

AUG 23 1991

License 10-day 30-day

Back of field report signed?
Reviewer SCurtis Date 8/12/91 Review time 5 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08374

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- ☒ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

☒ Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

☒ Check with permit and well log for discrepancies

Signature

[Handwritten Signature]

Date

7/2/90

RECEIVED
JUN 24 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT
RE-EXAMINATION

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: CHESTER KEMMER Permit No. 95-08394
Current Address: E 5565 16TH POST FALLS, ID. 83854 Phone No. 773-4309
2. Accompanied by: 1 EXAM. DATE: 6/26/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: ROSS POINT WATER DIST
95-0488, 95-07258, 95-0847 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

WELL
BURIED PIPELINE
HOME W/ PRESS
SYSTEM




Scale: 1" = NTS

RECEIVED
AUG 23 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


NW/4 COEUR D'ALENE 15' QUADRANGLE



NAME: CHESTER KEMMER
PD: T51N, R4W, SEC.31, SENE
PU:
SOURCE: GROUNDWATER

PERMIT NUMBER: 95-08394
GL: MAP: # 27
AC/IRR: QUAD: F-3,4

AUG 23 1991



Do not use this space

D. FLOW MEASUREMENTS *NONE*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

ONE NONE

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

ONE NONE

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THIS IS A STRAND BY MABEL. MR. KEMMER BUYS WATER FOR HIS HOME FROM ROSS POINT WATER. IF THE WATER DISTRICT SHOULD FAIL TO DELIVER WATER THIS WELL IS PLUMBED TO THE HOME & COULD BE USED AS A REPLACEMENT SOURCE. ANY USE OF THIS WELL OTHER THAN THAT DESCRIBED ABOVE WILL REQUIRE A TRANSFER OR NEW APPLICATION FOR PERMIT.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
DOMESTIC (1)	1-1 12-31	0.04	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name: Tom D King
 Signature: [Signature]
 Certification Date: 4/16/90
 Field Report Preparation Date: 6/26/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



AUG 23 1991

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08394

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☒ N ☐ Static Water Level: 200
Pressure Gauge: Y ☒ N ☐ Casing Diameter: 8"
Flowing: Y ☐ N ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

1155-1155-1155
AUG 23 1991

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

SEP 2 1976

1. WELL OWNER Name <u>CHESTER HEAMER</u> Address <u>RT 3 Box 238 POST FALLS ID</u> Owner's Permit No. _____		7. WATER LEVEL Department of Water Resources Northern District Office Static water level <u>200</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																													
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Other Discharge G.P.M. <u>10</u> Draw Down _____ Hours Pumped _____																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>9</td><td>0</td><td>180</td><td>SAND & GRAVEL</td><td></td><td>X</td></tr><tr><td></td><td>180</td><td>239</td><td>SAND, Gravel & Boulder</td><td>X</td><td></td></tr><tr><td></td><td>239</td><td>241</td><td>Boulder</td><td>X</td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	9	0	180	SAND & GRAVEL		X		180	239	SAND, Gravel & Boulder	X			239	241	Boulder	X	
Hole Diam.	Depth		Material		Water																										
	From	To		Yes	No																										
9	0	180	SAND & GRAVEL		X																										
	180	239	SAND, Gravel & Boulder	X																											
	239	241	Boulder	X																											
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other																															
5. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>242</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To <u>320</u> inches <u>8</u> inches + <u>1</u> feet <u>239</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>6</u> inches by <u>3/16</u> inches Number From To <u>72</u> perforations <u>224</u> feet <u>239</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☒ Well cuttings Sealing procedure used ☐ Sherry pit ☒ Temporary surface casing ☒ Overhore to seal depth																															
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td></tr><tr><td>W</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td></tr></table> Subdivision Name _____ TRACT 32 Lot No. _____ Block No. <u>31</u> County <u>KOOTENAI</u> SE 1/4 NE 1/4 Sec. 31 T. 51 N. R. 4 NW		N			W		E				S			10. Work started <u>8/10/76</u> finished <u>8/23/76</u>																	
N																															
W		E																													
S																															
		11. DRILLERS CERTIFICATION Firm Name <u>Aqua Drill Works & Dev. Inc.</u> Firm No. <u>163</u> Address <u>Post Falls, ID</u> Date <u>8/23/76</u> Signed by (Firm Official) <u>Robert Brown</u> and (Operator) <u>David N. March</u>																													

AUG 23 1976

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: CHESTER KEMMER Permit No. 9508344
Current Address: E 5565 16TH POST FALLS ID. 83854 Phone No. 773-4309
2. Accompanied by: DIANE KEMMER EXAM. DATE: 4-6-89
Address: _____ Phone No. _____
Relationship to Permit Holder: SON
3. Source: NONE tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

AUG 23 1991

JUN 8 1993

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

~~4th~~ ~~th~~ ~~Nov~~

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Handwritten signature: *Handwritten signature*

[illegible]

Do not use this space

1661 62 30V

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

AUG 23 1991

MR. KEMMER IS ON ROAD POINT WATER SYSTEM (2023 McALE HILLS)

म. ३६ ई. १५८६

1. Recommended Amounts

Period of Use

Annual Volume
V (a7a)

2. Recommended Amendments

☐ Add P.D. as reflected above☐ Add P.U. as reflected above

Field Examiner's Name

08/11/20

105/27
10/11/77

10/8/27

employee on a computer printout attached hereto.

CONSULTANT SEA





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 13, 1990

William Appleton
Attorney at Law
Suite 300, Courthouse Plaza
500 Government Way
Coeur d'Alene, ID 83814

RE: Permit to Appropriate Water No. 95-8394 in the Name of
Chester Kemmer

Dear Mr. Appleton:

You wrote me a letter about the above permit in March, 1990. For some reason, probably the fault of my own, the letter with the file was misplaced, and I did not respond.

I have sent the recommendations of the examiner back to him with a copy of this letter. I thought it best if I refer you to the examiner to facilitate a more direct resolution. Hopefully, the examiner, Tom King, will contact either you or Mr. Kemmer, and resolve the inconsistencies.

Respectfully,

GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

cc: Tom King, Northern Region - *exam returned to region*

RECEIVED
AUG 23 1991

AUG 23 1991

APPLETON & PHILLIPS
ASSOCIATES IN THE PRACTICE OF LAW
SUITE 300, COURTHOUSE PLAZA
500 GOVERNMENT WAY
COEUR D'ALENE, IDAHO 83814

WILLIAM APPLETON
CAMERON PHILLIPS

March 12, 1990

TELEPHONE
(208) 666-2518
(208) 667-5437

Gary Spackman, Manager
Water Right Permits Section
Department of Water Resources
1301 N. Orchard St., Statehouse Mail
Boise, Idaho 83720

RECEIVED
MAR 14 1990

Department of Water Resources

Re: Permit to Appropriate
Water No. 95-8394
(Chester Kemmer)

Dear Mr. Spackman:

This letter is to confirm our telephone conversation of March 9th, 1990. As I told you in that phone conversation, I represent Chester Kemmer. Mr. Kemmer received a notice of pending order avoiding permit. The information I received from Mr. Kemmer is contrary to that you received from your field examiner.

Mr. Kemmer does not receive his water from Ross Point Water District. Instead he receives his water for his domestic use from the well on his property. That is Mr. Kemmer's only source of water and he has been using it for approximately ten (10) years.

Please let me know if you have any questions or if the Department of Water Resources intends to take any action with regard to Mr. Kemmer's water rights.

Thank you very much.

Sincerely,

William Appleton

William Appleton

WA/pb

APR 23 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 2, 1990

Chester Kemmer
E. 5565 16th
Post Falls, ID 83854

RE: Permit to Appropriate Water No. 95-8394

Dear Permit Holders:

NOTICE OF PENDING ORDER VOIDING PERMIT

On September 19, 1983 the Department of Water Resources approved an application to appropriate water, numbered 95-8394, from groundwater, for domestic purposes located in the SENE, S31, T51N, R4W, Kootenai County.

Based on a field inspection conducted by a representative of our Department it has come to our attention that you have not developed the system you intended under this permit.

The purpose of this letter is to request that you relinquish your permit or explain why the Department should not void the permit. Enclosed is a relinquishment form that should be signed and returned to this office, unless you have some explanation that would prevent the Department from voiding your permit.

If you fail to respond to this notice within thirty (30) days of the date of mailing of this letter, the Department will act to void your permit. The permit will be voided on the grounds that you failed to divert and beneficially use the water that you were permitted to develop.

If you have any questions in regard to this matter, please feel free to contact our office.

Respectfully,

GARY SPACKMAN, Manager
Water Right Permits Section

I hereby certify that on this 5th day of March, 1990, I sent the original copy of this letter, postage prepaid, to the person and address listed above.

AUG 23 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 4, 1988

Mr. Chester Kemmer
E. 5565 16th St.
Post Falls, Id. 83854

Re: 95-8394

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

JAN 10 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8394

Date: 10/17/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ Y 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 20 1988

Department of Water Resources
Northern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received N/A

Date 7/20/88

Receipt # 7

Receipt by JP

Reviewed by JP

Sent to region 7/20/88

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8394

Name(s) of Permit Holder: Chester Kemmer

Post Office Address: E. 5565 16th Post Falls, Id. 83854

Telephone No. 773-4309

Source of Water: Groundwater

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1976

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Applicant

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JAN 10 1989

7/20/88

Date

Chester Kemmer
Signature of Permit Holder (and title, if appropriate)

To: File 95-8394

From: Groundwater Protection

Date: 10/17/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *And date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK .

JP

MICROFILMED

JAN 10 1989

USE PREPARED OR
PLAIN PAPER

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

RECEIVED

State of Idaho, Department of Water Resources, Boise, Idaho 83725
Date of Report: SEP 20 1976

1. WELL OWNER
HEIDMAN
183124733 1001 PARK DR


2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replaced
Additional (Describe method of abandonment)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Other specify: _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Water (surface or subsurface)

4. METHOD DRILLED
☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 8 inches Total depth 242 feet
Casing schedule 7 Steel Concrete
Thickness 320 inches 1 inches 1 feet 2.57 feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 6 inches by 3/16 inches
Number 72 From 224 feet To 2.57 feet
perforations feet feet
perforations feet feet
perforations feet feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Wall coatings
Sealing procedure used ☐ Slurry or ☒ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location. (45)



Section Name _____
TAX 32
Lot No. _____ Block No. 31

County ROOTEN AI
SE 1/4 NE 1/4 31 T. 1 N. R. 4

7. Work started 8/10/76 finished 8/23/76

8. DRILLER'S CERTIFICATION
Firm Name BOISE DRILLING & SERVICE
Address 1001 PARK DR City BOISE State ID
Signed by (Firm Official) Robert J. Brown
and David H. Brown

FORWARD THE WHITE COPY TO THE DEPARTMENT

RECEIVED

1989

KEMMER, CHESTER
E. 5565 16TH
POST FALLS, ID 83854

CERTIFIED MAIL
June 30, 1988

138138

PROOF DUE NOTICE

RE: Permit No. 95-8394

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 10 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KEMMER, CHESTER
E. 5565 16TH
POST FALLS, ID 83854

SEPTEMBER 27, 1983

RE: PERMIT NO. 95-8394

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8394

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/8/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/29/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
Date of priority recommended. _____
Special conditions of approval or cover letter. _____

By: K. Knoblack

Date: 9/1/83

STATE OFFICE REVIEW:

L17

26

- ☐ See attached sheet for more information.

By: DRT

Date: 9/9/83

RECEIVED
SEP 07 1983
Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8394

KEMMER, CHESTER

E. 5565 16TH, POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 06/30/1983

Diversion Pt: SENE Sec 31 T 51N R 04W

Use: DOMESTIC (0.04 CFS)

In: ~~SENE~~ Sec 31 T 51N R 04W