


RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Greenacres Development Co
x Virgil Carroll - Pres
(Applicant)

FOR WATER RIGHT
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

93-7044
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214

Source: GROUNDWATER
Date Filed: 06/29/1983
Diversión Pt: NENE NWNE SWNE Sec 29 T 47N R 04W
Use: DOMESTIC (0.20 CFS)
In: NWNE NENE SWNE SENE Sec 29 T 47N R 04W

93-7048
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversión Pt: SWNW Sec 32 T 47N R 04W
Use: DOMESTIC (0.16 CFS)
In: NENW NWNW SWNW SENW Sec 32 T 47N R 04W

94-7271
NEFF, STEVE V.
RT. 1 BOX 28C, HARRISON, ID 83861

Source: GROUNDWATER
Date Filed: 06/24/1983
Diversión Pt: NWNE Sec 28 T 47N R 03W
Use: IRRIGATION (0.20 CFS); DOMESTIC (0.08 CFS)
In: NWNE Sec 28 T 47N R 03W FOR 10 ACRES

94-7276
MATTSON, KATHY
P. O. BOX 585, ST. MARIES, ID 83861
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversión Pt: SESE Sec 22 T 47N R 03W
Use: IRRIGATION (0.13 CFS); STOCKWATER (0.05 CFS); DOMESTIC (0.02 CFS)
In: SESE Sec 22 T 47N R 03W FOR 10 ACRES

95-8380
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversión Pt: NENE Sec 28 T 47N R 04W
Use: DOMESTIC (0.08 CFS)
In: NENE Sec 28 T 47N R 04W

95-8381
GREEN ACRES DEVELOPMENT CO.
P. O. BOX 141016, SPOKANE, WA 99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversión Pt: NENW NWNE Sec 32 T 48N R 04W
Use: DOMESTIC (0.20 CFS)
In: NENW NWNE Sec 32 T 48N R 04W

95-8382
HUNT, ED
RT. 2 BOX 173, HARRISON, ID 83833
Source: SPRING trib. to THOMPSON CREEK; UNNAMED STREAM trib. to THOMPSON CREEK; THOMPSON CREEK trib. to THOMPSON LAKE.
Date Filed: 06/29/1983
Diversión Pt: SWNE SENE NWSE Sec 10 T 48N R 03W
Use: IRRIGATION (0.20 CFS); IRRIGATION STORAGE (15.0 AF); IRRIGATION FROM STORAGE (15.0 AF); STOCKWATER (0.05 CFS); STOCKWATER STORAGE (15.0 AF); STOCKWATER FROM STORAGE (3.0 AF); DOMESTIC (0.20 CFS)
In: NESE NWSE SWSE SESE Sec 10 T 48N R 03W NESE NWSE SWNE SENE Sec 10 T 48N R 03W FOR 16 ACRES

95-8383
BERRETH, LARRY L. &/or VIRGINIA G.
1309 MONTANA AVE., COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to HAUSER CREEK; UNNAMED STREAM trib. to HAUSER CREEK
Date Filed: 06/30/1983
Diversión Pt: NESE Sec 31 T 52N R 05W

Use: IRRIGATION (0.08 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: SESE Sec 31 T 52N R 05W FOR 2 ACRES

95-8385
SCHUTT, ELWIN W.
S. 910 SCHILLING LOOP, POST FALLS, ID 83854
Source: UNNAMED STREAM trib. to SPOKANE RIVER
Date Filed: 06/29/1983
Diversión Pt: SWNE Sec 10 T 50N R 05W
Use: IRRIGATION (0.10 CFS); STOCKWATER (0.02 CFS)
In: SWNE Sec 10 T 50N R 05W FOR 5 ACRES

95-8386
DONENDORF, MARVIN E.
28 AGATE ST., KELLOGG, ID 83837
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 06/29/1983
Diversión Pt: SWNW Sec 23 T 48N R 04W
Use: DOMESTIC (0.04 CFS)
In: SWNW Sec 23 T 48N R 04W

95-8387
PRIMMER, DEAN A. &/or CLARA J.
N. 1795 HIGHWAY 41, RATHDRUM, ID 83858
Source: RATHDRUM CREEK trib. to SINKS
Date Filed: 06/29/1983
Diversión Pt: SWSE Sec 19 T 52N R 04W
Use: IRRIGATION (0.30 CFS)
In: SESE Sec 19 T 52N R 04W FOR 15 ACRES

95-8388
STEVENS, RYAN &/or MAC &/or ELIZABETH
E. 1700 STURGEON, RATHDRUM, ID 83858
Source: RATHDRUM CREEK trib. to SINKS
Date Filed: 06/30/1983
Diversión Pt: NWNW Sec 20 T 54N R 04W
Use: DOMESTIC (0.04 CFS)
In: NWNW Sec 20 T 54N R 04W

95-8389
BROWN, WARREN &/or KATHI
P. O. BOX 1206, COEUR D'ALENE, ID 83814
Source: SPRING trib. to SINKS; UNNAMED STREAM trib. to SINKS
Date Filed: 06/29/1983
Diversión Pt: NWSW Sec 05 T 49N R 03W
Use: IRRIGATION (0.20 CFS); IRRIGATION STORAGE (10.0 AF); IRRIGATION FROM STORAGE (10.0 AF); STOCKWATER (0.02 CFS); STOCKWATER STORAGE (10.0 AF); STOCKWATER FROM STORAGE (10.0 AF)
In: NWSW Sec 05 T 49N R 03W FOR 10 ACRES

95-8390
INMAN, ROBERT E. (GENE)
RT. 3 BOX 123, HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversión Pt: NESW Section 31 T 52N R 03W
Use: IRRIGATION (0.04 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: NESW Sec 31 T 52N R 03W FOR 4 ACRES

95-8391
HERBERT, W.
S. 999 WOLF LODGE RD., COEUR D'ALENE, ID 83814
Source: MARIE CREEK trib. to WOLF LODGE CREEK
Date Filed: 06/30/1983
Diversión Pt: NWSW Sec 21 T 50N R 02W
Use: IRRIGATION (0.03 CFS)
In: NWSW Sec 21 T 50N R 02W FOR 1 ACRES

STATE OF IDAHO,
County of Kootenai,

ss.

Department of Water Resources
Northern District Office

Carole Hedge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice*

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *Weeks*, commencing on the *21* day of *July*, 19*83*, and ending on the *28* day of *July*, 19*83*, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carole Hedge
Subscribed and sworn to before me this *28* day of *July*, 19*83*.

Roberta Munk
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

95-8392
COMAN, BEULAH B.
807 W. SPRAGUE AVE. # 216, SPOKANE, WA 99204
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 06/30/1983
Diversión Pt: LOT 01 Sec 26 T 50N R 04W
Use: DOMESTIC (0.04 CFS)
In: LOT 01 Sec 26 T 50N R 04W

95-8393
SCHOECHKERT, ROBERT D. &/or BEVERLEE J.
W. 348 IDAHO ST., RATHDRUM, ID 83858
Source: SPRING BRANCH CREEK trib. to RATHDRUM CREEK
Date Filed: 06/30/1983
Diversión Pt: NENE Sec 36 T 52N R 05W
Use: IRRIGATION (0.05 CFS)
In: NENE Sec 36 T 52N R 05W FOR 2 ACRES

95-8394
KEMMER, CHESTER
E. 5565 16TH, POST FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversión Pt: SENE Sec 31 T 51N R 04W
Use: DOMESTIC (0.04 CFS)
In: SENE Sec 31 T 51N R 04W

95-8395
BESSETTE, RICHARD G.
2206 W. HONEYSUCKLE, COEUR D'ALENE, ID 83814
Source: SPRING trib. to SINKS
Date Filed: 06/30/1983
Diversión Pt: SENW Sec 09 T 52N R 03W
Use: IRRIGATION (0.10 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: SENW Sec 09 T 52N R 03W FOR 5 ACRES

95-8396
SMITH, RONALD P.
2015 E. 24TH AVE., SPOKANE, WA 99203
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 06/30/1983
Diversión Pt: LOT 04 Sec 23 T 49N R 04W
Use: DOMESTIC (0.04 CFS)
In: LOT 04 Sec 23 T 49N R 04W

95-8397
JOHNSON, CLARENCE &/or GRAYDON
100 MEADOWBROOK RD., COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to COEUR D'ALENE LAKE
Date Filed: 06/30/1983
Diversión Pt: SENW NESW SWNE Sec 21 T 50N R 04W
Use: STOCKWATER (0.02 CFS); DOMESTIC (0.02 CFS)
In: SENW SWNE NESW Sec 21 T 50N R 04W

95-8398
FLINT, THOMAS K. &/or KATHERINE A.
RT. 2 BOX 83, HARRISON, ID 83833
Source: TURNER CREEK trib. to COEUR D'ALENE LAKE
Date Filed: 06/30/1983
Diversión Pt: NWSE Sec 19 T 49N R 03W
Use: IRRIGATION (0.03 CFS)
In: NWSE Sec 19 T 49N R 03W FOR 8 ACRES

95-8325
BEALS, JR., SHERMAN J.
GENERAL DELIVERY, COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to SINKS
Date Filed: 06/30/1983
Diversión Pt: LOT 03 Sec 27 T 52N R 03W
Use: DOMESTIC (0.04 CFS)
In: LOT 03 Sec 27 T 52N R 03W

95-8398
PUCKETT, RAY C.
P. O. BOX 711, BAYVIEW, ID 83803
Source: SALEE CREEK trib. to PEND OREILLE LAKE
Date Filed: 06/29/1983
Diversión Pt: NENE Sec 33 T 54N R 02W NWNW Sec 34 T 54N R 02W
Use: IRRIGATION (0.08 CFS); DOMESTIC (0.13 CFS)
In: SENE Sec 33 T 54N R 02W FOR 2 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before AUGUST 8, 1983.

KEN DUNN, Dir.
Legal 221
July 21, 28, 1983

RECEIVED




NAME: GREENACRES DEV CO.
 PD: T47N, R4W, SEC.28, NENE
 PU:
 SOURCE: GROUNDWATER

GL:
 AC/IRR:
 PERMIT NUMBER: 95-08380
 MAP: # 20
 QUAD: G-4

(CHATCOLET)
 2678 IV SE

SCALE 1:24 000



CONTOUR INTERVAL
 20 FEET
 NATIONAL GEODETIC VERTICAL

MICROFILMED
 SEP 24 1990

MAP COMPLIES WITH NATIONAL MAP ACT
 NATIONAL SURVEY, DENVER, COLORADO
 BING TOPOGRAPHIC MAPS AND S

Mapped, edited, and published
 Control by USGS and NOS/NOAA
 Topography by photogrammetry
 taken 1975. Field checked 1975
 Projection and 10,000-foot grid
 system, west zone (transverse
 1000-meter Universal Transverse
 1927 North American Datum
 To place on the predicted North
 move the projection lines 14 m
 78 meters east as shown by d
 Fine red dashed lines indicate
 where generally visible on aerial
 This information is unclassified



95-08380


Place of use

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.


C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = MTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



MICROFILMED

SEP 24 1990

Inspected by Charles H. Hunter

Date 8/28/89

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

RECEIVED
MAR 14 1974
Department of Water Administration

1. WELL OWNER Name <u>VIRGIL CARROLL</u> Address <u>WALLEY IDAHO</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>75</u> feet below land surface Flowing ☐ Yes ☒ No G.P.M. flow _____ Temperature <u>62</u> °F Quality <u>GOOD</u> Artesian closed-in pressure ☐ P.S.I. Controlled by ☐ Valve ☐ Cap ☐ Plug																																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandonment): _____		8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Other Discharge G.P.M. <u>15</u> Draw Down <u>30</u> Hours Pumped <u>30 MIN</u>																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type): _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>4</td><td>0</td><td>10</td><td>BROWN CLAY</td><td></td><td>X</td></tr><tr><td>4</td><td>10</td><td>20</td><td>DECOMPOSED BASALT</td><td></td><td>X</td></tr><tr><td>6</td><td>20</td><td>70</td><td>BASALT ROCK</td><td></td><td>X</td></tr><tr><td>6</td><td>70</td><td>75</td><td>SOFT BASALT</td><td>X</td><td></td></tr><tr><td>6</td><td>75</td><td>150</td><td>HARD BASALT</td><td></td><td>X</td></tr><tr><td>6</td><td>150</td><td>175</td><td>SOFT BASALT</td><td></td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	4	0	10	BROWN CLAY		X	4	10	20	DECOMPOSED BASALT		X	6	20	70	BASALT ROCK		X	6	70	75	SOFT BASALT	X		6	75	150	HARD BASALT		X	6	150	175	SOFT BASALT		
Hole Diam.	Depth		Material		Water																																												
	From	To		Yes	No																																												
4	0	10	BROWN CLAY		X																																												
4	10	20	DECOMPOSED BASALT		X																																												
6	20	70	BASALT ROCK		X																																												
6	70	75	SOFT BASALT	X																																													
6	75	150	HARD BASALT		X																																												
6	150	175	SOFT BASALT																																														
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																																	
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>175</u> feet Casing schedule ☒ Steel ☐ Concrete Thickness <u>250</u> inches Diameter <u>6</u> inches From <u>18</u> feet To <u>22</u> feet inches inches feet feet inches inches feet feet inches inches feet feet inches inches feet feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations feet feet feet feet perforations feet feet feet feet perforations feet feet feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal ☒ Cement grout ☐ Pudding clay ☒ Well cuttings Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing ☒ Overbore to seal depth																																																	
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>KOOTENAI</u> <u>NE 1/4 NE 1/4 Sec. 28 T. 47 N. R. 4 E</u>		10. DRILLERS CERTIFICATION Firm Name <u>FRED CRICK WELL DRILLERS</u> Firm No. <u>71</u> Address <u>SPIRIT LAKE IDAHO</u> Date <u>MARCH 14</u> Signed by (Firm Official) _____ and _____ (Operator) <u>Wilbert Fredrick</u>																																															

MICROFILMED

SEP 24 1990

Work started NOV 19-73 finished FEB 26 74

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

RECEIVED
MAR 10

Mar 30 18 10

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

Form 225-2
9-82

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
BALLPOINT PEN

1. WELL OWNER Name <u>Virgil Carroll</u> Address <u>Green Acres Development Co</u> <u>P.O. Box 141016</u> <u>Spokane, Washington 99014</u> Owner's Permit No. _____	7. WATER LEVEL <u>75</u> Static water level <u>75</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below																																
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Sailer ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>100 gpm</td> <td></td> <td></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	100 gpm																												
Discharge G.P.M.	Pumping Level	Hours Pumped																															
100 gpm																																	
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>175</td> <td>205</td> <td>gray basalt</td> <td></td> </tr> <tr> <td></td> <td>205</td> <td>300</td> <td>black silt. basalt</td> <td></td> </tr> <tr> <td></td> <td>300</td> <td>330</td> <td>black broken basalt</td> <td>✓</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yes No	From	To	6	175	205	gray basalt			205	300	black silt. basalt			300	330	black broken basalt	✓										
Bore Diam.	Depth		Material	Water Yes No																													
	From	To																															
6	175	205	gray basalt																														
	205	300	black silt. basalt																														
	300	330	black broken basalt	✓																													
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>9-01-85</u> finished <u>9-02-85</u>																																
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20'</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Coeur d'Alene Drilling, Inc. 214 Firm Name _____ Firm No. _____ P.O. Box 386 Hayden Lake, Idaho 83835 Date <u>9-02-85</u> Signed by (Firm Official) <u>Bill Finley</u> and (Operator) <u>Bill Finley</u>
Thickness	Diameter	From	To																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">N</td> <td colspan="2"></td> <td style="text-align: center;">E</td> </tr> <tr> <td style="text-align: center;">W</td> <td colspan="2"></td> <td style="text-align: center;">E</td> </tr> <tr> <td style="text-align: center;">S</td> <td colspan="2"></td> <td style="text-align: center;">E</td> </tr> </table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> _____ 1/4 Sec. <u>28</u>, T. <u>47</u> N., R. <u>4</u> W.	N			E	W			E	S			E	USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																				
N			E																														
W			E																														
S			E																														

RECEIVED
AUG 5 1985
Department of Water Resources
Northern District Office

OCT 14 1988

Form 220-7
8/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
BALLPOINT PEN

1. WELL OWNER

Name Virgill Carroll
Address Greene Acres Development Co
P.O. Box 141016
Spokane, Washington 99214
Owner's Permit No. _____

7. WATER LEVEL

Static water level 256 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ of, Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

Cleaned out
☐ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Sailer ☒ Air ☐ Other _____
Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____
5 gpm

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water Yes No
	From	To		
6	275	294	brown sand	X
	295	320	white coarse sand	X

4. METHOD DRILLED


☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☒ Other PVC
Thickness _____ Diameter _____ From _____ To _____
_____ inches PVC inches + 1 feet 320 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type _____ Model No. _____
Diameter 8 Slot size 8 Set from 305 feet to 315 feet
Diameter _____ Slot size XX Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No Size of gravel _____ feet
Placed from _____ feet to _____ feet
Surface seal depth OK Material used in seal: ☐ Cement grout
☐ Bentonite ☐ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____

County Kootenai

Section 28, T. 47N, R. 4W.

10. Work started 8--30-85 finished 8-31-85

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
compiled with at the time the rig was removed.
Coeur d'Alene Drilling, Inc. 214
Firm Name _____ Firm No. _____
P.O. Box 386
Address Hayden Lake, Idaho 83835 Date 9-02-85
Signed by (Firm Official) Bill Lindley
and
(Operator) Bill Lindley

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

OCT 14 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08380

Priority: June 29, 1983

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that GREEN ACRES DEVELOPMENT CO.

P.O. BOX 141016

SPOKANE, WA 99214

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1983; and has submitted Proof of Beneficial Use on August 11, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 28, Township 47N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

47N 04W 28 NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

SEP 24 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08380

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Green Acres Development Co. Phone 208-686-1116
Post office address P.O. Box 141016 Spokane, Wn. 99214
2. Source of water supply (1) Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 28 Township 47N
Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount .08 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 6" well with pump,
motor and pipeline to places of use.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 6 inches; proposed depth of well is 175 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

- (1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 28 Township 47N
Range 4W B.M.

- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.

- (3) List number of each kind of livestock to be watered _____

- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

- (5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Greenacres Development Co
x Virgil Campbell - Pres
(Applicant)

Proposed Priority 6/29/1983

Received by FB Date 6/29/83 Time 9:30 a.m.

Preliminary check by FB Fee \$ 30.00

Received by FB Date 6/29/83 # 28416

Publication prepared by RA Date 7/13/83

Published in IDAHO NEWS

Publication dates 7-21, 7-28-83

Publication approved more Date 8/29/83

Protests filed by: more

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [Signature] OR

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 95-8380, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore September 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 19th day of September, 1983.

[Signature]
Chief, Operations Bureau

FOR WATER RIGHT
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:
93-7044

GREEN ACRES DEVELOP-
MENT CO.
P. O. BOX 141016, SPOKANE, WA
99214
Source: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt: NENE NWNE
SWNE Sec 28 T 47N R 04W
Use: DOMESTIC (0.20 CFS)
In: NWNE NENE SWNE SENE
Sec 28 T 47N R 04W

GREEN ACRES DEVELOP-
MENT CO.
P. O. BOX 141016, SPOKANE, WA
99214
Source: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt: SWNW Sec 32 T 47N
R 04W
Use: DOMESTIC (0.16 CFS)
In: NENW NWNW SWNW SENW
Sec 32 T 47N R 04W

NEFF, STEVE V.
RT. 1 BOX 30C, HARRISON, ID
83833
Source: GROUNDWATER
Date Filed: 06/24/1983
Diversion Pt: NWNE Sec 28 T 47N
R 03W
Use: IRRIGATION (0.20 CFS);
DOMESTIC (0.08 CFS)
In: NWNE Sec 28 T 47N R 03W
FOR 10 ACRES

MATTSON, KATHY
P. O. BOX 585, ST. MARIES, ID
83861
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: SESE Sec 22 T 47N
R 03W
Use: IRRIGATION (0.13 CFS);
STOCKWATER (0.05 CFS);
DOMESTIC (0.02 CFS)
In: SESE Sec 22 T 47N R 03W
FOR 10 ACRES

GREEN ACRES DEVELOP-
MENT CO.
P. O. BOX 141016, SPOKANE, WA
99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 28 T 47N
R 04W
Use: DOMESTIC (0.08 CFS)
In: NENE Sec 28 T 47N R 04W

GREEN ACRES DEVELOP-
MENT CO.
P. O. BOX 141016, SPOKANE, WA
99214
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENW NWNE Sec
32 T 48N R 04W
Use: DOMESTIC (0.20 CFS)
In: NENW NWNE Sec 32 T 48N
R 04W

HUNT, ED
RT. 2 BOX 173, HARRISON, ID
83833
Source: SPRING trib. to THOMP-
SON CREEK; UNNAMED
STREAM trib. to THOMPSON
CREEK; THOMPSON CREEK
trib. to THOMPSON LAKE.
Date Filed: 06/29/1983
Diversion Pt: SWNE SENE
NWSE Sec 10 T 48N R 03W
Use: IRRIGATION (0.20 CFS);
IRRIGATION STORAGE (15.0
AF); IRRIGATION FROM
STORAGE (15.0 AF); STOCK-
WATER STORAGE (15.0 AF);
STOCKWATER FROM
STORAGE (15.0 AF)
In: NWSW Sec 06 T 48N R 03W
FOR 10 ACRES

INMAN, ROBERT E. (GENE)
RT. 3 BOX 125, HAYDEN LAKE,
ID 83835
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: NESW Section 31 T
52N R 03W
Use: IRRIGATION (0.04 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: NESW Sec 31 T 52N R 03W
FOR 4 ACRES

HERBERT, W.
3. 999 WOLF LODGE RD.,
COEUR D'ALENE, ID 83814
Source: MARIE CREEK trib. to
WOLF LODGE CREEK
Date Filed: 06/30/1983
Diversion Pt: NWSW Sec 31 T 52N
R 03W
Use: IRRIGATION (0.08 CFS)
In: NWSW Sec 31 T 52N R 03W
FOR 1 ACRES

STATE OF IDAHO,
County of Kootenai, } ss.

Department of Water Resources
Northern District Office

Carole Hedger being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 26 consecutive days, commencing on the 26 day of July, 1983, and ending on the 26 day of July, 1983, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carole Hedger
Subscribed and sworn to before me this 26 day of July, 1983.

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

95-8392
CUMAN, BEULAH B.
807 W. SPRAGUE AVE. # 918,
SPOKANE, WA 99204
Source: COEUR D'ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 06/30/1983
Diversion Pt: LOT 01 Sec 36 T 50N
R 04W
Use: DOMESTIC (0.04 CFS)
In: LOT 01 Sec 36 T 50N R 04W

95-8397
SCHOECHKERT, ROBERT D.
&/or BEVERLEE J.
W. 348 IDAHO ST., RATHDRUM,
ID 83858
Source: SPRING BRANCH
CREEK trib. to RATHDRUM
CREEK
Date Filed: 06/30/1983
Diversion Pt: NENE Sec 36 T 52N
R 05W
Use: IRRIGATION (0.05 CFS)
In: NENE Sec 36 T 52N R 05W
FOR 2 ACRES

95-8394
KEMMER, CHESTER
E. 5506 16TH, POST FALLS, ID
83854
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: SENE Sec 31 T 51N
R 04W
Use: DOMESTIC (0.04 CFS)
In: SENE Sec 31 T 51N R 04W

95-8396
BESSETTE, RICHARD G.
2208 W. HONEYSUCKLE,
COEUR D'ALENE, ID 83814
Source: SPRING trib. to SINKS
Date Filed: 06/30/1983
Diversion Pt: SENW Sec 09 T 52N
R 03W
Use: IRRIGATION (0.10 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: SENW Sec 09 T 52N R 03W
FOR 5 ACRES

95-8396
SMITH, RONALD P.
2015 E. 24TH AVE., SPOKANE,
WA 99203
Source: COEUR D'ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 06/30/1983
Diversion Pt: LOT 04 Sec 23 T 49N
R 04W
Use: DOMESTIC (0.04 CFS)
In: LOT 04 Sec 23 T 49N R 04W

95-8397
JOHNSON, CLARENCE &/or
GRAYDON
100 MEADOWBROOK RD.,
COEUR D'ALENE, ID 83814
Source: SPRINGS trib. to
COEUR D'ALENE LAKE
Date Filed: 06/30/1983
Diversion Pt: SENW NESW
SWNE Sec 21 T 50N R 04W
Use: STOCKWATER (0.02 CFS);
DOMESTIC (0.02 CFS)
In: SENW SWNE NESW Sec 21
T 50N R 04W

95-8398
FLINT, THOMAS K. &/or
KATHERINE A.
RT. 2 BOX 83, HARRISON, ID
83833
Source: TURNER CREEK trib.
to COEUR D'ALENE LAKE
Date Filed: 06/30/1983
Diversion Pt: NWSE Sec 19 T 49N
R 03W
Use: IRRIGATION (0.03 CFS)
In: NWSE Sec 19 T 49N R 03W
FOR 6 ACRES

95-8325
BEALS, JR., SHERMAN J.
GENERAL DELIVERY, COEUR
D'ALENE, ID 83814
Source: SPRINGS trib. to SINKS
Date Filed: 06/30/1983
Diversion Pt: LOT 03 Sec 27 T 52N
R 02W
Use: DOMESTIC (0.04 CFS)
In: LOT 03 Sec 27 T 52N R 02W

95-8398
PUCKETT, RAY C.
P. O. BOX 711, BAYVIEW, ID
83803
Source: SALLEE CREEK trib. to
PEND OREILLE LAKE
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 33 T 54N
R 02W NWNW Sec 34 T 54N R 02W
Use: IRRIGATION (0.06 CFS);
DOMESTIC (0.13 CFS)
In: SENE Sec 33 T 54N R 02W
FOR 2 ACRES

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id,
83814 on or before AUGUST 8,
1983.

KEN DUNN, Dir.
Legal 221
July 21, 22, 1983



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

September 18, 1995

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

VIRGIL CARROLL
PO BOX 20042
SPOKANE WA 99204-0042

RE: Water Right Licenses 95-08380 & 95-08893

Dear Mr. Carroll:

As you requested, I have enclosed photocopies of the above water right files, as well as 42-106, Idaho Code.

The department is required to charge 5¢ per copy for more than 10 copies. I have enclosed a billing for 63 copies which total \$3.15. Please remit \$3.15 to the department at the above address.

If you have any questions or require further assistance, you may contact me directly at (208) 327-7944.

Sincerely,

Cindy Zimmerman
Water Resource Agent

Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

September 6, 1995

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ED HOLMES
PO BOX 2127
COEUR D ALENE ID 83816-2127

RE: Water Right Nos. 95-08380 & 95-08893

Dear Mr. Holmes:

Per your request, enclosed you will find a copy of the licenses and Beneficial Use Field Reports on the above referenced water rights.

If you have any further questions, please feel free to contact me directly at (208) 327-7944.

Sincerely,

CINDY ZIMMERMAN
Water Resource Agent

Enclosures

cfb - mda

GREE016 992142007 1889 08/15/90
NOTIFY SENDER OF NEW ADDRESS
: GREENACRES DEVELOPMENT
PO BOX 20057
SPOKANE WA 99204-0057



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

Permit # 95-08380

 Please Change Address

Data Entered 9-6-90 *es*

August 30, 1990

GREEN ACRES DEVELOPMENT CO.
P.O. BOX 141016
SPOKANE, WA 99214

RE: PERMIT NO. 95-08380

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 24 1990

August 8, 1990

GREEN ACRES DEVELOPMENT CO.
P.O. BOX 141016
SPOKANE, WA 99214

RE: PERMIT NO. 95-08380

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: GREEN ACRES DEVELOPMENT CO Permit No. 95-83810
Current Address: PO Box 141016 Spokane WA 99214 Phone No. 509 455 6617
2. Accompanied by: _____ EXAM. DATE: 8/28/89
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

SEP 24 1990

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

Well with submersible pump and a buried pipe line to home.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks


6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	Totals


NOT RECORDED
SEP 24 1990

Do not use this space



Mapped, edited, and published by USGS and NOS/NOAA. Topography by photogrammetry taken 1975. Field checked 1978. Projection and 10,000-foot grid system, west zone (transverse 1000-meter Universal Transverse 1927 North American Datum). To place on the predicted North move the projection lines 14 meters 78 meters east as shown by dashed lines. Fine red dashed lines indicate where generally visible on aerial photography. This information is for informational purposes only.

MICROFILMED
SEP 24 1990



4P COMPLIES WITH NATIONAL MAP ACT, DENVER, COLORADO. THIS TOPOGRAPHIC MAPS AND SURVEY DATA IS FOR INFORMATIONAL PURPOSES ONLY.

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

SEP 24 1990

1.2 AF for ONE domestic use

Irrigate w/ fan sprinklers for lawn and garden

1. Recommended Amounts

Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cts)

Annual Volume
V (a7a)

1. Recommended Amounts

Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cts)

Annual Volume
V (a7a)

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name

Signature


Certification Date

Field Report Preparation Date

K. Licensing recommendation shall be prepared by employee on a computer printout attached hereto.

MICROFILMED

SEP 24 1990





95-08380

Place of use

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 47N, Rge. 4W,
Sec. 28, Qtr./Qtr. _____ or Lot _____
2. Owner Virgil Carroll
Address PO Box 141016, City Spokane, State WA
3. Approx. date of well construction 2/74
Well Driller FREDERICK WELL DRILLING
4. Casing: Diameter 6 in Condition _____
5. Casing length above land surface 1 1/2 ft
6. Well depth (ft) 195 Flowing _____ Temp. _____
Access port YES
7. Condition of piping and valving _____
8. Evidence of well seal _____
9. Shut in pressure or static water level 75 ft
10. Evidence of leakage around the casing _____
11. Does well need repair _____
12. Comments _____

MICROFILMED

SEP 24 1990

(OVER)


SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

(1) Copies Attached (2) Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and place(s) of use (required)
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
 (required for irrigation of 10 acres or more).



MICROFILMED

SEP 24 1990

Inspected by Mark H. Hammer

Date 8/28/89


USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Department of Water Administration within 30 days after the completion of the well.

RECEIVED
MAR 19 1990
Department of Water Administration

1. WELL OWNER Name <u>VIRGIL CARROLL</u> Address <u>WILLY, IDAHO</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>75</u> feet below land surface Pumping test: ☒ Yes ☒ No G.P.M. flow _____ Temperature <u>62</u> F. Quality <u>Good</u> Artesian: ☐ Yes ☒ No Pressure _____ P.S.I. Controlled by: ☐ Valve ☐ Plug																																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement (If altered, describe method of alteration) _____		8. WELL TEST DATA Pump ☒ Hand ☐ Other _____ <table border="1"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>15</u></td> <td><u>80</u></td> <td><u>30 MIN</u></td> </tr> </tbody> </table>		Discharge G.P.M.	Draw Down	Hours Pumped	<u>15</u>	<u>80</u>	<u>30 MIN</u>																																								
Discharge G.P.M.	Draw Down	Hours Pumped																																															
<u>15</u>	<u>80</u>	<u>30 MIN</u>																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (Specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Hole Diameter</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>6</u></td> <td><u>0</u></td> <td><u>10</u></td> <td><u>BROWN SILT</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td><u>6</u></td> <td><u>10</u></td> <td><u>20</u></td> <td><u>DECOMPOSED BASALT</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td><u>6</u></td> <td><u>20</u></td> <td><u>70</u></td> <td><u>BASALT ROCK</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td><u>6</u></td> <td><u>70</u></td> <td><u>75</u></td> <td><u>SOFT BASALT</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td><u>6</u></td> <td><u>75</u></td> <td><u>150</u></td> <td><u>HARD BASALT</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td><u>6</u></td> <td><u>150</u></td> <td><u>175</u></td> <td><u>SOFT BASALT</u></td> <td>☒</td> <td>☐</td> </tr> </tbody> </table>		Hole Diameter	Depth		Material	Water		From	To	Yes	No	<u>6</u>	<u>0</u>	<u>10</u>	<u>BROWN SILT</u>	☒	☐	<u>6</u>	<u>10</u>	<u>20</u>	<u>DECOMPOSED BASALT</u>	☒	☐	<u>6</u>	<u>20</u>	<u>70</u>	<u>BASALT ROCK</u>	☒	☐	<u>6</u>	<u>70</u>	<u>75</u>	<u>SOFT BASALT</u>	☒	☐	<u>6</u>	<u>75</u>	<u>150</u>	<u>HARD BASALT</u>	☒	☐	<u>6</u>	<u>150</u>	<u>175</u>	<u>SOFT BASALT</u>	☒	☐
Hole Diameter	Depth		Material		Water																																												
	From	To		Yes	No																																												
<u>6</u>	<u>0</u>	<u>10</u>	<u>BROWN SILT</u>	☒	☐																																												
<u>6</u>	<u>10</u>	<u>20</u>	<u>DECOMPOSED BASALT</u>	☒	☐																																												
<u>6</u>	<u>20</u>	<u>70</u>	<u>BASALT ROCK</u>	☒	☐																																												
<u>6</u>	<u>70</u>	<u>75</u>	<u>SOFT BASALT</u>	☒	☐																																												
<u>6</u>	<u>75</u>	<u>150</u>	<u>HARD BASALT</u>	☒	☐																																												
<u>6</u>	<u>150</u>	<u>175</u>	<u>SOFT BASALT</u>	☒	☐																																												
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other _____																																																	
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>175</u> feet Casing schedule ☒ Steel ☐ Concrete <table border="1"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>18</u> feet</td> <td><u>22</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Slot size _____ Set from _____ feet to _____ feet Screen size _____ Set from _____ feet to _____ feet Gravel _____ ☒ Yes ☐ No Size of gravel _____ feet to _____ feet Material used in seal ☒ Cement grout ☐ Pudding clay ☒ Well cuttings Sealing devices used ☐ Sherry oil ☐ Temporary surface casing ☒ Overbore to seal depth		Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>18</u> feet	<u>22</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet												
Thickness	Diameter	From	To																																														
<u>250</u> inches	<u>6</u> inches	<u>18</u> feet	<u>22</u> feet																																														
_____ inches	_____ inches	_____ feet	_____ feet																																														
_____ inches	_____ inches	_____ feet	_____ feet																																														
_____ inches	_____ inches	_____ feet	_____ feet																																														
_____ inches	_____ inches	_____ feet	_____ feet																																														
Number	From	To																																															
_____ perforations	_____ feet	_____ feet																																															
_____ perforations	_____ feet	_____ feet																																															
_____ perforations	_____ feet	_____ feet																																															
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>BOYER</u> NE 1/4 Sec. 27 T. 47 N. R. 4 E.		Work started <u>NOV 19 73</u> finished <u>FEB 26 74</u> 10. DRILLER'S CERTIFICATION Firm Name <u>FREDERICK WELL-DRILLING</u> Firm No. <u>71</u> Address <u>SPRINT LAKE, IDAHO</u> Date <u>MARCH 1990</u> Signed by (Firm Official) _____ and <u>Frederick F. Fodorick</u> (Operator)																																															

MICROFILMED

SEP 2 1990

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 4, 1988

Greenacres Development Co.
P.O. Box 141016
Spokane, Wa. 99214

Re: 95-8380

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 24 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8380

Date: 10/4/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
? 1. well log in file *See Groundwater Protection Sheet in file*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

To: File 95-8380

From: Groundwater Protection

Date: 9/6/88

Drilling Permit: ✓ Not Applicable
Found and in file
Not Found

Well Drillers Report:

Not found, due to reported age of well
probably not available
? Found and is in file
Not found

Follow-up

Request from permit holder the well
drillers report and/or the name of the
well driller.
Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

No Action Recommended.

MAY be no. & TRA Due

P.D. ?

~~MAY be~~

gn

MICROFILMED

OCT 14 1988

RECEIVED
AUG 11 1988

STATE OF IDAHO

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

no \$ level 0
Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8380-

Name(s) of Permit Holder: Greenacres Development Co. (we Farm only Now)

Post Office Address: P.O. Box 141016 - Spokane, Wash. 99214

Telephone No. (509) 455-6612

Source of Water: Well

Extent of Use:

Domestic ✓(1) (number of households) Stockwater _____ (number and type of stock)

Irrigation 1/2 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1 house hold cfs _____ acre-feet
.04

Show the date water was first diverted and beneficially used under this permit: 1975

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No
Fee enclosed \$ -0-
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Virgil Carroll (Name) (509) 455-6612 (Telephone Number)

Box 141016 - Spokane, Wash. 99214 (Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.
DEC 14 1988

8-8-88
Date

Greenacres Development Co., Virgil Carroll, Pres
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

RECEIVED

State as required that this contract is filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

days after the completion or abandonment of the well

DEPARTMENT OF WATER ADMINISTRATION

1. WELL OWNER
Name VIRGIL CARROLL
Address MURRAY, IDAHO
Owner's Permit No.

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection

4. METHOD DRILLED
☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 175 feet
Casing schedule ☒ Steel ☐ Concrete
Thickness 250 inches Diameter 6 inches From 13 feet To 32 feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
Was a pecker or tool used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal ☒ Cement grout
☐ Pudding clay ☒ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☒ Overburn to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name _____
Lot No. _____ Block No. _____
County KOOTENAI
NE 1/4 NE 1/4 Sec. 28 T. 47 N. R. 4 W.

7. WATER LEVEL
Static water level 75 feet below land surface
Flowing? Yes ☒ No ☐ GPM flow _____
Temperature 52 °F Quality GOOD
Artesian closed-in pressure _____ p.s.i.
Controlled by _____ Valve _____ Plug

8. WELL TEST DATA
Pump ☐ Bailor ☒ Other _____
Discharge G.P.M. 15 Draw Down 80 Head Pumped 30 Mm

9. LITHOLOGIC LOG
Note Depth Interval Material Water
From To Yes No
9 0 10 BROWN CLAY ☒
7 10 20 DECOMPOSED BASALT ☒
6 20 70 BASALT ROCK ☒
6 70 75 SOFT BASALT ☒
6 75 150 HARD BASALT ☒
6 150 175 SOFT BASALT ☒

10. Work started NOV 19-13 finished FEB 16 21

11. DRILLERS CERTIFICATION
Firm Name FREDERICK WELL-DRILLING CO. No. 71
State IDAHO Address SPIRIT LAKE, IDAHO
Signed by (Firm Official) _____
and _____
(Operator)

U.S. DEPARTMENT OF THE ARMY

1. DRILLER DATA

Name Vernell Carroll
 Address 1000 Allen Development Co
Box 384, 196
Idaho, 83416
 County Blaine

2. WATER LEVEL

Static water level 75
 Pumping ☐ Yes ☒ No
 Artesian closed to ground ☐ Yes ☒ No
 Controlled by: ☐ Valve ☒ Dam ☐ Plug
 Temperature 69 Quality Good

3. NATURE OF WORK

☐ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedure such as cementing, plug depth, etc. in lithologic log)

4. PURPOSE OF WELL

☐ Domestic ☐ Irrigation ☐ Test ☐ Shaltest
☐ Industrial ☐ Stock ☐ Waste disposal or injection
☐ Other _____ (Specify type)

5. DRILLING METHOD

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Plug ☐ Other _____

6. WELL CONSTRUCTION

Casing/culvert: ☐ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing/pipe used? ☐ Yes ☒ No
 Was grout or seal used? ☐ Yes ☒ No
 Grout used? ☐ Yes ☒ No
 How performed? ☐ Factory ☐ Kettle ☐ Trench
 Street perforation _____ inches by _____ inches
 Number _____ From _____ To _____
 _____ perforations _____ feet _____ feet
 _____ perforations _____ feet _____ feet
 _____ perforations _____ feet _____ feet
 Well casing tested? ☐ Yes ☒ No
 Description of bottom _____
 Type _____ Model No. _____
 Diameter _____ Size dia _____ Set from _____ feet to _____ feet
 Diameter _____ Size dia _____ Set from _____ feet to _____ feet
 Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
 Placed from _____ feet to _____ feet
 Surface seal depth 20" Material used in seal: ☐ Cement grout
☐ Concrete ☐ Pudding clay ☐ _____
 Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overhaul to seal depth ☐ _____
 Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent
☐ Cemented between strings

7. LITHOLOGIC LOG

Depth	From	To	Material	Notes
6	1.75	206	gray - basalt	
	206	300	black - basalt	
	300	330	black - broken basalt	

8. DRILLER'S CERTIFICATION

I/We certify that all equipment well construction methods were complied with at the time the figures returned.
 Coeur d'Alene Drilling, Inc. P.O. Box 386
 Hayden Lake, Idaho 83416
 Signed by Vern Carroll

7. WATER LEVEL

Static water level 2.0 Accelerated water level _____
Flowing ☐ Yes ☒ No G.P.M. flow _____
Artificial closed to pressure _____ gal.
Connected by: ☐ Valve ☒ Box ☐ Plug
Temperature _____ °F. _____
Source of water or _____

2. FULL TEST DATA

☐ Pump ☐ Boiler ☒ Air ☐ Other _____

Page No.	Signature	Remarks
10/11/20		

9. LITHOLOGIC LOG

Core Depth	Depth		Interval	Lithology
	From	To		
				ops oil
	2	17		green clay
	18	30		yellow clay
	35	50		decomposed yellow shale
	50	60		gray shale
	60	62		gray shale

[illegible]

--	--	--	--

[illegible]

100

0-11-30

DECLASSIFIED

SECRET **CONFIDENTIAL**
APC 5 1984

AUG 11 1962
 Department of State
 Bureau of Consular Affairs

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

10. Work started 9-2-85 Ending 9-5-85

11. DELLING CENTER
 I hereby certify that the above information was obtained from the records of the [redacted] and is true and correct.

CONFIDENTIAL

Signature: Paul E. Kennedy

CERTIFIED MAIL
June 30, 1988

GREEN ACRES DEVELOPMENT CO.
P.O. BOX 141016
SPOKANE, WA 99214

138129

PROOF DUE NOTICE

RE: Permit No. 95-8380

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED

OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GREEN ACRES DEVELOPMENT CO.
P.O. BOX 141016
SPOKANE, WA 99214

SEPTEMBER 27, 1983

RE: PERMIT NO. 95-8380

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB APPLICATION NUMBER: 95-8380

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/8/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/29/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/29/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature] Date: 9/1/83
STATE OFFICE REVIEW:

L17 26

☐ See attached sheet for more information.
By: DRT Date: 9/9/83

RECEIVED
SEP 02 1983
Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8380-

GREEN ACRES DEVELOPMENT CO.

P.O. BOX 141016, SPOKANE, WA 99214

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: NENE Sec 28 T 47N R 04W

Use: DOMESTIC (0.08 CFS)

In: NENE Sec 28 T 47N R 04W

RECEIVED