


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Phil O. Peightal*
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

94-7259

HARMON, KENNETH E.
RT. 2 BOX 228, ST. MARIES, ID.
83861

Source: SPRING trib. to SINKS
Date Filed: 06/21/1983
Diversion Pt: SESE Sec 19 T 47N
R 02W

Use: DOMESTIC (0.04 CFS)
In: NWSW Sec 20 T 47N R 02W
95-8346

PETERSON, DAVID G.
FLUME, JACK
OLSON, OMER
STAR RT. BLACK ROCK BAY,
COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/15/1983
Diversion Pt: LOT 01 Sec 10 T 48N
R 04W

Use: DOMESTIC (0.06 CFS)
In: LOT 01 Sec 10 T 48N R 04W
95-8347

PARMENTIER, JEROME S.
E. 11011 30TH, SPOKANE, WA
99206

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive weeks, commencing on the 30 day of June, 1983, and ending on the 7 day of July, 1983, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 7 day of July, 1983.

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

95-8354

LOUISIANA-PACIFIC CORP.
WAFERWOOD PLANT, RT. 1
BLOCK 110C, ATHOL, ID 83801
Source: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt: NWSE Sec 07 T 52N
R 03W

Use: INDUSTRIAL (0.20 CFS)
In: NWSE Sec 07 T 52N R 03W
95-8355

BECHTEL, CAROL &/or PETER
P.O. BOX 2121, COEUR
D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: NWNE Sec 20 T 50N
R 03W

Use: DOMESTIC (0.04 CFS)
In: NWNE Sec 20 T 50N R 03W
95-8356

BYER, DAVID &/or JANICE
S. 1250 SIGNAL POINT RD.,
POST FALLS, ID 83854

Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: NWSW Sec 09 T 50N
R 05W

Use: STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: NWSW Sec 09 T 50N R 05W
95-8357

GIBBS, DON
N. 3561 GREENFERRY ST.,
POST FALLS, ID 83854

Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: NENE Sec 26 T 51N
R 05W

Use: IRRIGATION (0.15 CFS)
In: SENE Sec 26 T 51N R 05W
FOR 5 ACRES

PEIGHTAL, PHIL
N. 3451 GREENFERRY RD.,
POST FALLS, ID 83854

Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: NENE Sec 26 T 51N
R 05W

Use: IRRIGATION (0.15 CFS)
In: SENE Sec 26 T 51N R 05W
FOR 5 ACRES

SHAW, JAMES
20417 LITTLE SPOKANE DR.,
COLBERT, WA 99005
Source: PEND OREILLE LAKE
trib. to PEND OREILLE RIBER
Date Filed: 06/20/1983
Diversion Pt: SWSE Sec 36 T 54N
R 02W
Use: IRRIGATION (0.02 CFS);
DOMESTIC (0.04 CFS)
In: SWSE Sec 36 T 54N R 02W
FOR 1 ACRES

95-8260
PHELPS, WILLIAM W. &/or R.
ALICE
P.O. BOX 472, HAYDEN LAKE,
ID 83835
Source: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt: NENE Sec 31 T 53N
R 02W

Use: STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: NENE Sec 31 T 53N R 02W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't. Way, Coeur d'Alene, Id.
83814 on or before JULY 18, 1983.
KEN DUNN, Dir.

Legal 156
June 30, July 7, 1983

MICROFILMED

RECEIVED

JUL 12 1983

Department of Water Resources
Northern District Office

Source: GROUNDWATER
Date Filed: 06/16/1983
Diversion Pt: NENW Sec 11 T 49N
R 04W
Use: DOMESTIC (0.08 CFS)
In: NENW Sec 11 T 49N R 04W
95-8348

FINNEY, PAUL J. &/or SUSAN
M.
RT. 2 BOX 137-D, HARRISON, ID
83833

Source: COEUR D'ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 06/14/1983
Diversion Pt: NWNE Sec 04 T 49N
R 03W

Use: DOMESTIC (0.04 CFS)
In: NWNE Sec 04 T 49N R 03W
95-8349

BURGESSON, CHRIS DAVID
RT. 2 BOX 80, HARRISON, ID
83833

Source: GROUNDWATER
Date Filed: 06/17/1983
Diversion Pt: SWNE Sec 19 T 49N
R 03W

Use: COMMERCIAL (0.01 CFS);
DOMESTIC (0.01 CFS)
In: SWNE Sec 19 T 49N R 03W
95-8352

FRAME, DOUGLAS G. &/or
ROSELLA B.

2312 MONTE VISTA DR.,
COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt: SWSW Sec 09 T 50N
R 03W

Use: IRRIGATION (0.10 CFS);
DOMESTIC (0.04 CFS)
In: SESW Sec 09 T 50N R 03W
FOR 5 ACRES

95-8353
RENNER, RICHARD &/or
NELLIE

RT. 1, CRAIGMONT, ID 83523
Source: COEUR D'ALENE
LAKE trib. to SPOKANE RIVER
Priority Date: 06/20/1983

Diversion Pt: NWNW Sec 23 T
48N R 04W

Use: IRRIGATION (0.02 CFS)
In: NWNW Sec 23 T 48N R 04W
FOR 1 ACRES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. _____

1. Owner: SHARON HAUG Phone No. 95-8358

Current Address: N. 3451 GREEN FERRY RD. POST FALLS, ID. 83854

2. Accompanied by: MRS GIBBS EXAM. DATE: 8/15/90

Address: N3561 Phone No. _____

Relationship to Permit Holder: NONE NEIGHBOR

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: 95-07661; 9507561, 95-08357

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached PHOTO OF PD DID NOT DEVELOPE
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
FEB 12 1992




undersigned hereby makes application for permit to appropriate the public waters of
 ein set forth.

Phil O. Pritchard
 (Applicant)

RECORDED
FEB 13 1902

Post Falls Irrigated Tracts



MICROFILMED

FEB 12 1992

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>William N. Myers</u> Address <u>Rt#3 Box 577 Post Falls, Idaho 83854</u> Owner's Permit No. _____		7. WATER LEVEL Department of Water Resources Northern District Office Static water level <u>234</u> feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☒ Bailer ☐ Other Discharge G.P.M. <u>20</u> Draw Down <u>0</u> Hours Pumped <u>2</u>																																																																																								
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes: No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>12"</td><td>0</td><td>1.5</td><td>Top soil</td><td>X</td></tr><tr><td>12"</td><td>1.5</td><td>45</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>45</td><td>50</td><td>Gravel & Boulder</td><td>X</td></tr><tr><td>12"</td><td>50</td><td>80</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>80</td><td>109</td><td>Gravel, Cobbles & Boulders</td><td>X</td></tr><tr><td>12"</td><td>109</td><td>135</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>135</td><td>150</td><td>Clay, gravel Cobbles</td><td>X</td></tr><tr><td>12"</td><td>150</td><td>170</td><td>Gravel, cobbles, some clay</td><td>X</td></tr><tr><td>12"</td><td>170</td><td>173</td><td>Gravel & Boulders</td><td>X</td></tr><tr><td>12"</td><td>173</td><td>183</td><td>Gravel, Bldrs, clay</td><td>X</td></tr><tr><td>12"</td><td>183</td><td>192</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>192</td><td>200</td><td>Clay, cobblestone Bldrs</td><td>X</td></tr><tr><td>12"</td><td>200</td><td>208</td><td>Clay, cobblestone gravel</td><td>X</td></tr><tr><td>12"</td><td>208</td><td>223</td><td>Cemented gravel</td><td>X</td></tr><tr><td>12"</td><td>223</td><td>234</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>234</td><td>268</td><td>Water started at 234 ft Gravel & Cobbles</td><td>X</td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yes: No	From	To	12"	0	1.5	Top soil	X	12"	1.5	45	Gravel & Cobbles	X	12"	45	50	Gravel & Boulder	X	12"	50	80	Gravel & Cobbles	X	12"	80	109	Gravel, Cobbles & Boulders	X	12"	109	135	Gravel & Cobbles	X	12"	135	150	Clay, gravel Cobbles	X	12"	150	170	Gravel, cobbles, some clay	X	12"	170	173	Gravel & Boulders	X	12"	173	183	Gravel, Bldrs, clay	X	12"	183	192	Gravel & Cobbles	X	12"	192	200	Clay, cobblestone Bldrs	X	12"	200	208	Clay, cobblestone gravel	X	12"	208	223	Cemented gravel	X	12"	223	234	Gravel & Cobbles	X	12"	234	268	Water started at 234 ft Gravel & Cobbles	X
Hole Diam.	Depth		Material		Water Yes: No																																																																																					
	From	To																																																																																								
12"	0	1.5	Top soil	X																																																																																						
12"	1.5	45	Gravel & Cobbles	X																																																																																						
12"	45	50	Gravel & Boulder	X																																																																																						
12"	50	80	Gravel & Cobbles	X																																																																																						
12"	80	109	Gravel, Cobbles & Boulders	X																																																																																						
12"	109	135	Gravel & Cobbles	X																																																																																						
12"	135	150	Clay, gravel Cobbles	X																																																																																						
12"	150	170	Gravel, cobbles, some clay	X																																																																																						
12"	170	173	Gravel & Boulders	X																																																																																						
12"	173	183	Gravel, Bldrs, clay	X																																																																																						
12"	183	192	Gravel & Cobbles	X																																																																																						
12"	192	200	Clay, cobblestone Bldrs	X																																																																																						
12"	200	208	Clay, cobblestone gravel	X																																																																																						
12"	208	223	Cemented gravel	X																																																																																						
12"	223	234	Gravel & Cobbles	X																																																																																						
12"	234	268	Water started at 234 ft Gravel & Cobbles	X																																																																																						
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other		10. Work started <u>9-15-75</u> finished <u>11-26-75</u>																																																																																								
5. WELL CONSTRUCTION Diameter of hole <u>12</u> inches Total depth <u>268</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To feet <u>12</u> inches <u>12</u> inches <u>188</u> feet <u>268</u> feet <u>250</u> inches <u>12</u> inches <u>188</u> feet <u>268</u> feet <u>375</u> inches <u>12</u> inches <u>188</u> feet <u>268</u> feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number From To feet feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>22'</u> Material used in seal ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing ☒ Overbars to seal depth		11. DRILLER'S CERTIFICATION Firm Name <u>Fisher Supply Co.</u> Firm No. <u>221</u> East <u>2915 Lincoln Rd</u> Address <u>Spokane, Wash 99207</u> Date <u>12-22-75</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> Operator																																																																																								
6. LOCATION OF WELL Sketch map location must agree with written location.  Post Falls Irrigation Tracts Subdivision Name _____ Tract # <u>1</u> Lot No. _____ Block No. _____ County <u>Idaho</u> NE 1/4 Sec. <u>26</u> T. <u>51N</u> R. <u>5W</u> E/W		12. STATEMENT USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																								

RECEIVED
JAN 10 1976

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08358

Priority: June 28, 1983

Maximum Diversion Rate: 0.10 CFS
Maximum Diversion Volume: 15.8 AF

This is to certify, that SHARON HAUG
SCOT HAUG

PO BOX 1373

POST FALLS ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 21, 1983; and has submitted Proof of Beneficial Use on August 8, 1988. An examination indicates that the works have a diversion capacity of .480 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.10 CFS	15.8 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 26, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	05W	26	SENE	4.5		4.5

Total number of acres irrigated: 4.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

RECORDED

FEB 12 1992


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08358

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of JANUARY, 1992.

Acting for


R. Keith Higginson, Director

FEB 12 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8358 IN THE
NAME OF SCOT AND SHARON HAUG

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1988; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, on August 1, 1988 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on August 8, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8358 be REINSTATED and the priority advanced to June 28, 1983.

Dated this 18th day of November, 1988.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

JAN 10 1989

WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
Original Permit	95-8358	Peightal, Phil	.15
Full Assignment	95-8358	Haug, Scot Sharon	.15

MICROFILMED

JAN 10 1989

RECEIVED
AUG 15 1988

State of Idaho
Department of Water Resources

RECEIVED
AUG 8 1988

ASSIGNMENT OF PERMIT

Department of Water Resources

Department of Water Resources
Northern District Office

I, Phil Rightal, hereby assign to Scot and Sharon Haug
of N. 3451 Greenferry, Post Falls, ID
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 95-8358
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 21 day of 8, 1988.

Phil A. Rightal
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Kootenai) ss.

On this 10 day of August, 1988, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

Alvin Schultz
Notary Public residing at

seal

My commission expires:
8-30-92

MICROFILMED

JAN 10 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Phil Perigot Phone 773-7874
Post office address N. 3451 Green Ferry Rd. Post Falls, Id. 83854
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 51N
Range 5W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.15 for irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.15 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion William N. Myers

b. Who owns the land to be irrigated or place of use


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing Decree of First Judicial Dist Court

Case # 50195

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Phil O. Peightal*
(Applicant)

RECEIVED

Received by JK Date 6-21-83 Time 11:00 AM
Preliminary check by JK Fee \$ 30.00
Received by JK Date 6-21-83 (87766)
Publication prepared by CD A / P / R Date 6/20/83
Published in CD A / P / R
Publication dates 6/30 & 7/7/83
Publication approved JK Date 7/83
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8358, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 12th day of August, 1983.

J. New Stanton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

94-7259

HARMON, KENNETH E.
RT. 2 BOX 228, ST. MARIES, ID.
83861

Source: SPRING trib. to SINKS
Date Filed: 06/21/1983
Diversion Pt: SESE Sec 19 T 47N
R 02W

Use: DOMESTIC (0.04 CFS)
In: NWSW Sec 20 T 47N R 02W

95-8346

PETERSON, DAVID G.
FLUME, JACK
OLSON, OMER
STAR RT. BLACK ROCK BAY,
COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/15/1983
Diversion Pt: LOT 01 Sec 10 T 48N
R 04W

Use: DOMESTIC (0.06 CFS)
In: LOT 01 Sec 10 T 48N R 04W

95-8347

PARMENTER, DOMENE S.
E. 11011 30TH, SPOKANE, WA
99206

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 1983, and ending on the day of 1983, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Subscribed and sworn to before me this day of 1983

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

95-8354

LOUISIANA-PACIFIC CORP.
WATERWOOD PLANT, RT. 1
BLOCK 110C, ATHOL, ID 83801
Source: GROUNDWATER
Date Filed: 06/20/1983

Diversion Pt: NWSE Sec 07 T 52N
R 03W

Use: INDUSTRIAL (0.20 CFS)
In: NWSE Sec 07 T 52N R 03W

95-8355

BECHTEL CAROL &/or PETER
P.O. BOX 2121, COEUR
D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/21/1983

Diversion Pt: NWNE Sec 20 T 50N
R 03W

Use: DOMESTIC (0.04 CFS)
In: NWNE Sec 20 T 50N R 03W

95-8356

BYER, DAVID &/or JANICE
S. 1250 SIGNAL POINT RD.,
POST FALLS, ID 83854

Source: GROUNDWATER
Date Filed: 06/21/1983

Diversion Pt: NWSW Sec 09 T 50N
R 05W

Use: STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)

In: NWSW Sec 09 T 50N R 05W
FOR 5 ACRES

95-8357

GIBBS, DON
N. 3561 GREENFERRY ST.,
POST FALLS, ID 83854

Source: GROUNDWATER
Date Filed: 06/21/1983

Diversion Pt: NENE Sec 26 T 51N
R 05W

Use: IRRIGATION (0.15 CFS)
In: SENE Sec 26 T 51N R 05W

FOR 5 ACRES

95-8358

PEIGHTAL, PHIL
N. 3461 GREENFERRY RD.,
POST FALLS, ID 83854

Source: GROUNDWATER
Date Filed: 06/21/1983

Diversion Pt: NENE Sec 26 T 51N
R 05W

Use: IRRIGATION (0.15 CFS)
In: SENE Sec 26 T 51N R 05W

FOR 5 ACRES

SHAW, JAMES
20417 LITTLE SPOKANE DR.,
COLBERT, WA 99008
Source: PEND OREILLE LAKE
trib. to PEND OREILLE RIBER
Date Filed: 06/20/1983
Diversion Pt: SWSE Sec 36 T 54N
R 02W
Use: IRRIGATION (0.02 CFS);
DOMESTIC (0.04 CFS)
In: SWSE Sec 36 T 54N R 02W
FOR 1 ACRES

95-8360

PHELPS, WILLIAM W. &/or R.
ALICE
P.O. BOX 472, HAYDEN LAKE,
ID 83835

Source: GROUNDWATER
Date Filed: 06/20/1983

Diversion Pt: NENE Sec 31 T 53N
R 02W

Use: STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)

In: NENE Sec 31 T 53N R 02W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't. Way, Coeur d'Alene, Id.
83814 on or before JULY 18, 1983.

KEN DUNN, Dir.

Legal 156
June 30, July 7, 1983

MICROFILMED

RECEIVED

JUL 12 1983

Department of Water Resources
Northern District Office

Source: GROUNDWATER
Date Filed: 06/16/1983
Diversion Pt: NENW Sec 11 T 49N
R 04W

Use: DOMESTIC (0.08 CFS)
In: NENW Sec 11 T 49N R 04W

95-8348

FINNEY, PAUL J. &/or SUSAN
M.
RT. 2 BOX 137-D, HARRISON, ID
83833

Source: COEUR D'ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 06/14/1983
Diversion Pt: NWNE Sec 04 T 49N
R 03W

Use: DOMESTIC (0.04 CFS)
In: NWNE Sec 04 T 49N R 03W

95-8349

BURGESSON, CHRIS DAVID
RT. 2 BOX 80, HARRISON, ID
83833

Source: GROUNDWATER
Date Filed: 06/17/1983
Diversion Pt: SWNE Sec 19 T 49N
R 03W

Use: COMMERCIAL (0.01 CFS);
DOMESTIC (0.01 CFS)

In: SWNE Sec 19 T 49N R 03W

95-8352

FRAME, DOUGLAS G. &/or
ROSELLA B.
2312 MONTE VISTA DR.,
COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/20/1983

Diversion Pt: SWSW Sec 09 T 50N
R 03W

Use: IRRIGATION (0.10 CFS);
DOMESTIC (0.04 CFS)

In: SESW Sec 09 T 50N R 03W
FOR 5 ACRES

95-8353

RENNER, RICHARD &/or
NELLIE
RT. 1, CRAIGMONT, ID 83523

Source: COEUR D'ALENE
LAKE trib. to SPOKANE RIVER
Priority Date: 06/20/1983

Diversion Pt: NWNW Sec 23 T
48N R 04W

Use: IRRIGATION (0.02 CFS)
In: NWNW Sec 23 T 48N R 04W

FOR 1 ACRES

January 31, 1992

SHARON HAUG
SCOT HAUG
PO BOX 1373
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08358

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

RECEIVED

FEB 12 1992

MEMORANDUM

TO: File 95-8358
FROM: Sharla
DATE: January 6, 1992
RE: Place of Use

In reviewing Permit 95-8357 (which has a p/d overlap with this right), a discrepancy in the place of use was noted. Although the examiner lists the place of use within the NESE, S26 under Item C(6) and indicates the same on the quad map copy, the application was originally filed showing the SENE and the secondary map attached to the exam also indicates the SENE. Further, the examiner states on the back of the exam that no amendments are necessary.

The license will identify the place of use as the SENE, S26. No special overlap condition will be imposed on the license since the system's capacity is 0.48 cfs; license 95-7551 was licensed for 0.20 cfs, 95-8357 is for 0.10 cfs as is this right, which totals only 0.40 cfs - the capacity is not exceeded. Further, no special overlap condition is required to limit this right & 95-8357 to 0.10 cfs since the 4.5 acres under each right are separate acres.

RECORDED

FEB 12 1992

October 24, 1991

SHARON HAUG
SCOT HAUG
PO BOX 1373
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08358

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

FEB 12 1992

LICENSE REVIEW CHECKLIST

NOTICE TO VOID
IN ERROR -
ISSUE LICENSE

Permit No. 95-8358

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance
Order to reinstate needed? yes no ✓

Total cfs Limited by fee 202
Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac ✓ 3.5

Capacity Actual measurement checked
Theoretical checked ✓
If greater than permit, check for other rts

Source Changed? yes no ✓
If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark
Check p/d overlap NA

Uses Check irrigation period of use w/ chart ✓ 4/1-11/1

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap NA

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other 004

Dates/Misc. -

Water Dist
App Rec'd ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day ✓ 30-day

Back of field report signed?

Reviewer S. Curran Date 10/3/91 Review time 5 min.

August 28, 1991

Scot Haug
N 3451 Greenferry
P.O. Box 1373
Post Falls, Idaho 83854

RECEIVED
AUG 30 1991

Department of Water Resources

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Dear Gary Spackman:

Reference: Notice of pending order voiding permit # 95-08358

I do not wish to relinquish my permit for water rights to the property located at N 3451 Greenferry.

The property in Post Falls was leased out while I was living out of state. My understanding was that the tenant was using the water to irrigate the pasture for their horses. However, recently, my wife and I have moved back into our house and are fully intending to use the water resources to irrigate our property. Keeping the water rights and ability to irrigate our property is important to us and we do not wish to waive our rights.

Thank you for your notice and please contact me at P.O. Box 1373 Post Falls, Idaho 83854 if you have further questions or if further evidence of intent to use the water resources are required.

Sincerely,

Scot Haug

Scot Haug

RECEIVED
FEB 12 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 14, 1991

Scot Haug
Sharon Haug

~~N. 3451 Greenferry Rd.~~
Post Falls, ID 83854

*Resent to 12TH ST on 8/26/91
W. 100 - 12TH ST*

RE: Permit to Appropriate Water No. 95-08358

NOTICE OF PENDING ORDER VOIDING PERMIT

Dear Permit Holder(s):

On August 12, 1983, the Department of Water Resources approved Application for Permit, No. 95-08358, which authorized diversion of groundwater for irrigation purposes in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, S26, T51N, R5W, B.M., Kootenai County.

A field inspection conducted by a representative of our Department revealed that the uses described by your permit are fully covered by Water Right No. 95-08357.

The purpose of this letter is to request that you relinquish your permit or explain why the Department should not void the permit. Enclosed is a relinquishment form that should be signed and returned to this office, unless you have some explanation that would prevent the Department from voiding your permit.

If you fail to respond to this notice within thirty (30) days of the date of mailing of this letter, the Department will act to void your permit. The permit will be voided on the grounds that you failed to divert and beneficially use the water that you were permitted to develop.

If you have any questions in regard to this matter, please feel free to contact our office.

Respectfully,


GARY SPACKMAN, Manager
Water Right Permits Section

RECEIVED
FEB 12 1992

GS:blm

cc: Northern Region

I hereby certify that on this 14th day of August, 1991,
I sent the original copy of this letter, postage prepaid, to the
person and address listed above.

A handwritten signature in cursive script, reading "Brenda L. Miller". The signature is written in dark ink and is positioned above the printed name and title.

Brenda L. Miller
Clerical Specialist

FEB 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

Department of Water Resources

1. Owner: SARAH HAUG Permit No. 95-8358
Current Address: N. 3451 GREEN FERRY RD. POST FALLS, ID. 83854 Phone No. 95-8358
2. Accompanied by: MRS GIBBS EXAM. DATE: 8/15/90
Address: 113661 Phone No.
Relationship to Permit Holder: NONE NEIGHBOR
3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: 95-07661, 9507561, 95-08357
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached PHOTO OF PD DID NOT DEVELOPE
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
FEB 12 1992

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

An eight inch by 270 foot well with static water level at 234 feet, a submersible 15 h. p. pump to four homes, and a submersible 25 h. p. pump to a 6 inch mainline with six risers. Four risers are for irrigation of 95-07551 and two risers equipt with 500 feet of 3" laterals and 7 sprinklers with 5/32 and 3/32 nozzles.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*						
Motor Make						
HP	25					
Motor Serial No.						
Pump Make						
Pump Serial No. or Discharge Size						

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:


[illegible]

6. Place(s) of Use:

Indicate Method of Determination #350350A

[illegible]

SEP 1 1952



undersigned hereby makes application for permit to appropriate the public waters of
ein set forth.

x *Phil O. Reighel*
(Applicant)

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITOT / PRESSURE						

2. Measurements:

$\frac{5}{32} @ 45 \text{ PSI} = 4.63 \text{ gpm}$
 $\frac{3}{32} @ 45 \text{ PSI} = 1.72 \text{ gpm}$ } $6.35 \text{ gpm / SPRINKLER (7 SPRINKLERS)}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{7(6.35)}{448.8} = 0.10 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{8.8(25) 70\%}{2.3(45) + 234} = 0.48 \text{ cfs}$$

SYSTEM CAPACITY /
 MEASURED ON
 9/1/81 (SEE MEMO
 95-07551)

0.48 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N / _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{4.5}{3.5} \times 15.8 = 15.8$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{2.45}{48.5} \times 1.9835 = 48.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 15.8$$

2. Volume Calculations for Other Uses:

FEB 12 1982

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NOT TO EXCEED 0.10 cfs as determined w/ 95-08357
 " " " " 0.48 cfs " " 95-07551
 Same system as 95-08357, same PD & main line as 95-67551

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIGATION	3-15 11-15	0.10	15.8

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION


Field Examiner's Name TOM DRUG
 Signature [Signature]
 Certification Date 11/16/90
 Field Report Preparation Date 11/16/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
 FEB 12 1992

Post Falls Irrigated Tracts



RECORDED

FEB 12 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 9, 1988

Mr. Scot Haug
N. 3451 Greenferry Rd.
Post Falls, Id. 83854

Re: 95-8358

Dear Mr. Haug:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

JAN 10 1989

RECEIVED

AUG 8 1988

Department of Water Resources
Northern District Office

STATE OF IDAHO

RECEIVED

AUG 15 1988

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received AK
Date 8/8/88
Receipt # 11906
Receipt by AK
Reviewed by JS
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 45-8358

Name(s) of Permit Holder: Scot and/or Sharon Haug

Post Office Address: N. 3451 Greenferry

Post Falls, ID 83854 Telephone No. 208-773-3884

Source of Water: aquifer - ground water

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 5 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.15 cfs 5 acre-foot

Show the date water was first diverted and beneficially used under this permit: 1977-78

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Scot or Sharon Haug 208-773-3884
(Name) (Telephone Number)

N. 3451 Greenferry, Post Falls, ID 83854
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 10 1989

7/27/88 Scot Haug and/or Sharon Haug
Date Signature of Permit Holder (and title, if appropriate)


USE PREPARED OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

1. WELL OWNER Name <u>William N. Myers</u> Address <u>Rt#3 Box 577 Post Falls, Idaho 83854</u> Phone <u>83854</u> County <u>Idaho</u>		2. WATER LEVEL Department of Water Resources Northern District Office State water level <u>234</u> feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow <u>20</u> Temperature <u>58</u> F Quality <u>Good</u> Artesian closed-in pressure <u>PSI</u> Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																						
3. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning)		4. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Other Discharge G.P.M. <u>20</u> Draw Down <u>0</u> Hours Pumped <u>2</u>																																																																																						
5. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG																																																																																						
6. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other		<table border="1"><thead><tr><th>Hole Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes/No</th></tr></thead><tbody><tr><td>12"</td><td>0</td><td>1.5</td><td>Top soil</td><td>X</td></tr><tr><td>12"</td><td>1.5</td><td>45</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>45</td><td>50</td><td>Gravel & Boulder</td><td>X</td></tr><tr><td>12"</td><td>50</td><td>80</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>80</td><td>109</td><td>Gravel, Cobbles & Boulders</td><td>X</td></tr><tr><td>12"</td><td>109</td><td>135</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>135</td><td>150</td><td>Clay, gravel Cobbles</td><td>X</td></tr><tr><td>12"</td><td>150</td><td>170</td><td>Gravel, cobbles, some clay</td><td>X</td></tr><tr><td>12"</td><td>170</td><td>173</td><td>Gravel & Boulders</td><td>X</td></tr><tr><td>12"</td><td>173</td><td>183</td><td>Gravel, Bldrs, clay</td><td>X</td></tr><tr><td>12"</td><td>183</td><td>192</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>192</td><td>200</td><td>Clay, cobbles Bldrs</td><td>X</td></tr><tr><td>12"</td><td>200</td><td>208</td><td>Clay, cobbles gravel</td><td>X</td></tr><tr><td>12"</td><td>208</td><td>223</td><td>Cemented gravel</td><td>X</td></tr><tr><td>12"</td><td>223</td><td>234</td><td>Gravel & Cobbles</td><td>X</td></tr><tr><td>12"</td><td>234</td><td>268</td><td>Gravel & Cobbles</td><td>X</td></tr></tbody></table>		Hole Diam.	Depth From	To	Material	Water Yes/No	12"	0	1.5	Top soil	X	12"	1.5	45	Gravel & Cobbles	X	12"	45	50	Gravel & Boulder	X	12"	50	80	Gravel & Cobbles	X	12"	80	109	Gravel, Cobbles & Boulders	X	12"	109	135	Gravel & Cobbles	X	12"	135	150	Clay, gravel Cobbles	X	12"	150	170	Gravel, cobbles, some clay	X	12"	170	173	Gravel & Boulders	X	12"	173	183	Gravel, Bldrs, clay	X	12"	183	192	Gravel & Cobbles	X	12"	192	200	Clay, cobbles Bldrs	X	12"	200	208	Clay, cobbles gravel	X	12"	208	223	Cemented gravel	X	12"	223	234	Gravel & Cobbles	X	12"	234	268	Gravel & Cobbles	X
Hole Diam.	Depth From	To	Material	Water Yes/No																																																																																				
12"	0	1.5	Top soil	X																																																																																				
12"	1.5	45	Gravel & Cobbles	X																																																																																				
12"	45	50	Gravel & Boulder	X																																																																																				
12"	50	80	Gravel & Cobbles	X																																																																																				
12"	80	109	Gravel, Cobbles & Boulders	X																																																																																				
12"	109	135	Gravel & Cobbles	X																																																																																				
12"	135	150	Clay, gravel Cobbles	X																																																																																				
12"	150	170	Gravel, cobbles, some clay	X																																																																																				
12"	170	173	Gravel & Boulders	X																																																																																				
12"	173	183	Gravel, Bldrs, clay	X																																																																																				
12"	183	192	Gravel & Cobbles	X																																																																																				
12"	192	200	Clay, cobbles Bldrs	X																																																																																				
12"	200	208	Clay, cobbles gravel	X																																																																																				
12"	208	223	Cemented gravel	X																																																																																				
12"	223	234	Gravel & Cobbles	X																																																																																				
12"	234	268	Gravel & Cobbles	X																																																																																				
7. WELL CONSTRUCTION Diameter of hole <u>12</u> inches Total depth <u>268</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>12</u> inches</td><td><u>1</u> feet</td><td><u>108</u> feet</td></tr><tr><td><u>.375</u> inches</td><td><u>12</u> inches</td><td><u>188</u> feet</td><td><u>268</u> feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>22'</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing ☒ Overhaul to seal depth		Thickness	Diameter	From	To	<u>.250</u> inches	<u>12</u> inches	<u>1</u> feet	<u>108</u> feet	<u>.375</u> inches	<u>12</u> inches	<u>188</u> feet	<u>268</u> feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. WORK STARTED Work started <u>9-15-75</u> page <u>1</u>																																																														
Thickness	Diameter	From	To																																																																																					
<u>.250</u> inches	<u>12</u> inches	<u>1</u> feet	<u>108</u> feet																																																																																					
<u>.375</u> inches	<u>12</u> inches	<u>188</u> feet	<u>268</u> feet																																																																																					
Number	From	To																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																						
8. LOCATION OF WELL Sketch map location must agree with section location.  Post Falls Irrigation Tracts Tract # 1 Section _____ Township _____ Range _____		11. SIGNATURES Well Driller's Signature _____ Date _____ Owner's Signature _____ Date _____																																																																																						

To: File 95-8358

From: Groundwater Protection

Date:

Drilling Permit: ☒ Not Applicable 1978 -
☐ Found and in file
☐ Not Found

Well Drillers Report:

_____ Not found, due to reported age of well
probably not available
? 7. _____ Found and is in file
_____ Not found

Follow-up

_____ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
_____ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

This may be well Log.

OKGB

MICROFILMED

JAN 10 1989

INTER-DEPARTMENT MEMO — 1

FROM

Jodi

DATE

8/12/88

SUBJECT

file # 95-8358

Mailed again to new address
on envelope:

P.O. Box 272

Newman Lake, WA

99025-0272

UNITED MICROFILMED

JAN 10 1989

Mailed

gs

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

North Orchard Street
Boise, Idaho 83706-2237

Phil Peightal
N. 2400 Wilbur
Spokane, WA 99206

RECEIVED
AUG 11 1988

Department of Water Resources

MICROFILMED

JAN 10 1989

PEI 00 2708DC61 FWD TIME EXPD
PEIGHTAL PHILIP
PO BOX 272
NEWMAN LAKE, WA 99025-0272
RETURN TO SENDER

INTER-DEPARTMENT MEMO — 1

FROM

Jodi

DATE

8/2/88

TO

file # 95-8358

SUBJECT

Called Kootenai County Assessor.
Requested new address for:

Phil Peightal
N. 2400 Wilbur
Spokane, WA

99206

RECORDED

JAN 10 1989


SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse

Boise, Idaho 83720

Unclaimed
Attempted Not Known
For Better Address
Moved Left No Address
Forwarding Expired
No Mail Receptacle



Refused

Send copy to [unclear]

UNCLAIMED

JAN 10 1989

138891

Claim Check
No.

878870

☐ Hold

Date

JUN - 3 1988

1ST Notice

2ND Notice

Return

Detached from
PS Form 3849-A,
Oct. 1985

138891
CERTIFIED MAIL
May 31, 1988

PEIGHTAL, PHIL
N. 3451 GREENFERRY RD.
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: Permit No. 95-8358

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

NOT FILMED

JAN 10 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PEIGHTAL, PHIL
N. 3451 GREENFERRY RD.
POST FALLS, ID 83854

AUGUST 30, 1983

RE: PERMIT NO. 95-8358

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JS

APPLICATION NUMBER: 95-8358

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 7-18-83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/12/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/21/83 Date of priority recommended.
✓ Special conditions of approval or cover letter. _____

By: SLW/LIT

Date: 8/1/83

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By: JS

Date: 8/9/83

RECEIVED
AUG 05 1983
Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8358-

PEIGHTAL, PHIL

N. 3451 GREENFERRY RD., POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 06/21/1983

Diversion Pt: NENE Sec 26 T 51N R 05W

Use: IRRIGATION (0.15 CFS)

In: SENE Sec 26 T 51N R 05W FOR 5 ACRES

RECEIVED
JUN 22 1983
FBI - POST FALLS