




BETTIE LINDER (801) 561-2692 95-08350
 Box 7083 MURRAY, UT 84147 MAP #20 H-5
 apply TWO SPRINGS which is a tributary of ALDER CREEK
 if diversion is JE % of NE % of Section 32 Township 45N R3W PD & PU

MICROFILMED
 AUG 31 1993

PERMIT # 95-8350

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PD



PU




UNRECORDED

AUG 31 1993



INSTALLATION INSTRUCTIONS & PARTS MANUAL
SHALLOW WELL PUMP SYSTEM
MODEL 1P979B



DAYTON ELECTRIC MANUFACTURING CO. CHICAGO 60648

0482/174/1M

READ INSTRUCTIONS CAREFULLY BEFORE ATTEMPTING TO INSTALL, OPERATE OR SERVICE THE TEEL PUMP. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFORMATION AND ADDITIONAL INSTRUCTIONS INCLUDED WITH THIS EQUIPMENT. FAILURE TO COMPLY WITH INSTRUCTIONS COULD RESULT IN PERSONAL INJURY AND/OR PROPERTY DAMAGE!
RETAIN INSTRUCTIONS FOR FUTURE REFERENCE.




Figure 1

Description

The Teel shallow well pump system consists of a shallow well pump and a precharged, 2 gallon capacity, Well-X-Trol tank, No. 131009. It is designed for shallow well application and can be used for driven well points, dug wells, drilled wells and cisterns in year-around homes, trailers, and cabins. It comes completely assembled to save on-site installation and is equipped with a $\frac{1}{3}$ HP split phase (115 volt) motor and a pressure switch, preset at 20-40 PSI which can be adjusted up to 30-50 PSI

Unpacking

Open carton and remove pump and tank unit. Check for loose, missing or damaged parts.

General Safety Information

1. Know the pump application, limitations, and potential hazards.

WARNING: DO NOT USE TO PUMP FLAMMABLE OR EXPLOSIVE FLUIDS SUCH AS GASOLINE, FUEL OIL, KEROSENE, ETC. DO NOT USE IN EXPLOSIVE ATMOSPHERES. PUMP SHOULD ONLY BE USED WITH LIQUIDS COMPATIBLE WITH PUMP COMPONENT MATERIALS. FAILURE TO FOLLOW THIS WARNING CAN RESULT IN PERSONAL INJURY AND/OR PROPERTY DAMAGE.

2. Make certain that the power source (electric motor) conforms to the requirements of your equipment.
3. Provide adequate protection and guarding around moving parts.
4. Disconnect power before servicing.
5. Release all pressure within the system before servicing any component.
6. Drain all liquids from the system before servicing.
7. Secure the discharge line before starting the pump. An unsecured discharge line will whip, possibly causing personal injury and/or property damage.
8. Check hoses for weak or worn condition before each use, making certain that all connections are secure.
9. Periodically inspect pump and system components. Perform routine maintenance as required (See MAINTENANCE Section).
10. Provide a means of pressure relief for pumps whose discharge line can be shut-off or obstructed.
11. Personal Safety:

Specifications

MODEL	MOTOR					MOTOR CONNECTED FOR	PRESSURE SWITCH SETTING	INCHES NPT		DIMENSIONS				TANK CAPACITY GALLONS
	HP	VOLTAGE	PH	HZ	RPM			SUCTION INLET	DISCHARGE OUTLET	H	W	L	WT	
1P979B	$\frac{1}{3}$	115 V	1	60	3450	115 V	20-40 PSI	1 $\frac{1}{4}$ "	$\frac{3}{4}$ "	22"	14"	18 $\frac{1}{4}$ "	53	2 GAL.

Performance Chart

MODEL	HP	PUMP TYPE	APPLICATION	PSI	GPH @ PSI DEPTH MEASURED FROM PUMP TO WATER TABLE									
					5'	10'	15'	20'	25'					
1P979B	$\frac{1}{3}$	S.W.	S.W.	20	650	570	520	420	340	—	—	—	—	—
				30	630	550	510	410	330	—	—	—	—	—
				40	490	440	420	360	320	—	—	—	—	—
				50	320	290	260	220	180	—	—	—	—	—

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 29 day of June, 1983 and the last on the 6 day of July, 1983.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

JoJane Hammes

Subscribed and sworn to before me this 1st day of Aug., 1983

Sharon P. Black

Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

Address: P.O. Box 44, Santa, Idaho 83866
Date Filed: June 21, 1983
Source: Groundwater
Point of Diversion: SESW Sec 35 T 44N R 03W
In: SESW Sec 35 T 44N R 03W
Use: Fish Prop., Storage (48.0 AF); Diversion to Storage (0.20 cfs)

92-7141
Name: Michael J. Needham
Address: P.O. Box 44, Santa, Idaho 83866
Date Filed: June 21, 1983
Source: Unnamed Streams tributary to Santa Creek, South Fork
Point of Diversion: SESW Sec 35 T 44N R 03W
In: SESW Sec 35 T 44N R 03W
Use: Fish Prop. (0.96 cfs); Fish Prop. Storage (48.0 AF)

95-8350
Name: Bettie Lowder
Address: P.O. Box 7083, Murray, Utah 84107
Date Filed: June 20, 1983
Source: Springs tributary to Benewah Creek
Point of Diversion: SENE Sec 32 T 45N R 03W
In: SENE Sec 32 T 45N R 03W for 1 acre
Use: Irrigation (0.03 cfs); Stock-water (0.02 cfs); Domestic (0.04 cfs)

95-8351
Name: Nancy N. Casey
Address: Rt. 1, Box 86, Plummer, Idaho 83851
Date Filed: June 20, 1983
Source: Spring tributary to Plummer Creek
Point of Diversion: NWNW Sec 35 T 46N R 04W
In: NWNW Sec 35 T 46N R 04W for 6 acres
Use: Irrigation (0.12 cfs); Stock-water (0.02 cfs); Domestic (0.04 cfs); Recreation (0.18 cfs)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814 on or before July 18, 1983.

KEN DUNN, Dir.
No. 7158 — June 29-July 6.

Water rights sought are sought by eight

91-7078
Name: Richard and-or Laurelee Schnebly
Address: Rt. 3, Box 75A, St. Maries, Idaho 83861
Date Filed: June 17, 1983
Source: Groundwater
Point of Diversion: NWSW Sec 18 T 46N R 01E
In: SWSW Sec 18 T 46N R 01E for 3 acres
Use: Irrigation (0.06 cfs); Stock-water (0.02 cfs); Domestic (0.04 cfs)

91-7079
Name: Andre B. and-or Crystal LeCoultrre
Address: Rt. 2, Box 112, St. Maries, Idaho 83861
Date Filed: June 17, 1983
Source: Springs tributary to Sinks
Point of Diversion: Sec 01 T 46N R 03W
In: Lot 04, Lot 05, Sec 01 T 46N R 03W for 5 acres
Use: Irrigation (0.10 cfs); Stock-water (0.02 cfs); Domestic (0.04 cfs)

91-7080
Name: Cottonwood Point Water and Sewer Assn., Inc.
Address: St. Maries, Idaho 83861
Date Filed: June 21, 1983
Source: Groundwater
Point of Diversion: SENE Sec 17 T 46N R 02W
In: SENE Lot 05, Lot 06, Lot 07, Lot 08, Lot 11, Lot 12 Sec 17 T 46N R 02W for 9 acres
Use: Irrigation (0.05 cfs); Domestic (0.10 cfs)

92-7139
Name: Brian R. and-or Barbara J. Balsiger
Address: Rt. 4, Box 49A, St. Maries, Idaho 83861
Date Filed: June 20, 1983
Source: Groundwater
Point of Diversion: SENE Sec 36 T 46N R 02W
In: SENE Sec 36 T 46N R 02W for 1 acre
Use: Irrigation (0.02 cfs); Recreation (0.04 cfs)

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08350

Priority: June 20, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that BETTIE LOWDER

PO BOX 57083

MURRAY UT 84157

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 20, 1983; and has submitted Proof of Beneficial Use on August 1, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to **ALDER CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESENE , Sec. 32, Township 45N, Range 03W
BENEWAH County

PLACE OF USE: DOMESTIC

TWN RGE SEC

45N 03W 32

SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECORDED

AUG 31 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08350

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of JULY, 1993.

Acting for *R. Keith Higginson*, Director

AUG 21 1993

RECEIVED

AUG -1 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Office use only
Fee Received 7/27/88
Date 7/27/88
Receipt #
Receipt by 36
Reviewed by
Sent to region 8-10 88

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8350

Name(s) of Permit Holder: BETTIE JO LOWDER

Post Office Address: Box 7083, MURRAY, UT 84107

Telephone No. 801-561-2692 / 581-7851

Source of Water: SPRINGS

Extent of Use:

Domestic 1 (number of households) Stockwater 2 (number and type of stock)

Irrigation LEG LESS THAN 1/4 ACRES Other/Remark

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 4/20/83

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 10
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/27/88
Date

Bettie Jo Lowder
Signature of Permit Holder (and title, if appropriate)

AUG 18 1988

RECEIVED

STATE OF IDAHO

APPROVED
APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Beth Jo Lowder Phone 801-561-2692

of (address) POB 7083, Murray, UT, 84107, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 95-8350, and requests that the permit and permit map be changed as follows:

1. Source of water is two Springs tributary to Alder Creek
Point of diversion: No change in location, Township _____, Range _____, B.M.,
County of _____ . Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

No change
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

No change

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Shay N

[illegible]

Scale: 1 inch = 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at London, England, this 6th day of August, 1983.

~~(Signature)~~

**Bette Jo Fowler*
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by Fee = \$20.00



Received by 24 Date (3/336) 7-6-85

Publication prepared by _____ Date _____
Published in St. Martin's Gazette Record

Publication dates 8 Oct 14, 8 Oct 21, 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby

~~Approve the above referenced Amendment provided the conditions as set forth on~~

page 4 of Permit No. 95-8350 are met.

Witness my hand this

day of

November

19 83

Chief, Operations Bureau/

D. Alan Souton

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 14th day of Sept., 1983 and the last on the 21st day of Sept., 1983.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

JoJane Hammes

Subscribed and sworn to before me this 23 day of Sept., 1983

Sharon D. Blackman

Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

RECEIVED

SEP 26 1983

Department of Water Resources
Northern District Office

Notice of Amendment
filed by Water Dept.

NOTICE OF APPLICATION
FOR AMENDMENT
OF A PERMIT


Notice is hereby given that Bettie Joe Lowder has filed with the Department of Water Resources on September 6, 1983, An Application for Amendment of Permit No. 95-8350 correcting the source of water. The source on the original permit was two springs, tributary to Benewah Creek. The applicant now wishes to amend said original Permit No. 95-8350 to show the source as two springs, tributary to Alder Creek.

Any protest to the proposed amendment may be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before October 3, 1983.

KENDUNN, Dir.
No. 7243 — Sept. 14-21.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho



1. Name of applicant BETTIE LOWDER Phone 561-2692

Post office address BOX 7083 MURRAY, UT 84107

✓ 2. Source of water supply TWO SPRINGS which is a tributary of BENEWAH CREEK

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 45N

Range 3W B.M. BENEWAH County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.03 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.09 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. DIVERSION WORKS & PIPELINE.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 45N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 2 HEAD

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: _____

[illegible]

None

APPLICANT

4

applicant to make this filing

32 T-45N

Π ~~Z~~

R-3W

Bethie Lubler
(Applicant)

RECEIVED

Proposed Priority 6/20/1983
Received by JK Date 6-20-83 Time 12:00 PM

Preliminary check by R64 Fee \$ 3.00

Received by pmv Date 6/20/83 # 27733

Publication prepared by JK Date 6/23/83

Published in St. James Gazette Record

Publication dates 6/30-7/7/83

Publication approved JK Date 8/4/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval JK by JK denial JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 95-8350, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 25th day of August, 1983.

J. Allen Saylor
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 13, 1993

BETTIE LOWDER
PO BOX 57083
MURRAY UT 84157

RE: WATER RIGHT NO. 95-08350

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal stroke extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

AUG 31 1993

WR0749NP
No. L95-08350

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/02/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BETTIE LOWDER PO BOX 57083 MURRAY UT 84157 (801) 581-7851	06/20/1983	DOMESTIC	01-01 12-31	0.04 CFS	0.6 AFA
TOTAL DIVERSION:					0.04 CFS	0.6 AFA

Water Source: SPRING

Tributary to: ALDER CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T45N R03W S32 SE SE NE

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
45N	03W	32	:					D	:											:

Pou County: BENEWAH

~~Non-Irrigation Uses: S/2 RANGE, D/1 HOME.~~

Other Water Rights Listing Overlapping Place(s) of use:
95-08350

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	06/20/1983	Priority Date:	06/20/1983
	Proof Due Date:	08/01/1988	Proof Made Date:	08/01/1988
	Exam Made Date:	07/09/1992	Exam Sent to S.O.:	06/08/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 07/02/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 95-8350 Date 7-2-93 Brenda Chapman

NAME Yes No Or Address Change?

PRIORITY DATE ✓ Advance? ✓ Memo to Advance
 ✓ Order to Reinstate Needed?

SOURCE ✓ Changes? Clarification of Originally
 Intended source
 ✓ Notice of Intent to Void - Source change.

P/D ✓ Amendment Needed?
 ✓ Is Overlap Analysis a Consideration?

P/U ✓ Amendment Needed?
 ✓ Is Overlap Analysis a Consideration?

TOTAL CFS -NA- Incorrect Fee for rate recommended?
-NA- Disagree/Measurement
-NA- Pumping Theoretical $(8.8) \times (.70) \times (\quad)$
 $(\quad + [2.31 \times \quad])$
 ✓ System Capacity .04
Allowable Amount: Permit limit .04

TOTAL VOLUME Rate/ac AFA Irr. Season
Standard Irr. Season
Season Recommended
 ✓ Disagree with Examiner's Calculations?
 Internal domestic .6 AF
 ✓ Flow limit: .04 x 365 x 1.9835 = 29 > .6 AF

USES ✓ Change(s) in Nature of Use?
 ✓ Amendment Needed?

REMARKS ✓ Multiple P/Ds in 1/4 1/4?
✓ Non-Irr. Uses Domestic
 ✓ Special Overlap Condition
 ✓ Other

CONDITIONS ✓ Measuring Devices Dates/Misc
 ✓ W/Master Control Water Dist
 ✓ Overlap 6-20-83 App Rec'd
 ✓ Water Quality 7-9-92 Exam Made

COMMENTS: ① REDUCE rate ② Delete irrigation & STOCKWATER uses.

RECOMMENDED	CFS	VOL
Irrigation	<u>.04</u>	<u>.6</u>
Domestic	<u> </u>	<u> </u>
Stockwater	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

LICENSE ✓
AMEND

RECEIVED
JUN 10 1993

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Bette Lowder Permit No. 95-08350
Current Address: P.O. Box 7083, Murray, UT 84107 Phone No. 801-581-7851
2. Accompanied by: Duke Duplessis EXAM. DATE: 7/9/92
Address: Rt. 1, Box 162A, St. Maries Phone No. _____
83861
Relationship to Permit Holder: Neighbor
3. Source: _____ tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

AUG 3 1 1993

CLARK

Do not use this space

D. FLOW MEASUREMENTS *None* ☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: *1 domestic = .04 cfs*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 domestic = 0.6 AF

RECEIVED
AUG 31 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

-water spring was developed for stock use, ND
stock, so spring is not in use.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (ata)
Domestic	1/1 (2/3)	.04	0.6 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other


J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
 Signature Robert Knoblock
 Certification Date 7/10/92
 Field Report Preparation Date 7/10/92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECORDED
AUG 31 1993



BETTIE LOWDER (801) 561-2692 95-08350
Box 7083 MURRAY, UT 84107 MAP #20 H-5
 copy TWO SPRINGS which is a tributary of ALDER CREEK
 if diversion is SE % of NE % of Section 38 Township 43N R3W PD&PU

MICROFILMED

AUG 31 1993

PERMIT # 95-8350

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PD



PU



AUG 31 1993




State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 10, 1992



Bettie Lowder
PO Box 7083
Murray, UT 84107

RE: PERMIT NO. 95-08350

Dear Ms. Lowder:

I recently conducted an exam on your property. To facilitate the completion of the exam I need some information listed below:

MAKE OF MOTOR: Teel
HORSEPOWER OF MOTOR: 1/3 HP
SERIAL NUMBER OF MOTOR: 1P979B
MAKE OF PUMP: Teel
SERIAL NUMBER OF PUMP: 1P979B

Any information you could provide would be of great assistance. Thank you for your cooperation.

Sincerely,

Robert Knoblock

MICROFILMED

AUG 31 1993

Robert Knoblock
Field Agent/Department of Water Resources

8-18-92
I went to the land and this is the only number on the pump except the date code # 8401. This is a copy of the paper that came with the pump. I hope this is enough information since it is all I have. Unless the model # is the same as the serial # there is no serial #.


*they changed my address to
PO Box 57083*

Murray ut 84157

Bettie Lowder



INSTALLATION INSTRUCTIONS & PARTS MANUAL SHALLOW WELL PUMP SYSTEM MODEL 1P979B



DAYTON ELECTRIC MANUFACTURING CO. CHICAGO 60648

0482/174/1M

READ INSTRUCTIONS CAREFULLY BEFORE ATTEMPTING TO INSTALL, OPERATE OR SERVICE THE TEEL PUMP. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFORMATION AND ADDITIONAL INSTRUCTIONS INCLUDED WITH THIS EQUIPMENT. FAILURE TO COMPLY WITH INSTRUCTIONS COULD RESULT IN PERSONAL INJURY AND/OR PROPERTY DAMAGE!
RETAIN INSTRUCTIONS FOR FUTURE REFERENCE.




Figure 1

Description

The Teel shallow well pump system consists of a shallow well pump and a precharged, 2 gallon capacity, Well-X-Trol tank, No. 131009. It is designed for shallow well application and can be used for driven well points, dug wells, drilled wells and cisterns in year-around homes, trailers, and cabins. It comes completely assembled to save on-site installation and is equipped with a $\frac{1}{2}$ HP split phase (115 volt) motor and a pressure switch, preset at 20-40 PSI which can be adjusted up to 30-50 PSI

Unpacking

Open carton and remove pump and tank unit. Check for loose, missing or damaged parts.

General Safety Information

1. Know the pump application, limitations, and potential hazards.

WARNING: DO NOT USE TO PUMP FLAMMABLE OR EXPLOSIVE FLUIDS SUCH AS GASOLINE, FUEL OIL, KEROSENE, ETC. DO NOT USE IN EXPLOSIVE ATMOSPHERES. PUMP SHOULD ONLY BE USED WITH LIQUIDS COMPATIBLE WITH PUMP COMPONENT MATERIALS. FAILURE TO FOLLOW THIS WARNING CAN RESULT IN PERSONAL INJURY AND/OR PROPERTY DAMAGE.

2. Make certain that the power source (electric motor) conforms to the requirements of your equipment.
3. Provide adequate protection and guarding around moving parts.
4. Disconnect power before servicing.
5. Release all pressure within the system before servicing any component.
6. Drain all liquids from the system before servicing.
7. Secure the discharge line before starting the pump. An unsecured discharge line will whip, possibly causing personal injury and/or property damage.
8. Check hoses for weak or worn condition before each use, making certain that all connections are secure.
9. Periodically inspect pump and system components. Perform routine maintenance as required (See MAINTENANCE Section).
10. Provide a means of pressure relief for pumps whose discharge line can be shut off or obstructed.
11. Personal Safety:

Specifications

MODEL	MOTOR					MOTOR CONNECTED FOR	PRESSURE SWITCH SETTING	INCHES NPT		DIMENSIONS				TANK CAPACITY GALLONS
	HP	VOLTAGE	PH	HZ	RPM			SUCTION INLET	DISCHARGE OUTLET	H	W	L	WT	
1P979B	$\frac{1}{2}$	115 V	1	60	3450	115 V	20-40 PSI	1 $\frac{1}{4}$ "	$\frac{3}{4}$ "	22"	14"	18 $\frac{1}{4}$ "	53	2 GAL.

Performance Chart

MODEL	HP	PUMP TYPE	APPLICATION	PSI	GPH @ PSI DEPTH MEASURED FROM PUMP TO WATER TABLE						
					5'	10'	15'	20'	25'		
1P979B	$\frac{1}{2}$	S.W.	S.W.	20	650	570	520	420	340	—	—
				30	630	550	510	410	330	—	—
				40	490	440	420	360	320	—	—
				50	320	290	260	220	180	—	—

July 10, 1992

Bettie Lowder
PO Box 7083
Murray, UT 84107

RE: PERMIT NO. 95-08350

Dear Ms. Lowder:

I recently conducted an exam on your property. To facilitate the completion of the exam I need some information listed below:

MAKE OF MOTOR:
HORSEPOWER OF MOTOR:
SERIAL NUMBER OF MOTOR:
MAKE OF PUMP:
SERIAL NUMBER OF PUMP:

Any information you could provide would be of great assistance. Thank you for your cooperation.

Sincerely,

Robert Knoblock
Field Agent/Department of Water Resources

FILED
AUG 31 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

AUG 31 1993

Permit No. 95-8350

Name(s) of Permit Holder(s): Bettie Jo Lowder

Post Office Address: PO Box 7083

Murray, Ut. 84107

Tel. No. 801 561-2692

☒ I hereby certify that construction of diversion works for the above referenced permit began on July 26, 1984. I understand that I must
(date)

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

7/26/84
Date

Bettie Jo Lowder
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

JUL 30 1984



Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JUL 26 1984

Department of Water Resources
Northern District Offices

RECEIVED

AUG 31 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 12, 1988

Ms. Bettie Jo Lowder
Box 7083
Murray, Ut. 84107

Re: 95-8350

Dear Ms. Lowder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED
AUG 31 1993



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8350

Date: 8-10-1988

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely
N/A Reinstated

Source of Water:

y Surface water
y Groundwater
N/A 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y _____ Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138884
CERTIFIED MAIL
May 31, 1988

LOWDER, BETTIE
P.O. BOX 7083
MURRAY, UT 84107

PROOF DUE NOTICE

RE: Permit No. 95-8350

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECORDED

AUG 18 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 2, 1983

RE: Permit No. 95-8350

Bettie Jo Lowder
Box 7083
Murray, UT 84107

Dear Ms. Lowder:

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: R

Right Number 95-8350 Applicant Lowder

Purpose of Amendment: ☐ Change point of diversion. ☐ Add diversion point(s).
☐ Increase amount. ☐ Change place of use. ☒ Other Change Source

CHECK:

- N/A ☒ Description of amended point(s) of diversion.
N/A ☒ Amount, nature and period of use. ~~If increased, delay date of priority.~~
N/A ☒ Description of amended places of use. ~~If expanded, delay date of priority.~~
OK ☒ Ownership of point of diversion and place of use.
OK ☒ Map.
OK ☒ Signature (must be permit holder).
OK ☒ Fee.
N/A ☒ Existing water rights from the same source, amended place of use.
N/A ☐ Right number(s) _____
OK ☒ Yes ☐ No Should amendment be advertised? -
OK ☐ Yes ☒ No ~~Should date of priority be delayed? If yes, to what date?~~ _____

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
☒ Amendment published correctly.
☐ Protests processed.
☒ Approve.
☐ Deny.

Source is same tributary
is changed. The tributary
shown on original permit
is in error.

Jm

Conditions use standard approval language

By RJA Date 10/17/83

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By Jm Date 10-31-83
☐ Approved copy sent to applicant and to Region. By _____ Date _____

MICROFILMED

NOTICE OF APPLICATION FOR AMENDMENT OF A PERMIT

Notice is hereby given the Bettie Joe Lowder has filed with the Department of Water Resources on September 6, 1983, An Application for Amendment of Permit No. 95-8350 correcting the source of water. The source on the original permit was two springs, tributary to Benewah Creek. The applicant now wishes to amend said original Permit No. 95-8350 to show the source as two springs, tributary to Alder Creek.

Any protest to the proposed amendment may be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before October 3, 1983.

KEN DUNN, Dir.

Published in the St. Maries Gazette Record, St. Maries, Idaho, on September 14 and 21, 1983.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

LOWDER, BETTIE
P.O. BOX 7083
MURRAY, UT 84107

SEPTEMBER 14, 1983

RE: PERMIT NO. 95-8350

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 29 day of June, 1983 and the last on the 6 day of July, 1983.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Subscribed and sworn to before me this 1st day of Aug., 1983

Sharon P. Black

Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

92-7140
Name: Michael J. Needham

Address: P.O. Box 44, Santa, Idaho 83866
Date Filed: June 21, 1983
Source: Groundwater
Point of Diversion: SESW Sec 35 T 44N R 03W
In: SESW Sec 35 T 44N R 03W
Use: Fish Prop., Storage (48.0 AF); Diversion to Storage (0.20 cfs)

92-7141
Name: Michael J. Needham
Address: P.O. Box 44, Santa, Idaho 83866
Date Filed: June 21, 1983
Source: Unnamed Streams tributary to Santa Creek, South Fork
Point of Diversion: SESW Sec 35 T 44N R 03W
In: SESW Sec 35 T 44N R 03W
Use: Fish Prop. (0.96 cfs); Fish Prop. Storage (48.0 AF)

95-8350
Name: Bettie Lowder
Address: P.O. Box 7083, Murray, Utah 84107
Date Filed: June 20, 1983
Source: Springs tributary to Benewah Creek
Point of Diversion: SENE Sec 32 T 45N R 03W
In: SENE Sec 32 T 45N R 03W for 1 acre
Use: Irrigation (0.03 cfs); Stock-water (0.08 cfs); Domestic (0.04 cfs)

95-8351
Name: Nancy N. Casey
Address: Rt. 1, Box 86, Plummer, Idaho 83851
Date Filed: June 20, 1983
Source: Spring tributary to Plummer Creek
Point of Diversion: NWNW Sec 35 T 46N R 04W
In: NWNW Sec 35 T 46N R 04W for 6 acres
Use: Irrigation (0.12 cfs); Stock-water (0.02 cfs); Domestic (0.04 cfs); Recreation (0.18 cfs)

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814 on or before July 18, 1983.

KEN DUNN, Dir.
No. 7156 - June 29-July 6.

Water rights sought are sought by eight

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

91-7078
Name: Richard and-or Laurelee Schnebley
Address: Rt. 3, Box 75A, St. Maries, Idaho 83861
Date Filed: June 17, 1983
Source: Groundwater
Point of Diversion: NWSE Sec 18 T 46N R 01E
In: SWSE Sec 18 T 46N R 01E for 3 acres
Use: Irrigation (0.06 cfs); Stock-water (0.02 cfs); Domestic (0.04 cfs)

91-7079
Name: Andre B. and-or Crystal LeCoultrre
Address: Rt. 2, Box 112, St. Maries, Idaho 83861
Date Filed: June 17, 1983
Source: Springs tributary to Sinks
Point of Diversion: Sec 01 T 46N R 03W
In: Lot 04, Lot 06, Sec 01 T 46N R 03W for 5 acres
Use: Irrigation (0.10 cfs); Stock-water (0.02 cfs); Domestic (0.04 cfs)

91-7080
Name: Cottonwood Point Water and Sewer Assn., Inc.
Address: St. Maries, Idaho 83861
Date Filed: June 21, 1983
Source: Groundwater
Point of Diversion: SENE Sec 17 T 46N R 02W
In: SENE Lot 05, Lot 06, Lot 07, Lot 08, Lot 11, Lot 12 Sec 17 T 46N R 02W for 9 acres
Use: Irrigation (0.05 cfs); Domestic (0.10 cfs)

92-7139
Name: Brian R. and-or Barbara J. Balsiger
Address: Rt. 4, Box 48A, St. Maries, Idaho 83861
Date Filed: June 20, 1983
Source: Groundwater
Point of Diversion: SENE Sec 36 T 46N R 03W
In: SENE Sec 36 T 46N R 02W for 1 acre
Use: Irrigation (0.02 cfs); Domestic (0.04 cfs)

95-8350-

LOWDER, BETTIE

P.O. BOX 7083, MURRAY, UT 84107

Source: SPRINGS trib. to BENEWAH CREEK

Date Filed: 06/20/1983

Diversion Pt: SENE Sec 32 T 45N R 03W

Use: IRRIGATION	(0.03 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: SENE Sec 32 T 45N R 03W FOR 1 ACRES

P O BOX 7083
MURRAY UT 84107
JUNE 14 1983

DEPT OF WATER RESOURCES
NORTHERN REGION
4055 GOVERNMENT WAY SUITE 9
COUR D'ALENE ID 83814
ATTN: KENNETH KNOBLOCK

Dear Mr. Knoblock,

Enclosed is the application for permit to water rights. Also, a money order for \$30.00.

As far as we can determine the domestic water on our property is a developed spring. This was developed in 1975.

Thank you for being so helpful.

Sincerely;

Bettie Lowder

enclosure

RECEIVED

JUN 20 1983

Department of Water Resources
Northern District Office