

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-7256
CHATFIELD, GARY W.
RT. 1 BOX 213C, CATALDO, ID 83810
Source: ROBINSON CREEK trib. to COEUR D ALENE RIVER
Date Filed: 06/09/1983
Diversion Pt: NESE Sec 22 T 48N R 02W NENE Sec 27 T 48N R 02W
Use: IRRIGATION (0.10 CFS); RECREATION (0.20 CFS)
In: NWSW Sec 23 T 48N R 02W FOR 5 ACRES

94-7258
BELL, JEANNE
P. O. BOX 311, KINGSTON, ID 83839

Source: UNNAMED STREAM trib. to COEUR D ALENE RIVER, NORTH FK.
Date Filed: 06/14/1983
Diversion Pt: SWNW Sec 32 T 50N R 01E

Use: DOMESTIC (0.04 CFS)
In: NENW Sec 32 T 50N R 01E 95-8331

MICA BAY LAND COMPANY
P. O. BOX 943, COEUR D ALENE, ID 83814

Source: MICA CREEK, S. FK., MDL. FK. trib. to MICA CREEK
Date Filed: 06/07/1983
Diversion Pt: NESE Sec 22 T 49N R 05W

Use: POWER (2.00 CFS)
In: NWSW Sec 23 T 49N R 02W 95-8336

KRAMER, THOMAS J. &/or JUDY MAE

E. 2380 MALLORY RD., RATHDRUM, ID 83835

Source: GROUNDWATER
Date Filed: 05/27/1983
Diversion Pt: NESW Sec 29 T 52N R 04W

Use: STOCKWATER (0.03 CFS); DOMESTIC (0.04 CFS)
In: NESW NWSE Sec 29 T 52N R 04W

95-8337
MICA BAY LAND COMPANY INC.
P. O. BOX 943, COEUR D

ALENE, ID 83814

Source: UNNAMED STREAM trib. to MICA CREEK, SOUTH FORK

Date Filed: 06/07/1983
Diversion Pt: NESE Sec 23 T 49N R 05W

Use: POWER (0.50 CFS)
In: SWNW Sec 24 T 49N R 05W 95-8338

MICA BAY LAND COMPANY
P. O. BOX 943, COEUR D ALENE, ID 83814

Source: MICA CREEK, SOUTH FORK trib. to MICA CREEK
Date Filed: 06/10/1983

Diversion Pt: NESW Sec 23 T 49N R 05W

Use: POWER (3.50 CFS)
In: SWNE Sec 23 T 49N R 05W 95-8340

MC CLOSKEY, WILLIAM E.
P. O. BOX 1551, COEUR D ALENE, ID 83814

Source: SPOKANE RIVER trib. to COLUMBIA RIVER
Date Filed: 06/14/1983

Diversion Pt: LOT 09 Sec 07 T 50N R 04W

Use: IRRIGATION (0.03 CFS); DOMESTIC (0.04 CFS)
In: LOT 09 Sec 07 T 50N R 04W FOR 1 ACRES

STATE OF IDAHO,
County of Kootenai, } ss.

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 19 and ending on the day of 19 and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of 19

Notary Public for the State of Idaho,
95-8344

PANHANDLE MOBIL ESTATES ASSN.
C/O MRS. FRED MAITLAND, E.
5750 CAROL RD., RATHDRUM,
ID 83858

Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: NESE Sec 22 T 52N R 04W
Use: DOMESTIC (0.20 CFS); FIRE PROTECTION (0.20 CFS)
In: NESE NWSE SWSE Sec 22 T 52N R 04W 95-8345

OLSON, ROBERT J.
N. 1850 MILLVIEW LN., COEUR D ALENE, ID 83814
Source: SPOKANE RIVER trib. to COLUMBIA RIVER
Date Filed: 06/14/1983
Diversion Pt: SWSW Sec 11 T 50N R 04W
Use: IRRIGATION (0.03 CFS)
In: SWSW Sec 11 T 50N R 04W FOR 1 ACRES 96-8249

SHAMROCK LAND CO.
RT. 1, ATHOL, ID 83801
Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: NWSE Sec 18 T 53N R 03W

Use: STOCKWATER (0.10 CFS); DOMESTIC (0.06 CFS)
In: NWNW Sec 20 T 53N R 03W NWSW SWSW Sec 17 T 53N R 03W NENE Sec 19 T 53N R 03W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before July 11, 1983.
KEN DUNN, Dir.

Legal 117
30, 1983

95-8341
WICKEL, WALLACE
12025 E. FRONTAGE RD., WOLF LODGE INN, COEUR D ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: LOT 02 Sec 05T 49N R 02W
Use: IRRIGATION (0.08 CFS); COMMERCIAL (0.04 CFS); DOMESTIC (0.13 CFS)
In: LOT 02 Sec 05 T 49N R 02W FOR 2 ACRES 95-8342

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
RT. 3 BOX 344, SANDPOINT, ID 83864

Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NESE Sec 31 T 52N R 04W
Use: IRRIGATION (0.09 CFS); DOMESTIC (0.04 CFS)
In: NESE Sec 31 T 52N R 04W FOR 3 ACRES 95-8343

ROCKFORD PINES COMMUNITY INC.

c/o R. N. SHERWIN, ROCKFORD BAY STAR RT., COEUR D ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NENE Sec 17 T 48N R 04W

Use: IRRIGATION (0.09 CFS); DOMESTIC (0.14 CFS)
In: NENE NWNE SWNE LOT 04 Sec 17 T 48N R 04W FOR 4 ACRES

MICROFILMED

Sec. 6. Previous Survey by W. Clayton Miller in 189



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08343

1. Owner: Rockford Pines Community Inc. Phone No. 664-6967

Current Address: Box 984 Coeur d'Alene ID 83814

2. Accompanied by: None EXAM. DATE: 5/24/90

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached

2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NIS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

MAY 22 1992

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08343

0.10 CFS
8.4 AF

COEUR D'ALENE ID 83814 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 13, 1983; and has submitted Proof of Beneficial Use on June 16, 1988. An examination indicates that the works have a diversion capacity of .100 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

NENE , Sec. 17, Township 48N, Range 04W
KOOTENAI County

MAY 22 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08343

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17th day of April, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

MAY 22 1992

RECEIVED
JUN 13 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

Department of Water Resources
Northern District Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Rockford Pines Community Inc. Phone 664-6967
Co R.N. Sherwin
Post office address Rockford Bay Star Rt Coeur d Alene, Id 83814
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 48N
Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.14 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.09 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and pipeline

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 8 inches; proposed depth of well is 410 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 48N
Range 4W B.M.

- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.

- (3) List number of each kind of livestock to be watered _____

- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 9.

- (5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

3

None


4005

17005

applicant to make this filing.

170000

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RM L. Kernen, Secy.
(Applicant)
Rockford Pines Community, Inc.

MICROFILMED

Received by MR Date 6/13/83 Time 12:00 PM
Preliminary check by MR Fee \$ 3000
Received by POA Date 6-14-83 (27638)
Publication prepared by me Date 6/14/83
Published in Coastal & A. Low Press
Publication dates 6/23-6/30/83
Publication approved me Date 7/14/83
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by MR

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8343, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 12th day of August, 1983.

J. Allen Barton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-7256
CHATFIELD, GARY W.
RT. 1 BOX 213C, CATALDO, ID 83810
Source: ROBINSON CREEK trib. to COEUR D ALENE RIVER
Date Filed: 06/08/1983
Diversion Pt: NESE Sec 22 T 40N R 02W NENE Sec 27 T 48N R 02W
Use: IRRIGATION (0.10 CFS); RECREATION (0.20 CFS)
In: NWSW Sec 23 T 48N R 02W FOR 5 ACRES

94-7258
BELL, JEANNE
P. O. BOX 311, KINGSTON, ID 83839

Source: UNNAMED STREAM trib. to COEUR D ALENE RIVER, NORTH FK.
Date Filed: 06/14/1983
Diversion Pt: SWNW Sec 32 T 50N R 01E
Use: DOMESTIC (0.04 CFS)
In: NENW Sec 32 T 50N R 01E

95-8331
MICA BAY LAND COMPANY
P. O. BOX 943, COEUR D ALENE, ID 83814
Source: MICA CREEK, S. FK., MDL. FK. trib. to MICA CREEK
Date Filed: 06/07/1983
Diversion Pt: NESE Sec 22 T 49N R 05W
Use: POWER (2.00 CFS)
In: NWSW Sec 23 T 49N R 02W

95-8336
KRAMER, THOMAS J. &/or JUDY MAE
E. 2380 MALLORY RD., RATHDRUM, ID 83835
Source: GROUNDWATER
Date Filed: 06/27/1983
Diversion Pt: NESW Sec 29 T 52N R 04W
Use: STOCKWATER (0.03 CFS); DOMESTIC (0.04 CFS)
In: NESW NWSE Sec 29 T 52N R 04W

95-8337
MICA BAY LAND COMPANY INC.
P. O. BOX 943, COEUR D

ALENE, ID 83814
Source: UNNAMED STREAM trib. to MICA CREEK, SOUTH FORK
Date Filed: 06/07/1983
Diversion Pt: NESE Sec 23 T 49N R 05W
Use: POWER (0.50 CFS)
In: SWNW Sec 24 T 49N R 05W

95-8338
MICA BAY LAND COMPANY
P. O. BOX 943, COEUR D ALENE, ID 83814
Source: MICA CREEK, SOUTH FORK trib. to MICA CREEK
Date Filed: 06/10/1983
Diversion Pt: NESW Sec 23 T 49N R 05W
Use: POWER (3.50 CFS)
In: SWNE Sec 23 T 49N R 05W

95-8340
MC CLOSKEY, WILLIAM E.
P. O. BOX 1551, COEUR D ALENE, ID 83814
Source: SPOKANE RIVER trib. to COLUMBIA RIVER
Date Filed: 06/14/1983
Diversion Pt: LOT 09 Sec 07 T 50N R 04W
Use: IRRIGATION (0.03 CFS); DOMESTIC (0.04 CFS)
In: LOT 09 Sec 07 T 50N R 04W FOR 1 ACRES

STATE OF IDAHO, } ss.
County of Kootenai,

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 19 and ending on the day of 19 and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of 19

Notary Public for the State of Idaho.

95-8344

PANHANDLE MOBIL ESTATES d'Alene, Idaho.

ASSN.
C/O MRS. FRED MAITLAND, E.
5750 CAROL RD., RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: NESE Sec 22 T 52N R 04W
Use: DOMESTIC (0.20 CFS); FIRE PROTECTION (0.20 CFS)
In: NESE NWSE Sec 22 T 52N R 04W

95-8345

OLSON, ROBERT J.
N. 1850 MILLVIEW LN., COEUR D ALENE, ID 83814
Source: SPOKANE RIVER trib. to COLUMBIA RIVER
Date Filed: 06/14/1983
Diversion Pt: SWSW Sec 11 T 50N R 04W
Use: IRRIGATION (0.03 CFS)
In: SWSW Sec 11 T 50N R 04W FOR 1 ACRES

96-8249

SHAMROCK LAND CO.
RT. 1, ATHOL, ID 83801
Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: NWSE Sec 18 T 53N R 03W
Use: STOCKWATER (0.10 CFS); DOMESTIC (0.06 CFS)
In: NWNW Sec 20 T 53N R 03W NWSW Sec 17 T 53N R 03W NENE Sec 19 T 53N R 03W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id. 83814 on or before July 11, 1983.
KEN DUNN, Dir.

95-8341
WICKEL, WALLACE
12025 E. FRONTAGE RD., WOLF LODGE INN, COEUR D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: LOT 02 Sec 05 T 49N R 02W
Use: IRRIGATION (0.06 CFS); COMMERCIAL (0.04 CFS); DOMESTIC (0.13 CFS)
In: LOT 02 Sec 05 T 49N R 02W FOR 2 ACRES

95-8342

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
RT. 3 BOX 344, SANDPOINT, ID 83864
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NESE Sec 31 T 52N R 04W
Use: IRRIGATION (0.09 CFS); DOMESTIC (0.04 CFS)
In: NESE Sec 31 T 52N R 04W FOR 3 ACRES

95-8343

ROCKFORK PINES COMMUNITY INC.
c/o R. N. SHERWIN, ROCKFORD BAY STAR RT., COEUR D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NENE Sec 17 T 48N R 04W
Use: IRRIGATION (0.09 CFS); DOMESTIC (0.14 CFS)
In: NENE NWNE SWNE LOT 04 Sec 17 T 48N R 04W FOR 4 ACRES

April 20, 1992

ROCKFORD PINES COMMUNITY INC
PO BOX 884
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08343

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on
the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MICROFILMED

MAY 22 1992

LICENSE REVIEW CHECKLIST

Date 04-01-92

Permit # 95-08343

28

	Yes	No	
NAME	☐	☒	Address Change? <u>already updated</u>
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☒	Disagree with Actual Measurement? _____
	☒	☒	Disagree with Theoretical? <u>Lack of Info</u>
	☒	☒	Limited by Capacity? <u>2-3hp pump = .10 cfs = standard</u> <u>.10 cfs (Dom) .06 cfs (Irr.)</u> <u>for 4 Homes</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>same</u> Season Recommended
	☒	☒	Disagree with Examiner's Calculations? _____
	☒	☒	<u>2.4 AFA (Dom) 6.0 AFA (Irr.)</u>
	☒	☒	Limited by Flow? _____
SOURCE	☒	☒	Changes? Clarification of <u>Originally</u> <u>Intended</u> source _____
	☒	☒	Notice of Intent to Void. _____
P/D	☒	☒	Verify with Map Amendment Needed? _____
	☒	☒	Is Overlap Analysis a Consideration? _____
P/U	☒	☒	Verify with Map Amendment Needed? <u>Add Govt Lots 3+4</u>
	☒	☒	Is Overlap Analysis a Consideration? _____
USES	☒	☒	Changes required to be compatible with Maps, Data Entry Standards, etc? _____
	☒	☒	Change(s) in Nature of Use? _____
	☒	☒	Amendment Needed? _____
REMARKS	☒	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☒	Non-Irrigation Uses <u>Dom / 4 Homes</u>
	☒	☒	Special Overlap Condition _____
	☒	☒	Other _____
CONDITIONS	☒	☒	Measuring Device
	☒	☒	W/Master Control
	☒	☒	Overlap
	☒	☒	Water Quality
	☒	☒	DATES/MISC
	☒	☒	Water Dist.
	☒	☒	App Rec'd
	☒	☒	Exam Made
COMMENTS/MEMOS NEEDED:			
License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence ☐			

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROCKFORD PINES COMMUNITY INC PO BOX 884 COEUR D ALENE ID 83814	06/13/1983	IRRIGATION DOMESTIC	03-15 11-15 01-01 12-31	0.06 CFS 0.10 CFS	6.0 AFA 2.4 AFA
TOTAL DIVERSION:					0.10 CFS	8.4 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.10 CFS

Point(s) of Diversion: T48N R04W S17 NE NE

Place of use Legal Description for: IRRIGATION

NE																		NW								SW								SE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
T		R		S		: Lt Ac		Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac		Lt Ac		Lt Ac		: Lt Ac</	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Other Water Rights with Same Point(s) of Diversion and Source:
95-08343

Other Water Rights Listing Overlapping Place(s) of use:
95-08343

Conditions of Approval:

- R49 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

Remarks: Domestic use is for 4 homes.

Dates: App. Received: 06/13/1983 Priority Date: 06/13/1983
Proof Due Date: 08/01/1988 Proof Made Date: 06/16/1988
Exam Made Date: 05/24/1990 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/01/92 SKAGGS

Sec. 6

Sec. 5

Sec. 4

Previous

Survey

by

H. Clayton

Miller

in

189

Sec. 7

Sec. 8

Sec. 9

Sec. 10

Sec. 11

Sec. 12

Sec. 13

Sec. 14

Sec. 15

Sec. 16

Sec. 17

Sec. 18

COLETT

WINDY BAY

PORTFORD BAY

TAMARI

LINE

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5370

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

5220

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08343

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
✓ Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
✓ Compare USGS/Land Survey? Aerial Photos/Permit.

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
✓ Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
✓ (Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
✓ Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature W. King Date 1-2-90

RECEIVED
JUN 24 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08343

1. Owner: Rockford Pines Community Inc. Phone No. 664-6967
Current Address: Box 984 Coeur d'Alene ID 83814

2. Accompanied by: None EXAM. DATE: 5/24/90

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NIS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

MAY 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SPECIAL USE FIELD REPORT

RECEIVED
JUN 24 1991
Department of Water Resources

A. GENERAL INFO

1. Owner: Res

Current Address:

2. Accompanied by:

Address:

Relationship to:

3. Source: Geo

B. OVERLAP REVIEW

1. Other water right

2. Other water right

C. SYSTEM DESCRIPTION

1. Diversion System size/ditch size/ft.

Scale: 1" = 115

2. ☒ Copy of U.S.G.S. Quadrangle Attached

Showing location(s) of point(s) of diversion and

place(s) of use (required).


☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

MAY 22 1992



veir

ned

d

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well has pressure tank enclosed in a 4 foot diameter concrete casing that is buried in the ground. Surface of this casing is at ground level. A 3 inch bottom is at about 9 feet below ground level. A 3 inch pipe exits pressure tank and carries water to 4 homes with lawn & garden.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Submers	6/2			
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:


Indicate Method of Determination

[illegible]

Do not use this space

MAY 22 1992

DECLASSIFIED



ROAD CLASSIFICATION

- Primary highway, hard surface ——— Light-duty road, hard or improved surface ———
 Secondary highway, hard surface ——— Unimproved road ———
 () Interstate Route () U. S. Route () State Route

ROCKFORD BAY, IDAHO

SW/4 COEUR D'ALENE 15' QUADRANGLE
 N4730-W11652.5/7.5

1981

DMA 2879 III SW—SERIES V893

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1975. Field checked 1976. Map edited 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)
 1000-meter Universal Transverse Mercator grid, zone 11
 927 North American Datum

Place on the predicted North American Datum 1983
 above the projection lines 14 meters north and
 8 meters east as shown by dashed corner ticks

Red dashed lines indicate selected fence and field lines
 where generally visible on aerial photographs
 this information is unchecked

There may be private inholdings within the boundaries of

UTM GRID AND 1981 MAGNETIC DECLINATION AT CENTER

0.68"
 2 MILS

IDAHO
 LOCATION

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

10 cfs (4 homes per IDWR HANDBOOK App IV)

2. Alternate Method for Checking Purposes:

0.03 cfs max/acre x 2 acres = 0.06 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 30 = 6.0 \text{ AF}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.06 \text{ cfs}) (245) (1.9835) = 29.2 \text{ AF}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.0 \text{ AF}$

2. Volume Calculations for Other Uses:

(6 AF) (4 homes) = 2.4 AF

MICROFILMED

MAY 22 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (4 homes)	1-1	12-31	10 cfs	3.4
Irrigation	3-15	11-15	0.06 cfs	6.0
Totals:			10 cfs	9.4 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION


Field Examiner's Name Theresa J. Bright

Signature Theresa J. Bright

Certification Date 4/16/90

Field Report Preparation Date 5/24/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



RECEIVED

MAY 22 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-8343

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 48N N, Rge. 4W Sec. 17, NE $\frac{1}{4}$ NE $\frac{1}{4}$ Gov. Lot _____

2. Owner: Rockfort Pines Community, Inc.

Address: P.O. Box 884

City Coeur d'Alene, State ID 83814

3. Casing $\geq$ 12 inches above ground: Yes X No _____

4. Access Port: Y X N _____

Pressure Gauge: Y _____ N X

Flowing: Y _____ N X

Static Water Level: 85'

Casing Diameter: 6"

Temperature: 48°

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y _____ N X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

RECEIVED
MAY 22 1996

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Rockford Pines, Inc.
Address Rockford Bay, Idaho 83814
Owner's Permit No. 95-8343

7. WATER LEVEL

Static water level 85 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow
Temperature 48° F. Quality Clear
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Other Air-lift
Discharge G.P.M. Draw Down Hours Pumped
25 20' 1 hr

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes/No
	From	To		
6"	0	5	Topsoil	
	5	115	Boulders & Handpan	
	15	155	Basalt Broken	
	55	305	Basalt Hard	
	75	605	Shale, Whitish Blue	

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 605 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>+1</u> feet	<u>156</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____
Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 20' Material used in seal ☐ Cement grout
☒ Bentonite ☐ Pudding clay ☐ Well cuttings

Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Kootenai
SW NE SE T. 18 N. 48 W. 4 W
1/4 Sec. _____ T. _____ N/S. R. _____ E/W

10. Work started 6/20/75 finished 6/23/75

11. DRILLERS CERTIFICATION

Firm Name Carmen Development Co. Firm No. 226
1610 Broadway, Spokane, Wa. 99206 Date 6/24/75

Signed by (Firm Official) _____

and
(Operator)

RECEIVED
SEP 27 1988
Department of Water Resources
Northern District Office

RECEIVED
MAY 22 1992

Legal show
Section 18 but it is for 95-8343



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 4, 1988

Rockford Pines Community Inc.
Box 884
Coeur d'Alene, Id. 83814

Re: 95-8343

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECORDED & INDEXED

JAN 10 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8343

Date: 10/13/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	+
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUN 16 1988

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 50.00
Date 6/16/88
Receipt # 0001403
Receipt by [Signature]
Reviewed by JS
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8343

Name(s) of Permit Holder: Rockford Pines Community Inc.

Post Office Address: Box 884 Coeur d'Alene, Ida. 83814

Telephone No. 664-6967-(208)

Source of Water: Well

Extent of Use:

Domestic 4 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 16.14 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Per App. for Permit - Letter 10/7/88
about 1977

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:
Leah G. Sherwin (509) 238-4750 or (208) 664-6967
(Name) (Telephone Number)

Box 884 Coeur d'Alene, Ida. 83814
(Address)

RECEIVED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 10 1989

6-14-88
Date

Leah G. Sherwin - Registered Professional Engineer
Signature of Permit Holder (and title, if appropriate)

October 7, 1988

Rockford Pines Community, Inc.
Leah G. Sherwin Pogneba, Secretary
P. O. Box 884
Coeur d' Alene, ID 83814

RE: Permit No. 95-8343

Dear Mrs. Pogneba:

The department has received your proof of beneficial use form submitted to this office on June 16, 1988, requesting water use at a rate of 0.16 cfs.

Please note the enclosed copy of your permit, the maximum amount of water use approved is 0.14 cfs. In compliance with the statutes, a water right license could not be issued for a rate greater than the permit approval. Your proof of beneficial use form has been amended by showing 0.14 cfs as the maximum rate of diversion for the permit.

The department will continue processing the proof by notifying the regional office that a field inspection is needed.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

c: N. Region

RECEIVED
JAN 10 1989

RECEIVED

SEP 29 1988

95-8343

Department of Water Resources

Sept 26, 1988

Dear Mrs. Fleck,

I finally found the Well Drillers Report.
Sorry it took so long.

If there is any thing else I can help you
with, please let me know.

Thank you (Sherwin)
Leah A. Pagelon
re-married

MICROFILMED

JAN 10 1989

Leah H. Hagreber
Box 884
Coeur d'Alene, Id. 83814

State of Idaho
Department of Water Resources
1301 N. Orchard Street,
Statehouse mail,
Boise, Id. 83720-



RECEIVED

SEP 26 1988

Department of Water Resources

Sept. 22, 1988

State of Idaho

Dept. of Water Resources

1301 N. Orchard St. Statehouse Mail,

Boise, Idaho 83720

Dear Mr. Fleck,

Richard N. Sherwin passed away the 11th of Feb. 1984. He was killed, while cutting a tree for fire wood. I am Mrs. Sherwin and I will send you all the information I can. Here is a copy of the well application. I do not have a well Driller's report.

As far as I know the well is complete. We have 4 families on it. We couldn't develop the land like we had planned at first.

I hope this helps soon. If there is anything else I can do, please let me know. My phone # is (208) 664-6867.

Thank you
Mrs. Leah H. Sherwin - Pozucha
unmarried

MICROFILMED

JAN 10 1989

RECEIVED
JUN 13 1988

RECEIVED

Ident. No. 95-8343

STATE OF IDAHO SEP 26 1988

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

Department of Water Resources
Northern District Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Rockford Pines Community Inc. Phone 664-6967Post office address 90 R.N. Sherwin
Rockford Bay Star RT Coeur d'Alene, Id 838142. Source of water supply Groundwater which is a tributary of _____3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 48NRange 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.14 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)Amount 0.09 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)c. Proposed well diameter is 8 inches; proposed depth of well is 410 feet.7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: GL4 (SENE)
SW NE
NW NE
NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 48NRange 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 9.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JAN 10 1989

Pogueba
Box 884
Coeur d'Alene, Id, 83814



State of Idaho
Department of Water Resources
1301 N. Orchard Street
Boise, Idaho 83706-2237

September 1, 1988

Rockford Pines Community, Inc.
P. O. Box 884
Coeur d' Alene, ID 83814

RE: Permit No. 95-8343

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by October 1, 1988 to keep your permit from losing priority.

If you have any questions, feel free to call me.

Sincerely,

RITA FLECK
Secretary/Records Manager

c: N. Region

*Ritz Log - not found
may want to ask
Owners?*

DP-NA.

**RECORDED
INDEXED**

JAN 10 1989

6-14-88

Richard N. Sherwin
Deceased. He passed
away Feb 11, 1984.

I am his widow. I just
remarried and my name
is Leah H. Fagnola.

I am Sec. of Rockford
River Comm. I don't know
all the answers you asked.

Thank you
Leah Fagnola

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resource

Receipt No: C001403

Date: 06/16/88
Time: 14:57:53


Received
From: ROCKFORD PINES COMMUNITY

Type of Payment	Program A cct	Amount
PROOF OF B/U 95-8343	0650122 1238 6490	\$50.00
Total		\$50.00

CHECK 367

Idaho Department of Water Resources


Region: State

Signature: 

MICROFILMED

JAN 10 1989

Leah Syntha
Box 884
Coeur d'Alene, Id.
83817



State of Idaho
Department of Water Resources
Statehouse
Boise, Id. 83720

138881
CERTIFIED MAIL
May 31, 1988

ROCKFORK PINES COMMUNITY INC.
c/o R. N. SHERWIN
ROCKFORD BAY STAR RT.
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: Permit No. 95-8343

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 10 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ROCKFORK PINES COMMUNITY INC.
C/O R. N. SHERWIN
ROCKFORD BAY STAR RT.
COEUR D ALENE, ID 83814

AUGUST 30, 1983

RE: PERMIT NO. 95-8343

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

FILED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8343

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/11/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 6/13/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

By: SLW/L17 Date: 7-18-83
STATE OFFICE REVIEW: return receipt

- ☐ See attached sheet for more information.
By: [Signature]

Date: 8/8/83

RECEIVED
AUG 3 1983

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8343-

ROCKFORK PINES COMMUNITY INC.

c/o R. N. SHERWIN. ROCKFORD BAY STAR RT., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/13/1983

Diversion Pt: NENE Sec 17 T 48N R 04W

Use: IRRIGATION	(0.09 CFS)
DOMESTIC	(0.14 CFS)

In: NENE NWNE SWNE LOT 04 Sec 17 T 48N R 04W FOR 4 ACRES

RECORDED