

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

94-7256
CHATFIELD, GARY W.
RT. 1 BOX 213C, CATALDO, ID
83810
Source: ROBINSON CREEK trib.
to COEUR D ALENE RIVER
Date Filed: 06/09/1983
Diversion Pt: NESE Sec 22 T 48N
R 02W NENE Sec 27 T 48N R 02W
Use: IRRIGATION (0.10 CFS);
RECREATION (0.20 CFS)
In: NWSW Sec 23 T 48N R 02W
FOR 5 ACRES

94-7252
BELL, JEANNE
P. O. BOX 311, KINGSTON, ID
83839

Source: UNNAMED STREAM
trib. to COEUR D ALENE
RIVER, NORTH FK.
Date Filed: 06/14/1983
Diversion Pt: SWNW Sec 32 T 50N
R 01E

Use: DOMESTIC (0.04 CFS)
In: NENW Sec 32 T 50N R 01E

95-8331
MICA BAY LAND COMPANY
P. O. BOX 943, COEUR D
ALENE, ID 83814

Source: MICA CREEK, S. FK.,
MDL. FK. trib. to MICA CREEK
Date Filed: 06/07/1983
Diversion Pt: NESE Sec 22 T 49N
R 05W

Use: POWER (2.00 CFS)
In: NWSW Sec 23 T 49N R 02W

95-8336
KRAMER, THOMAS J. &/or
JUDY MAE

E. 2380 MALLORY RD.,
RATHDRUM, ID 83835

Source: GROUNDWATER
Date Filed: 06/27/1983
Diversion Pt: NESW Sec 29 T 52N
R 04W

Use: STOCKWATER (0.03 CFS);
DOMESTIC (0.04 CFS)
In: NESW NWSE Sec 29 T 52N R
04W

95-8337
MICA BAY LAND COMPANY
INC.
P. O. BOX 943, COEUR D

ALENE, ID 83814

Source: UNNAMED STREAM
trib. to MICA CREEK, SOUTH
FORK

Date Filed: 06/07/1983
Diversion Pt: NESE Sec 23 T 49N
R 05W

Use: POWER (0.50 CFS)
In: SWNW Sec 24 T 49N R 05W

95-8338
MICA BAY LAND COMPANY
P. O. BOX 943, COEUR D

ALENE, ID 83814

Source: MICA CREEK, SOUTH
FORK trib. to MICA CREEK
Date Filed: 06/10/1983

Diversion Pt: NESW Sec 23 T 49N
R 05W

Use: POWER (3.50 CFS)
In: SWNE Sec 23 T 49N R 05W

95-8340
MC CLOSKEY, WILLIAM E.

P. O. BOX 1551, COEUR D
ALENE, ID 83814

Source: SPOKANE RIVER trib.
to COLUMBIA RIVER

Date Filed: 06/14/1983
Diversion Pt: LOT 09 Sec 07 T 50N
R 04W

Use: IRRIGATION (0.03 CFS);
DOMESTIC (0.04 CFS)

In: LOT 09 Sec 07 T 50N R 04W
FOR 1 ACRES

STATE OF IDAHO,
County of Kootenai,

} ss.

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The _____
_____ of which the annexed is a printed copy, was published in the regular _____
_____ issue of said newspaper for _____ consecutive _____
_____ commencing on the _____ day of _____, 19____, and
_____ ending on the _____ day of _____, 19____, and such
_____ publication was made as often during said period as said _____
_____ newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice _____

Subscribed and sworn to before me this _____ day of _____, 19____

Notary Public for the State of Idaho,
95-8344

PANHANDLE MOBIL ESTATES
ASSN.
C/O MRS. FRED MAITLAND, E.
5750 CAROL RD., RATHDRUM,
ID 83858

Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: NESE Sec 22 T 52N
R 04W
Use: DOMESTIC (0.20 CFS);
FIRE PROTECTION (0.20 CFS)
In: NESE NWSE SWSE Sec 22 T
52N R 04W

95-8345
OLSON, ROBERT J.
N. 1850 MILLVIEW LN., COEUR
D ALENE, ID 83814
Source: SPOKANE RIVER trib.
to COLUMBIA RIVER
Date Filed: 06/14/1983
Diversion Pt: SWSW Sec 11 T 50N
R 04W
Use: IRRIGATION (0.03 CFS)
In: SWSW Sec 11 T 50N R 04W
FOR 1 ACRES

96-8249
SHAMROCK LAND CO.
RT. 1, ATHOL, ID 83901
Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: NWSE Sec 18 T 53N
R 03W
Use: STOCKWATER (0.10 CFS);
DOMESTIC (0.06 CFS)
In: NWNW Sec 20 T 53N R 03W
NWSW SWSW Sec 17 T 53N R 03W
NENE Sec 19 T 53N R 03W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id,
83814 on or before July 11, 1983.
KEN DUNN, Dir.

95-8341
WICKEL, WALLACE
12025 E. FRONTAGE RD., WOLF
LODGE INN, COEUR D ALENE,
ID 83814

Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: LOT 02 Sec 05 T 49N
R 02W
Use: IRRIGATION (0.06 CFS);
COMMERCIAL (0.04 CFS);
DOMESTIC (0.13 CFS)
In: LOT 02 Sec 05 T 49N R 02W
FOR 2 ACRES

95-8342
CHURCH OF JESUS CHRIST
LATTER DAY SAINTS
RT. 3 BOX 344, SANDPOINT, ID
83864

Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NESE Sec 31 T 52N
R 04W
Use: IRRIGATION (0.09 CFS);
DOMESTIC (0.04 CFS)
In: NESE Sec 31 T 52N R 04W
FOR 3 ACRES

95-8343
ROCKFORK PINES COMMUNI-
TY INC.

c/o R. N. SHERWIN, ROCK-
FORD BAY STAR RT., COEUR
D ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NENE Sec 17 T 48N
R 04W

Use: IRRIGATION (0.09 CFS);
DOMESTIC (0.14 CFS)
In: NENE NWNE SWNE LOT 04
Sec 17 T 48N R 04W FOR 4 ACRES

MICROFILMED

96-08342




MEYER
RD



MICROFILMED

SEP 24 1990




NAME: LDS CHURCH
 PD: T52N,R4W,SEC.31, NESE
 PU: T52N,R4W,SEC.31, NESE
 SOURCE: GROUNDWATER

ACRES IRR: 2

PERMIT NUMBER: 95-08342
 MAP # 27
 QUAD: T52N R4W SEC.31 NESE
 E-54

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.




Inspected by

[Signature]

Date

SEP 24 1990
68-41-5

MICROFILMED



$$\begin{aligned}
 (75)(245) - 350 &= 18025 \text{ FT}^2 \\
 (165)(60) - 750 &= 9150 \text{ FT}^2 \\
 (70)(85) + 100 &= 13700 \text{ FT}^2 \\
 &7500 \text{ FT}^2 \\
 &200 \text{ FT}^2 \\
 &1300 \text{ FT}^2 \\
 &400 \text{ FT}^2 \\
 &460 \text{ FT}^2 \\
 &700 \text{ FT}^2 \\
 &51375 \text{ FT}^2
 \end{aligned}$$

$$\frac{51,375 \text{ FT}^2}{43560 \text{ FT}^2/\text{A}} = 1.2 \text{ A}$$

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR

RECEIVED

FEB 5 1984

1. WELL OWNER Name <u>LDS CHURCH LAKEHURON UMB</u> Address <u>MEYER RD RATHBURN</u> Owner's Permit No. <u>45428 95-8428</u>	7. WATER LEVEL Department of Water Resources Static water level <u>192</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;"><u>30</u></td> <td style="text-align: center;"><u>230</u></td> <td style="text-align: center;"><u>3 hrs</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>30</u>	<u>230</u>	<u>3 hrs</u>																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																													
<u>30</u>	<u>230</u>	<u>3 hrs</u>																																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>0</td> <td>6</td> <td>OVERBURDEN</td> <td>X</td> </tr> <tr> <td></td> <td>6</td> <td>56</td> <td>BOULDERS 6" TO 1'</td> <td>X</td> </tr> <tr> <td></td> <td>56</td> <td>97</td> <td>MEDIUM SIZED GRAVEL TO 4"</td> <td>X</td> </tr> <tr> <td></td> <td>97</td> <td>103</td> <td>GRANITE</td> <td>X</td> </tr> <tr> <td></td> <td>103</td> <td>108</td> <td>SAND</td> <td>X</td> </tr> <tr> <td></td> <td>108</td> <td>298</td> <td>90% GRANITE BOULDERS 12" TO 3'</td> <td>X</td> </tr> <tr> <td></td> <td>192</td> <td>206</td> <td>LARGE GRAVEL 8" TO 10"</td> <td>X</td> </tr> <tr> <td></td> <td>206</td> <td>221</td> <td>" 4" TO 6"</td> <td>X</td> </tr> <tr> <td></td> <td>221</td> <td>227</td> <td>BOULDERS 1' TO 2'</td> <td>X</td> </tr> <tr> <td></td> <td>227</td> <td>240</td> <td>LARGE GRAVEL - 6" TO 10"</td> <td>X</td> </tr> <tr> <td></td> <td>240</td> <td>246</td> <td>DECOMPOSED GRANITE</td> <td>X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes No	From	To	6	0	6	OVERBURDEN	X		6	56	BOULDERS 6" TO 1'	X		56	97	MEDIUM SIZED GRAVEL TO 4"	X		97	103	GRANITE	X		103	108	SAND	X		108	298	90% GRANITE BOULDERS 12" TO 3'	X		192	206	LARGE GRAVEL 8" TO 10"	X		206	221	" 4" TO 6"	X		221	227	BOULDERS 1' TO 2'	X		227	240	LARGE GRAVEL - 6" TO 10"	X		240	246	DECOMPOSED GRANITE	X
Hole Diam.	Depth		Material	Water Yes No																																																											
	From	To																																																													
6	0	6	OVERBURDEN	X																																																											
	6	56	BOULDERS 6" TO 1'	X																																																											
	56	97	MEDIUM SIZED GRAVEL TO 4"	X																																																											
	97	103	GRANITE	X																																																											
	103	108	SAND	X																																																											
	108	298	90% GRANITE BOULDERS 12" TO 3'	X																																																											
	192	206	LARGE GRAVEL 8" TO 10"	X																																																											
	206	221	" 4" TO 6"	X																																																											
	221	227	BOULDERS 1' TO 2'	X																																																											
	227	240	LARGE GRAVEL - 6" TO 10"	X																																																											
	240	246	DECOMPOSED GRANITE	X																																																											
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																															
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>1.5</u> feet</td> <td><u>240</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>4</u> inches by <u>4</u> inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>40</u> perforations</td> <td><u>226</u> feet</td> <td><u>236</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>29</u> Material used in seal: ☒ Cement grout ☐ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1.5</u> feet	<u>240</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>40</u> perforations	<u>226</u> feet	<u>236</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																															
Thickness	Diameter	From	To																																																												
<u>250</u> inches	<u>6</u> inches	<u>1.5</u> feet	<u>240</u> feet																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																												
Number	From	To																																																													
<u>40</u> perforations	<u>226</u> feet	<u>236</u> feet																																																													
_____ perforations	_____ feet	_____ feet																																																													
_____ perforations	_____ feet	_____ feet																																																													
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>KOOTENAI</u> <u>SE 1/4 NE 1/4 Sec. 31, T. 52 N. R. 4 W.</u>	10. Work started <u>1-3-84</u> finished <u>1-17-84</u>																																																														
	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>BRANDX WATER WELLS</u> Firm No. <u>289</u> Address <u>Rathburn 148</u> Date <u>1-29-84</u> Signed by (Firm Official) <u>London Gordon</u> and (Operator) <u>London Gordon</u>																																																														

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08342

Priority: June 13, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

4.8 AF

This is to certify, that CHURCH OF JESUS CHRIST LATTER DAY SAINTS
620 E. MILES

HAYDEN LAKE, ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 13, 1983; and has submitted Proof of Beneficial Use on July 27, 1988. An examination indicates that the works have a diversion capacity of .120 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.04 CFS	4.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 31, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	31	NESE	1.2		1.2

Total number of acres irrigated: 1.2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 24 1990

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE
WATER RIGHT NO. 95-08342

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no-more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Domestic use is for a church.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Church of Jesus Christ of L.O.S. Phone 263-3098
Post office address RT 3, Box 344, Sandpoint, ID 83864
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 52N
Range 4W B.M. Footprint County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.09 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.13 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 52N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Domestic for one church

MICROFILMED

RECEIVED

10. Remarks	<i>L.A.S. Property #515-8613</i>
-------------	----------------------------------

applicant to make this filing

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use

9. a. Who owns the property at the point of diversion

c. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Dec 31
T 55 N
R 4 W

+ RP 1/4

M

+ R.P. 1/4

Scale: 2 inches equal 1 mile.

✓ W. Carl Noble
Physical Facilities (Applicant) Representative
(Sandpoint, ID State)

MICROFILMED

6/13/1983 Proposed Priority

Received by JK Date 6-13-83 Time 8:30 AM
Preliminary check by JK Fee \$ 50.00
Received by JK Date (97209) 6-13-83
Publication prepared by JK Date 6/16/83
Published in Cedar d'Aleue Press
Publication dates 6/23 - 6/30/83
Publication approved JK Date 7/12/83
Protests filed by: man
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8342, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 12th day of August, 1983.

D. Alan Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

94-7256
CHATFIELD, GARY W.
RT. 1 BOX 219C, CATALDO, ID
83810
Source: ROBINSON CREEK trib.
to COEUR D ALENE RIVER
Date Filed: 06/09/1983
Diversion Pt: NESE Sec 22 T 48N
R 02W NENE Sec 27 T 48N R 02W
Use: IRRIGATION (0.10 CFS);
RECREATION (0.20 CFS)
In: NWSW Sec 23 T 48N R 02W
FOR 5 ACRES

94-7258
BELL, JEANNE
P. O. BOX 311, KINGSTON, ID
83839
Source: UNNAMED STREAM
trib. to COEUR D ALENE
RIVER, NORTH FK.
Date Filed: 06/14/1983
Diversion Pt: SWNW Sec 32 T 50N
R 01E
Use: DOMESTIC (0.04 CFS)
In: NENW Sec 32 T 50N R 01E

95-8331
MICA BAY LAND COMPANY
P. O. BOX 943, COEUR D
ALENE, ID 83814
Source: MICA CREEK, S. FK.,
MDL. FK. trib. to MICA CREEK
Date Filed: 06/07/1983
Diversion Pt: NESE Sec 22 T 48N
R 05W
Use: POWER (2.00 CFS)
In: NWSW Sec 23 T 49N R 02W

95-8336
KRAMER, THOMAS J. &/or
JUDY MAE
E. 2380 MALLORY RD.,
RATHDRUM, ID 83835
Source: GROUNDWATER
Date Filed: 06/27/1983
Diversion Pt: NESW Sec 29 T 52N
R 04W
Use: STOCKWATER (0.03 CFS);
DOMESTIC (0.04 CFS)
In: NESW NWSE Sec 29 T 52N R
04W

95-8337
MICA BAY LAND COMPANY
INC.
P. O. BOX 943, COEUR D

ALENE, ID 83814
Source: UNNAMED STREAM
trib. to MICA CREEK, SOUTH
FORK
Date Filed: 06/07/1983
Diversion Pt: NESE Sec 23 T 49N
R 05W
Use: POWER (0.50 CFS)
In: SWNW Sec 24 T 49N R 05W

95-8338
MICA BAY LAND COMPANY
P. O. BOX 943, COEUR D
ALENE, ID 83814
Source: MICA CREEK, SOUTH
FORK trib. to MICA CREEK
Date Filed: 06/10/1983
Diversion Pt: NESW Sec 23 T 48N
R 05W
Use: POWER (3.50 CFS)
In: SWNE Sec 23 T 49N R 05W

95-8340
MC CLOSKEY, WILLIAM E.
P. O. BOX 1551, COEUR D
ALENE, ID 83814
Source: SPOKANE RIVER trib.
to COLUMBIA RIVER
Date Filed: 06/14/1983
Diversion Pt: LOT 09 Sec 07 T 50N
R 04W
Use: IRRIGATION (0.03 CFS);
DOMESTIC (0.04 CFS)
In: LOT 09 Sec 07 T 50N R 04W
FOR 1 ACRES

STATE OF IDAHO,
County of Kootenai, } ss.

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 19 and ending on the day of 19 and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of 19

Notary Public for the State of Idaho,
95-8344

PANHANDLE MOBIL ESTATES
ASSN.
C/O MRS. FRED MAITLAND, E.
5750 CAROL RD., RATHDRUM,
ID 83858

Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: NESE Sec 22 T 52N
R 04W
Use: DOMESTIC (0.20 CFS);
FIRE PROTECTION (0.20 CFS)
In: NESE NWSE Sec 22 T
52N R 04W

95-8345
OLSON, ROBERT J.
N. 1850 MILLVIEW LN., COEUR
D ALENE, ID 83814
Source: SPOKANE RIVER trib.
to COLUMBIA RIVER
Date Filed: 06/14/1983
Diversion Pt: SWSW Sec 11 T 50N
R 04W
Use: IRRIGATION (0.03 CFS)
In: SWSW Sec 11 T 50N R 04W
FOR 1 ACRES

95-8346
SHAMROCK LAND CO.
RT. 1, ATHOL, ID 83801
Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Pt: NWSE Sec 18 T 53N
R 03W
Use: STOCKWATER (0.10 CFS);
DOMESTIC (0.06 CFS)
In: NWNW Sec 20 T 53N R 03W
NWSW SWSW Sec 17 T 53N R 03W
NENE Sec 19 T 53N R 03W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4065
Gov't Way, Coeur d'Alene, Id.
83814 on or before July 11, 1983.
KEN DUNN, Dir.

95-8341
WICKEL, WALLACE
12025 E. FRONTAGE RD., WOLF
LODGE INN, COEUR D ALENE,
ID 83814
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: LOT 02 Sec 05T 48N
R 02W
Use: IRRIGATION (0.06 CFS);
COMMERCIAL (0.04 CFS);
DOMESTIC (0.13 CFS)
In: LOT 02 Sec 05 T 49N R 02W
FOR 2 ACRES

95-8342
CHURCH OF JESUS CHRIST
LATTER DAY SAINTS
RT. 3 BOX 344, SANDPOINT, ID
83864
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NESE Sec 31 T 52N
R 04W
Use: IRRIGATION (0.09 CFS);
DOMESTIC (0.04 CFS)
In: NESE Sec 31 T 52N R 04W
FOR 3 ACRES

95-8343
ROCKFORK PINES COMMUNI-
TY INC.
c/o R. N. SHERWIN, ROCK-
FORD BAY STAR RT., COEUR
D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 06/13/1983
Diversion Pt: NENE Sec 17 T 48N
R 04W
Use: IRRIGATION (0.09 CFS);
DOMESTIC (0.14 CFS)
In: NENE NWNE SWNE LOT 04
Sec 17 T 48N R 04W FOR 4 ACRES

MICROFILMED

August 27, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
620 E. MILES
HAYDEN LAKE, ID 83835

RE: PERMIT NO. 95-08342

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
SEP 24 1990

May 21, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
620 E. MILES
HAYDEN LAKE, ID 83835

RE: PERMIT NO. 95-08342

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

SEP 24 1990

MEMORANDUM

RECEIVED
JAN 15 1990

kw
TO: Kay Walker - Permits Section

FM: Tom King, Sr. Water Resource Agent - Northern Region *TK*

Department of Water Resources

SUBJECT: Appropriation Permit # 95-08342

DATE: December 11, 1989

=====

Hi Kay,

Please expedite licensing of this permit and have a copy of the license sent to my attention when it is licensed. The L. D. S. church filed on the same property with 95-08342 and 95-08428. I have solicited a relinquishment, but they do not appear to be disposed to take any further action. In view of this, I propose to license 95-08342, and then cancel 95-08428.

RECEIVED

SEP 24 1990

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08342

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8)

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature


[Signature]

Date

6-12-89

Photographs / Remarks

96-08342



MEYER
RD

Pump
House
Well

MICROFILMED

SEP 24 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

May 17, 1989

Church of Jesus Christ of L. D. S.
Mr. Robert Walters
620 E. Miles
Hayden Lake, Id 83835

Re: Appropriation Permits 95-08342 and 95-08428

Dear Mr. Walters:

On June 13, 1983, Mr. Earl Noble made application for an appropriation permit which was granted and assigned Permit #95-08324. On January 6, 1984, Mr. E. M. Goodwin (Bishop) filed another application for an appropriation permit which was also granted and was assigned Permit#95-08428.

On May 3, 1989, I conducted the required field examination on permit #95-08324 and learned that the second permit (95-08428) was filed for the same well and the same church. To avoid any further confusion please complete the enclosed relinquishment form and return it to this office. The relinquishment will cause the overlapping second permit to be of no further value and hopefully expedite the licensing of the original permit (95-08324).

If you have any questions or if I can be of any further assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc. Relinquishment

MICROFILMED
SEP 2 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 9508342

1. Owner: CHURCH OF JESUS CHRIST LDS

Phone No. 772-3304

Current Address: 620 E. MILES HAYDEN LAKE, ID 83835

2. Accompanied by: ROGER WOODWORTH

EXAM. DATE: 5/3/89

Address: JAMES

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 9508428

☐ Copies Attached

2. Other water rights with same point of diversion: _____


9508428

☒ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



MICROFILMED

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached **SEP 24 1990**
(required for irrigation of 10 acres or more).

SEP 24 1990

Do not use this space

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" X 246' WITH SUBSIDING PUMP SET AT 173' WITH 1 1/2" MAIN
TO TWO WELTROL BLEEDER TANKS. SET FROM 40-60 PSI WITH
MAIN TO ~~SPRINKLER~~ BURIED SP. 575.

~~MRIID TO SPED BUREAU SP. SYS.~~

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	RED JACKET	5	334517902	RED JACKET	170C/KJ163 500000 230V
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No.					
or Discharge Size					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{8.8(5) 75\%}{2.3(40) + 173} = .12 \text{ cfs CAPACITY}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated})^{1.2} \times (\text{Irrigation Requirement})^{3.5} = 4.2$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}]^{.03} \times (\text{Days in Irrigation Season})^{2.45} \times 1.9835 = 9.35$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.2$$

2. Volume Calculations for Other Uses:

SEP 24 1990

.6 CHURCH (SINKS, BATHROOMS)

MICROFILMED

H. REMARKS AND OVERLAP REVIEW ANALYSIS

95-8428 Filed in Error - Reimbursement Solicited

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
188	3-15	11-15	.03	4.2
Dom	1-1	12-31	.04	0.6
Totals:				
			.07	4.8 a/c

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☐ None
- ☐ Other


J. AUTHENTICATION

Field Examiner's Name Tom Kins
 Signature [Signature]
 Certification Date Jul 17/1989
 Field Report Preparation Date 5-17-89

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MICROFILMED
SEP 24 1990



NAME: LDS CHURCH
PD: T52N, R4W, SEC. 31, NESE
PU: T52N, R4W, SEC. 31, NESE
SOURCE: GROUNDWATER

ACRES IRR: 2

PERMIT NUMBER: 95-08342
MAP # 27
QUAD: ~~253~~
2-54

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 52N, Rge. 4W,
Sec. 31, Qtr./Qtr. N1SE or Lot _____
2. Owner LDS CHURCH
Address ~~RT 3 Box 344~~ 620 E. MILES, City HAYDEN LAKE, State ID.
3. Approx. date of well construction 84
Well Driller BRAND X
4. Casing: Diameter 6" Condition GOOD
5. Casing length above land surface 2 FT
6. Well depth (ft) 246 Flowing _____ Temp. _____
Access port Y
7. Condition of piping and valving GOOD
8. Evidence of well seal _____
9. Shut in pressure or static water level 173'
10. Evidence of leakage around the casing NO
11. Does well need repair no
12. Comments _____


MICROFILMED

SEP 24 1990

(OVER)

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by

[Signature]

Date

68-11-5

MICROFILMED

SEP 24 1990

MICROFILMED

SEP 24 1990

5-17-89

Date


JK

Inspected by




DRIVEWAY



MEYER RD



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>LOS CHAACH LAKE AND MAR</u> Address <u>MEYER RD. RATHDRUM</u> Owner's Permit No. <u>45475 75-3128</u>		7. WATER LEVEL Static water level <u>192</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____																																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>30</u></td><td><u>230</u></td><td><u>3 hrs</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>30</u>	<u>230</u>	<u>3 hrs</u>																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																															
<u>30</u>	<u>230</u>	<u>3 hrs</u>																																																															
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes N</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>6</u></td><td><u>0</u></td><td><u>6</u></td><td><u>OVERBURDEN</u></td><td>☒</td></tr><tr><td></td><td><u>6</u></td><td><u>56</u></td><td><u>BOULDERS 6" TO 1'</u></td><td>☒</td></tr><tr><td></td><td><u>56</u></td><td><u>97</u></td><td><u>MEDIUM SIZED GRAVEL TO 4"</u></td><td>☒</td></tr><tr><td></td><td><u>97</u></td><td><u>103</u></td><td><u>GRANITE</u></td><td>☒</td></tr><tr><td></td><td><u>103</u></td><td><u>108</u></td><td><u>SAND</u></td><td>☒</td></tr><tr><td></td><td><u>108</u></td><td><u>192</u></td><td><u>90% GRANITE BOULDERS 10% SAND</u></td><td>☒</td></tr><tr><td></td><td><u>192</u></td><td><u>206</u></td><td><u>LARGE GRAVEL 8" TO 10"</u></td><td>☒</td></tr><tr><td></td><td><u>206</u></td><td><u>221</u></td><td><u>" 4" TO 6"</u></td><td>☒</td></tr><tr><td></td><td><u>221</u></td><td><u>227</u></td><td><u>BOULDERS 1" TO 2"</u></td><td>☒</td></tr><tr><td></td><td><u>227</u></td><td><u>240</u></td><td><u>LARGE GRAVEL 6" TO 10"</u></td><td>☒</td></tr><tr><td></td><td><u>240</u></td><td><u>246</u></td><td><u>DECOMPOSED GRANITE</u></td><td>☒</td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yes N	From	To	<u>6</u>	<u>0</u>	<u>6</u>	<u>OVERBURDEN</u>	☒		<u>6</u>	<u>56</u>	<u>BOULDERS 6" TO 1'</u>	☒		<u>56</u>	<u>97</u>	<u>MEDIUM SIZED GRAVEL TO 4"</u>	☒		<u>97</u>	<u>103</u>	<u>GRANITE</u>	☒		<u>103</u>	<u>108</u>	<u>SAND</u>	☒		<u>108</u>	<u>192</u>	<u>90% GRANITE BOULDERS 10% SAND</u>	☒		<u>192</u>	<u>206</u>	<u>LARGE GRAVEL 8" TO 10"</u>	☒		<u>206</u>	<u>221</u>	<u>" 4" TO 6"</u>	☒		<u>221</u>	<u>227</u>	<u>BOULDERS 1" TO 2"</u>	☒		<u>227</u>	<u>240</u>	<u>LARGE GRAVEL 6" TO 10"</u>	☒		<u>240</u>	<u>246</u>	<u>DECOMPOSED GRANITE</u>	☒
Hole Diam.	Depth		Material		Water Yes N																																																												
	From	To																																																															
<u>6</u>	<u>0</u>	<u>6</u>	<u>OVERBURDEN</u>	☒																																																													
	<u>6</u>	<u>56</u>	<u>BOULDERS 6" TO 1'</u>	☒																																																													
	<u>56</u>	<u>97</u>	<u>MEDIUM SIZED GRAVEL TO 4"</u>	☒																																																													
	<u>97</u>	<u>103</u>	<u>GRANITE</u>	☒																																																													
	<u>103</u>	<u>108</u>	<u>SAND</u>	☒																																																													
	<u>108</u>	<u>192</u>	<u>90% GRANITE BOULDERS 10% SAND</u>	☒																																																													
	<u>192</u>	<u>206</u>	<u>LARGE GRAVEL 8" TO 10"</u>	☒																																																													
	<u>206</u>	<u>221</u>	<u>" 4" TO 6"</u>	☒																																																													
	<u>221</u>	<u>227</u>	<u>BOULDERS 1" TO 2"</u>	☒																																																													
	<u>227</u>	<u>240</u>	<u>LARGE GRAVEL 6" TO 10"</u>	☒																																																													
	<u>240</u>	<u>246</u>	<u>DECOMPOSED GRANITE</u>	☒																																																													
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness Diameter From To <u>.250</u> inches <u>6</u> inches + <u>1.5</u> feet <u>240</u> feet inches inches feet feet inches inches feet feet inches inches feet feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/4</u> inches by <u>4</u> inches Number From To <u>40</u> perforations <u>226</u> feet <u>236</u> feet perforations feet feet perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter Slot size Set from feet to feet Diameter Slot size Set from feet to feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from feet to feet Surface seal depth <u>29</u> Material used in seal: ☒ Cement grout ☐ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		RECEIVED JAN 30 1984 Department of Water Resources Northern District MICROFILMED SEP 24 1990																																																															
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>KOOTENAI</u> <u>SE 1/4 NE 1/4 Sec. 31 T. 52 N. R. 4 E.</u>		10. Work started <u>1-3-84</u> finished <u>1-17-84</u>																																																															
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>BRAND WATER WELLS</u> Firm No. <u>289</u> Address <u>RATHDRUM IDA</u> Date <u>1-27-84</u> Signed by (Firm Official) <u>London Gordon</u> and (Operator) <u>London Gordon</u>																																																																	



$$\begin{aligned}
 (75)(245) - 360 &= 18025 \text{ FT}^2 \\
 (165)(60) - 750 &= 9150 \text{ FT}^2 \\
 (70)(85) + 100 &= 13700 \text{ FT}^2
 \end{aligned}$$

$$\begin{aligned}
 &7500 \text{ FT}^2 \\
 &200 \text{ FT}^2 \\
 &1300 \text{ FT}^2 \\
 &400 \text{ FT}^2 \\
 &480 \text{ FT}^2 \\
 &700 \text{ FT}^2 \\
 &51875 \text{ FT}^2 \\
 \hline
 &\frac{51,375 \text{ FT}^2}{43560 \text{ FT}^2/\text{A}} = 1.20 \text{ A}
 \end{aligned}$$

MICROFILMED
SEP 24 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 17, 1988

RECEIVED
OCT 20 1988

Church of Jesus Christ of
Latter Day Saints
620 E. Miles
Hayden Lake, Id. 83835

Department of Water Resources

Re: 95-8342

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 24 1990



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8342

Date: 2/28/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	+
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 29 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Northern District Office

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only
Fee Received 0
Date 7/27/88
Receipt #
Receipt by JK
Reviewed by JS
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8342-

Name(s) of Permit Holder: LDS CHURCH

Post Office Address: 620 E. MILES HAYDEN LAKE ID.
83835 Telephone No. 772-3304

Source of Water: GW

Extent of Use:

Domestic 1 (number of households) Stockwater (number and type of stock)
Irrigation 2 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 104 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 6-13-83

Measuring Device: Required? Yes X No
Installed? Yes No

Fee enclosed \$
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Roger Woodworth 772 3304
(Name) (Telephone Number)
620 East mile Hayden Lake Idaho
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed, and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 14 1988

Date

Roger Woodworth COA. State PFR
Signature of Permit Holder (and title, if appropriate)

To: File 95-8342

From: Groundwater Protection

Date: 9/20/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
☒ probably not available
☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK *JP*

MICROFILMED


OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR

RECEIVED
FEB 2 1984

1. WELL OWNER Name <u>LDS CHURCH LAKEVIEW WASH</u> Address <u>MEYER RD PATHERUM</u> Owner's Permit No. <u>45428 95-8428</u>	7. WATER LEVEL Department of Water Resources Static water level <u>192</u> feet below land surface. Flowing? ☒ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (Describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;"><u>30</u></td> <td style="text-align: center;"><u>230</u></td> <td style="text-align: center;"><u>3425</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>30</u>	<u>230</u>	<u>3425</u>																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																			
<u>30</u>	<u>230</u>	<u>3425</u>																																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (Specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yrd No.</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td rowspan="10" style="text-align: center; vertical-align: middle;">6</td> <td style="text-align: center;">0</td> <td style="text-align: center;">6</td> <td>OVERBURDEN</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">56</td> <td>BOULDERS 6" TO 1'</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">56</td> <td style="text-align: center;">97</td> <td>MEDIUM SIZED GRAVEL TO 4"</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">97</td> <td style="text-align: center;">103</td> <td>GRANITE</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">103</td> <td style="text-align: center;">108</td> <td>SAND</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">108</td> <td style="text-align: center;">192</td> <td>90% GRANITE BOULDERS 12" TO 3'</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">192</td> <td style="text-align: center;">206</td> <td>LARGE GRAVEL 8" TO 10"</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">206</td> <td style="text-align: center;">221</td> <td>" 4" TO 6"</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">221</td> <td style="text-align: center;">227</td> <td>BOULDERS 1' TO 2'</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">227</td> <td style="text-align: center;">240</td> <td>LARGE GRAVEL - 6" TO 10"</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">240</td> <td style="text-align: center;">246</td> <td>DECOMPOSED GRANITE</td> <td style="text-align: center;">X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yrd No.	From	To	6	0	6	OVERBURDEN	X	6	56	BOULDERS 6" TO 1'	X	56	97	MEDIUM SIZED GRAVEL TO 4"	X	97	103	GRANITE	X	103	108	SAND	X	108	192	90% GRANITE BOULDERS 12" TO 3'	X	192	206	LARGE GRAVEL 8" TO 10"	X	206	221	" 4" TO 6"	X	221	227	BOULDERS 1' TO 2'	X	227	240	LARGE GRAVEL - 6" TO 10"	X	240	246	DECOMPOSED GRANITE	X
Hole Diam.	Depth		Material	Water Yrd No.																																																	
	From	To																																																			
6	0	6	OVERBURDEN	X																																																	
	6	56	BOULDERS 6" TO 1'	X																																																	
	56	97	MEDIUM SIZED GRAVEL TO 4"	X																																																	
	97	103	GRANITE	X																																																	
	103	108	SAND	X																																																	
	108	192	90% GRANITE BOULDERS 12" TO 3'	X																																																	
	192	206	LARGE GRAVEL 8" TO 10"	X																																																	
	206	221	" 4" TO 6"	X																																																	
	221	227	BOULDERS 1' TO 2'	X																																																	
	227	240	LARGE GRAVEL - 6" TO 10"	X																																																	
240	246	DECOMPOSED GRANITE	X																																																		
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED JAN 30 1984 Department of Water Resources Northern District Office																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><u>350</u> inches</td> <td style="text-align: center;"><u>6</u> inches</td> <td style="text-align: center;"><u>1.5</u> feet</td> <td style="text-align: center;"><u>240</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>4</u> inches by <u>4</u> inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><u>40</u> perforations</td> <td style="text-align: center;"><u>226</u> feet</td> <td style="text-align: center;"><u>236</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>29</u> Material used in seal: ☒ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>350</u> inches	<u>6</u> inches	<u>1.5</u> feet	<u>240</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>40</u> perforations	<u>226</u> feet	<u>236</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																				
Thickness	Diameter	From	To																																																		
<u>350</u> inches	<u>6</u> inches	<u>1.5</u> feet	<u>240</u> feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
Number	From	To																																																			
<u>40</u> perforations	<u>226</u> feet	<u>236</u> feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> <u>SE 1/4 NE 1/4 Sec 31 T. 52 N. R. 4 E. W.</u>	10. Work started <u>1-3-84</u> finished <u>1-12-84</u>																																																				
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>BREND KNOTHERSON</u> Firm No. <u>287</u> Address <u>Patheum MO</u> Date <u>1-29-84</u> Signed by (Firm Official) <u>Landon Anderson</u> and (Operator) <u>Landon Anderson</u>																																																					

138850
CERTIFIED MAIL
May 31, 1988

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
RT. 3 BOX 344
SANDPOINT, ID 83864

PROOF DUE NOTICE

RE: Permit No. 95-8342

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
RT. 3 BOX 344
SANDPOINT, ID 83864

AUGUST 30, 1983

RE: PERMIT NO. 95-8342

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RNA

APPLICATION NUMBER: 95-8342

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*

Field check by: _____
Date: _____
Comments: _____

Field check required.
Critical groundwater area.
Request dam safety information. Sent by: _____ Date: _____
In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/11/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 6-13-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

By: RNA Date: 7-18-83

STATE OFFICE REVIEW:

SW/LIT 26

☐ See attached sheet for more information.
By: Tolson Date: 8/8/83 Department of Water Resources

RECEIVED
AUG 3 1983

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

95-8342

CHURCH OF JESUS CHRIST LATTER DAY SAINTS

RT. 3 BOX 344, SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 06/13/1983

Diversion Pt: NESE Sec 31 T 52N R 04W

Use: IRRIGATION	(0.09 CFS)
DOMESTIC	(0.04 CFS)

In: NESE Sec 31 T 52N R 04W FOR 3 ACRES

RECORDED