

AFFIDAVIT OF PUBLICATION

RECEIVED
JUN 20 1983

STATE OF IDAHO,
County of Kootenai, } ss.

Cass Nedge

being first duly sworn
Department of Water Resources
Northern District Office

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice*

of which the annexed is a printed copy, was published in the regular *three* issue of said newspaper for *2* consecutive *weeks* commencing on the *9* day of *June*, 19*83*, and ending on the *16* day of *June*, 19*83*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Cass Nedge

Subscribed and sworn to before me this *16* day of *June*, 19*83*.

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8318

HULL, PAUL F.
STAR RT., COEUR D'ALENE,
ID 83814

Source: GROUNDWATER

Date Filed: 05/25/1983

Diversion Pt: SWNW Sec 01 T 49N R 04W

Use: STOCKWATER (0.01 CFS);
DOMESTIC (0.02 CFS)

In: SWNW Sec 01 T 49N R 04W

95-8317

DOWNING, RAY &/or NANCY
STAR RT., COEUR D'ALENE,
ID 83814

Source: GROUNDWATER

Date Filed: 05/27/1983

Diversion Pt: NESW Sec 02 T 49N R 04W

Use: DOMESTIC (0.04 CFS)

In: NESW Sec 02 T 49N R 04W

95-8318

KUKURUZA, PHILIP
E. 4320 HUDLOW RD., HAYDEN
LAKE, ID 83835

Source: GROUNDWATER

Date Filed: 05/23/1983

Diversion Pt: NWSE Sec 29 T 52N R 03W

Use: DOMESTIC (0.04 CFS)

In: NWSE Sec 29 T 52N R 03W

95-8319

NAKATA, HERBERT M.
N.W. 335 JANET ST., PULLMAN,
WA 99163

Source: COEUR D'ALENE

LAKE trib. to SPOKANE RIVER

Date Filed: 05/31/1983

Diversion Pt: LOT 03 Sec 23 T 48N R 04W

Use: DOMESTIC (0.02 CFS)

In: LOT 03 Sec 23 T 48N R 04W

95-8320

GOODWARD, HERMAN LEE
GOODARD, JANET

N. 12400 THREE FORK RD.,
POST FALLS, ID 83854

Source: SPRING trib. to

HAUSER CREEK, HAUSER

CREEK trib. to HAUSER LAKE

Dated Filed: 05/31/1983

Diversion Pt: NWSE NESE Sec 30 T 52N R 05W

Use: IRRIGATION (0.10 CFS);
DOMESTIC (0.04 CFS)

In: NESE Sec 30 T 52N R 05W

FOR 5 ACRES

95-8321

AVONDALE IRRIGATION DIST.
P. O. BOX 81, HAYDEN LAKE,
ID 83835

Source: GROUNDWATER

Date Filed: 05/31/1983

Diversion Pt: NWSE Sec 14 T 51N R 04W

Use: IRRIGATION (0.30 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.08 CFS)

In: NWNE Sec 13 T 51N R 04W

FOR 20 ACRES

The permit(s) will be subject

to all prior water rights. Protests

must be filed with the Director,

Dept. of Water Resources, 4055

Gov't Way, Coeur d'Alene, Id.


83814 on or before JUNE 27, 1983.

KEN DUNN, Dir.

Legal 49

June 9, 1983

MICROFILMED




NAME: HERBERT M. NAKATA
POINT OF DIVERSION: T48N, R4W, SEC. 23, SWNW (3)
PLACE OF USE: T48N, R4W, SEC. 23, SWNW (3)
SOURCE: COEURDALENE LAKE

PERMIT NUMBER: 95-08319
MAP # 24
QUAD: G-4

TRIBUTARY TO: SPOKANE RIVER

MICROFILMED

JUL 30 1990



NAME: HERBERT M. NAKATA
 POINT OF DIVERSION: T48N, R4W, SEC. 23, SWNW (3)
 PLACE OF USE: T48N, R4W, SEC. 23, SWNW (3)
 SOURCE: COEURDALENE LAKE

PERMIT NUMBER: 95-08319
 MAP # 24
 QUAD: G-4

TRIBUTARY TO: SPOKANE RIVER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

P H O T O G R A P H S



MICROFILMED

JUL 30 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08319

Priority: May 31, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
0.6 AF

This is to certify, that HERBERT M. NAKATA
N.W. 335 JANET ST.
PULLMAN, WA 99163

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 31, 1983; and
has submitted Proof of Beneficial Use on June 20, 1988. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(SWNW), Sec. 23, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W 23 LOT 3(SWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Point of diversion and place of use also known as Lot 12, Jensen Powderhorn Bay Addition.

MICROFILMED

JUL 30 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08319

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of July, 1990.

Acting for


R. Keith Higginson, Director

RECEIVED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Herbert M. Nakata Phone (509) 332-3289
Post office address NW 335 Janet Street Pullman, WA 99163
2. Source of water supply Lake Coeur D' Alene which is a tributary of Spokane River 7-15-83
3. Location of point of diversion is Lot #12, Jensen Powderhorn Bay Addition Township 48 N
1/4 of GL3 1/4 of Section 23 Range 4W B.M. Kootenai County, additional points of diversion if any: From Assessor's Office 5/31/83

4. Water will be used for the following purposes:

Amount 0.02 for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. NA Pump and pipe.

b. Height of storage dam NA feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is NA inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is NA years (minimum 1 year — maximum 5 years). Allow 5 yrs RC 7-15-83

8. Description of proposed uses:

a. If water is not for irrigation: Lot #12, Jensen Powderhorn Bay Addition
(1) Give the place of use of water: 1/4 of GL3 1/4 of Section 23 Township 48 N
Range 4 W B.M. From Assessor's Office 5/31/83
(2) Amount of power to be generated: NA horsepower under feet of head.
(3) List number of each kind of livestock to be watered NA
(4) Name of municipality to be served NA, or number of families to be supplied with domestic water 1.
(5) If water is to be used for other purposes describe: Domestic

MICROFILMED

MICROFILMED

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion

b. Who owns the land to be irrigated or place of use Herbert M. and Barbara A. Nakata (applicants)

applicant to make this filing

10. Remarks ✓

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Herbertson Underwood
(Applicant)

MICROFILMED

5-31-83

Proposed Priority

Received by

Preliminary check by

Fee \$30.00

Date

5/31/83

Time

3:00 PM

Received by

Date

5/31/83

#

27075

Publication prepared by

Date

6/1/83

Published in

Coastal Review

Publication approved

Date

6/27/83

Protests filed by:

None

Copies of protests forwarded by

Hearing held by

Date

Recommended for

approval

denial

by

JB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 95-8319, and said application is hereby Approved

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

August 1, 1988.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 20 day of July, 1983.

David R. Tuttle

Acting for L. GLEN SAXTON, Chief Operations Bureau

AFFIDAVIT OF PUBLICATION

RECEIVED
JUN 10 1983
Water Resources
Northern District Office

STATE OF IDAHO, } ss.
County of Kootenai,

Carol Hedge

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice*

of which the annexed is a printed copy, was published in the regular *issue* of said newspaper for *2* consecutive *weeks* commencing on the *9* day of *June*, 19*83*, and ending on the *16* day of *June*, 19*83*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Hedge

Subscribed and sworn to before me this *16* day of *June*, 19*83*.

Roberta Dranley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

35-4311
APPL. PAUL T. SPAN RD. COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 06/02/1983
Diversion Pt: SWNW Sec 01 T 04N R 04W
Use: STOCKWATER (0.01 CFS); DOMESTIC (0.01 CFS)
In: SWNW Sec 01 T 04N R 04W
FOR 5 ACRES

35-4312
DOWNING, RAY & MARGARET SPAN RD. COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/27/1983
Diversion Pt: NENE Sec 01 T 04N R 04W
Use: DOMESTIC (0.01 CFS)
In: SWNW Sec 01 T 04N R 04W
FOR 5 ACRES

35-4313
KUKURUM, PHILIP E. 4320 HOLLOW RD., HAYDEN LAKE, ID 83825
Source: GROUNDWATER
Date Filed: 05/23/1983
Diversion Pt: NWN Sec 20 T 4N R 03W
Use: DOMESTIC (0.01 CFS)
In: NWN Sec 20 T 4N R 03W
FOR 5 ACRES

35-4314
NAKATA, HERBERT M. JR. & N.W. 88 JANETSE, PULLMAN, WA 99163
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 05/31/1983
Diversion Pt: LOT 02 Sec 20 T 4N R 04W
Use: DOMESTIC (0.01 CFS)
In: LOT 02 Sec 20 T 4N R 04W
FOR 5 ACRES

35-4315
GOODWARD, HERMAN LEE GOODARD, JANET
N. 15400 THREE FORK RD., POST FALLS, ID 83854
Source: SPRING trib. to HAUSER CREEK, HAUSER CREEK trib. to HAUSER LAKE
Date Filed: 05/31/1983
Diversion Pt: NWN Sec 30 T 4N R 06W
Use: IRRIGATION (0.30 CFS); DOMESTIC (0.01 CFS)
In: NENE Sec 30 T 4N R 06W
FOR 5 ACRES

35-4321
AVONDALE IRRIGATION DIST. P. O. BOX 81, HAYDEN LAKE, ID 83825
Source: GROUNDWATER
Date Filed: 05/31/1983
Diversion Pt: NWN Sec 14 T 5N R 04W
Use: IRRIGATION (0.30 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.01 CFS)
In: NWN Sec 13 T 5N R 04W
FOR 20 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4006 Gov't Way, Coeur d'Alene, Id. 83814 on or before JUNE 27, 1983.
KEN DUNN, Dir.

Legal 49
June 9, 1983

July 24, 1990

HERBERT M. NAKATA
N.W. 335 JANET ST.
PULLMAN, WA 99163

RE: PERMIT NO. 95-08319

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

JUL 30 1990

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED
JUN 27 1990

Department of Water Resources

Permit 95-08319

☒ A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ B. OVERLAP REVIEW

- ☒ 1. & 2. (Rule 5,1,4)

☒ C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8) - METHOD

CABLE PIPELINE
CHECK MARKS FOR ATTACHMENTS

ALSO NEED
1/4 1/4

☒ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

☒ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

☒ F. OPTIONAL

☒ G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

☒ I. RECOMMENDATIONS

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ J. AUTHENTICATION

- Name, Signature, Certification Date, Exam Date.

☒ WELL INSPECTION REPORT

- Check with permit and well log for discrepancies

RECEIVED

JUL 30 1990

Signature J. King

Date 1/24/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: HERBERT Nakata Permit No. 95-0819
Current Address: NW 335 JANET ST. Pullman WA 99163 Phone No. 332-3269
2. Accompanied by: _____ EXAM. DATE: 7/24/89
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: LAKE CDA tributary to SPOKANE R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

JUL 30 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible pump under the dock with a 1 in. PVC hose running from the pump to the home (hose not buried)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	SEARS	3/4	UNKNOWN	SEARS	UNKNOWN

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3	SW	NW		23	48N	4W	ROCKWELL	MAP

6. Place(s) of Use:


Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
48N	4W	23							D										

MICROFILMED

Do not use this space

JUL 30 1990




NAME: HERBERT M. NAKATA
POINT OF DIVERSION: T48N, R4W, SEC. 23, SWNW (3)
PLACE OF USE: T48N, R4W, SEC. 23, SWNW (3)
SOURCE: COEURDALENE LAKE

PERMIT NUMBER: 95-08319
MAP # 24
QUAD: G-4

TRIBUTARY TO: SPOKANE RIVER

MICROFILMED

JUL 30 1990



MICROFILMED

JUL 30 1990

H

Do not use this space


D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

0.02 cfs no lawn

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

domestic without lawn 0.6 AF

MICROFILMED

JUL 30 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use		Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
From	To	From	To		
Domestic		1-1	12-31	0.02	0.6

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Robert E. Johnson
Signature [Signature]
Certification Date 2/17/89
Field Report Preparation Date July 12 1989



- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
JUL 30 1990

JUN 20 1988

Department of Water Resources

June 17, 1988

Ms Rita Fleck, Secretary/Records Manager
State Of Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

Re: Permit No. 95-8319

Dear Ms. Fleck,


My apologies for the delay in returning the enclosed form you kindly sent me. I recently had back surgery and am slowly getting back to doing things.

The permit I applied for was simply for the immersion of a submersible water pump for weekend use during the summer months for one family. According to the rate schedule you enclosed, there is no fee for such use so none is included with this form. The "project" was completed June 1, 1985.

If a field examination is necessary, I will be happy to meet your representative there at the lake cabin. Weekends are best since we are usually there but another time can be arranged if I can be informed ahead of time to avoid conflict in scheduling.

Thank you again for reminding me of this requirement.

Sincerely yours,



Herbert M. Nakata
NW 335 Janet St.
Pullman, WA 99163

(509) 332-3269 home
(509) 335-1601 work

RECEIVED

JUL 30 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

P H O T O G R A P H S



MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8379

Name(s) of Permit Holder(s): HERBERT M. KATA

Post Office Address: NW 335 TANEL
PULLMAN, WA 99163 Tel. No. 332-3269

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on AUG 15, 1983 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

9/10/83
Date

[Signature]
Signature of Permit Holder

HERBERT M. NALATO

NW 335 JANET ST.

PULLMAN, WA 99163



MICROFILMED

JUL 30 1980



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
SEP 15 1983
IDAHO DEPARTMENT OF WATER RESOURCES



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 17, 1988

RECEIVED
OCT 20 1988

Mr. Herbert Nakata
N.W. 335 Janet St.
Pullman, Wa. 99163

Department of Water Resources

Re: 95-8319

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED

JUL 30 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8319

Date: 2/30/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED
JUN 20 1988

no \$ encl *JD*
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by *JS*
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8319

Name(s) of Permit Holder: HERBERT M. NAKATO

Post Office Address: NW 335 JANET ST.

PULLMAN, WA 99163 Telephone No. (509) 332-3269

Source of Water: LAKE COEUR D'ALENE

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 .02 cfs 0.4 acre-feet

Show the date water was first diverted and beneficially used under this permit: JUNE 1, 1985

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

HERBERT M. NAKATO (Name) (509) 332-3269 (509) 335-1601 (work)
(Telephone Number)

NW 335 JANET ST, PULLMAN, WA 99163
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUNE 16, 1988
Date

Herbert Nakato
Signature of Permit Holder (and title, if appropriate)

OCT 14 1988

RECEIVED
JUN 20 1988

Department of Water Resources
June 17, 1988

Ms Rita Fleck, Secretary/Records Manager
State Of Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

Re: Permit No. 95-8319

Dear Ms. Fleck,


My apologies for the delay in returning the enclosed form you kindly sent me. I recently had back surgery and am slowly getting back to doing things.

The permit I applied for was simply for the immersion of a submersible water pump for weekend use during the summer months for one family. According to the rate schedule you enclosed, there is no fee for such use so none is included with this form. The "project" was completed June 1, 1985.

If a field examination is necessary, I will be happy to meet your representative there at the lake cabin. Weekends are best since we are usually there but another time can be arranged if I can be informed ahead of time to avoid conflict in scheduling.

Thank you again for reminding me of this requirement.

Sincerely yours,



Herbert M. Nakata
NW 335 Janet St.
Pullman, WA 99163

(509) 332-3269 home
(509) 335-1601 work

RECEIVED

OCT 14 1988

138871
CERTIFIED MAIL
May 31, 1988

NAKATA, HERBERT M.
N.W. 335 JANET ST.
PULLMAN, WA 99163

PROOF DUE NOTICE

RE: Permit No. 95-8319

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 14 1988



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
JIM JONES
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT. OF PUBLIC INSTRUCTION

RECEIVED

July 25, 1983

AUG 8 1983

Department of Water Resources

Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

RE: 95-8319
Nakata, H.

Gentlemen:

Thank you for a copy of the above numbered application for our review. The applicant has been notified that he will need to make application for an encroachment permit and a temporary permit.

Very truly yours,

Marvin G. Vandenberg

MARVIN G. VANDENBERG, Chief
Bureau of Navigable Waters

MGV:bv

MICROFILMED

RECEIVED
JUL 27 1983

Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

NAKATA, HERBERT M.
N.W. 335 JANET ST.
PULLMAN, WA 99163

AUGUST 02, 1983

RE: PERMIT NO. 95-8319

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RLH APPLICATION NUMBER: 95-8319

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____
_____ 7/11/83

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/27/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 5-31-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

RECEIVED
JUL 15 1983

By: RLH Date: 7-12-83

STATE OFFICE REVIEW:

return receipt
SLW/L17 2601
Department of: _____ sources

☐ See attached sheet for more information.
By: RLH Date: 7/15/83

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
-------	-----	-----	-----	----------------------	------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
-------	-----	-----	-----	----------------------	------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
-------	-----	-----	-----	----------------------	------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
-------	-----	-----	-----	----------------------	------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	GOV ¹ lot	rediv. (R)	REACH
-------	-----	-----	-----	----------------------	------------	-------

IDAHO STREAM CODE INDEX

3/83

IDENT. NO. 95-8319

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

95-8319

NAKATA, HERBERT M.

N.W. 335 JANET ST., PULLMAN, WA 99163

Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER

Date Filed: 05/31/1983

Diversion Pt: LOT 03 Sec 23 T 48N R 04W

Use: DOMESTIC (0.02 CFS)

In: LOT 03 Sec 23 T 48N R 04W

REPROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~EX Stephen Dunn~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

7/11/83

Dept. of Lands
Statehouse
Boise, Idaho 83720

Re: 95-8319

Gentlemen:

Enclosed is a recent filing with this Department that may be of
interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enc. - Appln.