

No Color
Documents
In File

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08312

Priority: May 20, 1983

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that SHERRIE AKERS
DENNIS AKERS

S. 4075 MILLSAP LP.

COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 20, 1983; and has submitted Proof of Beneficial Use on July 27, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 19, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 05W 19

SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15 day of FEBRUARY, 1990.

MICROFILMED

MAR 23 1990

Acting for R. Keith Higginson, Director

Norma C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant DENNIS OR SHERRIE AKERS Phone _____
Post office address 1320 SYRINGA POST FALLS, ID 83854
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 19 Township 50N
Range 5W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.10 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.16 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. _____
WELL & PUMP
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is 6 inches; proposed depth of well is 225 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 19 Township 50N
Range 5W B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered 10 HEAD
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.
- (5) If water is to be used for other purposes describe: _____

RECORDED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

P.D.
6
P.U. 7

19

T-50N

R-5W

Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sherrie Akers
(Applicant)

UNRECORDED

Proposed Priority 5-20-83

Received by KLC Date 5/20/83 Time 11:00
Preliminary check by JK Fee \$ 30.00
Received by KLC Date 5/20/83 26777
Publication prepared by Mr. [Signature] Date 5/26/83
Published in Coastal Area News
Publication dates 6/27/83
Publication approved JK Date 7/8/83
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by AKB JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8312, and said application is hereby Approved _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1988.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 20 day of July, 1983.

David R. Tuttle

Acting for L. GLEN SAXTON, Chief Operations Bureau

AFFIDAVIT OF PUBLICATION

JUN 15 1983

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8309
DONATH, ROBERT
P. O. BOX 567, RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 05/19/1983
Diversion Pt: SWNW Sec 28 T 52N R 04W
Use: IRRIGATION (0.20 CFS); DOMESTIC (0.04 CFS); RECREATION (0.02 CFS)
In: SWNW Sec 28 T 52N R 04W FOR 5 ACRES

95-8310
HANSEN, O. EARL &/or JAN N. 950 RESERVOIR RD., RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 05/20/1983
Diversion Pt: SENE Sec 25 T 52N R 05W
Use: DOMESTIC (0.03 CFS)
In: SENE Sec 25 T 52N R 05W

95-8311
ADAMS, JACK W. 3729 CANYON DR., COEUR D'ALENE, ID 83814
Source: COEUR D'ALENE LAKE trib. to SPOKANE RIVER
Date Filed: 05/20/1983
Diversion Pt: LOT 01 Sec 01 T 48N R 04W
Use: DOMESTIC (0.04 CFS); FIRE PROTECTION (0.04 CFS)
In: LOT 01 Sec 01 T 48N R 04W

95-8312
AKERS, DENNIS &/or SHERRIE 1320 SYRINGA ST., POST FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 05/20/1983
Diversion Pt: SWNW Sec 19 T 50N R 05W
Use: IRRIGATION (0.10 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: SWNW Sec 19 T 50N R 05W FOR 5 ACRES

95-8313
CHURCH OF JESUS CHRIST LATTER DAY SAINTS POST FALLS WARD, 2150 E. 16TH ST., POST FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 05/25/1983
Diversion Pt: NESE Sec 35 T 51N R 05W
Use: DOMESTIC (0.04 CFS)
In: NESE Sec 35 T 51N R 05W

95-8314
YOST, RICHARD &/or MONIKA RT. 2 BOX 184 ENGLISH PT. RD., HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Date Filed: 05/23/1983
Diversion Pt: LT 03 Sec 09 T 51N R 03W
Use: IRRIGATION (0.03 CFS); DOMESTIC (0.04 CFS)
In: LOT 03 Sec 09 T 51N R 03W FOR 1 ACRES

95-8315
MEAD, ROBERT C. 2240 E. RODKEY ST., POST FALLS, ID 83854
Source: SPOKANE RIVER trib. to COLUMBIA RIVER
Date Filed: 05/24/1983
Diversion Pt: LOT 01 Sec 11 T 50N R 05W
Use: DOMESTIC (0.04 CFS)
In: Lot 01 Sec 11 T 50N R 05W

95-8302
SPIRIT BEND WATER ASSN. STAR RT. BOX 28B, SPIRIT LAKE, ID 83869
Source: GROUNDWATER
Date Filed: 05/20/1983
Diversion Pt: NWNE Sec 21 53N R 04W
Use: IRRIGATION (0.34 CFS); DOMESTIC (0.30 CFS)
In: NENE NWNE SWNE SENE NENW NWNW SWNW SENW NESW NESE NWSE SWSE SESE Sec 21 T 53N R 04 W NENE NWNE SWNE SESE Sec 20 T 53N R 04W FOR 17 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4065 Gov't Way, Coeur d'Alene, Id 83814 on or before JUNE 30, 1983
KEN DUNN,

Legal as
June 2, 1983

STATE OF IDAHO,
County of Kootenai,

} ss.

Department of Water Resources
Northern District Office

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application

of which the annexed is a printed copy, was published in the regular Then issue of said newspaper for 2 consecutive weeks commencing on the 2 day of June, 1983 and ending on the 9 day of June, 1983, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 9 day of June, 1983

Roberta D. Smiley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

MICROFILMED

DEPARTMENT OF WATER RESOURCES
BOISE, IDAHO 83720

RECEIVED
FEB 12 1990
Department of Water Resources



L95-08312
SHERIE AKERS
S. 4075 MILLSAP LP.

~~COEUR D'ALENE ID 83814~~

Q. Post Falls 83854

Repeat 3/15/90
JS

UNRECORDED
MAR 23 1990

BOISE
FEB - 7 90
IDAHO
507636
0.45

February 2, 1990

SHERRIE AKERS
DENNIS AKERS
S. 4075 MILLSAP LP.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08312

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 23 1990

October 26, 1989

SHERRIE AKERS
DENNIS AKERS
S. 4075 MILLSAP LP.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08312

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 23 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9508312	50N	05W	19	SW NW		GROUNDWATER	AKERS, DENNIS
NO MATCHES FOR THIS POD							

RECEIVED

MAR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 9508312

1. Owner: DENNIS OR SHERRIE FRERS

Phone No. 773-5613

Current Address: S4075 MILLETT LOOP COEUR D'ALENE, ID. 83814

2. Accompanied by: NONE

EXAM. DATE: 10/24/88

Address: ✓

Phone No.

Relationship to Permit Holder: ✓

3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE MADE

☐ Copies Attached


2. Other water rights with same point of diversion:

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" =

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" WELL, 325' DEEP WITH SUBMERSIBLE PUMP & PIPELINE TO HOME

[illegible]

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *ASSESSOR*

[illegible]

Do not use this space

MAR 23 1954

THE LORRAINE

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE MADE
ONE HOME / TELE/COM, W/ SHERKIE AKERS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1-1	12-31	0.04	1.2
Totals:			0.04	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name Tom KING

Signature Tom King

Certification Date 5/15/88

Field Report Preparation Date 10/24/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

ADM 7/14/89

RECEIVED
MAY 11 1989

MAR 21 1989

Do not use this space

D. FLOW MEASUREMENTS *none*

☐ Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7)

Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
MAR 21 1994

ONE HOME

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8312

Name(s) of Permit Holder(s): DENNIS & OK SHERRI AKERS

Post Office Address: 1320 SYRINGA

POST FALLS, ID Tel. No. IN 501-2211

☒ I hereby certify that construction of diversion works for the above referenced permit began on AUG 2, 1979 (date) MAR 2, 1990. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

5/20/83 Sherrie Akers

MICROFILMED

MAR 23 1990



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

RECEIVED

MAY 20 1983

PLACE
STAMP
HERE
Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8312
Name(s) of Permit Holder(s): Dennis OR Sherrie Akers
Post Office Address: 1320 S YRINGA
POST FALLS ID Tel. No. 293-5613

☒ I hereby certify that construction of diversion works on the above referenced permit began on June 1, 1983 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

10-17-83

Date


Sherrie Akers

Signature of Permit Holder

Dennis R Sherrig Akers

1320 Syringa

Post Falls ID 83854



COPIED

ACT 20 1983

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 12, 1988

Mr. Dennis Akers
S. 4075 Millsap Loop
Post Falls Id. 83854

Re: 95-8312

Dear Mr. Akers:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED

OCT 14 1988



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8312

Date: 8-24-88

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
9 Address change _____ If yes, prepare a data entry
9 Proof received timely _____
_____ Reinstated

Source of Water:

9 Surface water
9 Groundwater
9 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

9 Rate of diversion appropriate for uses
9 Is rate or volume and fee appropriate?
9 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks:


Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86



JUL 27 1988

no # 2nd of
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by AM

Sent to region 2488

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8312

Name(s) of Permit Holder: Akers, Dennis & Sherrie ✓

Post Office Address: 54075 Millisap ✓

POST FALLS ID ✓ Telephone No. 773-5613

Source of Water: Well ✓

Extent of Use:

Domestic 3 ✓ (number of households) Stockwater 4 horses (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 5gal/min cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Aug 7, 1979

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ a single family dwelling
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Dennis or Sherrie Akers (208) 773-5613
(Name) (Telephone Number)

54075 Millisap Post FALLS ID 83854
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 14 1988

7-24-88
Date

Sherrie Akers / Dennis Akers
Signature of Permit Holder (and title, if appropriate)

no notes

To: File 95-8312

From: Groundwater Protection

Date: 8/23/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK

MICROFILMED


OCT 14 1988

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Well #2</u> <u>Roger Wilhelm (Builder)</u> Address <u>Box 938, Post Falls, Idaho 83854</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>62</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Other ☐ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Draw Down</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>14 to 15</td><td>163</td><td>1</td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Draw Down	Hours Pumped	14 to 15	163	1																																																																																																										
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																	
14 to 15	163	1																																																																																																																	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>6"</td><td>0'</td><td>4'</td><td>brn silty top soil</td><td></td><td>X</td></tr><tr><td></td><td>4'</td><td>26'</td><td>Decomp granite, tan-gray-orange, wht qtzs, firm</td><td></td><td>X</td></tr><tr><td></td><td>26'</td><td>37'</td><td>Granite, heavy fract, tan-orange w/wht qtzs, loose</td><td></td><td>X</td></tr><tr><td></td><td>37'</td><td>42'</td><td>Granite, fr. ct. drk gray, mica flks, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>42'</td><td>55'</td><td>Granite, heavy fract, tan-orange-white, firm (seepage)</td><td></td><td>X</td></tr><tr><td></td><td>55'</td><td>59'</td><td>Granite, fract, drk grn w/tan mica, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>59'</td><td>93'</td><td>Granite, occas fract, drk gray, w/thin lay wht & grn qtzs</td><td></td><td>X</td></tr><tr><td></td><td>93'</td><td>94'</td><td>Granite, fract, tan-gray, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>94'</td><td>139'</td><td>Granite, occas fract, drk gray w/red-brn mica flks, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>139'</td><td>141'</td><td>Qtz, fract, wht w/grn & gray specks, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>141'</td><td>151'</td><td>Granite, gray-grn-wht, qtzs, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>151'</td><td>154'</td><td>Granite, fract, mhp, grn and, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>154'</td><td>190'</td><td>Granite, occas fract, gray-grn-wht w/red-brn mica, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>190'</td><td>204'</td><td>Qtz, wht-grn mica flks, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>204'</td><td>223'</td><td>Granite, occas fract, gray-wht, red-brn mica, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>223'</td><td>224'</td><td>Qtz, fract, wht w/grn and, m hrd</td><td></td><td>X</td></tr><tr><td></td><td>224'</td><td>225'</td><td>Granite, drk gray, w/wht specks, m hrd</td><td></td><td>X</td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	6"	0'	4'	brn silty top soil		X		4'	26'	Decomp granite, tan-gray-orange, wht qtzs, firm		X		26'	37'	Granite, heavy fract, tan-orange w/wht qtzs, loose		X		37'	42'	Granite, fr. ct. drk gray, mica flks, m hrd		X		42'	55'	Granite, heavy fract, tan-orange-white, firm (seepage)		X		55'	59'	Granite, fract, drk grn w/tan mica, m hrd		X		59'	93'	Granite, occas fract, drk gray, w/thin lay wht & grn qtzs		X		93'	94'	Granite, fract, tan-gray, m hrd		X		94'	139'	Granite, occas fract, drk gray w/red-brn mica flks, m hrd		X		139'	141'	Qtz, fract, wht w/grn & gray specks, m hrd		X		141'	151'	Granite, gray-grn-wht, qtzs, m hrd		X		151'	154'	Granite, fract, mhp, grn and, m hrd		X		154'	190'	Granite, occas fract, gray-grn-wht w/red-brn mica, m hrd		X		190'	204'	Qtz, wht-grn mica flks, m hrd		X		204'	223'	Granite, occas fract, gray-wht, red-brn mica, m hrd		X		223'	224'	Qtz, fract, wht w/grn and, m hrd		X		224'	225'	Granite, drk gray, w/wht specks, m hrd		X
Hole Diam.	Depth		Material		Water																																																																																																														
	From	To		Yes	No																																																																																																														
6"	0'	4'	brn silty top soil		X																																																																																																														
	4'	26'	Decomp granite, tan-gray-orange, wht qtzs, firm		X																																																																																																														
	26'	37'	Granite, heavy fract, tan-orange w/wht qtzs, loose		X																																																																																																														
	37'	42'	Granite, fr. ct. drk gray, mica flks, m hrd		X																																																																																																														
	42'	55'	Granite, heavy fract, tan-orange-white, firm (seepage)		X																																																																																																														
	55'	59'	Granite, fract, drk grn w/tan mica, m hrd		X																																																																																																														
	59'	93'	Granite, occas fract, drk gray, w/thin lay wht & grn qtzs		X																																																																																																														
	93'	94'	Granite, fract, tan-gray, m hrd		X																																																																																																														
	94'	139'	Granite, occas fract, drk gray w/red-brn mica flks, m hrd		X																																																																																																														
	139'	141'	Qtz, fract, wht w/grn & gray specks, m hrd		X																																																																																																														
	141'	151'	Granite, gray-grn-wht, qtzs, m hrd		X																																																																																																														
	151'	154'	Granite, fract, mhp, grn and, m hrd		X																																																																																																														
	154'	190'	Granite, occas fract, gray-grn-wht w/red-brn mica, m hrd		X																																																																																																														
	190'	204'	Qtz, wht-grn mica flks, m hrd		X																																																																																																														
	204'	223'	Granite, occas fract, gray-wht, red-brn mica, m hrd		X																																																																																																														
	223'	224'	Qtz, fract, wht w/grn and, m hrd		X																																																																																																														
	224'	225'	Granite, drk gray, w/wht specks, m hrd		X																																																																																																														
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other																																																																																																																			
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>225</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>6 inches</td><td>1 feet</td><td>59 feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was a pecker or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☒ Yes ☐ No To what depth <u>18</u> feet Material used in seal ☒ Cement grout ☐ Puddling clay		Thickness	Diameter	From	To	250 inches	6 inches	1 feet	59 feet																	Number	From	To																																																																																							
Thickness	Diameter	From	To																																																																																																																
250 inches	6 inches	1 feet	59 feet																																																																																																																
Number	From	To																																																																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location.  County <u>Kootenai</u> <u>SE 1/4</u> <u>1/4</u> <u>1/4</u> Sec. <u>19</u> , T. <u>50</u> N. <u>5</u> E. <u>W</u>		10. Work started <u>July 31, 1979</u> finished <u>Aug. 2, 1979</u>																																																																																																																	
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. SINIGRAF'S WELL DRILLING CO. 59 Driller's or Firm's Name Number <u>E. 1404 Sherg. Box 4361, Spokane, Wa. 99202</u> Address Signed by <u>James J. Sinigraf</u> Date <u>8/1/79</u>																																																																																																																	

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

158869
CERTIFIED MAIL
May 31, 1988

AKERS, DENNIS & SHERRIE
1320 SYRINGA ST.
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: Permit No. 95-8312

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

AKERS, DENNIS & SHERRIE
1320 SYRINGA ST.
POST FALLS, ID 83854

AUGUST 02, 1983

RE: PERMIT NO. 95-8312

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 93-8312

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4/20/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 5-20-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: SLB
STATE OFFICE REVIEW:

Date: 7-11-83

SLB/LIT

SLB

☐ See attached sheet for more information.

By: SLB

Date: 7/15/83

RECEIVED
JUL 15 1983

Department of Water Resources

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

95-8312

AKERS, DENNIS &/or SHERRIE

1320 SYRINGA ST., POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 05/20/1983

Diversion Pt: SNNW Sec 19 T 50N R 05W

Use: IRRIGATION	(0.10 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: SNNW Sec 19 T 50N R 05W FOR 5 ACRES

RECEIVED
MAY 21 1983
FBI