

NOTICE OF APPLICATION
FOR WATER RIGHT
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

94-7247
CYR, BERNARD L.
RT. 1 BOX 55, CATALDO, ID
83810

Source: GROUNDWATER
Date Filed: 05/16/1983
Diversion Pt: SWSW Sec 24 T 49N
R 01W
Use: DOMESTIC (0.04 CFS)
In: SWSW Sec 24 T 49N R 01W
94-7248

LAMB, WILLIAM
P. O. BOX 93, HARRISON, ID
83833
Source: BELL CREEK trib. to
ANDERSON LAKE
Date Filed: 05/18/1983
Diversion Pt: NWSE Sec 04 T 47N
R 03W
Use: POWER (0.02 CFS)
In: NWSE Sec 04 T 47N R 03W
95-8298

WAIDE, LORETTA
CLEMO, AMBROSE
S. 4240 BONNELL RD., COEUR
D ALENE, ID 83814
Source: GRANDWATER
Date Filed: 05/11/1983
Diversion Pt: LOT 02 Sec 34 T 50N
R 05W
Use: DOMESTIC (0.08 CFS)
In: LOT 02 Sec 34 T 50N R 03W
95-8299

READER, MICK
470 KATHLEEN AVE., COEUR
D ALENE, ID 83814
Source: SPRING trib. to COEUR
D ALENE LAKE
Date Filed: 05/11/1983
Diversion Pt: LOT 04 Sec 30 T 49N
R 03W
Use: DOMESTIC (0.04 CFS)
In: LOT 04 Sec 30 T 49N R 03W
95-8300

READER, MICK
470 KATHLEEN AVE., COEUR
D ALENE, ID 83814
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 05/11/1983
Diversion Pt: LOT 01 Sec 24 T 49N
R 04W
Use: DOMESTIC (0.02 CFS)
In: LOT 01 Sec 24 T 49N R 04W
95-8301

NOBIS, ROBERT S.
6791 SUNNYSIDE RD., COEUR
D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWNW Sec 27 T
50N R 03W
Use: DOMESTIC (0.10 CFS)
In: NWNW Sec 27 T 50N R 03W
95-8302

BERGHER, EVERETT
E. 200 TWIN LAKES RD.,
RATHDRUM, ID 83858
Source: TWIN LAKES trib. to
RATHDRUM CREEK
Date Filed: 05/13/1983
Diversion Pt: LT 04 (SWSW) Sec
31 T 53N R 04W
Use: HEATING (0.04 CFS);
COOLING (0.04 CFS)
In: LOT 04 Sec 31 T 53N R 04W
95-8303

PAUL, ARTHUR D.
N. 900 RESERVOIR RD.,
RATHDRUM, ID 83858
Source: UNNAMED STREAM
trib. to RATHDRUM CREEK
Date Filed: 05/11/1983
Diversion Pt: SENE Sec 25 T 52N
R 05W
Use: IRRIGATION (0.20 CFS);
STOCKWATER (0.02 CFS)
In: SENE Sec 25 T 52N R 05W
FOR 10 ACRES
95-8304

FOX, GARY L. &/or IVALON F.
STAR RT., COEUR D ALENE,
ID 83814
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWSW Sec 03 T 49N
R 04W
Use: IRRIGATION (0.03 CFS);
DOMESTIC (0.04 CFS)
In: NWSW Sec 03 T 49N R 04W

95-8305
KRUSE, RONALD O. &/or
BARBARA
HORNER, ROSE
N. 750 TRAILS END RD.,
RATHDRUM, ID 83858
Source: GROUNDWATER

Date Filed: 05/12/1983
Diversion Pt: NWSE Sec 29 T 52N
R 04W
Use: IRRIGATION (0.10 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: NWSE Sec 29 T 52N R 04W
FOR 5 ACRES
95-8306

KOOTENAI COUNTY WATER
DISTRICT NO. ONE
C/O ROBERT E. WEBBER, E.
5986 SUNNYSIDE RD., COEUR
D ALENE, ID 83814
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 05/16/1983
Diversion Pt: NWSW Sec 28 T 50N
R 03W

Use: IRRIGATION (1.00 CFS);
STOCKWATER (0.05 CFS);
DOMESTIC (1.00 CFS)
In: NE 1/4 NESE SESE Sec 28 T
50N R 03W; NE 1/4 SE 1/4 SW 1/4 Sec
22 T 50N R 03W; SWNE SENE
NW 1/4 SW 1/4 SE 1/4 Sec 27 T 50N R
03W; NW 1/4 NE 1/4 Sec 34 T 50N R
03W; SWSE SESE Sec 21 T 50N
R 03W FOR 100 ACRES
95-8307

NEWTON, DONALD L.
6472 N. COLFAX ST., COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/16/1983
Diversion Pt: SWSE Sec 09 T 56N
R 02W
Use: IRRIGATION (0.08 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.08 CFS)
In: SWSE Sec 09 T 56N R 02W
FOR 4 ACRES
95-8308

HUBER, WILLIAM D. &/or
DIANE
1314 N. 14TH ST., COEUR D
ALENE, ID 83814
Source: TWIN LAKES trib. to
RATHDRUM CREEK
Date Filed: 05/18/1983
Diversion Pt: SWSW Sec 31 T 53N
R 04W
Use: IRRIGATION (0.02 CFS)
In: SWSW Sec 31 T 53N R 04W
FOR 1 ACRE
95-8189

DAVIS, ROBERT &/or
BEVERLEY &/or ROBERT &/or
BARBARA
RT. 1 BOX 92-1, ATHOL, ID 83801
Source: UNNAMED STREAM

trib. to SINKS
Date Filed: 05/13/1983
Diversion Pt: LOT 03 Sec 02 T 52N
R 03W
Use: IRRIGATION (0.20 CFS)
In: Lot 04 Sec 02 T 52N R 03W
FOR 10 ACRES

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4355
Gov't Way, Coeur d'Alene, Id.
83814 on or before JUNE 13, 1983.
KEN DUNN, Dir.

Legal 999
May 26, June 2, 1983

DAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai, }

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The _____
if which the annexed is a printed copy, was published in the regular _____
issue of said newspaper for _____ consecutive _____
commencing on the _____ day of _____, 19____, and
ending on the _____ day of _____, 19____, and such
publication was made as often during said period as said _____
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this _____ day of _____, 19____.

RECEIVED

JUN 2 1983
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources

MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

RECEIVED

APR 23 1976

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Northern District Office

1. WELL OWNER

Name D. H. Newton
Address 115 Box 142 C.D.A. Ida.
Owner's Permit No.

7. WATER LEVEL

Static water level 4.5 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow
Temperature 68.0° F. Quality Good
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Other

Discharge G.P.M.	Draw Down	Water Level
<u>2.5</u>		

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test, ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 84 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>84</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
<u>6147</u> perforations	<u>77</u> feet	<u>84</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____ Model No. _____
Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Wall casing

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Section _____

Twp _____

County Blaine County

SW 1/4 SW 1/4 9 T 36 N 2 E

Work started 1-22-76 ended 1-22-76

11. DRILLER'S CERTIFICATION

Print Name Alvin Drilling & Co. Inc.

Address Box 1000, Boise, Idaho 83726

Signed by (Print Name) Alvin Drilling & Co. Inc.

and James

FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08307

Priority: May 16, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that DONALD L. NEWTON
6472 N. COLFAX ST.

COEUR D ALENE, ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 16, 1983; and
has submitted Proof of Beneficial Use on May 5, 1988. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 9, Township 56N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC


TWN RGE SEC

56N 02W 9 SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of NOVEMBER, 1989.


R. Keith Higginson, Director

RECORDED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Donald L. Newton Phone 772-2284
Post office address 6472 N. Colfax Coeur d'Alene, Id 83814
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is N2E SWSE of Section 9 Township 56N
Range 2W B.M. Kaetonai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.08 for irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 7 inches; proposed depth of well is 85 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
- (1) Give the place of use of water: SW 1/4 of SE 1/4 of Section 9 Township 56N
Range 2W B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered 2hd.
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.
- (5) If water is to be used for other purposes describe: _____

RECEIVED

WORLD

Total number of acres to be irrigated

9. a. Who owns the property at the point of diversion John

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

10. Remarks

Microfilm

Sec. 9
TSGN-R2W

x-P.P. 1/4

Donald L. Newton
(Applicant)

MICROFILMED

Proposed Priority May 16, 1983

Received by JK Date 5-16-83 Time 3:40 PM
Preliminary check by JK Fee \$ 30.00
Received by JK Date 5-16-83 (26747)
Publication prepared by JK Date 5/19/83
Published in Cumulative Index
Publication dates 5/26-6/2/83
Publication approved JK Date 6/6/83
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval by JK _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8307, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1988.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 15 day of July, 1983.

David R. Tuttle
Acting Chief, Operations Bureau

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

94-7247
CYR, BERNARD L.
RT. 1 BOX 55, CATALDO, ID
83810
Source: GROUNDWATER
Date Filed: 05/18/1983
Diversion Pt: SWSW Sec 24 T 49N
R 01W
Use: DOMESTIC (0.04 CFS)
In: SWSW Sec 24 T 49N R 01W

94-7248
LAMB, WILLIAM
P. O. BOX 93, HARRISON, ID
83633
Source: BELL CREEK trib. to
ANDERSON LAKE
Date Filed: 05/18/1983
Diversion Pt: NWSE Sec 04 T 47N
R 03W
Use: POWER (0.02 CFS)
In: NWSE Sec 04 T 47N R 03W

95-8286
WAIDE, LORETTA
CLEMO, AMBROSE
S. 4240 BONNELL RD., COEUR
D ALENE, ID 83814
Source: GRANDWATER
Date Filed: 05/11/1983
Diversion Pt: LOT 02 Sec 24 T 50N
R 05W
Use: DOMESTIC (0.08 CFS)
In: LOT 02 Sec 24 T 50N R 05W

95-8289
READER, MICK
470 KATHLEEN AVE., COEUR
D ALENE, ID 83814
Source: SPRING trib. to COEUR
D ALENE LAKE
Date Filed: 05/11/1983
Diversion Pt: LOT 04 Sec 30 T 49N
R 03W
Use: DOMESTIC (0.04 CFS)
In: LOT 04 Sec 30 T 49N R 03W

95-8300
READER, MICK
470 KATHLEEN AVE., COEUR
D ALENE, ID 83814
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 05/11/1983
Diversion Pt: LOT 01 Sec 24 T 49N
R 04W
Use: DOMESTIC (0.02 CFS)
In: LOT 01 Sec 24 T 49N R 04W

95-8301
NOBIS, ROBERT S.
6791 SUNNYSIDE RD., COEUR
D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWNW Sec 27 T
50N R 03W
Use: DOMESTIC (0.10 CFS)
In: NWNW Sec 27 T 50N R 03W

95-8302
BERGHER, EVERETT
E. 200 TWIN LAKES RD.,
RATHDRUM, ID 83858
Source: TWIN LAKES trib. to
RATHDRUM CREEK
Date Filed: 05/13/1983
Diversion Pt: LT 04 (SWSW) Sec
31 T 53N R 04W
Use: HEATING (0.04 CFS);
COOLING (0.04 CFS)
In: LOT 04 Sec 31 T 53N R 04W

95-8303
PAUL, ARTHUR D.
N. 900 RESERVOIR RD.,
RATHDRUM, ID 83858
Source: UNNAMED STREAM
trib. to RATHDRUM CREEK
Date Filed: 05/11/1983
Diversion Pt: SENE Sec 25 T 52N
R 05W
Use: IRRIGATION (0.20 CFS);
STOCKWATER (0.02 CFS)
In: SENE Sec 25 T 52N R 05W
FOR 10 ACRES

95-8304
FOX, GARY L. &/or IVALON F.
STAR RT., COEUR D ALENE,
ID 83814
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWSW Sec 03 T 49N
R 04W
Use: IRRIGATION (0.03 CFS);
DOMESTIC (0.04 CFS)
In: NWSW Sec 03 T 49N R 04W

95-8305
KRUSE, RONALD O. &/or
BARBARA
HORNER, ROSE
N. 750 TRAILS END RD.,
RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWSE Sec 20 T 52N
R 04W
Use: IRRIGATION (0.10 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: NWSE Sec 20 T 52N R 04W
FOR 4 ACRES

95-8306
KOOTENAI COUNTY WATER
DISTRICT NO. ONE
C/O ROBERT E. WEBBER, E.
5900 SUNNYSIDE RD., COEUR
D ALENE, ID 83814
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 05/18/1983
Diversion Pt: NWSW Sec 28 T 50N
R 03W
Use: IRRIGATION (1.00 CFS);
STOCKWATER (0.05 CFS);
DOMESTIC (1.00 CFS)
In: NE 1/4 NESE SESE Sec 28 T
50N R 03W; NE 1/4 SE 1/4 SW 1/4 Sec
28 T 50N R 03W; SWNE SENE
SW 1/4 SW 1/4 Sec 28 T 50N R
03W; NW 1/4 NE 1/4 Sec 24 T 50N R
03W; SWSE SESE Sec 21 T 50N
R 03W FOR 100 ACRES

95-8307
NEWTON, DONALD L.
6072 N. COLFAX ST., COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/10/1983
Diversion Pt: SWSW Sec 09 T 56N
R 03W
Use: IRRIGATION (0.08 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.06 CFS)
In: SWSW Sec 09 T 56N R 02W
FOR 4 ACRES

95-8308
HUBER, WILLIAM D. &/or
DIANE
1314 N. 14TH ST., COEUR D
ALENE, ID 83814
Source: TWIN LAKES trib. to
RATHDRUM CREEK
Date Filed: 05/18/1983
Diversion Pt: SWSW Sec 31 T 53N
R 04W
Use: IRRIGATION (0.02 CFS)
In: SWSW Sec 31 T 53N R 04W
FOR 1 ACRES

95-8309
DAVIS, ROBERT &/or
BEVERLEY &/or ROBERT &/or
BARBARA
RT. 1 BOX 92-1, ATHOL, ID 83801
Source: UNNAMED STREAM
trib. to SINKS
Date Filed: 05/13/1983
Diversion Pt: LOT 03 Sec 02 T 52N
R 03W
Use: IRRIGATION (0.20 CFS)
In: Lot 04 Sec 02 T 52N R 03W
FOR 10 ACRES

95-8310
The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4065
Gov't Way, Coeur d'Alene, Id,
83814 on or before JUNE 13, 1983.
KEN DUNN, Dir.
Legal 999
May 26, June 2, 1983

95-8311
trib. to SINKS
Date Filed: 05/13/1983
Diversion Pt: LOT 03 Sec 02 T 52N
R 03W
Use: IRRIGATION (0.20 CFS)
In: Lot 04 Sec 02 T 52N R 03W
FOR 10 ACRES

95-8312
trib. to SINKS
Date Filed: 05/13/1983
Diversion Pt: LOT 03 Sec 02 T 52N
R 03W
Use: IRRIGATION (0.20 CFS)
In: Lot 04 Sec 02 T 52N R 03W
FOR 10 ACRES

95-8313
trib. to SINKS
Date Filed: 05/13/1983
Diversion Pt: LOT 03 Sec 02 T 52N
R 03W
Use: IRRIGATION (0.20 CFS)
In: Lot 04 Sec 02 T 52N R 03W
FOR 10 ACRES

95-8314
trib. to SINKS
Date Filed: 05/13/1983
Diversion Pt: LOT 03 Sec 02 T 52N
R 03W
Use: IRRIGATION (0.20 CFS)
In: Lot 04 Sec 02 T 52N R 03W
FOR 10 ACRES

DAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Coral Hedges being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice
if which the annexed is a printed copy, was published in the regular three
issue of said newspaper for three consecutive issues
commencing on the May day of 1983, and
ending on the June day of 1983, and such
publication was made as often during said period as said three
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this June day of 1983

19 **RECEIVED**

Robert M. Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
Coeur d'Alene, Idaho

NOT RECORDED

November 16, 1989

DONALD L. NEWTON
6472 N. COLFAX ST.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08307

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 26, 1989

DONALD L. NEWTON
6472 N. COLFAX ST.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08307

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9508307 9604170	56N	02W	9	SW SE		GROUNDWATER GROUNDWATER	NEWTON, DONALD L. CARRICK, LELAND C.

MICROFILMED

NOV 24 1990

RECEIVED
JUN 26 1989

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8307

1. Owner: DONALD L. NEWTON Phone No. 772-2284

Current Address: 6472 N. COLFAX, ADA COEUR D'ALENE, ID 83814

2. Accompanied by: NONE EXAM. DATE: 10/24/88

Address: ✓ Phone No.

Relationship to Permit Holder: ✓

3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE MADE

☐ Copies Attached


2. Other water rights with same point of diversion:

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☐ Copy of U.S.G.S. Quadrangle Attached

☐ Aerial Photo Attached

(If attached, indicate scale of map or photo)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8" x 84" Well SUBMERGIBLE PUMP & PIPELINE TO MOBILE HOME

5M/L 63'

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERGIBLE					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *Assessor*

[illegible]

Do not use this space

6881 VC ADL:

Do not use this space

D. FLOW MEASUREMENTS


none

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

ONE HOME

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

ONE HOME

RECORDED

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

None made

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (afa)

1-1 12-31

0.04

1.2

Totals:

0.04

1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

John K. King

5/15/88


10/22/88

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Reviewed: Robert G. Haynes 7/14/89

MICROFILMED

NOV 24 1988



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8307

Name(s) of Permit Holder(s): Donald L & Dolores A Newton

Post Office Address: 6472 N. 2nd St

Cover L. Blane ID 83814

Tel. No. 2284

☒ I hereby certify that construction of diversion works on the above referenced permit began on FEB-1975 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

9-22-83
Date

Donald L Newton
Signature of Permit Holder

Donald L. [unclear]

6472 N. Calfax

Coeur d'Alene, ID. 83814



MICROFILMED

NOV 24 1989



RECEIVED

SEP 26 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 17, 1988

RECEIVED
OCT 20 1988

Mr. Donald Newton
6472 N. Colfax
Coeur d'Alene, Id. 83814

Department of Water Resources

Re: 95-8307

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

NOV 24 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8307

Date: 9/15/88

General Considerations:

X Name same as permit
X Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
X Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
X Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

X Rate of diversion appropriate for uses
X Is rate or volume and fee appropriate?
X Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

MAY 5 1988

RECEIVED

MAY 09 1988

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

Department of Water Resources
Northern District Office

STATE OF IDAHO

Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8307 ✓

Name(s) of Permit Holder: Donald Newton ✓

Post Office Address: 6472 N. Colfax Coeur d'Alene, Id. 83814 ✓

Telephone No. 772-2284

Source of Water: Groundwater ✓

Extent of Use:

Mobile Home

Domestic 1 (number of households)

Stockwater 2 (number and type of stock)

Irrigation _____ (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: June of 1975 ✓

Measuring Device: Required? Yes ☒ No
Installed? Yes ☐ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Applicant Please contact before doing exam

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 14 1988

5/5/88

Date

Donald L Newton
Signature of Permit Holder (and title, if appropriate)

To: File 95-8307

From: Groundwater Protection

Date: 7/19/88

Drilling Permit: X Not Applicable
 Found and in file
 Not Found

Well Drillers Report:

 Not found, due to reported age of well
 probably not available
 X Found and is in file
 Not found

Follow-up

 Request from permit holder the well
 drillers report and/or the name of the
 well driller.
 Ask permit holder when well was drilled
 and notify holder of drilling permit
 requirement if after July 11, 1987.

*The well log and the water right
show different Legals. Should be
checked by field person*

RECEIVED

OCT 14 1988

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

RECEIVED

WELL DRILLER'S REPORT

APR 23 1978


State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Northern District Office

1. WELL OWNER Name <u>Edna Newton</u> Address <u>115 12th St. Coeur d'Alene</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>6.5</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature <u>66.0</u> F. Quality <u>Good</u> Artesian closed-in pressure _____ Controlled by ☐ Valve ☐ Plug ☐ Other _____																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Other _____ Discharge G.P.M. <u>107</u>																											
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Depth</th><th colspan="2">Depth</th><th rowspan="2">Remarks</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8</td><td>1</td><td>2</td><td>Topsoil</td></tr><tr><td>8</td><td>2</td><td>12</td><td>Gravel & siltstone</td></tr><tr><td>8</td><td>12</td><td>25</td><td>Sand</td></tr><tr><td>8</td><td>25</td><td>30</td><td>Gravel & sand</td></tr><tr><td>8</td><td>30</td><td>34</td><td>Gravel & sand</td></tr></tbody></table>		Hole Depth	Depth		Remarks	From	To	8	1	2	Topsoil	8	2	12	Gravel & siltstone	8	12	25	Sand	8	25	30	Gravel & sand	8	30	34	Gravel & sand
Hole Depth	Depth		Remarks																										
	From	To																											
8	1	2	Topsoil																										
8	2	12	Gravel & siltstone																										
8	12	25	Sand																										
8	25	30	Gravel & sand																										
8	30	34	Gravel & sand																										
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other _____																													
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>34</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To <u>3/8</u> inches <u>6</u> inches <u>1</u> feet <u>34</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation _____ inches by _____ inches _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Sec from _____ feet to _____ feet Diameter _____ Slot size _____ Sec from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>107</u> Material used in seal ☐ Cement grout ☒ Filling clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overburden to seal depth																													

6. LOCATION OF WELL

Sketch map location must agree with written location.



County map _____

Map reference _____

Well number 1-22-96

11. DRILLER'S CERTIFICATION

I, the undersigned, hereby certify that the information furnished on this report is true and correct to the best of my knowledge and belief.

Signature _____

Date _____

138567
CERTIFIED MAIL
April 30, 1988

NEWTON, DONALD L.
6472 N. COLFAX ST.
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: Permit No. 95-8307

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

NEWTON, DONALD L.
6472 N. COLFAX ST.
COEUR D'ALENE, ID 83814

AUGUST 02, 1983

RE: PERMIT NO. 95-8307

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 958307

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6-13-83 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/18/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
5/16/83 ✓ Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

By: RSB

Date: 6/17/83

STATE OFFICE REVIEW:

SW/LIT

26

RECEIVED
JUL 7 1983

Department of Water Resources

- ☐ See attached sheet for more information.

By: RSB

Date: 7/12/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

NEWTON, DONALD L.

6472 N. COLFAX ST., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 05/16/1983

Diversion Pt: SWSE Sec 09 T 56N R 02W

Use: IRRIGATION	(0.08 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.08 CFS)

In: SWSE Sec 09 T 56N R 02W FOR 4 ACRES

MICROFILMED