

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

94-7247
CYR, BERNARD L.
RT. 1 BOX 55, CATALDO, ID
83810
Source: GROUNDWATER
Date Filed: 05/16/1983
Diversion Pt: SWSW Sec 24 T 49N
R 01W
Use: DOMESTIC (0.04 CFS)
In: SWSW Sec 24 T 49N R 01W

94-7248
LAMB, WILLIAM
P. O. BOX 93, HARRISON, ID
83633
Source: BELL CREEK trib. to
ANDERSON LAKE
Date Filed: 05/16/1983
Diversion Pt: NWSE Sec 04 T 47N
R 03W
Use: POWER (0.02 CFS)
In: NWSE Sec 04 T 47N R 03W

95-8298
WAIDE, LORETTA
CLEMO, AMBROSE
S. 4240 BONNELL RD., COEUR
D ALENE, ID 83814
Source: GRANDWATER
Date Filed: 05/11/1983
Diversion Pt: LOT 02 Sec 34 T 50N
R 05W
Use: DOMESTIC (0.08 CFS)
In: LOT 02 Sec 34 T 50N R 03W

95-8299
READER, MICK
470 KATHLEEN AVE., COEUR
D ALENE, ID 83814
Source: SPRING trib. to COEUR
D ALENE LAKE
Date Filed: 05/11/1983
Diversion Pt: LOT 04 Sec 30 T 49N
R 03W
Use: DOMESTIC (0.04 CFS)
In: LOT 04 Sec 30 T 49N R 03W

95-8300
READER, MICK
470 KATHLEEN AVE., COEUR
D ALENE, ID 83814
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 05/11/1983
Diversion Pt: LOT 01 Sec 24 T 49N
R 04W
Use: DOMESTIC (0.02 CFS)
In: LOT 01 Sec 24 T 49N R 04W

95-8301
NOBIS, ROBERT S.
6791 SUNNYSIDE RD., COEUR
D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWNW Sec 27 T
50N R 03W
Use: DOMESTIC (0.10 CFS)
In: NWNW Sec 27 T 50N R 03W

95-8302
BERGHER, EVERETT
E. 200 TWIN LAKES RD.,
RATHDRUM, ID 83858
Source: TWIN LAKES trib. to
RATHDRUM CREEK
Date Filed: 05/13/1983
Diversion Pt: LT 04 (SWSW) Sec
31 T 53N R 04W
Use: HEATING (0.04 CFS);
COOLING (0.04 CFS)
In: LOT 04 Sec 31 T 53N R 04W

95-8303
PAUL, ARTHUR D.
N. 900 RESERVOIR RD.,
RATHDRUM, ID 83858
Source: UNNAMED STREAM
trib. to RATHDRUM CREEK
Date Filed: 05/11/1983
Diversion Pt: SENE Sec 25 T 52N
R 05W
Use: IRRIGATION (0.20 CFS);
STOCKWATER (0.02 CFS)
In: SENE Sec 25 T 52N R 05W
FOR 10 ACRES

95-8304
FOX, GARY L. &/or IVALON F.
STAR RT., COEUR D ALENE,
ID 83814
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWSW Sec 03 T 49N
R 04W
Use: IRRIGATION (0.03 CFS);
DOMESTIC (0.04 CFS)
In: NWSW Sec 03 T 49N R 04W

95-8305 OK LB
KRUSE, RONALD O. &/or
BARBARA
HORNOR, ROSE
N. 750 TRAILS END RD.,
RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWSE Sec 29 T 52N
R 04W
Use: IRRIGATION (0.10 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: NWSE Sec 29 T 52N R 04W
FOR 5 ACRES

95-8306
KOOTENAI COUNTY WATER
DISTRICT NO. ONE
C/O ROBERT E. WEBBER, E.
5900 SUNNYSIDE RD., COEUR
D ALENE, ID 83814
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 05/16/1983
Diversion Pt: NWSW Sec 28 T 50N
R 03W
Use: IRRIGATION (1.00 CFS);
STOCKWATER (0.05 CFS);
DOMESTIC (1.00 CFS)
In: NE 1/4 NESE SESE Sec 28 T
50N R 03W; NE 1/4 SE 1/4 SW 1/4 Sec
22 T 50N R 03W; SWNE SENE
NW 1/4 SW 1/4 SE 1/4 Sec 27 T 50N R
03W; NW 1/4 NE 1/4 Sec 34 T 50N R
03W; SWSE SESE Sec 21 T 50N
R 03W FOR 100 ACRES

95-8307
NEWTON, DONALD L.
6472 N. COLFAX ST., COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/16/1983
Diversion Pt: SWSE Sec 09 T 56N
R 02W
Use: IRRIGATION (0.08 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.08 CFS)
In: SWSE Sec 09 T 56N R 02W
FOR 4 ACRES

95-8308
HUBER, WILLIAM D. &/or
DIANE
1314 N. 14TH ST., COEUR D
ALENE, ID 83814
Source: TWIN LAKES trib. to
RATHDRUM CREEK
Date Filed: 05/18/1983
Diversion Pt: SWSW Sec 31 T 53N
R 04W
Use: IRRIGATION (0.02 CFS)
In: SWSW Sec 31 T 53N R 04W
FOR 1 ACRES

96-8189
DAVIS, ROBERT &/or
BEVERLEY &/or ROBERT &/or
BARBARA
RT. 1 BOX 92-I, ATHOL, ID 83601
Source: UNNAMED STREAM

trib. to SINKS
Date Filed: 05/13/1983
Diversion Pt: LOT 03 Sec 02 T 52N
R 03W
Use: IRRIGATION (0.20 CFS)
In: Lot 04 Sec 02 T 52N R 03W
FOR 10 ACRES

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id.
83814 on or before JUNE 13, 1983.
KEN DUNN, Dir.
Legal 999
May 26, June 2, 1983

DAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The issue of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive days commencing on the day of May, 1983, and ending on the day of June, 1983, and such publication was made as often during said period as said newspaper was regularly issued.


4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of June, 1983.

1983
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
Office

MICROFILMED



NAME: RONALD KRUSE
 PD: T52N, R4W, SEC. 29, N2NE, NWSE
 PU:
 SOURCE: GROUNDWATER

PERMIT NUMBER: 95-08305
 MAP: # 27
 QUAD: E-54

MICROFILMED

JAN 18 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08305

Priority: June 1, 1983

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 4.1 AF

This is to certify, that ROSE HORNER
RONALD O. KRUSE
BARBARA KRUSE

N. 750 TRAILS END RD.
RATHDRUM, ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 12, 1983; and has submitted Proof of Beneficial Use on July 21, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.5 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.04 CFS	4.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 29, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	29	NWSE 1			1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JAN 18 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08305

CONDITIONS/REMARKS:

5. Domestic use is for 1 home and household stock.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11TH
day of JANUARY, 1991.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

RECORDED

JAN 18 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8305 IN THE
NAME OF RONALD AND BARBARA KRUSE

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1988; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 21, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8305 be REINSTATED and the priority advanced to June 1, 1983.

Dated this 19th day of October, 1988.

MICROFILMED

JAN 10 1989

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant RONALD O. OR BARBARA KRUSE or ROSE HERNER Phone _____
Post office address N. 750 TRAILS END RD. RATHDRUM, ID 83858
2. Source of water supply GROUNDWATER which is a tributary of _____
N 1/2 NE 1/4
3. Location of point of diversion is NW 1/4 of SE 1/4 of Section 29 Township 52N
Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.10 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.16 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 265 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW 1/4 of SE 1/4 of Section 29 Township 52N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 5 HEAD

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: _____

RECORDED

[illegible]

5

Well Was

First Used For The Domestic And Stockwater Use

1261 a/

APPLICANT


—

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale - 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald O. Kruse
(Applicant)

MICROFILMED

Proposed Priority _____ Date 5/12/83 Time 11:00
Received by KK Fee \$ 30.00
Preliminary check by _____ Date 5/12/83 Tag 711
Received by KK Date 5/19/83
Published in _____
Publication dates 5/26 - 6/2/83
Publication approved [initials] Date 6/6/83
Protests filed by: [initials]
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by [initials]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8305, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 15 day of July, 1983.

[Signature]
Acting Chief, Operations Bureau

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

94-7247
CYR, BERNARD L.
RT. 1 BOX 55, CATALDO, ID
83810
Source: GROUNDWATER
Date Filed: 05/18/1983
Diversion Pt: SWSW Sec 24 T 49N
R 01W
Use: DOMESTIC (0.04 CFS)
In: SWSW Sec 24 T 49N R 01W

94-7248
LAMB, WILLIAM
P. O. BOX 93, HARRISON, ID
83833
Source: BELL CREEK trib. to
ANDERSON LAKE
Date Filed: 05/18/1983
Diversion Pt: NWSE Sec 04 T 47N
R 03W
Use: POWER (0.02 CFS)
In: NWSE Sec 04 T 47N R 03W

95-8298
WAIDE, LORETTA
CLEMO, AMBROSE
S. 4240 BONNELL RD., COEUR
D ALENE, ID 83814
Source: GRANDWATER
Date Filed: 05/11/1983
Diversion Pt: LOT 02 Sec 34 T 50N
R 05W
Use: DOMESTIC (0.08 CFS)
In: LOT 02 Sec 34 T 50N R 03W

95-8299
READER, MICK
470 KATHLEEN AVE., COEUR
D ALENE, ID 83814
Source: SPRING trib. to COEUR
D ALENE LAKE
Date Filed: 05/11/1983
Diversion Pt: LOT 04 Sec 30 T 49N
R 03W
Use: DOMESTIC (0.04 CFS)
In: LOT 04 Sec 30 T 49N R 03W

95-8300
READER, MICK
470 KATHLEEN AVE., COEUR
D ALENE, ID 83814
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 05/11/1983
Diversion Pt: LOT 01 Sec 24 T 49N
R 04W
Use: DOMESTIC (0.02 CFS)
In: LOT 01 Sec 24 T 49N R 04W

95-8301
VOBIS, ROBERT S.
8791 SUNNYSIDE RD., COEUR
D ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWNW Sec 27 T
50N R 03W
Use: DOMESTIC (0.10 CFS)
In: NWNW Sec 27 T 50N R 03W

95-8302
BERGHER, EVERETT
E. 200 TWIN LAKES RD.,
RATHDRUM, ID 83858
Source: TWIN LAKES trib. to
RATHDRUM CREEK
Date Filed: 05/13/1983
Diversion Pt: LT 04 (SWSW) Sec
31 T 53N R 04W
Use: HEATING (0.04 CFS);
COOLING (0.04 CFS)
In: LOT 04 Sec 31 T 53N R 04W

95-8303
PAUL, ARTHUR D.
N. 900 RESERVOIR RD.,
RATHDRUM, ID 83858
Source: UNNAMED STREAM
trib. to RATHDRUM CREEK
Date Filed: 05/11/1983
Diversion Pt: SENE Sec 25 T 52N
R 05W
Use: IRRIGATION (0.20 CFS);
STOCKWATER (0.02 CFS)
In: SENE Sec 25 T 52N R 05W
FOR 10 ACRES

95-8304
FOX, GARY L. &/or IVALON F.
STAR RT., COEUR D ALENE,
ID 83814
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWSW Sec 03 T 46N
R 04W
Use: IRRIGATION (0.03 CFS);
DOMESTIC (0.04 CFS)
In: NWSW Sec 03 T 46N R 04W

95-8305 OK LB
KRUSE, RONALD O. &/or
BARBARA
HORNOR, ROSE
N. 790 TRAILS END RD.,
RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 05/12/1983
Diversion Pt: NWSE Sec 29 T 52N
R 04W
Use: IRRIGATION (0.10 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: NWSE Sec 29 T 52N R 04W
FOR 5 ACRES

95-8306
KOOTENAI COUNTY WATER
DISTRICT NO. ONE
C/O ROBERT E. WEBBER, E.
5900 SUNNYSIDE RD., COEUR
D ALENE, ID 83814
Source: COEUR D ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 05/18/1983
Diversion Pt: NWSW Sec 28 T 50N
R 03W
Use: IRRIGATION (1.00 CFS);
STOCKWATER (0.05 CFS);
DOMESTIC (1.00 CFS)

In: NE 1/4 NESE SESE Sec 28 T
50N R 03W; NE 1/4 SE 1/4 SW 1/4 Sec
22 T 50N R 03W; SWNE SENE
NW 1/4 SW 1/4 SE 1/4 Sec 27 T 50N R
03W; NW 1/4 NE 1/4 Sec 34 T 50N R
03W; SWSE SESE Sec 21 T 50N
R 03W FOR 100 ACRES

95-8307
NEWTON, DONALD L.
6472 N. COLFAX ST., COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/18/1983
Diversion Pt: SWSE Sec 09 T 58N
R 02W
Use: IRRIGATION (0.08 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.08 CFS)
In: SWSE Sec 09 T 58N R 02W
FOR 4 ACRES

95-8308
HUBER, WILLIAM D. &/or
DIANE
1314 N. 14TH ST., COEUR D
ALENE, ID 83814
Source: TWIN LAKES trib. to
RATHDRUM CREEK
Date Filed: 05/18/1983
Diversion Pt: SWSW Sec 31 T 53N
R 04W
Use: IRRIGATION (0.02 CFS)
In: SWSW Sec 31 T 53N R 04W
FOR 1 ACRES

95-8189
DAVIS, ROBERT &/or
BEVERLEY &/or ROBERT &/or
BARBARA
RT. 1 BOX 821, ATHOL, ID 83801
Source: UNNAMED STREAM
trib. to SINKS
Date Filed: 05/13/1983
Diversion Pt: LOT 03 Sec 02 T 52N
R 05W
Use: IRRIGATION (0.20 CFS)
In: Lot 04 Sec 02 T 52N R 05W
FOR 10 ACRES

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id.
83814 on or before JUNE 13, 1983.
KEN DUNN, Dir.

Legal 999
May 26, June 2, 1983

DAVIT OF PUBLICATION

STATE OF IDAHO,

County of Kootenai,

} ss.

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The
if which the annexed is a printed copy, was published in the regular
issue of said newspaper for
commencing on the
ending on the
publication was made as often during said period as said
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this
day of

1983
RECEIVED

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
Office

MICROFILMED

January 11, 1991

ROSE HORNER
RONALD O. KRUSE
BARBARA KRUSE
N. 750 TRAILS END RD.
RATHDRUM, ID 83858

RE: WATER RIGHT NO. 95-08305

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JAN 18 1991

December 12, 1990

ROSE HORNER
RONALD O. KRUSE
BARBARA KRUSE
N. 750 TRAILS END RD.
RATHDRUM, ID 83858

RE: WATER RIGHT NO. 95-08305

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

JAN 18 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8305

Name/Address change? ok ✓
 Priority date Advance? yes no ✓
 Memo to advance no ✓
 Order to reinstate needed? yes no ✓
 Total cfs Limited by fee 004 ✓
 Limited by capacity —
 Total volume Limited by flow —
 Chart checked for AF rate/ac 3.5 ✓
 Capacity Actual measurement checked NONE
 Theoretical checked NONE
 If greater than permit, check for other rts —

Source Changed? yes no ✓
 If so, is memo needed to clarify? —

P/D Verify with map ✓ permit ✓
 More than one per 1/4? Remember remark —
 Check p/d overlap N/A

Uses Check irrigation period of use w/ chart ✓

P/U Verify with map ✓ permit ✓
 > 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 — ✓
 Description of non-irrig uses ✓
 Special overlap condition —

Conditions -

Measuring device ✓
 W. Master control ✓
 Overlap ✓
 Water quality ✓
 Other ✓

Dates/Misc. -

Water Dist ✓
 App Rec'd ✓
 Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed —
 Filed - needs amended —
 Not filed - send form —
 Not needed ✓

Comments/Changes to Examiner's Recommendations:

Domestic use for home & household stock - no stock at time of exam - covered under domestic definition.

License 10-day ✓ 30-day —

Back of field report signed? ✓
 Reviewer J. Curtis Date 11-27-90 Review time 9 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

RECEIVED
JUN 27 1990

Department of Water Resources

() B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(☒) Field Report (☒) Quad Sheet () Gov. Lot Plat (☒) Rules Check list
() Aerial Photo () Photo PD/PU (☒) Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts: _____

Remarks: _____

INDEXED

JAN 18 1991

Exam Completed By _____ Date _____

Sr. Agent Review _____ Date _____

Regional Manager Review *RAH* _____ Date *6/12/80*

PERMIT NUMBER

95-08305

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 9508905

A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ☒ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8)

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)


J. AUTHENTICATION

- Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

- Check with permit and well log for discrepancies

Signature



Date

1-12-89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08305

1. Owner: RONALD OR BARBARA KRUSE OR ROSE HORNER

Phone No. _____

Current Address: N 750 TRAILS END RO. RAYNDRUM, ID.

2. Accompanied by: NONE

EXAM. DATE: 4/4/89

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JAN 18 1991

Scale: 1" = NT3

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached CAMERA DISFUNCTION
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8" x 65' WELL, ~~FOR~~ SUBMERSIBLE PUMP & PIPE TO HOME & 6 ROUNDS

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	SUBMER5182E	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
			1/2K			

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:


Indicate Method of Determination

[illegible]

Do not use this space

JAN 8 1991

MICROFILMED



NAME: RONALD KRUSE
 PD: T52N, R4W, SEC. 29, N2NE, NWSE
 PU:
 SOURCE: GROUNDWATER

PERMIT NUMBER: 95-08305
 MAP: # 27
 QUAD: E-54

MICROFILMED

JAN 18 1981

Do not use this space


D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1. *NONE POSSIBLE*

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

*one HOME
ONE ACRE
5 STOCK*

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*ONE HOME
ONE ACRE
5 STOCK*

MICROFILMED

JAN 18 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO STOCK @ TIME OF EXAM

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use		Period of Use		Rate of Diversion		Annual Volume	
		From	To	Q (cfs)	V (afa)		
IRR		3-15	11-15	0.02	3.0		
STOCK		1-1	12-31	0.02	0.2		
DOMESTIC		1-1	12-31	0.02	0.6		
		Totals:		0.04	3.8		

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name TOM KING
 Signature [Signature]
 Certification Date 2/17/89
 Field Report Preparation Date 4/4/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
JAN 18 1991

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 52N, Rge. 4W,
Sec. 29, Qtr./Qtr. N²W E N W S E or Lot _____
2. Owner RONALD O. KRUSE
Address N750 TRAILS END RD, City RATHDRUM, State ID
3. Approx. date of well construction 11-4-80
Well Driller ASSOCIATED
4. Casing: Diameter 8 Condition UNK
5. Casing length above land surface UNK IN HOUSE 6" ABOVE FLOOR
6. Well depth (ft) 260 Flowing _____ Temp. _____
Access port NO
7. Condition of piping and valving UNK GOOD
8. Evidence of well seal YES CONC. SLAB
9. Shut in pressure or static water level 235
10. Evidence of leakage around the casing NONE
11. Does well need repair UNK
12. Comments WELL IN PUMPHOUSE LOCKED


MICROFILMED

JAN 18 1991

(OVER)

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Handwritten notes and a small diagram. The text includes "PAVING RD.", "ORIGINITY", "HOME", and "WELL". There are also arrows and a small sketch of a road layout.

Inspected by JK Date 4/4/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8305 ROSE HORNER
Name(s) of Permit Holder(s): RONALD OR BARBARA KRUSE
Post Office Address: N. 750 TRAILS END RD.
RATHDRUM ID 83850 Tel.

- ☒ I hereby certify that construction of diversion works on the above referenced permit began on 197 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5/12/03
Date

Ronald O. Kruse
Signature of Permit Holder

PLACE
STAMP
HERE

MICROFILMED

JAN 18 1991



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

MAY 12 1983

Department of Water Resources
Northern District Office



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 4, 1988

Mr. Ronald Kruse
N. 750 Trails End Rd.
Rathdrum, Id. 83858

Re: 95-8305

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

zm.

RECEIVED

JAN 10 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8305Date: 10/17/88General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
☒ Reinstated

Source of Water:

☒ Surface water
☒ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested


Remarks:

Proof acceptable
 Reinstated

☒	Priority Calculation:		
	Date proof received	<u>July 21, '88</u>	<u>202</u>
	Date proof due	<u>July 1, '88</u>	<u>- 182</u>
	No. of days late		<u>= 20</u>
	Priority date	<u>May 12, '83</u>	<u>+ 132</u>
	NEW PRIORITY DATE	<u>June 1, '83</u>	<u>= 152</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86



Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 2

Date 7/21/88

Receipt #

Receipt by

Reviewed by JK gs

Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8305

Name(s) of Permit Holder: RONALD OR BARBARA KRUSE

Post Office Address: N. 750 TRAILS END RD RATHDRUM, ID 83858

Telephone No. 687 1372

Source of Water: GROUND WATER

Extent of Use:

Domestic 1 (number of households) Stockwater 5 (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: MAY 12, 1985

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JAN 10 1989

7/21/88
Date

Ronald O. Kruse
Signature of Permit Holder (and title, if appropriate)

To: File 95-8305

From: Groundwater Protection

Date: 10/17/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
☐ probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*Original log not found - but
well was deepened in 1980.*


OK

JTB.

MICROFILMED

JAN 10 1989

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Ray & Vera Kruse</u> Address <u>Rt 3 Box 317 Rantoul, Mo. 63050</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>23.5</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature <u>cold</u> OF. Quality <u>good</u>																																
2. NATURE OF WORK ☐ New well ☒ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>2.0</u></td> <td><u>—</u></td> <td><u>2 hrs</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>2.0</u>	<u>—</u>	<u>2 hrs</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>2.0</u>	<u>—</u>	<u>2 hrs</u>																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yield No.</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>8"</u></td> <td><u>2'4"</u></td> <td><u>26'</u></td> <td><u>Sand</u></td> <td><u>X</u></td> </tr> <tr> <td colspan="5" style="height: 100px; vertical-align: top;"> <u>8" casing 16</u> <u>23' started at</u> <u>about 16'</u> REC MAR 20 1961 Department of Water Resources </td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yield No.	From	To	<u>8"</u>	<u>2'4"</u>	<u>26'</u>	<u>Sand</u>	<u>X</u>	<u>8" casing 16</u> <u>23' started at</u> <u>about 16'</u> REC MAR 20 1961 Department of Water Resources																			
Hole Diam.	Depth		Material	Water Yield No.																													
	From	To																															
<u>8"</u>	<u>2'4"</u>	<u>26'</u>	<u>Sand</u>	<u>X</u>																													
<u>8" casing 16</u> <u>23' started at</u> <u>about 16'</u> REC MAR 20 1961 Department of Water Resources																																	
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>11/4/60</u> finished <u>11/4/60</u>																																
5. WELL CONSTRUCTION <u>F1-7-19 C25-49</u> Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches + _____</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches + _____	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION <u>cb dl</u> I/We certify that all minimum well construction standards were complied with at the time this rig was removed. <u>ASSOCIATED</u> Firm Name <u>Dubois Inc</u> Firm No. <u>245</u> Address <u>Box 317 C-29</u> <u>11/4/60</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>
Thickness	Diameter	From	To																														
_____ inches	_____ inches + _____	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Keosauqua</u> <u>Mo. & Sec. 29, T. 52, R. 4 E</u>																																	

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

14N 1 0 1352

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

July 11, 1988

ROSE HORNER
RONALD O. KRUSE
BARBARA KRUSE
N. 750 TRAILS END RD.
RATHDRUM, ID 83858

LAPSE NOTICE

RE: PERMIT NO. 95-08305

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated April 30, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this lapse notice or the permit will no longer be of any force of effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
Chief, Operations Bureau

Enclosures

LGS:RF

MICROFILMED

JAN 10 1989

CERTIFICATION OF MAILING

I hereby certify that on 7/14/88
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Heidi Miller

HERNER, ROSE
KRUSE, RONALD O. & BARBARA
N. 750 TRAILS END RD.
RATHDRUM, ID 83858

138566
CERTIFIED MAIL
April 30, 1988

PROOF DUE NOTICE

RE: Permit No. 95-8305

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECORDED

JAN 10 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KRUSE, RONALD D. & BARBARA
N. 750 TRAILS END RD.
RATHDRUM, ID 83858

AUGUST 02, 1983

RE: PERMIT NO. 95-8305

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8305

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☒ No* In form for advertising.
Final date for protests: 6-13-83 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/3/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
Date of priority recommended: 5/12/83
Special conditions of approval or cover letter. _____

By: RYA

Date: 6/17/83

STATE OFFICE REVIEW:

SLW/LT

26

- ☐ See attached sheet for more information.

By: Reyn

Date: 7/12/83

RECEIVED
JUL 7 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot (R)	REACH
-------	-----	-----	-----	---------------------	-------

TRACT	SEC	TWP	RGE	gov't rediv. (R)	REACH

TRACT	SEC	TWP	RGE	GOV ¹ Fediv. (R)	REACH

TRACT	SEC	TWP	RGE	gov't lot	redv. (R)	REACH

TRACT	SEC	TWP	RGE	gov't lot (R)	REACH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8305 ROSE HORNER
Name(s) of Permit Holder(s): RONALD OR BARBARA KRUSE
Post Office Address: N. 750 TRAILS END RD.
RATHDRUM ID 83850 Tel. No. _____

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1971 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5/12/83
Date

Ronald O. Kruse
Signature of Permit Holder

95-8305-

KRUSE, RONALD O. &/or BARBARA
HORNER, ROSE

N. 750 TRAILS END RD., RATHDRUM, ID 83858

Source: GROUNDWATER

Date Filed: 05/12/1983

Diversion Pt: NWSE Sec 29 T 52N R 04W

Use: IRRIGATION	(0.10 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: NWSE Sec 29 T 52N R 04W FOR 5 ACRES

MICROFILMED