

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Carole Hodge

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *weeks* commencing on the *14* day of *April*, 19*83*, and ending on the *21* day of *April*, 19*83*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carole Hodge

RECEIVED
APR 22 1983

Subscribed and sworn to before me this *21* day of *April*, 19*83*

Rolita Stanley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
LEADER Northern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

95-8278

TIPKE, LARRY C.
RT. 1 BOX 109A, ATHOL, ID
83801

Source: GROUNDWATER
Date Filed: 03/30/1983
Diversion Pt: NESE Sec 07 T 52N
R 03W
Use: IRRIGATION (0.20 CFS);
DOMESTIC (0.04 CFS);
In: NESE Sec 07 T 52N R 03W
FOR 10 ACRES

95-8279

WEBER, MARY ELLEN HEALY
7306 HOOKING RD., MC LEAN,
VA 22101

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NENW Sec 27 T 51N
R 04W
Use: IRRIGATION (3.00 CFS)
In: SW 1/4 Sec 22 T 51N R 04W FOR
160 ACRES

95-8280

SANCHEZ, JOANNE L.
HINDBERG, AUGUST
N. 980 ATLAS RD., RATHDRUM,
ID 83856

Source: GROUNDWATER
Date Filed: 04/04/1983
Diversion Pt: SWNW Sec 27 T 52N
R 04W
Use: IRRIGATION (0.10 CFS);
DOMESTIC (0.08 CFS)
In: SWNW NWSW Sec 27 T 52N
R 04W FOR 5 ACRES

95-8281

LEWIS, ROBERT V.
STAR RT., COEUR D'ALENE,
ID 83814

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NESW Sec 01 T 42N
R 05W

Use: DOMESTIC (0.08 CFS)
In: NESW Sec 01 T 42N R 05W

95-8282

NORDSTROM, JANET K. &/or
CARL RICHARD
STAR RT., KINGSTON, ID 83830

Source: NETTLETON GULCH
trib. to SINKS
Date Filed: 04/06/1983
Diversion Pt: SESE SWSE Sec 06
T 50N R 03W
Use: IRRIGATION (2.50 CFS);
STOCKWATER (0.02 CFS)
In: SE 1/4 Sec 06 T 50N R 03W
NWNE Sec 07 T 50N R 03W FOR
129 ACRES

95-8283

NORDSTROM, JANET K. &/or
CARL RICHARD
STAR RT., KINGSTON, ID 83830

Source: GROUNDWATER
Date Filed: 04/06/1983
Diversion Pt: SESE SWSE NWSE
NESE Sec 06 T 50N R 03W NWNE
Sec 07 T 50N R 03W
Use: IRRIGATION (0.20 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.18 CFS)
In: SE 1/4 Sec 06 T 50N R 03W
NWNE Sec 07 T 50N R 03W FOR
14 ACRES

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't. Way, Coeur d'Alene, Id.
83814 on or before MAY 2, 1983.
KEN DUNN, Dir.

Legal 812
April 14, 21, 1983

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

(✓) B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(✓)Field Report (✓)Quad Sheet ()Gov. Lot Plat ()Rules Check list
()Aerial Photo ()Photo PD/PU (✓)Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____



Sr. Agent Review _____ Date _____
Regional Manager Review RMH _____ Date 6/11/90

PERMIT NUMBER

95-08283



NAME: NORDSTROM PERMIT NUMBER: 95-08283
PD: T50N, R3W, SEC. 6, SE, / SEC 7, NW NE GL: 3-F MAP: #
PU: T, R, SEC. 6, SAN AC/IRR: 3-F QUAD: 16
SOURCE: GROUNDWATER TRIBUTARY TO: LAKE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Richard C. Nordstrom</u> Address <u>Granville, Ia. 53839</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>145</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature <u>40</u> °F. Quality <u>Excellent</u> Describe artesian or temperature zones below.																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>60</u></td><td><u>Variable</u></td><td><u>1 1/2 hr</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>60</u>	<u>Variable</u>	<u>1 1/2 hr</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																	
<u>60</u>	<u>Variable</u>	<u>1 1/2 hr</u>																																	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From To</th><th>Material</th><th>Water Yield</th></tr></thead><tbody><tr><td><u>8</u></td><td><u>0</u> <u>16</u></td><td><u>Sand</u></td><td></td></tr><tr><td></td><td><u>16</u> <u>25</u></td><td><u>Gravel</u></td><td></td></tr><tr><td><u>6</u></td><td><u>25</u> <u>140</u></td><td><u>Gravel</u></td><td></td></tr><tr><td></td><td><u>140</u> <u>190</u></td><td><u>Sand</u></td><td></td></tr><tr><td></td><td><u>190</u> <u>200</u></td><td><u>Loose Gravel</u></td><td></td></tr></tbody></table>		Bore Diam.	Depth From To	Material	Water Yield	<u>8</u>	<u>0</u> <u>16</u>	<u>Sand</u>			<u>16</u> <u>25</u>	<u>Gravel</u>		<u>6</u>	<u>25</u> <u>140</u>	<u>Gravel</u>			<u>140</u> <u>190</u>	<u>Sand</u>			<u>190</u> <u>200</u>	<u>Loose Gravel</u>									
Bore Diam.	Depth From To	Material	Water Yield																																
<u>8</u>	<u>0</u> <u>16</u>	<u>Sand</u>																																	
	<u>16</u> <u>25</u>	<u>Gravel</u>																																	
<u>6</u>	<u>25</u> <u>140</u>	<u>Gravel</u>																																	
	<u>140</u> <u>190</u>	<u>Sand</u>																																	
	<u>190</u> <u>200</u>	<u>Loose Gravel</u>																																	
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED OCT 20 1984 Department of Water Resources RECEIVED OCT 25 1984 Idaho Department of Water Resources																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>2.50</u> inches</td><td><u>6</u> inches</td><td><u>2</u> feet</td><td><u>209</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Paced from _____ feet to _____ feet Surface seal depth <u>25</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☒ <u>Coltins</u> Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Weld ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	<u>2.50</u> inches	<u>6</u> inches	<u>2</u> feet	<u>209</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet
Thickness	Diameter			From	To																														
<u>2.50</u> inches	<u>6</u> inches			<u>2</u> feet	<u>209</u> feet																														
_____ inches	_____ inches	_____ feet	_____ feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
Number	From	To																																	
_____ perforations	_____ feet	_____ feet																																	
_____ perforations	_____ feet	_____ feet																																	
_____ perforations	_____ feet	_____ feet																																	
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> <u>NE 1/4 SE 1/4 T2N R1E S10W</u>		10. Work started <u>10/14/84</u> finished <u>10/15/84</u>																																	
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>Associated Well</u> Firm Name <u>Drillers Inc</u> Firm No. <u>245</u> Address <u>214 723 CPA</u> Date <u>10/15/84</u> Signed by (Firm Official) <u>Bob Smith</u> and (Operator) <u>Robert F. Pugh</u>																																			

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

JUL 27 1985

FOUR QUALITY

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08283

Priority: April 6, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
2.4 AF

This is to certify, that JANET K. NORDSTROM
CARL RICHARD NORDSTROM

HC 01 BOX 29D

KINGSTON, ID 83839

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 6, 1983; and has submitted Proof of Beneficial Use on March 16, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 6, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

50N 03W 6 NESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of December, 1990.

Acting

R. Keith Higginson, Director

MICROFILMED

JAN 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

JANET K. NORDSTROM
AND/OR

1. Name of applicant CARL RICHARD NORDSTROM Phone _____

Post office address STAR ROUTE, KINGSTON, ID 83839

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 50N

Range 3W B.M. SIDE KOOTENAI County, additional points of diversion if any: _____

SWSE, NWSE, NESE SEC 6; NWNESec 7 T-50N R-3W

4. Water will be used for the following purposes:

Amount 0.18 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.20 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 600 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 50N
Range 3W B.M. NW NE

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 20 HEAD

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 14.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE 1/4			NW 1/4			SE 1/4			SW 1/4			NE 1/4			NW 1/4			SE 1/4			SW 1/4			TOTALS
			NE 1/4	NW 1/4	SW 1/4	NE 1/4	NW 1/4	SW 1/4	NE 1/4	NW 1/4	SW 1/4	NE 1/4	NW 1/4	SW 1/4	NE 1/4	NW 1/4	SW 1/4	NE 1/4	NW 1/4	SW 1/4	NE 1/4	NW 1/4	SW 1/4	NE 1/4	NW 1/4	SW 1/4	
50N	3W	6													2	1	3										9
50N	3W	7																									5
MICROFILMED																											

Total number of acres to be irrigated

14

c. Describe any other water rights used for the same purposes as described above.

None

9. a. Who owns the property at the point of diversion

APPLICANT

b. Who owns the land to be irrigated or place of use


11

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Richard Nordstrom
(Applicant)

MICROFILMED

Received by LC Date 4/6/83 Time 10:30
Preliminary check by LC Fee \$ 30.00
Received by LC Date 4/6/83 # 27496
Publication prepared by Don d. Allen Date 4/7/83
Published in Don d. Allen
Publication dates 4/14+21/83
Publication approved LC Date 4/21/83
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by LC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8283, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16th day of May, 1983.

D. Allen Gayton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Carole Nedge

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *weeks* commencing on the *14* day of *April*, 19*83*, and ending on the *21* day of *April*, 19*83*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carole Nedge

RECEIVED Subscribed and sworn to before me this *21* day of *April*, 19*83*

APR 22 1983

Department of Water Resources
LEADER Northern District Office

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-6278

TIPKE, LARRY C.
RT. 1 BOX 189A, ATHOL, ID 83801

Source: GROUNDWATER
Date Filed: 03/30/1983
Diversion Pt: NESE Sec 07 T 52N R 03W
Use: IRRIGATION (0.20 CFS); DOMESTIC (0.04 CFS)
In: NESE Sec 07 T 52N R 03W FOR 10 ACRES

95-6279

WEBER, MARY ELLEN HEALY
7308 HOOKERS RD, MCLEAN, VA 22104

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NENW Sec 27 T 51N R 04W
Use: IRRIGATION (3.00 CFS)
In: SW 1/4 Sec 21 T 51N R 04W FOR 100 ACRES

95-6280

SANCHEZ, JOAQUIN L.
HINDSBURG, AUGUST
N. 300 ATLAS RD., RATHDRUM, ID 83858

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: SWNW Sec 27 T 52N R 04W
Use: IRRIGATION (0.10 CFS); DOMESTIC (0.00 CFS)
In: SWNW NWSW Sec 27 T 52N R 04W FOR 5 ACRES

95-6281

LEWIS, ROBERT V.
STAR RT., COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NENW Sec 21 T 52N R 03W

Use: DOMESTIC (0.00 CFS)
In: NENW Sec 21 T 52N R 03W

95-6282

NORDSTROM, JANET E. & CARL RICHARD
STAR RT., KINGSTON, ID 83839

Source: NETTLETON GULCH trib. to SINKS
Date Filed: 04/01/1983
Diversion Pt: SESE NWSW Sec 05 T 50N R 03W
Use: IRRIGATION (3.50 CFS); STOCKWATER (0.40 CFS)
In: SE 1/4 Sec 05 T 50N R 03W NWNE Sec 07 T 50N R 03W FOR 120 ACRES

95-6283

NORDSTROM, JANET E. & CARL RICHARD
STAR RT., KINGSTON, ID 83839

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NESE NWSW NWSW NESE Sec 05 T 50N R 03W Sec 07 T 50N R 03W
Use: IRRIGATION (0.20 CFS); STOCKWATER (0.40 CFS); DOMESTIC (0.00 CFS)
In: SE 1/4 Sec 05 T 50N R 03W NWNE Sec 07 T 50N R 03W FOR 14 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 2000 Gov't. Way, Coeur d'Alene, ID 83814 on or before April 14, 1983.

Legal 813

April 14, 1983

MICROFILMED

December 24, 1990

JANET K. NORDSTROM
CARL RICHARD NORDSTROM
HC 01 BOX 29D
KINGSTON, ID 83839

RE: WATER RIGHT NO. 95-08283

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JAN 18 1991

November 30, 1990

JANET K. NORDSTROM
CARL RICHARD NORDSTROM
HC 01 BOX 29D
KINGSTON, ID 83839

RE: WATER RIGHT NO. 95-08283

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

JAN 18 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8283

Name/Address change? ☒ ok ☐

Priority date Advance? yes ☐ no ☒

Memo to advance
Order to reinstate needed? yes ☐ no ☒

Total cfs Limited by fee 04 ☒

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked NONE

Theoretical checked NONE

If greater than permit, check for other rts

Source Changed? yes ☐ no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Not filed - send form
Not needed ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒

30-day

Back of field report signed? ☒

Reviewer S. Curtis Date 11-27-90 Review time 8 min.

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 95-DP283

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8)

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)


☒ **J. AUTHENTICATION**

- Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

- Check with permit and well log for discrepancies

Signature



Date

7/17/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

(✓) B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(✓) Field Report (✓) Quad Sheet () Gov. Lot Plat () Rules Check list
() Aerial Photo () Photo PD/PU (✓) Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

95-08283

95-08283

RECEIVED

JAN 18 1991

Sr. Agent Review _____

Date _____

Regional Manager Review *[Signature]* _____

Date _____

Date *6/11/90* _____

PERMIT NUMBER

95-08283

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Richard Nordstrom Permit No. 95-08283
Current Address: HCD-1 Box 291 Kingston Id 83839 Phone No. 682 2660
2. Accompanied by: _____ EXAM. DATE: 6/13/89
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)
A gun diameter x 209 ft well with static water level with submersible pump and pipe
line to house.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

JAN 18 1951

UNCLASSIFIED

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Two HOMES .04 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Two HOMES 2.4 AF

MICROFILMED

JAN 18 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The two houses belong to James Sloan and well and system belong to C. Richard Woodstrom. When the remainder of houses are built an association will be formed.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use Dom (w/700)
Period of Use From 1/1/ To 12/31
Rate of Diversion .04 Q (cts)
Annual Volume 24 V (ata)

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name James E. Hume
Signature James E. Hume
Certification Date 2/17/89
Field Report Preparation Date June 13, 1989

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

11-27-90



RECEIVED

JAN 18 1991

State of Idaho
Department of Water Resources
WELL INSPECTION FORM


This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 50N, Rge. 3W,
Sec. 6, Qtr. / Qtr. NE SE or Lot _____
2. Owner L.R. Woodstrom
Address HQ 1 Box 290, City Kingston, State Id
3. Approx. date of well construction 10/15/84
Well Driller Associated
4. Casing: Diameter 6" IN Condition _____
5. Casing length above land surface _____
6. Well depth (ft) 209 Flowing _____ Temp. _____
Access port _____
7. Condition of piping and valving _____
8. Evidence of well seal _____
9. Shut in pressure or static water level 14.5 ft
10. Evidence of leakage around the casing _____
11. Does well need repair _____
12. Comments Well is in man hole w/ concrete
lid and 32" diameter and 3" thick

(OVER)

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95- 8283
Name(s) of Permit Holder(s): CAROLANET NORDSTROM
Post Office Address: STAR ROUTE
KINGSTON, ID 83859

☒ I hereby certify that construction of diversion works for the above referenced permit began on SEPT 1983 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

12/10/84
Date

C. Richard Nordstrom
Signature of Permit Holder

PLACE
STAMP
HERE

MICROFILMED

JAN 18 1991



RECEIVED

DEC 10 1984

RECEIVED

DEC 13 1984

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources
Northern District Office

Department of Water Resources

Under the regime that this report is filed with the Bureau, the Bureau of the Census is required to make a study of the economic conditions of the country and to report the results of such study to the President of the United States.

2. WELL OWNER

Name RICHARD C. HARRISON

Address BRIDGE, N. 10019

Owner's Permit No. _____

7. WASTEWATER LOGS

Sludge water level: _____

Flowing? ☐ Yes ☐ No

Arduous about to pump? ☐ Yes ☐ No

Controlled by: ☐ Valve ☐ Other _____

Temperature: _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe abandonment procedure such as materials, plug depths, etc. in lithologic log)

E. WELL TEST DATA

☐ Pump ☐ Tester ☐ Other

Surface B.P.M.	
50	

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

8. LITHUANIAN 800

4. METHOD DRILLED

☒ Rotary	☐ Air	☐ Hydraulic	☐ Reverse rotary
☐ Cable	☐ Aug	☐ Other _____	

6. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
1.250 inches	6 inches	0	100 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive thru sand? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Fullway ☐ Knife ☐ Tooth

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well cemented? ☒ Yes ☐ No

Manufacturer's name _____

Type _____ depth _____

Company _____ feet deep _____ feet to _____

Geological notes _____ ☐ Site of pond _____

Parent type _____ feet to _____

Remarks and remarks _____ ☐ Remarks _____

_____ ☐ Remarks _____

Notes and remarks _____ ☐ Remarks _____

Notes and remarks _____ ☐ Remarks _____

Notes and remarks _____ ☐ Remarks _____

The image is a high-contrast, black-and-white photograph. It features a prominent, dense grid pattern that occupies most of the frame, resembling a window blind or a textured surface. The grid is composed of many small, rectangular cells. On the right side of the image, there is a dark, irregular, and somewhat jagged shape that contrasts sharply with the grid. The overall appearance is grainy and high-contrast, with a lot of black and white noise.

STATE OF ID 40
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name David A. and Robert C. Erickson Address Rt. 9, Box 614, Coeur d'Alene, Id 83814 Owner's Permit No. _____	7. WATER LEVEL Static water level 200 feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF, Quality _____																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td>114</td> <td></td> <td></td> </tr> <tr> <td>Estimated As Lift</td> <td></td> <td></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	114			Estimated As Lift																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																			
114																																																					
Estimated As Lift																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yds</th> <th>Mc</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>0</td> <td>25</td> <td>Shale, Light-Brown</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>25</td> <td>60</td> <td>Shale, Gray</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>60</td> <td>75</td> <td>Shale, Blue</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>75</td> <td>260</td> <td>Slate, Dark-Gray, Med. Hard</td> <td>X</td> <td></td> </tr> <tr> <td>6</td> <td>260</td> <td>600</td> <td>Slate, Dark-Gray, Hard</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>600</td> <td>615</td> <td>Slate, Dark-Gray, Med. Hard</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>615</td> <td>640</td> <td>Slate, Dark-Gray, Hard</td> <td></td> <td>X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yds	Mc	6	0	25	Shale, Light-Brown		X	6	25	60	Shale, Gray		X	6	60	75	Shale, Blue		X	6	75	260	Slate, Dark-Gray, Med. Hard	X		6	260	600	Slate, Dark-Gray, Hard		X	6	600	615	Slate, Dark-Gray, Med. Hard		X	6	615	640	Slate, Dark-Gray, Hard		X
Hole Diam.	Depth		Material	Water																																																	
	From	To		Yds	Mc																																																
6	0	25	Shale, Light-Brown		X																																																
6	25	60	Shale, Gray		X																																																
6	60	75	Shale, Blue		X																																																
6	75	260	Slate, Dark-Gray, Med. Hard	X																																																	
6	260	600	Slate, Dark-Gray, Hard		X																																																
6	600	615	Slate, Dark-Gray, Med. Hard		X																																																
6	615	640	Slate, Dark-Gray, Hard		X																																																
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started 5/4/81 finished 5/7/81																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.250 inches</td> <td>6 inches</td> <td>1 feet</td> <td>19 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth 19 Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	.250 inches	6 inches	1 feet	19 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION RECEIVED MAY 12 1981 I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Federco Drilling Firm Name Federco Drilling, Inc. Firm No. 228 Address 2. 6618 Broadway City Bozeman, MT 59706 Date May 8, 1981 Signed by (Firm Official) <i>[Signature]</i> and (Operator) <i>Keith Vermillion</i>																				
Thickness	Diameter	From	To																																																		
.250 inches	6 inches	1 feet	19 feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
Number	From	To																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County Bozeman Section 6 T. 50 N. R. 30 E. W.	USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																																				



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 8, 1988

Carl Richard Nordstrom
HCO 1 Box 290
Kingston, Id 83839

RE: 95-8283

Dear Sir:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MAILED

JUL 27 1988



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8283

Date: 5-11-88

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
9 Address change _____ If yes, prepare a data entry
4 Proof received timely _____
_____ Reinstated

Source of Water:

9 Surface water
9 Groundwater
_____ 1. well log in file ✓
_____ 2. drilling permit - NA
_____ A. amount of drilling fee paid for proposed uses

1 foot 1, maybe JB

Extent of Use and Rate of Diversion:

9 Rate of diversion appropriate for uses
4 Is rate or volume and fee appropriate?
No Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks: *Proof acceptable*

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

completed 6/7/88 SA

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
MAR 21 1988

RECEIVED

MAR 16 1988

STATE OF IDAHO

Department of Water Resources
District Office

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8283

Name(s) of Permit Holder: C. Richard Nordstrom

Post Office Address: HCO-1 Box 290 Kingston ID 83839

Telephone No. 682 2660

Source of Water: Well

Extent of Use:

Domestic one (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ W/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

C. Richard Nordstrom
(Name)

Same
(Telephone Number)

Same
(Address)

The above information is my true statement of the extent to which the above permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 27 1988

March 8
Date

C. Richard Nordstrom (owner)
Signature of Permit Holder (and title, if appropriate)

138379
CERTIFIED MAIL
February 28, 1988

NORDSTROM, JANET K. & CARL RICHARD
STAR RT.
KINGSTON, ID 83839

PROOF DUE NOTICE

RE: Permit No. 95-8283

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED
JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

NORDSTROM, JANET K. & CARL RICHARD
STAR RT.
KINGSTON, ID 83839

MAY 25, 1983

RE: PERMIT NO. 95-8283

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: PSA

APPLICATION NUMBER: 95-8283

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other PHD

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*
☐ Yes ☒ No

In form for advertising.

Final date for protests: 5/2/83

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/22/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No

Measuring device required.

Access port required.

Will water be delivered by watermaster? If yes, what district? _____

Date of priority recommended. 4/16/83

Special conditions of approval or cover letter. _____

By: PSA

Date: 5/4/83

STATE OFFICE REVIEW:

SW/LH

26

- ☐ See attached sheet for more information.

By: Relym

Date: 5/12/83

RECEIVED

MAY 10 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8283-

NORDSTROM, JANET K. &/or CARL RICHARD

STAR RT., KINGSTON, ID 83839

Source: GROUNDWATER

Date Filed: 04/06/1983

Diversion Pt: SESE SWSE NWSE NESE Sec 06 T 50N R 03W NWNE Sec 07 T 50N R 03W

Use: IRRIGATION	(0.20 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.18 CFS)

In: NESE NWSE SWSE SESE Sec 06 T 50N R 03W NWNE Sec 07 T 50N R 03W
FOR 14 ACRES

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~Stephen Alford~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 14, 1983

Panhandle Health District
2195 Ironwood Ct.
Coeur d'Alene, Id. 83814

Re: 95-8283

Gentlemen:

Enclosed is a recent filing with this Department that may be of
interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Appln.

RECEIVED