

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8278

TIPKE, LARRY C.
RT. 1 BOX 109A, ATHOL, ID 83801

Source: GROUNDWATER
Date Filed: 03/30/1983
Diversion Pt: NESE Sec 07 T 52N R 03W
Use: IRRIGATION (0.20 CFS); DOMESTIC (0.04 CFS)
In: NESE Sec 07 T 52N R 03W FOR 10 ACRES

95-8279

WEBER, MARY ELLEN HEALY
7306 HOOKING RD., MC LEAN, VA 22101

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NENW Sec 27 T 52N R 04W
Use: IRRIGATION (3.00 CFS)
In: SW 1/4 Sec 22 T 51N R 04W FOR 160 ACRES

95-8280

SANCHEZ, JOANNE L.
HINDBERG, AUGUST
N. 990 ATLAS RD., RATHDRUM, ID 83858

Source: GROUNDWATER
Date Filed: 04/04/1983
Diversion Pt: SWNW Sec 27 T 52N R 04W
Use: IRRIGATION (0.10 CFS); DOMESTIC (0.08 CFS)
In: SWNW NWSW Sec 27 T 52N R 04W FOR 5 ACRES

95-8281

LEWIS, ROBERT V.
STAR RT., COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NESW Sec 01 T 48N R 05W

Use: DOMESTIC (0.08 CFS)
In: NESW Sec 01 T 48N R 05W

95-8282

NORDSTROM, JANET K. &/or
CARL RICHARD
STAR RT., KINGSTON, ID 83839

Source: NETTLETON GULCH trib. to SINKS
Date Filed: 04/06/1983
Diversion Pt: SESE SWSE Sec 06 T 50N R 03W

Use: IRRIGATION (2.58 CFS); STOCKWATER (0.02 CFS)
In: SE 1/4 Sec 06 T 50N R 03W NWNE Sec 07 T 50N R 03W FOR 129 ACRES

95-8283

NORDSTROM, JANET K. &/or
CARL RICHARD
STAR RT., KINGSTON, ID 83839

Source: GROUNDWATER
Date Filed: 04/06/1983
Diversion Pt: SESE SWSE NWSE NESE Sec 06 T 50N R 03W NWNE Sec 07 T 50N R 03W

Use: IRRIGATION (0.20 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.18 CFS)
In: SE 1/4 Sec 06 T 50N R 03W NWNE Sec 07 T 50N R 03W FOR 14 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before MAY 2, 1983.
KEN DUNN, Dir.

Legal 812

April 14, 21, 1983

STATE OF IDAHO,
County of Kootenai,

} ss.

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 1983, and ending on the day of 1983, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

1983

day of

APR 22

Department of Water
LEADER Northern District Office

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

95-827.9



MICROFILMED
SEP 29 1987

61.3

22.0

E

97.7

9.2 42
400000

214A

bring slab 214A

(40)

B-138
Amalgam

40

78.9

78.2

$\frac{78.9}{2} = 39.45$

39

39

28

H25A

104.2

A 295
Jewell Seed

1.50

B-138
Amalgam

107.4

277A

78.6

156.2

A 274
in Meyer

160.8

78.8

79.2

A 282

100.6

F10

F10

MICROFILMED

SEP 29 1981

NOT TO SCALE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-8279

Priority: April 1, 1983 Amount: 3.00 CFS 553.0 AFA

This is to certify, that MARY ELLEN HEALY WEBER
7306 HOOKING RD.
MC LEAN, VA 22101

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated April 1, 1983, and
has submitted proof to the Department of Water Resources on April 1, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of 3.12 cfs of water from a GROUNDWATER
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	3.00 cfs	553.0 afa

LOCATION OF POINT OF DIVERSION(S): NENW , Sec. 27, Township 51N, Range 4W
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	4W	22	NESW 40	NWSW 40	SWSW 39	SESW 39	158

Total number of acres irrigated: 158

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The maximum combined rate of diversion under this right & Right 95-8273 shall not exceed 3.12 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th day
of SEPTEMBER, 1987.

MICROFILMED

SEP 29 1987

Director

[Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant MARY ELLEN HEALY WEBER Phone _____
Post office address 7306 HOOKING RD. MCLEAN, VA 22101
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 27 Township 51N
Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.00 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 400 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

DECLASSIFIED

Total number of acres to be irrigated 160

None

- ROY ARMSTRONG

- Applicant


- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

APPLICANT HAS AN EASEMENT

- AND FARM THE PROPERTY

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Mary Ellen Treacy Weber
(Applicant)

MICROFILMED

Received by: JK Date: 4-1-83 Time: 1:30 PM
Preliminary check by: JK Fee \$ 85.00
Receipted by: JK Date: 4-1-83 (27473)
Publication prepared by: JK Date: 4/7/83
Published in: New Mexico
Publication dates: 4/14-21/83
Publication approved: PWA Date: 4/26/83
Protests filed by: MSU

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by PWA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8279 and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

June 1, 19 84

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 16th day of May, 1983.

D. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8270
TIPKE, LARRY C.
RT. 1 BOX 109A, ATHOL, ID 83801

Source: GROUNDWATER
Date Filed: 03/30/1983
Diversion Pt: NESE Sec 07 T 52N R 03W
Use: IRRIGATION (0.20 CFS); DOMESTIC (0.04 CFS)
In: NESE Sec 07 T 52N R 03W FOR 10 ACRES

95-8272
WEBER, MARY ELLEN HEALY
7306 HOORING RD., MC LEAN, VA 22101

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NENW Sec 27 T 51N R 04W
Use: IRRIGATION (3.00 CFS)
In: SW 1/4 Sec 22 T 51N R 04W FOR 160 ACRES

95-8280
SANCHEZ, JOANNE L.
HINDSBERG, AUGUST
N. 980 ATLAS RD., RATHDRUM, ID 83838

Source: GROUNDWATER
Date Filed: 04/04/1983
Diversion Pt: SWNW Sec 27 T 52N R 04W
Use: IRRIGATION (0.10 CFS); DOMESTIC (0.08 CFS)
In: SWNW NWSW Sec 27 T 52N R 04W FOR 5 ACRES

95-8281
LEWIS, ROBERT V.
STAR RT., COEUR D'ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 04/01/1983
Diversion Pt: NESW Sec 01 T 48N R 05W
Use: DOMESTIC (0.08 CFS)
In: NESW Sec 01 T 48N R 05W

95-8283
NORDSTROM, JANET K. &/or
CARL RICHARD
STAR RT., KINGSTON, ID 83839

Source: NETTLETON GULCH trib. to SINKS
Date Filed: 04/06/1983
Diversion Pt: SESE SWSE Sec 04 T 50N R 03W
Use: IRRIGATION (2.58 CFS); STOCKWATER (0.03 CFS)
In: SE 1/4 Sec 06 T 50N R 03W NWNE Sec 07 T 50N R 03W FOR 129 ACRES

95-8283
NORDSTROM, JANET K. &/or
CARL RICHARD
STAR RT., KINGSTON, ID 83839

Source: GROUNDWATER
Date Filed: 04/06/1983
Diversion Pt: SESE SWSE NWSE NESE Sec 06 T 50N R 03W NWNE Sec 07 T 50N R 03W
Use: IRRIGATION (0.20 CFS); STOCKWATER (0.03 CFS); DOMESTIC (0.10 CFS)
In: SE 1/4 Sec 06 T 50N R 03W NWNE Sec 07 T 50N R 03W FOR 14 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before MAY 2, 1983.

KEN DUNN, Dir.
Legal 812
April 14, 21, 1983

STATE OF IDAHO,
County of Kootenai,

} ss.

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive days commencing on the 14 day of April, 1983, and ending on the 21 day of April, 1983, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 21 day of April, 1983.

Department of Water Resources
LEADER Northern District Office

Roberta Z. Anley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

September 28, 1987

MARY ELLEN HEALY WEBER
7306 HOOKING RD.
MC LEAN, VA 22101

RE: Permit No. 95-8279

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 29 1987

September 3, 1987

MARY ELLEN HEALY WEBER
7306 HOOKING RD.
MC LEAN, VA 22101

RE: Permit No. 95-8279

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED
SEP 29 1987

RECEIVED

SEP 4 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

10 DAY

95-8279
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{1400 \text{ gpm}}{448.8} = 3.12$$

$$7(33 \text{ sprinklers @ } \frac{1}{4}) = \frac{231(6.01)}{448.8} = 3.09$$

Applied for 3.0

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 158(3.5) = 553.0 \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.9835(245)3.0 = 1457.9 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 553.0 \end{aligned}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: NONE/MICRO

b) Other water rights with same point of diversion: 95-8273

c) Analysis: Not to be SAME SYSTEM - Not to exceed 3.0 AFS nor 553.0 AF when combined.

MICROFILMED

SEP 29 1987

3.	Permit No.	4-1-83	Amount	3.0	App. Date	4-1-83	Date Proof Submitted	4-1-83	System Capacity	3.12
----	------------	--------	--------	-----	-----------	--------	----------------------	--------	-----------------	------

[illegible][illegible][illegible]

9. Recommended Conditions/Remarks: _____

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature _____
Checked in Regional Office by Bob Thomas
Approved in State Office by Bob Thomas

Date 8/17/84
Date 8/20/84
Date 17 Aug 84

RECORDED
SEP 29 1984

SEP 29 1981
MICROFILMED

Date 8/17/84
Date 8/20/84
Date 17 Aug-87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 95-8279

1. Owner: N/C ROSEMARY ELLEN Weber Phone No.

Current Address: 7306 Hooking Road, McLEAN, VA. 22101

2. Accompanied by: Ray Armstrong EXAM. DATE: 6/25/84

Address: 95-8293 Phone No. 725 107

Relationship to Permit Holder: LEASEE

3. Source: GU tributary to

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Booster	Newman Marathon	150 75	9869 96608-6/6-4	Recaloss Amora	F21617 80-3727

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

16" x 40" Well ~~Sub~~ pump & Booster w/ 8" main to
Sp system

Sp. Syst: 7 lines (33 Nelson F-33 x 1/4 @ 50%)

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
MCrometer	Impeller		78/8/2682			-3

7. Measurements ☐ Additional data/computation sheets attached

1400 rpm


8. Point(s) of Diversion:	Indicate Method of Determination
---------------------------	----------------------------------

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination Normal map

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached
☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached


14. Remarks _____

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature _____ Date 6/25/84
17. Consultant's License Number _____
18. IDWR Director's Authorization to Conduct _____
19. Beneficial Use Examination _____

Date _____

MICROFILMED
SEP 28 1984
CONSULTANT SEAL

95-8279



AIR FILMED

SEP 29 1987

RIVER

61.3

97.7

9.2 42
at 4000 ft

(40)

B138

Aug 20 1961

40

78.9

78.9

78.9 - 39.45

39

104.2

A 295
S162

B138

Aug 20 1961

78.9

2770

78.9

A 156.2

A 274
to Mojave

100.8

MICROFILMED

SEP 29 1981

NOTTAS 15

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

APRIL 24, 1984

MARY ELLEN HEALY WEBER
7306 HOOKING RD.
MC LEAN VA 22101

RE: Permit No. 95-8279

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

SEP 29 1987

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8079.

Name(s) of Permit Holder: MARY ELLEN HEALY WEBER

Post Office Address: 7306 HOOKING RD

MOZELAN, VA 22101 Tel. No. _____

Source of Water: GROUNDWATER

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>160</u>	(acres)
☐ Other	_____	

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☐ Yes ☐ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/23/83
Date

Mary Ellen Healy Weber
Signature of Permit Holder

Christmas US



Trepolc: National Gallery of Art

Mary Ellen Healy Weber
7306 Hooking Road
McLean VA 22101

APR 1 1983
Department of Water Resources
Northern District Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WEBER, MARY ELLEN HEALY
7306 HOOKING RD.
MC LEAN, VA 22101

MAY 25, 1983

RE: PERMIT NO. 95-8279

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8279

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 5/2/83
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/26/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
4/11/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RAH Date: 5/4/83

STATE OFFICE REVIEW:

return receipt

RECEIVED

MAY 10 1983

See attached sheet for more information.

By: Relin Date: 5/12/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

95-8279

WEBER, MARY ELLEN HEALY

7306 HOOKING RD., MC LEAN, VA 22101

Source: GROUNDWATER

Date Filed: 04/01/1983

Diversion Pt: NENW Sec 27 T 51N R 04W

Use: IRRIGATION (3.00 CFS)

In: (NESW NWSW SWSW SESW)_{SW} Sec 22 T 51N R 04W FOR 160 ACRES

RECEIVED