

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8275
ROCKFORD BAY MARINA INC.
STAR RT., COEUR D'ALENE,
ID 83814

Source: GROUNDWATER

Date Filed: 03/23/1983

Diversion Pt: NENE Sec 18 T 48N
R 04W

Use: COMMERCIAL (0.04 CFS);
DOMESTIC (0.20 CFS)

In: NENE Sec 18 T 48N R 04W
95-8276

DAVIS, CLAUDIA

E. 4400 ENGLISH POINT RD.,
HAYDEN LAKE, ID 83835

Source: HAYDEN LAKE trib. to
SINKS

Date Filed: 03/28/1983

Diversion Pt: LOT 02 Sec 17 T 51N
R 03W

Use: DOMESTIC (0.04 CFS)

In: LOT 02 Sec 17 T 51N R 03W
95-8277

WELLING, MICHAEL C.

E. 4396 WOODLAND DR., POST
FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 03/29/1983

Diversion Pt: SWSW sec 07 T 50N
R 04W

Use: DOMESTIC (0.02 CFS)

In: SWSW sec 07 T 50N R 04W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id.
83814 on or before APRIL 25, 1983.

KEN DUNN, Dir.

Legal 787

Apr. 7, 14, 1983

Arlene Hansen being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Coeur d'Alene Press
of which the annexed is a printed copy, was published in the regular Monday
issue of said newspaper for 2 consecutive weeks,
commencing on the 7 day of April, 1983, and
ending on the 14 day of April, 1983, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Arlene Hansen
Subscribed and sworn to before me this 14 day of April,
1983.

APR 21 1983

Roberta Drury

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
Northern District Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08277

1. Owner: Gerald F Anderson Phone No. 7651347
Current Address: W 7755 Highland Drive, Coeur d'Alene ID 83814

2. Accompanied by: MRS. GERALD ANDERSON EXAM. DATE: 12/7/90

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

WELL
PIPE
LINE
8-1-1" DE HOME



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
AUG 09 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08277

Priority: July 8, 1984

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
1.2 AF

This is to certify, that GERALD F. ANDERSON
W. 7755 HIGHLAND DR.

COEUR D ALENE, ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 29, 1983; and
has submitted Proof of Beneficial Use on August 10, 1989. An examination indicates
that the works have a diversion capacity of .020 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 7, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC


50N 04W 7 SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of JULY, 1991.

Acting for


R. Keith Higginson, Director

AUG 09 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8277 IN THE)
NAME OF GERALD F. ANDERSON) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before May 1, 1988; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 10, 1989;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8277 be REINSTATED and the priority advanced to July 8, 1984.

Dated this 27th day of August, 1990.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

SEP 24 1990

WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
Original Permit	95-8277	Welling, Michael C.	0.02
Full Assignment	95-8277	Anderson, Gerald F.	0.02

MICROFILMED

SEP 25 1989

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

I, Michael C. Welling hereby assign to Gerald F. Anderson
of W. 7755 Highland Dr. Coeur d'Alene, Idaho
(address)

(Select A or B)

A. ☒ All my right, title and interest in and to Permit # 95-8277 to appropriate the public waters of the State of Idaho.

B. ☐ The following described portion of my right, title, and interest in and to Permit# _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage and/or number and type of uses within each 40 acre subdivision, legal description of the point of diversion and the amount of water in cubic feet per second for direct diversion, or acre feet for storage).

Made this 26th day of July, 19 89.

Michael C. Welling
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Kootenai) ss.

On this 26th day of July, 19 89, personally appeared before me the signer (s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

seal

Dat Beckord
Notary Public residing at

Hayden Lake

MICROFILMED

My commission expires:

12-11-93
SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Michael C. Welling Phone 773-4000
Post office address E 4396 Woodland Dr. Post Falls, Idaho 83854
2. Source of water supply ground which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 7 Township 50N
Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____
3650.02' OF LOT 11 EX. W 600'

4. Water will be used for the following purposes:

Amount 0.02 for Domestic purposes from yrnd to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. NONE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 7 Township 50N
Range 4W B.M.

(2) Amount of power to be generated: NONE horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered NONE

(4) Name of municipality to be served NONE, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: NONE

MICROFILMED

WILLIAM

[illegible]

c. Describe any other water rights used for the same purposes as described above.


Michael C. Wellburg

Michael C. Walling

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2" = 1 mile.

BEFORE KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

M. J. C. Wally
(Applicant)

MICROFILMED

Proposed Priority 3/29/1983

Received by Date 3/29/83 Time 11:30 AM
Preliminary check by Fee \$ 30.00
Received by Date 3/29/83 (07457)
Publication prepared by Date 3/29/83
Published in
Publication dates 7/7 & 19/83
Publication approved Date 4/27/83
Protests filed by:

Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8277, and said application is hereby APPROVED
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 9th day of May, 19 83.

Chief, Operations Bureau

D. Allen Saylor

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8275
ROCKFORD BAY MARINA INC.
STAR RT., COEUR D'ALENE,
ID 83814

Source: GROUNDWATER
Date Filed: 03/23/1983
Diversion Pt: NENE Sec 18 T 48N
R 04W

Use: COMMERCIAL (0.04 CFS);
DOMESTIC (0.20 CFS)

In: NENE Sec 18 T 48N R 04W
95-8275

DAVIS, CLAUDIA
E. 4400 ENGLISH POINT RD.,
HAYDEN LAKE, ID 83836

Source: HAYDEN LAKE trib. to
SINKS

Date Filed: 03/23/1983
Diversion Pt: LOT 02 Sec 17 T 51N
R 03W

Use: DOMESTIC (0.04 CFS)
In: LOT 02 Sec 17 T 51N R 03W
95-8277

WELLING, MICHAEL C.
E. 4398 WOODLAND DR., POST
FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 03/29/1983
Diversion Pt: SWSW sec 07 T 50N
R 04W

Use: DOMESTIC (0.02 CFS)
In: SWSW sec 07 T 50N R 04W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 405
Gov't Way, Coeur d'Alene, Id,
83814 on or before APRIL 23, 1983.
KEN DUNN, Dir.

Legal 787

Apr. 7, 14, 1983

STATE OF IDAHO,
County of Kootenai,

ss.

Claudia Davis being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive months, commencing on the 7 day of April, 1983, and ending on the 14 day of April, 1983, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

RECEIVED
Subscribed and sworn to before me this 14 day of April, 1983

APR 21 1983

Roberta D. Dwyer

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
Northern District Office

MICROFILMED

July 31, 1991

GERALD F. ANDERSON
W. 7755 HIGHLAND DR.
COEUR D ALENE, ID 83814

RE: WATER RIGHT NO. 95-08277

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
AUG 09 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8277

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity ☒

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed?

Reviewer J. Curtis Date 7/24/91 Review time 6 min.

MICROFILMED
AUG 09 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Gerald F Anderson Permit No. 95-08277
Current Address: W 7755 Highland Drive, Coeur d'Alene ID 83814 Phone No. 7651347
2. Accompanied by: MRS. GERALD ANDERSON EXAM. DATE: 12/7/90
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

WELL
PIPE
DITCH
DITCH



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

RECEIVED
AUG 09 1991

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" x 3/4" w/gal w/summers 186 Pump & Pipe line to Pond

[illegible]☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

1001 G C 304

Do not use this space


D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

*one
hour*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*one
hour*

AUG 09 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NEW OWNER GERALD ANDERSON

ACCORDING TO THE ASSESSOR, HIGHLAND DRIVE, NORTH SIDE, IS
COMMON TO SECTION LINE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Dom (1)	1-1	12-31	0.02	1.2
Totals:			0.02	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name TOM KING

Signature [Signature]

Certification Date 4/16/90

Field Report Preparation Date 12/7/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

AUG 09 1991

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08277

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 50 N, Rge. 4W Sec. 7, SW $\frac{1}{4}$ SW $\frac{1}{4}$ Gov. Lot 11

2. Owner: Gerald F. Anderson

Address: W. 7755 Highland Drive, Coeur

City Coeur d'Alene, State ID 83814

3. Casing $\geq$ 12 inches above ground: Yes ☐ No ☐

4. Access Port: Y ☐ N ☐

Static Water Level: 20'

Pressure Gauge: Y ☐ N ☐

Casing Diameter: 6"

Flowing: Y ☐ N ☒

Temperature: Cold 50°

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☐

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: well log attached

MICROFILMED

AUG 09 1991

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Michael Welby

Address 204 Woodland Dr. Parkville

Owner's Permit No. _____

7. WATER LEVEL

Static water level 20 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature 52 °F. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal

☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary

☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name Maple

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>10</u>	<u>250</u>	<u>4</u>
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes/No
	From	To		
<u>10</u>	<u>1</u>	<u>2</u>	<u>Soil</u>	
<u>10</u>	<u>2</u>	<u>12</u>	<u>Granite Gravel</u>	
<u>10</u>	<u>12</u>	<u>15</u>	<u>Gravel</u>	
<u>6</u>	<u>18</u>	<u>19</u>	<u>Gravel</u>	
<u>11</u>	<u>19</u>	<u>250</u>	<u>Gravel</u>	
<u>11</u>	<u>250</u>	<u>290</u>	<u>Gravel</u>	
<u>11</u>	<u>290</u>	<u>310</u>	<u>Gravel</u>	

10.

Work started 8-23-84 finished 8-25-80

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Joe J. J. J. Firm No. 345

Address 1234 Main St. Date _____

1. WELL OWNER

Name Michael Welby

Address 204 Woodland Dr. Parkville

Owner's Permit No. _____

7. WATER LEVEL

Static water level 20 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature 52 °F. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal

☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary

☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name Maple

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>10</u>	<u>250</u>	<u>4</u>
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes/No
	From	To		
<u>10</u>	<u>1</u>	<u>2</u>	<u>Soil</u>	
<u>10</u>	<u>2</u>	<u>12</u>	<u>Granite Gravel</u>	
<u>10</u>	<u>12</u>	<u>15</u>	<u>Gravel</u>	
<u>6</u>	<u>18</u>	<u>19</u>	<u>Gravel</u>	
<u>11</u>	<u>19</u>	<u>250</u>		

September 7, 1990

GERALD F. ANDERSON
W. 7755 HIGHLAND DR.
COEUR D ALENE, ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08277

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

SEP 24 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8277

Date: 4-16-90

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
9 Proof received timely
X Reinstated

Source of Water:

9 Surface water
9 Groundwater
 1. well log in file
 2. drilling permit
 N A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

9 Rate of diversion appropriate for uses
 9 Is rate or volume and fee appropriate?
9 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

9 Is a measuring device or access port required?
9 Has one been installed?
9 Waiver or modification of measuring device requested

Remarks:

<u>9</u> Priority Calculation:		365
Date proof received	<u>Aug. 10, 89</u>	<u>222</u>
Date proof due	<u>May 1, 88</u>	<u>587</u>
No. of days late		<u>-121</u>
Priority date	<u>Mar 29, 83</u>	<u>=466</u>
NEW PRIORITY DATE	<u>July 8, 1984</u>	<u>+ 88</u>
		<u>=554</u>
		<u>-365</u>
		<u>189</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
AUG 10 1989

NO FEE ENCLOSED
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8277

Name(s) of Permit Holder: GERALD F. ANDERSON (SEE ATTACHED ASSIGNMENT OF PERMIT)

Post Office Address: W. 7755 HIGHLAND DRIVE, COEUR D'ALENE, IDAHO

83814

Telephone No. 208-765-1347

Source of Water: WELL

Extent of Use:

Domestic 1 (number of households)

Stockwater _____ (number and type of stock)

Irrigation LAWN SPRINKLING (lawns)

Other/Remark _____

Total rate and/or volume for which proof is submitted 7.5 GPM etc _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: JULY, 1986

Measuring Device: Required? Yes X No
Installed? Yes No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

GERALD F. ANDERSON
(Name)

208-765-1347
(Telephone Number)

W. 7755 HIGHLAND DRIVE, COEUR D'ALENE, IDAHO 83814
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

8-1-89

Date

Gerald F. Anderson
Signature of Permit Holder (and title, if appropriate)

SEP 25 1989

August 22, 1989

Re: Water Right No. 95-8277

Gerald F. Anderson
W. 7755 Highland Dr.
Coeur d'Alene, ID 83814

Dear Water Right Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

We assume you are aware of requirements remaining to finalize the permit into a license.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:hm

MICROFILMED

SEP 25 1989

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

~~original
documents
in~~

~~97-7184~~

June 22, 1989

Michael C. Welling
E. 2845 St. James
Hayden Lake, ID 83835

Dear Mr. Welling:

Re: Permit No. 95-8277

LAPSE NOTICE

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, the above referenced permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time or a response to Rita Fleck's letter of February 28, 1988.

Your permit cannot be reinstated unless you submit the proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal including the examination fee or a completed field examination report or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which brings title to the water in question.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 6-22-1989
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Rita Fleck

RECEIVED

SEP 25 1989

INTER-DEPARTMENT MEMO — I

FROM

Jodi

DATE

9/2/88

TO

file # 95-8277

SUBJECT

Called Kootenai County Assessor.
Requested new address for:

Michael C. Welling
E. 2845 St. James
Hayden Lake, ID

83835

RECEIVED


SEP 25 1989

or

Same as in file

4396 E. Woodland Dr.
Post Falls, ID

83854



SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Boise, Idaho 83720

RECEIVED
JUN - 6 1988

Department of Water Resources

WEL 96 053113N1 05/31/88

RETURN TO SENDER
NO FORWARDING ORDER ON FILE
UNABLE TO FORWARD

MICROFILMED

SEP 25 1989

May 16, 1988

WELLING, MICHAEL C.
E. 4396 WOODLAND DR.
POST FALLS, ID 83854

LAPSE NOTICE

RE: Permit No. 95-8277

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218a, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated February 28, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this Department within sixty days of the date of mailing of this lapse notice.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

SEP 25 1989

CERTIFICATION OF MAILING

I hereby certify that on 5-26-1988
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Beta Fleck

138376
CERTIFIED MAIL
February 28, 1988

WELLING, MICHAEL C.
E. 4396 WOODLAND DR.
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: Permit No. 95-8277

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WELLING, MICHAEL C.
E. 4396 WOODLAND DR.
POST FALLS, ID 83854

MAY 25, 1983

RE: PERMIT NO. 95-8277

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8277

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. 4/25/83
☐ Yes ☒ No Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/21/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
3/29/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RSH

Date: 4/29/83

STATE OFFICE REVIEW:

- SLW/L17 26
☐ See attached sheet for more information.
By: [Signature]

Date: 5/4/83

RECEIVED
MAY 02 1983

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8222-

WELLING, MICHAEL C.

E. 4396 WOODLAND DR., POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 03/29/1983

Diversion Pt: SWSW Sec 07 T 50N R 04W

Use: DOMESTIC (0.02 CFS)

In: SWSW Sec 07 T 50N R 04W

MICROFILMED