


2579 1 SE
495 (NEWMAN LAKE)

496

R 45 E R 46 E 2'30" 497 R 6 W

498

7.5 MINUTE SERIES (TOP)
NE 1/4 DRENNACRES 18' QUADRA
RATHDRUM 7 MI.
2940 000 FEET (WASH.)



June 19, 1986

Ms. Peggy L. Beck
W. 6625 Hwy 53
Post Falls, Id. 83854

Re: 95-8274

Gentlemen:

Enclosed is your Receipt No. 32196 in the amount of \$100.00 for the examination of your above-referenced permit.

If you have any questions, please contact this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Receipt

MICROFILMED

MAR 06 1989

DEPARTMENT OF

STATE OF IDAHO

OF WATER RESOURCES

PERMIT # 95-8274

INITIALS

← Pump

#1 Domestic →

#2 & #3 Domestic
↙ ↘



MICROFILMED

MAR 06 1989

Attachment 1

①	②	③
up to 15 lat. (7 during exam)	up to 15 lat.	up to 13 lat
$\frac{3}{16}$ " 58psi	$\frac{1}{16}$ " 60psi: (7 during exam)	$\frac{3}{16}$ " 45psi: (12 during exam)
$\frac{3}{16}$ " 58psi	$\frac{3}{16}$ " 66psi	$\frac{3}{16}$ " 47psi
$\frac{3}{8}$ " 58psi	" 68psi	$\frac{3}{16}$ " 48psi

All rainbird sprinkler heads

1) Avg.: press = 58 psi
 size = $\frac{3}{16}$ "
 Flow = 7.7 gpm / Nozzle
 $= 7(7.7) = 53.9 \text{ gpm}$

2) Avg.: press = 65 psi
 size = $\frac{3}{16}$ "
 Flow = 8.19 gpm / Nozzle
 $= 7(8.19) = 57.3 \text{ gpm}$

3) Avg.: Press = 47 psi
 size = $\frac{3}{16}$ "
 Flow = ~~7.0~~ 6.96 gpm / Nozzle

$12 \text{ Hrs}(6.96) = 83.496 \text{ gpm}$

Total Rate:
 Sum = $53.9 + 57.3 + 83.496 = 194.696 \text{ gpm} \times \frac{.00223 \text{ cfs}}{\text{gpm}}$
 $= .434 \text{ cfs}$

MICROFILMED


MAR 06 1989

2679 IV 9
(RATHDRU)

117°00'
47°45'



5283



WASH

DASH

RASH

DOM

Irr. 30 AC

Pump house

MICROFILMED
MAR 06 1989

NOT TO SCALE

A-10

Aerial Photo
TSIN R6W Sec 25

95-8274

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08274

Priority: March 18, 1983 Amount: 0.43 CFS 108.6 AFA

This is to certify, that WAYNE W. BECK, DEC.

C/O PEGGY L. BECK

W. 6625 HWY. 53

POST FALLS, ID 83854

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated March 18, 1983, and has submitted proof to the Department of Water Resources on May 18, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .480 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 11/01	0.43 CFS	105.0 AFA
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AFA
	Totals	0.43 CFS	108.6 AFA

LOCATION OF POINT OF DIVERSION(S): LOT 4(SWSW), Sec. 25, Township 51N, Range 06W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	06W	25	LOT 2(SWNW) 3	SENW 15	LOT 3(NWSW) 12	30
Total number of acres irrigated:						30

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 06W 25 NWNE SENW

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

MAR 06 1983

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-08274

CONDITIONS/REMARKS:

4. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of FEBRUARY, 1989.

Acting for the Director



RECEIVED
NORMAN YOUNG

MAR 06 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wayne W. Beck Phone 773-4285
Post office address W 6625 Hwy 53 Post Falls ID 83854
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is GL4 $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 25 Township 51N
Range 6W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .6 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .6 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & Pump & Pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8" inches; proposed depth of well is 190 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: NW NE
(1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 25 Township 51N
Range 6W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

RECEIVED

[illegible]


30

Norm

b. Who owns the land to be irrigated or place of use

applicant to make this filing

[illegible]



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

This image shows a full page of blank graph paper. The grid consists of small squares formed by thin black lines. There are 20 columns and 20 rows of squares. In the bottom-left corner, there is a small rectangular area containing some faint, illegible markings or a stamp.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne W. Beck
(Applicant)

RECEIVED
MAY 11 1983

Proposed Priority 3/18/1983

Received by [Signature] Date 3/18/83 Time 11:30 AM
Preliminary check by [Signature] Fee \$ 45
Received by [Signature] Date 3/18/83 # 27424
Publication prepared by [Signature] Date 3/23/83
Published in Civilian News
Publication dates 3/31 - 4/7/83
Publication approved [Signature] Date 4/8/83
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8274, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 9th day of May, 1983.

A. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

95-8274

BECK, WAYNE W.
W. 6625 HWY. 53, POST FLS, ID
83854

Source: GROUNDWATER
Date Filed: 03/18/1983
Diversion Pt: LOT 04 Sec 25 T 51N
R 06W
Use: IRRIGATION (0.00 CFS);
DOMESTIC (0.00 CFS)
In: LOT 02 SENW NWNE LOT 03
Sec 25 T 51N R 06W FOR 30
ACRES

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id.
83814 on or before APRIL 18, 1983.
KEN DUNN, Dir.

Legal 749
March 31, Apr. 7, 1983

STATE OF IDAHO,
County of Kootenai } ss.

Carol Hedge

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular
issue of said newspaper for *2* consecutive *Weeks*
commencing on the *31* day of *March* 19*83*, and
ending on the *7* day of *April* 19*83*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Hedge

Subscribed and sworn to before me this

7

day of

April

19 *83*

Robert F. Fennell

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

March 1, 1989

WAYNE W. BECK, DEC.
C/O PEGGY L. BECK
W. 6625 HWY. 53
POST FALLS, ID 83854

RE: PERMIT NO. 95-08274

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 06 1989

January 23, 1989

WAYNE W. BECK, DEC.
C/O PEGGY L. BECK
W. 6625 HWY. 53
POST FALLS, ID 83854

RE: PERMIT NO. 95-08274

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 06 1989

JUN 29 1987

Department of Water Resources

Permit No. 95-8274

Exam Completed Jennifer Argraves (Signature of Examiner and Date)
Exam Reviewed by Senior Water Resource Agent 6/24/87 (Initial and Date)
Exam Reviewed by Manager of Regional Office 6/24/87 (Initial and Date)
Exam Date Entered in Computer 6/24/87 (Initial and Date)
Exam Sent to State Office 6/25/87 (Initial and Date)
Copy of Staff Analysis Sheet Sent to Manager of Regional Office and Original
Refiled in White File (Initial and Date)

W. 6625 Hwy 53
Post Falls, ID 83854
(208) 773-4285

June 13, 1986

State Of Idaho
Department of Water Resources
4055 Government Way
Coeur d' Alene, ID 83814

Mr. Tom D. King

Dear Sir,

Regarding Permit No. 95-8274. I would like to change the name
from Wayne W. Beck to: Peggy L. Beck
W. 6625 Hwy 53
Post Falls, Idaho
(208) 773-4285

My husband Wayne W. Beck died June 17, 1984.

Sincerely,

Peggy L. Beck

Peggy L. Beck

RECEIVED
JUN 29 1987

Department of Water Resources

MICROFILMED

MAR 06 1989

RECEIVED
JUN 23 1988

Department of Water Resources
Northern District Office

June 19, 1986

Mrs. Peggy L. Beck
P.O. 6625 Hwy 53
Post Falls, Id. 83854

Re: 95-8274

Gentlemen:

Enclosed is your Receipt No. 37196 in the amount of \$100.00 for the examination of your above-reference permit.

If you have any questions, please contact this office.

Sincerely,

John W. Smith
Senior Motor Resource Agent

LDK/pms

Enc. - Receipt

MICROFILMED

MAR 06 1989

DEPARTMENT OF

STATE OF IDAHO

OF WATER RESOURCES

PERMIT # 95-8274

INITIALS

95-8274

← Pump

#1 Domestic →

#2 & #3 Domestic
↙ ↘

MICROFILMED

MAR 06 1989

Attachmen + 1

The image shows three vertical rulers, each with a series of horizontal tick marks. Handwritten text specifies the width and speed for each ruler.

- Ruler 1 (Left):**
 - Top: ① up to 15/lat. (7 during exam)
 - Middle: $\frac{3}{16}$ " 58ps:
 - Bottom: $\frac{3}{16}$ " 58ps: and $\frac{3}{8}$ " 58ps:
- Ruler 2 (Middle):**
 - Top: ② up to 15/lat.
 - Middle: $\frac{1}{16}$ " 60ps: (7 during exam)
 - Middle: $\frac{3}{16}$ " 66ps:
 - Bottom: $\frac{1}{8}$ " 68ps:
- Ruler 3 (Right):**
 - Top: ③ up to 13/lat
 - Middle: $\frac{3}{16}$ " 45ps: (12 during exam)
 - Middle: $\frac{3}{16}$ " 47ps:
 - Bottom: $\frac{3}{16}$ " 48ps:

All rainbird sprinkler heads

1) Avg. : press = 58 psi
size = $\frac{3}{16}$ "
Flow = 7.7 gpm / Nozzle
= 7(7.7) = 53.9 gpm

2) Avg: press = 65 psi
 size = $\frac{3}{16}$ "
 Flow = 8.19 gpm / Nozzle
 = $7(8.19) = 57.3 \text{ gpm}$

3) Avg : Press = 47 psi
Size = $\frac{3}{16}$ "
Flow = ~~7.0 gpm~~ 6.96 gpm / Nozzle

$$12 \text{H}_2\text{O}_5(6.96) = 83.496 \text{ gpm}$$


Total Rate:
Sum = $53.9 + 57.3 + 83.496 = 194.696 \text{ gpm} \times \frac{.00223 \text{ cfs}}{\text{gpm}}$
 $= \boxed{.434 \text{ cfs}}$

MICROFILMED

MAR 06 1989

2679 IV 5
(RATHDRU)

117°00'
47°45'



permit # 95-8274

5283



MICROFILMED

MAR 06 1989

NOT TO SCALE

Aerial
TSN R

A-10

1	2	3	4
		25	

1990

OVERLAP
DUE TO PU
(Dom)

RECEIVED

JUN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8274
Phone No. 208-773-4285
EXAM. DATE: 5-22-87
Phone No. _____

1. Owner: Peggy L. Beck
Current Address: W. 6625 HWY 53, Post Falls, Id. 83854
2. Accompanied by: _____
Address: SAME
Relationship to Permit Holder: _____
3. Source: ground water tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: #95-4171

☒ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 06 1989

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Press. = 60 ps:

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Newman	20	X230101	Pearles	201296

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

	Indicate Method of Determination			
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				
31.				
32.				
33.				
34.				
35.				
36.				
37.				
38.				
39.				
40.				
41.				
42.				
43.				
44.				
45.				
46.				
47.				
48.				
49.				
50.				
51.				
52.				
53.				
54.				
55.				
56.				
57.				
58.				
59.				
60.				
61.				
62.				
63.				
64.				
65.				
66.				
67.				
68.				
69.				
70.				
71.				
72.				
73.				
74.				
75.				
76.				
77.				
78.				
79.				
80.				
81.				
82.				
83.				
84.				
85.				
86.				
87.				
88.				
89.				
90.				
91.				
92.				
93.				
94.				
95.				
96.				
97.				
98.				
99.				
100.				

Map -

[illegible]

10701

Do not use this space

MAR 06 1989

MICROFILMED

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NO access port required

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{H_p (8.8) \varepsilon}{h_{st} + 2.3 (\text{Press})} = \frac{20 (8.8) (.75)}{138 + 2.3 (60)} = .478 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

From Press. measurements $Q = .434 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres } \overset{30}{\text{Irrigated}}) \times (\text{Irrigation Requirement}) = \overset{3.5}{105} \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \overset{245}{211} \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \overset{105}{105} \text{ AF}$$

2. Volume Calculations for Other Uses:


$$3 \text{ Dom} = 3 (1.2) = 3.6 \text{ AF}$$

MICROFILMED

MAR 06 1989

MAR 06 1989
MICROFILMED

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



Field Examiner's Name: Jennifer Hargaves
Signature: Jennifer Hargaves
Certification Date: 6/22/87
Field Report Preparation Date: 6/22/87

J. AUTHENTICATION

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

2. Recommended Amendments

Beneficial Use		Period of Use		Rate of Diversion	Annual Volume
		From	To	Q (cfs)	V (afa)
IRR.		3-15	11-15	.434	105
3 DOM.		1-1	12-31	.08	3.6
Totals:				\$.514	108.6

1. Recommended Amounts

I. RECOMMENDATIONS

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlap with #95-4171 claim is for out domestic on the farm house (1 house). It is used as a supplement to #95-8274 when water is low.

4/86

For Office Use Only
Fee Received 100.00
Date 6/16/86
Receipt # 32196
Receipt by [Signature]
Sent to S.O. [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

RECEIVED

JUN 23 1986

1. Permit No. 95-8274

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Peggy L. Beck

3. Post Office Address: W. 6625 Hwy 53 Post Falls, Idaho 83854

Telephone No. 208 773-4285

4. Source of Water: Well

5. Extent of Use:

Domestic 3 (No. of households) Stockwater (No. of acres)

Irrigation 30 (acres) Other/Remark

RECEIVED

JUN 23 1986

Department of Water Resources
Northern District Office

6. Total rate &/or volume for which proof is submitted .6 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

June, 1979

8. Person to contact to accompany the department representative during the field examination:

Peggy L. Beck

(Name)

W. 6625 Hwy 53 Post Falls, ID 83854

(Address)

773-4285

(Telephone Number)

☐ I choose to have the field examination conducted by or right examiner. Attached is a statement from the certified I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

MICROFILMED

MAR 06 1989

Date

June 13, 1986

Signature of Permit Holder (and title, if appropriate)

Peggy L. Beck



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

95-8274
BECK, WAYNE W.
W. 6625 HWY. 53
POST FALLS, ID 83854

Mailing address:
Statehouse
Boise, Idaho 83720

138469

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. **MICROFILMED**
your decision to use this alternative and submit it to the department to conduct the field examination, but you may change to another certified examiner. **MAR 06 1989**

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAR 06 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

APRIL 24, 1984

WAYNE W. BECK
W. 6625 HWY. 53
POST FALLS ID 83854

RE: Permit No. 95-8274

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 06 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8274

Name(s) of Permit Holder: Wayne W. Beck

Post Office Address: W. 6625 Hwy 53

Post Falls ID 83854 Tel. No. 773-4285

Source of Water: Groundwater

Extent of Use:

☒ Domestic	<u>3</u>	(number of households)
☐ Stockwater		(number and type of stock)
☒ Irrigation	<u>30</u>	(acres)
☐ Other		

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Point: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/18/83
Date

Wayne W. Beck
Signature of Permit Holder

RECEIVED

MAR 18 1983

Department of Water Resources
Northern District Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE

April 2, 1984

Wayne W. Beck
W. 6625 Hwy. 53
Post Falls, ID 83854

Dear Mr. Beck:

Re: Permit No. 95-8274

Recently, I sent you a notice by certified mail. Please disregard that notice as I see that you have submitted the Statement of Beneficial Use postcard. The postcard is now being processed.

I apologize for any inconvenience.

Sincerely,

RIAN I. FLECK
Secretary/Records Manager



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138637

BECK, WAYNE W.
W. 6625 HWY. 53
POST FALLS, ID 83854

PROOF DUE NOTICE

MARCH 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-8274 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

ENCLOSURES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BECK, WAYNE W.
W. 6625 HWY. 53
POST FALLS, ID 83854

MAY 25, 1983

RE: PERMIT NO. 95-8274

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 95-8274

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☐ Yes ☐ No* In form for advertising.
☐ Yes ☐ No Final date for protests: 4/18/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/8/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
3/18/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: SLW

Date: 4/20/83

STATE OFFICE REVIEW:

SLW/ocord

- ☐ See attached sheet for more information.

By: SLW

Date: 5/5/83

RECEIVED
MAY 04 1983

95-8224

BECK, WAYNE W.

M. 6625 HWY. 53. POST FALLS. ID 83854

Source: GROUNDWATER

Date Filed: 03/18/1983

Diversion Pt: LOT 04 Sec 25 T 51N R 06W

Use: IRRIGATION	(0.60 CFS)
DOMESTIC	(0.08 CFS)

In: LOT 02 SENW LOT 03 Sec 25 T 51N R 06W NWNE SENW Sec 25 T 51N R 06W
FOR 30 ACRES

MICROFILMED