


95-8273





A
61.3

22.0

E

97.7

1.2 42-
ch wall

214.7

Long Oak District

B-138
Ranch

75.9

78.2

28

125.7

1.50

104.2

A 295
Bachman Seed

29

9

B-138
Ranch

29

107.4

40

277.0

B
78.6

A
156.2

A 274
W. Meyer

160.8

78.8

79.2

MICROFILMED

SEP 29 1981

F10
A

F10
A

NOT TO SCALE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-8273

Priority: March 16, 1983

Amount:

2.00 CFS

374.5 AFA

This is to certify, that ROY A. ARMSTRONG
N. 4820 HUETTER RD.

COEUR D'ALENE, ID 83814

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated March 16, 1983, and has submitted proof to the Department of Water Resources on March 16, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 3.12 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	2.00 cfs	374.5 afa

LOCATION OF POINT OF DIVERSION(S): NENW, Sec. 27, Township 51N, Range 4W
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	4W	27	NWNE 9	NENW 29	SWNW 29	SENE 40	107

Total number of acres irrigated: 107

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The maximum combined rate of diversion under this right & Right 95-8279 shall not exceed 3.12 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of SEPTEMBER, 1987.

MICROFILMED

SEP 29 1987

Acting for the

Director

Norm C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant ROY A. ARMSTRONG Phone 765-6412
Post office address N. 4820 ~~HUETTER~~ RD. COEUR D'ALENE, ID 83814
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 27 Township 51N
Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.00 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 400 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

011

None

Applicant


11

applicant to make this filing

10. Remarks

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roy A. Armstrong
(Applicant)

MICROFILMED

Received by RK Date 3/16/83 Time 4:00
Preliminary check by Ryff Fee \$ 65.00
Received by LC Date 3/16/83 # 27408
Publication prepared by Mr. [Signature] Date 3/17/83
Published in Coastal Area News
Publication dates 3/24 & 31/83
Publication approved Mr. [Signature] Date 4/8/83
Protests filed by: [Signature]
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8273, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:
- An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 21st day of April, 1983.

J. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

RECEIVED

APR 1 1983

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

95-8289

ARMSTRONG, ROY A.
MARTIN, DONALD R. &/or
LUCILLE
N. 4820 HUETTER RD., COEUR
D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 03/11/1983
Diversion Pt: NWSE Sec 16 T 51N
R 04W
Use: IRRIGATION (1.60 CFS)
In: NWSE SWSE Sec 16 T 51N R
04W FOR 80 ACRES

95-8270

HOOKE, JERRY ALLEN
RT. 3 BOX 65, HAYDEN LAKE,
ID 83835
Source: SPRINGS trib. to SINKS
Date Filed: 03/07/1983
Diversion Pt: SESE Sec 20 T 52N
R 03W
Use: DOMESTIC (0.04 CFS)
In: SESE Sec 20 T 52N R 03W

95-8272

PETERSON, WILBUR G.
N. 13175 THREE FORKS RD.,
POST FALLS, ID 83854
Source: UNNAMED STREAM
trib. to HAUSER CREEK
Date Filed: 03/14/1983
Diversion Pt: SENE Sec 30 T 52N
R 05W
Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.01 CFS)
In: SENE Sec 30 T 52N R 05W
FOR 1 ACRES

95-8273

ARMSTRONG, ROY A.
N. 4820 HUETTER RD., COEUR
D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 03/16/1983
Diversion Pt: NENW Sec 27 T 51N
R 04 W
Use: IRRIGATION (2.00 CFS)
In: NWNE NENW SWNW SENW
Sec 27 T 51N R 04W FOR 110
ACRES

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id.
83814 on or before APRIL 11, 1983.

KEN DUNN, Dir.

Legal 721

March 24, 31, 1983

STATE OF IDAHO,
County of Kootenai } ss.

Carac Hedge

Department of Water Resources
Northern District Office

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *Weeks*, commencing on the *24* day of *March*, 19 *83*, and ending on the *31* day of *March*, 19 *83*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carac Hedge

Subscribed and sworn to before me this

31 day of *March*

19 *83*

Robert G. Mark

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

RECEIVED

AK
mm
4/5/83

September 28, 1987

ROY A. ARMSTRONG
N. 4820 HUETTER RD.
COEUR D ALENE, ID 83814

RE: Permit No. 95-8273

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 29 1987

September 3, 1987

ROY A. ARMSTRONG
N. 4820 HUETTER RD.
COEUR D ALENE, ID 83814

RE: Permit No. 95-8273

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 29 1987

RECEIVED

SEP 4 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

10 DAY

Department of Water Resources

95-8273
Permit No.

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{1400 \text{ gpm}}{448.8} = 3.12$$

$$7(33 \text{ sp. hrs @ } 1/64) = \frac{231(6.01)}{448.8} = 3.09$$

$$\cancel{0.02(107)} \quad 0.02(107) = \underline{\underline{2.14}}$$

ALLOW 2.0 per permit

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 107(3.5) = 374.5 \\ V_{D.R.} &= [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.9835(245)2.14 = 1039.9 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\underline{374.5 \text{ A.F.}}} \end{aligned}$$

c) Volume Calculations for Other Uses:

2. **Overlap Review**

a) Other water rights with same place of use: NONE/MICRO

b) Other water rights with same point of diversion: 95-8279

c) Analysis: SAME system - not to exceed 3.0 cfs nor 553.0 AF when combined.

MICROFILMED

SEP 29 1987

RECOMMENDED AMOUNTS

3.	Permit No.	95-8273	3-16-83	2.0	3-16-83	3-16-83	3.12
	Priority			Amount	App. Date	Date Proof Submitted	System Capacity

4. Permit Holder: Roy A. Armstrong

Address: N. 4820 HUNTER RD. - COEUR D'ALENE, ID 83814

5. Source: GROUNDWATER

tributary to

6. Beneficial Use

Period of Use

Rate of Diversion

Annual Volume

James

FROM
3-15
8:14

51-11

2014-2015

374.5

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks:

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature _____

Checked in Regional Office by Joe Taylor

Approved in State Office by

Date _____

Date _____

State

MICROFILMED

SEP 29 1987

☐ Add P.D. as reflected above☐ Change P.D. as reflected above☐ Change P.U. as reflected above

Examiner's Signature

Ed House

Ben Houston

17 Aug 87

78/02/8

8/20/81

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 95-8273

Phone No. _____

1. Owner: (N/C) Roy Armstrong Phone No. _____
Current Address: N. 4820 HUETTER RD. COEUR D'ALENE ID 83814

2. Accompanied by: R. Armstrong EXAM. DATE: 6/25/84
Address: _____ Phone No. _____

EXAM. DATE: 6/25/84

Relationship to Permit Holder: _____

3. Source: GW tributary to _____

3. Source: *GN* tributary to

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Newman	150		Peerless	F21611
Booster	Marathon	75	96608-6/64	Cummins	80-3727

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

16" x 400' Sub Well, ~~sub~~ pump & Booster in 18" main to Sp syst.

SP 54720
Nelson F-33 11/64 83 35 3/4 7 lines (33) 8" main

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
McClometa			78/8/2682			

7. Measurements ☐ Additional data/computation sheets attached

1400 gpm

8. Point(s) of Diversion: Indicate Method of Determination *Odonata Map*

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination Domestic Map


Place(s) of Use: _____ Indicate Method of Determination: Odorous Mar

[illegible]

10. Other water rights on these lands *none*

11. Other water right diverted from same p.d. *95-8279*

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

16. Examiner's/Consultant's Signature

Consultant's License Number


IDWR Director's Authorization to Conduct

Beneficial Use Examination

MICROFILMED

SEP 29 1987

CONSULTANT SEAL



61.3

E

97.7

9.242
27.4024

2142

3138

Run 2000

75.9

78.2

1.50

104.2

A295
Sandy Soil

29

9

3138
Run 2000

27.4

29

40

2770

78.0

A

150.2

A274
W. Meyer

160.8

78.8

MICROFILMED

SEP 29 1981

NOT TO SCALE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

DECEMBER 5, 1983

ROY A. ARMSTRONG
N. 4820 HUETTER RD.
COEUR D ALENE ID 83814

RE: Permit No. 95-8273

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8273.

Name(s) of Permit Holder: ROY A. ARMSTRONG

Post Office Address: N. 4820 HUETTER ROAD
COEUR D'ALENE, ID 83814 Tel. No. 765-6412

Source of Water: GROUNDWATER

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>110</u>	(acres)
☐ Other	_____	

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Point:	Required?	☐ Yes ☐ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/16/83
Date

Roy A. Armstrong
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

Department of Water Resources
Northern District Office

MAR 16 1983



RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ARMSTRONG, ROY A.
N. 4820 HUETTER RD.
COEUR D ALENE, ID 83814

MAY 10, 1983

RE: PERMIT NO. 95-8273

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
MAY 11 1983

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 95-8273

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4/11/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/11/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
3/16/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: RJA Date: 4/11/83

STATE OFFICE REVIEW:

3/17/83 OK

- ☐ See attached sheet for more information.

By: RJA Date: 4/18/83

RECEIVED

APR 15 1983

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8273

ARMSTRONG, ROY A.

N. 4820 HUETTER RD., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 03/16/1983

Diversion Pt: NENW Sec 27 T 51N R 04W

Use: IRRIGATION (2.00 CFS)

In: NWNE NENW SWNW SENW Sec 27 T 51N R 04W FOR 110 ACRES

RECORDED