

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

95-8286

BIEZE, SR., RAYMOND G.
BIEZE, JR., RAYMOND G.
2650 S. GREENFERRY RD.,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 03/04/1983
Diversification Pt: NESW Sec 30 T 50N
R 04W

Use: DOMESTIC (0.08 CFS)
IN: NESE Sec 30 T 50N R 04W

95-8267

CLEMETSON, LEROY
W. 5970 CLEMETSON RD.,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 03/04/1983
Diversification Pt: NESW Sec 20 T 50N
R 04W

Use: DOMESTIC (0.08 CFS)
IN: NESW Sec 20 T 50N R 04W

CRABE, LLOYD B.
N.W. 236 TIMOTHY ST.,
PULLMAN, WA 99163

Source: COEUR D'ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 03/03/1983
Diversification Pt.: NENW Sec. 23 T
49N R 04W

Use: DOMESTIC (0.04 CFS)
IN: NENW Sec 23 T 49N R 04W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id.
83814 on or before APRIL 4, 1983.
KEN DUNN, Dir.

Legal 693
March 17, 24, 1983

Alene Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive issues, commencing on the 17 day of May, 1983, and ending on the 24 day of May, 1983, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Alene Hancock
Subscribed and sworn to before me this 24 day of May, 1983.

Robert J. Mark
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of ~~WATER~~ Resources
Northern District Office

MICROFILMED

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name LEROY CLEMETSON
Address RT #1 Box 26 COIDA
Owner's Permit No. _____

2. NATURE OF WORK
☐ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☐ Steel ☐ Concrete ☐ Other
Thickness _____ Diameter _____ From _____ To _____
Inches _____ inches _____ feet _____ feet
Inches _____ inches _____ feet _____ feet
Inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name _____ Model No. _____
Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No Size of gravel _____ feet
Placed from _____ feet to _____ feet
Surface seal depth _____ Material used in seal: ☐ Cement grout
☐ Bentonite ☐ Pudding clay ☐
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name _____
Lot No. _____ Block No. _____
County Kootenai

7. WATER LEVEL
Static water level 35 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 60°F. Quality Good
Describe artesian or temperature zones below.

8. WELL TEST DATA
☐ Pump ☐ Bailer ☒ Air ☐ Other
Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____
90 + 263 1 hr

9. LITHOLOGIC LOG
Bore Depth Material Water
Dia. From To Yes No
Deepend
6-22-26 Granitic
60' Gen 234-235
35 Gen 250-251
OCT 14 1988
RECEIVED
OCT 22 1988
Department of Water Resources

10. Work started 9/1/84 finished 9/1/84

11. DRILLERS CERTIFICATION
I/we certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name United Drilling Inc. Firm No. 414
Address P.O. Box 2499 Date 9/1/84
Signed by (Firm Official) [Signature]
and
(Operator) Tim R. Volney

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08267

Priority: March 4, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that LEROY CLEMETSON

W. 5970 CLEMETSON RD.

COEUR D'ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 4, 1983; and has submitted Proof of Beneficial Use on March 10, 1988. An examination indicates that the works have a diversion capacity of .080 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 20, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 04W 20 NESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

SEP 24 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08267

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of August, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Leroy Clemetson Phone 664-6927
Post office address W. 5970 Clemetson Rd. COEUR D'ALENE, ID. 83814
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 20 Township 50N
Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 20 Township 50N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MICROFILMED

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 20
T50N
R4W
+ RP.
P/4

Sec 20
T50N
R4W
+ R.P.
8/14

MICROFILMED

2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Leroy B. Clementson
(Applicant)

MICROFILMED

Proposed Priority 3/4/1983

Received by JK Date 3-4-83 Time 11:30 AM

Preliminary check by JB Fee \$ 30.00

Receipted by JB Date 3/4/83 (24950)

Publication prepared by David Allen Jones Date 3/10/83

Published in _____

Publication dates 3/17 & 24/83

Publication approved JB Date 3/28/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8267, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 21st day of April, 1983.

D. Glenn Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

95-8286

BIEZE, SR., RAYMOND G.
BIEZE, JR., RAYMOND G.
2650 S. GREENFERRY RD.,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 03/04/1983
Diversion Pt: NESW Sec 30 T 50N
R 04W

Use: DOMESTIC (0.08 CFS)
IN: NESE Sec 30 T 50N R 04W
95-8287

CLEMETSON, LEROY
W. 5970 CLEMETSON RD.,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 03/04/1983
Diversion Pt: NESW Sec 20 T 50N
R 04W

Use: DOMESTIC (0.08 CFS)
In: NESW Sec 20 T 50N R 04W
95-8288

CRANE, LLOYD B.
N.W. 336 TIMOTHY ST.,
PULLMAN, WA 99168

Source: COEUR D'ALENE
LAKE trib. to SPOKANE RIVER
Date Filed: 03/04/1983
Diversion Pt.: NENW Sec. 23 T
49N R 04W

Use: DOMESTIC (0.04 CFS)
In: NENW Sec 23 T 49N R 04W

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id.
83814 on or before APRIL 4, 1983.
KEN DUNN, Dir.

Legal 693
March 17, 24, 1983

Alene Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular issue issue of said newspaper for 2 consecutive issues, commencing on the 17 day of March, 1983, and ending on the 24 day of March, 1983, and such publication was made as often during said period as said newspaper newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Alene Hancock
Subscribed and sworn to before me this 24 day of March, 1983.

Roberta Smith
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of ~~WATER~~ Resources
Northern District Office

MICROFILMED

August 30, 1990

LEROY CLEMETSON
W. 5970 CLEMETSON RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08267

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 24 1990

August 8, 1990

LEROY CLEMETSON
W. 5970 CLEMETSON RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08267

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 24 1990

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 95-04267

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8)

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)


☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature



Date

7/12/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

(☒) B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(☒) Field Report (☒) Quad Sheet () Gov. Lot Plat (☒) Rules Check list
() Aerial Photo () Photo PD/PU

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts: _____

Remarks: *No overlaps*

MICROFILMED

SEP 24 1990

Exam Completed By _____ Date _____

Sr. Agent Review _____ Date _____

Regional Manager Review *RYA* _____ Date *6/11/90*

PERMIT NUMBER

95-08267

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08267

1. Owner: LEROY CLEMETSON

Phone No. 664-6927

Current Address: W 5970 CLEMETSON RD. COEUR D'ALENE, ID 83814

2. Accompanied by: SAME

EXAM. DATE: 6/9/1989

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" x 266' Well with 5 1/2" ID 1.5 HP Submersible Pump

\$ Pipe to home

☐ See Remarks on page 4 for continuation

[illegible]

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]


6. Place(s) of Use:

Indicate Method of Determination *MAP*

[illegible]

Do not use this space

SEP 24 1990
UNRECORDED



Name of applicant Leroy Clemenson Phone 664-6917 **9508267**
 Post office address 446920 Clemenson Rd. Coeur d'Alene, ID 83814 **MAP-24-F-4**
 Source of water supply Groundwater which is a tributary of PU SAME
 Location of point of diversion is NE % of SW % of Section 20 Township 50N
 Range 40W B.M. K 1

Do not use this space

D. FLOW MEASUREMENTS


none

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

one home 0.04 cfs

2. Alternate Method for Checking Purposes:

$$\frac{8.8(1.5)80\%}{2.3(20)+85} = .08 \text{ cfs} \sim \text{CAPACITY}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

ONE HOME 1.2 AF

MicroFILMED

SEP 24 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

None

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Dom (1)	1-1 12-31	0.04	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom King
 Signature Tom King
 Certification Date 2/17/84
 Field Report Preparation Date 6/9/89

K. Licensing recommendation shall be prepared by an Idaho Department of Resources employee on a computer printout attached hereto.



MICROFILMED
 SEP 24 1990

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 50N, Rge. 4W,
Sec. 20, Qtr. / Qtr. NESW or Lot _____
2. Owner LEROY CLEMETSON
Address W5976 CLEMETSON RD, City COEUR D'ALENE, State ID
3. Approx. date of well construction 3 1983
Well Driller ?
4. Casing: Diameter 6" Condition GOOD
5. Casing length above land surface 2'
6. Well depth (ft) 265 Flowing NO Temp. _____
Access port Yes
7. Condition of piping and valving GOOD
8. Evidence of well seal _____
9. Shut in pressure or static water level 85'
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments _____

MICROFILMED

SEP 24 1990


(OVER)

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

MICROFILMED

SEP 24 1990



Inspected by JK Date 6/9/89



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 12, 1988

Mr. Leroy Clemetson
W. 5970 Clemetson Rd.
Coeur d'Alene, Id. 83814

Re: 95-8267

Dear Mr. Clemetson:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED

OCT 14 1988



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8267

Date: 8-18-1988

General Considerations:

3 Name same as permit
4 Signature the same as permit holder
0 Address change _____ If yes, prepare a data entry
4 Proof received timely _____
_____ Reinstated

Source of Water:

4 Surface water
4 Groundwater
4 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

4 Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
4 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED

MAR 10 1988

Department of Water Resources
Northern District Office

STATE OF IDAHO

Department of Water Resources
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received JK
Date 3-10-88
Receipt #
Receipt by JK
Reviewed by JKH
Sent to region 808

MAR 14 1988

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8267

Name(s) of Permit Holder: Leroy Clemetson

Post Office Address: W. 5970 Clemetson Rd. Coeur d'Alene, Id. 83814

Telephone No. 664-6927

Source of Water: Groundwater

Extent of Use:

Domestic 2 (number of households) Stockwater (number and type of stock)

Irrigation (acres) Other/Remark

Total rate and/or volume for which proof is submitted .04 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: April of 1983

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 14 1988


3/10/88
Date

X Leroy B. Clemetson
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT


USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>LEROY CLEMETSON</u> Address <u>Rt. # 1 Box 26 Coeur D'Alene, Id.</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>35</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>cold</u> OF. Quality <u>good</u>																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>25 G.P.M.</u></td> <td></td> <td></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25 G.P.M.</u>																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																													
<u>25 G.P.M.</u>																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>0</td> <td>6</td> <td>top soil</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>6</td> <td>105</td> <td>Decomp. granite soft</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>105</td> <td>189</td> <td>Decomp. granite hard</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>189</td> <td>205</td> <td>Fractured granite</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>205</td> <td>211</td> <td>very fractured</td> <td>X</td> <td></td> </tr> <tr> <td>6</td> <td>211</td> <td>225</td> <td>granite</td> <td></td> <td>X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	6	0	6	top soil		X	6	6	105	Decomp. granite soft		X	6	105	189	Decomp. granite hard		X	6	189	205	Fractured granite		X	6	205	211	very fractured	X		6	211	225	granite		X
Hole Diam.	Depth		Material	Water																																											
	From	To		Yes	No																																										
6	0	6	top soil		X																																										
6	6	105	Decomp. granite soft		X																																										
6	105	189	Decomp. granite hard		X																																										
6	189	205	Fractured granite		X																																										
6	205	211	very fractured	X																																											
6	211	225	granite		X																																										
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED DEC 12 1979 Department of Water Resources Northern District Office Boise, Idaho RECEIVED DEC 19 1979 Department of Water Resources Boise, Idaho																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> feet</td> <td><u>34</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No P.V.C. How perforated? ☐ Factory ☐ Knife ☐ Torch SAW Size of perforation <u>1/8</u> inches by <u>6</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>120</u> perforations</td> <td><u>165</u> feet</td> <td><u>220</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Shurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between struts Describe access port <u>welded</u>		Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>34</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>120</u> perforations	<u>165</u> feet	<u>220</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet														
Thickness	Diameter	From	To																																												
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>34</u> feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
Number	From	To																																													
<u>120</u> perforations	<u>165</u> feet	<u>220</u> feet																																													
_____ perforations	_____ feet	_____ feet																																													
_____ perforations	_____ feet	_____ feet																																													
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> N. <u>1/4</u> S. <u>34</u> E. <u>20</u> T. <u>20</u> N. <u>2</u> E. <u>6</u> W.	10. Work started <u>11/10/79</u> Finished <u>11/13/79</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>American Drilling</u> Firm No. <u>269</u> Address <u>P.O. Box 14977 Spokane</u> Date <u>12/10/79</u> Signed by Firm Official <u>Lawrence Murphy</u> and <u>BO Murphy</u> (Operator)																																														

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>LEROY LIEMETSON</u> Address <u>RT #1 BOX 26 CDA ID</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>35</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>60°F</u> Quality <u>Good</u> <i>Describe artesian or temperature zones below</i>																																
2. NATURE OF WORK ☐ New well ☒ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>90 +</u></td> <td><u>263</u></td> <td><u>1 hr</u></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>90 +</u>	<u>263</u>	<u>1 hr</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>90 +</u>	<u>263</u>	<u>1 hr</u>																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yield</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td><u>Deep sand</u></td> <td></td> </tr> <tr> <td></td> <td><u>6 235-245</u></td> <td></td> <td><u>Gran. FC</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>Co f hem 234-235</u></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>S.F. Grm 250-251</u></td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yield	From	To				<u>Deep sand</u>			<u>6 235-245</u>		<u>Gran. FC</u>	<u>X</u>				<u>Co f hem 234-235</u>					<u>S.F. Grm 250-251</u>						
Bore Diam.	Depth		Material	Water Yield																													
	From	To																															
			<u>Deep sand</u>																														
	<u>6 235-245</u>		<u>Gran. FC</u>	<u>X</u>																													
			<u>Co f hem 234-235</u>																														
			<u>S.F. Grm 250-251</u>																														
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>9/1/64</u> ended <u>9/1/64</u>																																
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>OK</u> Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Mudling clay ☐ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth ☐ Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent ☐ Cemented between st. ate Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Mt. West Drilling Co., Inc.</u> Address <u>Box 2499</u> Date <u>9/1/64</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Tim R. Vining</u>
Thickness	Diameter	From	To																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
E. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> N.H. & S.W. & Box <u>20</u>, T. <u>32</u>, N.R. <u>4</u>, E.																																	

138295
CERTIFIED MAIL
January 31, 1988

CLEMETSON, LEROY
W. 5970 CLEMETSON RD.
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: Permit No. 95-8267

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED

OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CLEMETSON, LEROY
W. 5970 CLEMETSON RD.
COEUR D'ALENE, ID 83814

MAY 10, 1983

RE: PERMIT NO. 95-8267

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AB

APPLICATION NUMBER: 958267

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☒ No*

In form for advertising.

Final date for protests: 4/4/83

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/4/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

Date of priority recommended. 3/4/83

Special conditions of approval or cover letter. _____

By: RSH Date: 4/11/83

STATE OFFICE REVIEW:

SW/LIT

26

- ☐ See attached sheet for more information.

By: RSH Date: 4/18/83

RECEIVED
APR 15 1983

Department of Water Resources

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-826Z

CLEMETSON, LEROY

W. 5970 CLEMETSON RD., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 03/04/1983

Diversion Pt: NESW Sec 20 T 50N R 04W

Use: DOMESTIC (0.08 CFS)

In: NESW Sec 20 T 50N R 04W

RECORDED