

Processed Priority 1/17/1983

Received by JK Date 2-17-83 Time 11:00 am
Preliminary check by JK Fee \$ 200
Received by JK Date 1-25-83 (-5-)
Publication prepared by JK Date 2-2-83
Published in Cover of Idaho Press
Publication dates 1-27-2-3-83
Publication approved JK Date 2-1-83
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JK JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8253, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. **SUBJECT TO ALL PRIOR WATER RIGHTS.**
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 1st day of March, 1983.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION
FOR WATER RIGHT
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

15-4883
DRADIER, MARVIN T.
E. 1800 ROWAN ST., SPOKANE,
WA 99202
Source: GROUNDWATER
Date Filed: 6/17/1983
Diversion Pt: SWSW Sec 23 T 5N
R 6W
Use: IRRIGATION (0.30 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: SWSW Sec 23 T 5N R 6W
FOR 10 ACRES

15-4884
MARKS, LYNN G.
RT. 3 BOX 22, HAYDEN LAKE,
ID 83825
Source: GROUNDWATER
Date Filed: 6/16/1983
Diversion Pt: NWSW Sec 12 T 5N
R 6W
Use: STOCKWATER (0.03 CFS);
DOMESTIC (0.04 CFS)
In: NWSW Sec 12 T 5N R 6W
FOR 10 ACRES

15-4885
KRAKENBERG, JOHN O.
1825 - 123RD ST. S.E., RENTON,
WA 98055
Source: UNNAMED CREEK
trib. to SAGE CREEK
Date Filed: 6/16/1983
Diversion Pt: SESE Sec 31 T 6N
R 6W
Use: IRRIGATION (0.10 CFS);
STOCKWATER (0.02 CFS);
DOMESTIC (0.04 CFS)
In: SESE Sec 31 T 6N R 6W
FOR 10 ACRES

The permit(s) will be subject
to all prior water rights. Permits
must be filed with the Director,
Dept. of Water Resources, 600
Gov't Way, Coeur d'Alene, ID,
83814 on or before FEBRUARY
14, 1984.

Legal 404
Jan. 27, Feb. 3, 1984
KEN DUNN, Dir.

STATE OF IDAHO,
County of Kootenai. } ss.

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 27 day of Dec, 1983, and ending on the 3 day of Jan, 1984, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 3 day of Jan, 1984.

Department of Water Resources
Coeur d'Alene District Office

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8253

1. Owner: MARVIN T. DRADER Phone No. 687-2280

Current Address: E. 3525 HWY 53, KATHDRUM, ID. 83858

2. Accompanied by: SAME EXAM. DATE: 10-8-91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached



2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED


Scale: 1" = NTS

DEC 15 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



VABM 2290
Rathdun Magnetic

BM 2282

BM 2272

Pine Grove Cem

PD
PU

95-08253

T.52N. R.4W. SEC.28

SW SW

MICROFILMED

DEC 15 1992

[Handwritten signature]

RECEIVED
JUL 27 1992

Department of Water Resources

PERMIT # 95-08253

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



RECEIVED

DEC 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08253

Priority: February 6, 1983

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

3.7 AF

This is to certify, that MARVIN T DRADER
E 3525 HWY 53

RATHDRUM ID 83858 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 17, 1983; and has submitted Proof of Beneficial Use on March 21, 1988. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.05 CFS	3.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 28, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	28	SWSW	1		1

Total number of acres irrigated: 1

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, for the applicable Idaho law.

DEC 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08253

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 1 home.
7. Stockwater use is for 3 mixed stock.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 16th day of OCTOBER, 1992

Acting for R. Keith Higginson, Director

RECEIVED

DEC 15 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8253 IN THE
NAME OF MARVIN DRADER

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before March 1, 1988; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on March 21, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8253 be REINSTATED and the priority advanced to February 6, 1983.

Dated this 6th day of December, 1990.


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECORDED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Marvin T. Drader Phone 485-3728
Post office address E. 1503 Roman, Spokane, Wa. 99207
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW % of SW % of Section 28 Township 52N
Range 4W B.M. Keokau County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipelines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 278 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed use:

a. If water is not for irrigation:

(1) Give the place of use of water: E 1/2 SW 1/4 of Section 28 Township 52N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10 HL

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.


(5) If water is to be used for other purpose describe: _____

[illegible]

c. Describe any other water rights used for the same purposes as described above. None

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marvin T. Gordon
(Applicant)

Received by JK Date 2-27-83 File No. 95-8253

Preliminary check by JK Date 2-27-83

Received by JK Date 2-27-83

Publication prepared by JK Date 2-27-83

Published in Idaho State Journal

Publication date 2-27-83

Publication approved JK Date 2-27-83

Protests filed by JK

Copies of protests forwarded by JK

Hearing held by JK Date 2-27-83

Recommended for Approval Serial 248 by JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8253, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. **SUBJECT TO ALL PRIOR WATER RIGHTS.**

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 1st day of March, 1983.

J. Edwin Saxton
Director, Department of Water Resources

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

DATE: 10-10-1983

DRASER, MARVIN T.

E. 2ND HIGHLAND ST., SPOKANE, IDAHO

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

Re: 10-10-1983

STATE OF IDAHO,

County of Kootenai

} ss.

Charles H. Henshaw being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice*

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *times* commencing on the *27* day of *June*, 1983 and ending on the *3* day of *July*, 1983, and such publication was made as often during said period as said *newspaper* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Charles H. Henshaw

Subscribed and sworn to before me this *3* day of *July*, 1983

Charles H. Henshaw

Charles H. Henshaw

Notary Public for the State of Idaho,

residing at Coeur d'Alene, Idaho.

Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division

Idaho Department of Agriculture

Water Resources Division



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1992

MARVIN T DRADER
E 3525 HWY 53
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08253

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 15 1992

September 9, 1992

MARVIN T DRADER
E 3525 HWY 53
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08253

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 15 1992

LICENSE REVIEW CHECKLIST

Permit # 95-08253

Date 9-08-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☒	☐	<u>1x.03 = .03 cfs (ERR) .04 cfs (DOM) .01 cfs (STOCK)</u>
	☒	☐	Disagree with Theoretical? <u>3x6.8x.7 = .054</u>
	☒	☐	Limited by Capacity? <u>.05 cfs 248' + (2.31x40)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
		☒	<u>1x3.0 = 3.0 afa (ERR) .6 afa (DOM) .1 afa (STOCK)</u>
		☒	Limited by Flow? <u>.03x245x1.4835 = 14.67.3</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/1 Home</u> <u>STOCK/3 hd. STOCK</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R49</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres. rate</u>		
	<u>238' static level / Used 248' minimum dynamic level</u>		
	<u>Used 40 psi / low end DOM estimate</u>		
License	☐	☒	10-Day
	☐	☐	15-Day
	☐	☐	Special Correspondence

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-9253

1. Owner: MARVIN T. DRADER

Phone No. 687-2280

Current Address: E. 3525 HWY 53, KATHDRUM, ID. 83858

2. Accompanied by: SAME

EXAM. DATE: 10-8-91

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached



2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



NOT RECORDED

Scale: 1" = NTS

DEC 15 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A six inch well 180 ft. deep with a submersible 3 HP pump. SKL @ 238 ft. A 1" line to pressure system then 3/4" apertom pipes to home, barn & irrigation system which consists of vinyl hoses & lawn sprinklers.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Submersible	3			1 1/4

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *MM/H556350R*

[illegible]

DEC 15 1982

Do not use this space

D. FLOW MEASUREMENTS *NONE*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

THREE HEAD 0.02
ONE HOME 0.04
ONE ACIE 0.03

2. Alternate Method for Checking Purposes:

$$\frac{8.8(3)70\%}{2.3(20)+238} = .08 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{1}{3.5} \times 3.5 = 3.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.5$

2. Volume Calculations for Other Uses:

Home 1.2
Stock .2

DEC 15 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
LET	3-15 11-15	0.03	3.5
Stock	1-1 10-31	0.02	0.2
Dom (1)	1-1 12-31	0.04	1.2
Totals:			4.9


2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name Tom D. King
 Signature Tom D. King
 Certification Date 4/10/90
 Field Report Preparation Date 10/10/91

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



DEC 15 1992



95-08253

T.52N. R.4W. SEC.28

SW SW



DEC 15 1910

[Handwritten signature]

RECEIVED
JUL 27 1992

Department of Water Resources

PERMIT # 95-08253

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Handwritten notes area with horizontal lines.

958253



Handwritten notes area with horizontal lines.

RECEIVED

DEC 15 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-8253

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☐ N ☒
Pressure Gauge: Y ☐ N ☒
Flowing: Y ☐ N ☒

Static Water Level: 238
Casing Diameter: 6
Temperature: 2

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

RECEIVED

DEC 15 1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name MARVIN DRADER
Address 1503 E. LEWIS SPokane Wash 99207
Owner's Permit No. _____

7. WATER LEVEL

Static water level 238' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☒ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>15</u>	<u>238'</u>	<u>2</u>

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type) _____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>6</u>	<u>0</u>	<u>3</u>	<u>Top soil</u>		☒
	<u>2</u>	<u>32</u>	<u>gravel</u>		☒
	<u>23</u>	<u>32</u>	<u>gravel + Boulders</u>		☒
	<u>32</u>	<u>40</u>	<u>gravel</u>		☒
	<u>40</u>	<u>71</u>	<u>Large gravel + Boulders</u>		☒
	<u>71</u>	<u>83</u>	<u>gravel + sand</u>		☒
	<u>83</u>	<u>104</u>	<u>Boulders + gravel</u>		☒
	<u>104</u>	<u>137</u>	<u>sand + gravel</u>		☒
	<u>137</u>	<u>175</u>	<u>Large gravel + sand</u>		☒
	<u>175</u>	<u>205</u>	<u>Large gravel + Boulders</u>		☒
	<u>205</u>	<u>225</u>	<u>fine gravel + sand</u>		☒
	<u>225</u>	<u>235</u>	<u>gravel + Boulders</u>		☒
	<u>235</u>	<u>241</u>	<u>sand + gravel</u>		☒
	<u>241</u>	<u>257</u>	<u>sand</u>		☒
	<u>257</u>	<u>280</u>	<u>Large gravel + sand</u>		☒

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>990</u> inches	<u>6</u> inches	<u>1</u> feet	<u>238</u> feet
<u>375</u> inches	<u>6</u> inches	<u>238</u> feet	<u>278</u> feet

Was casing drive shoe used? ☒ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☒ Torch

Size of perforation 14 inches by 6 inches

Number	From	To
<u>40</u> perforations	<u>276</u> feet	<u>260</u> feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout

☒ Puddling clay ☒ Well cuttings

Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

☐ Cemented between strata


Describe access port _____

10.

Work started April 8, 82 finished MAY 1, 1982

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. DEC 15 1992 Block 1092

County KOOTENAI

SE 1/4 SW 1/4 Sec. 28, T. 51 N. R. 4 W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name BRANDX WATERWELLS Firm No. 289

Address Rathdrum Ida Date 5-1-82

Signed by (Firm Official) Landon Gordon

and
(Operator) Denny Gordon

December 5, 1990

Marvin I. Drader
E. 3525 Hiway 53
Rathdrum, ID 83858

Dear Mr. Drader:

Re: Permit No. 95-8253

On March 21, 1988, the department received the proof of beneficial use form and fee for this permit in the Northern Regional office. On March 28, 1988, the permit lapsed for failure to submit the proof of beneficial use form. The proof of beneficial use form was misfiled and only located recently.

Enclosed is an order which reinstates the permit and advances the priority date the number of days the proof was late (from March 1 to March 21).

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Northern Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: N. Reg.

RECEIVED
JUL 16 1991

RECEIVED

MAR 21 1988

For Office Use Only
Fee Received 30.00
Date 3/21/88
Receipt # 44983
Receipt by [Signature]
Reviewed by [Signature]
Sent to region

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Department of Water Resources
Northern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8253

Name(s) of Permit Holder: MARVIN DRADER

Post Office Address: E-3525 HIWAY 53, RATHDRUM
ID 83858 Telephone No. 688-2230

Source of Water: GW

Extent of Use:

Domestic 1 (number of households) Stockwater 3 (number and type of stock)
Irrigation 8 (acres) Other/Remark

Total rate and/or volume for which proof is submitted .2 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1968

Measuring Device: Required? Yes / No
Installed? Yes No

Fee enclosed \$
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes / No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 16 1991

3/21/88
Date

X Marvin T Drader
Signature of Permit Holder (and title, if appropriate)

I certify that file No. 95-8253 has been
reviewed and is ready to be **MICROFILMED**
and **DESTROYED**.

Jodi I. Schultz
Signature

10/27/88
Date

DRADER, HARVIN T.
R. 1503 BOWAN ST.
SPOKANE, WA 99207

and

March 21, 1988
W. 3525 Hwy. 53
Rathdrum, ID 83858

LAPSE NOTICE

RE: Permit No. 95-8253

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218a, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated December 31, 1987.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this Department within sixty days of the date of mailing of this lapse notice.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

Sincerely,

L. GLEN SEXTON
Chief, Operations Bureau

Enclosures

RECEIVED
3-28-1988
The above document was
mailed by registered mail,
return receipt requested to the
individual named above
B. L. SEXTON

(THE DEPARTMENT MEMO)
DATE 3-15-1988

FROM Rpt. Fleck

TO File 95-6253

SUBJECT Returned DM Notice

The Kootenai County Assessor's Office
has an address W. 3525 Hwy 53, Pocatello
83858.

I'm forwarding the notice to this
address.


—  —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
P.O. Box 83720



FEB 19 1988

Department of Water Resources



ORA 12 1712:10N1 02/13/88

RETURN TO SENDER
NO FORWARDING ORDER ON FILE
UNABLE TO FORWARD

IN-DEPARTMENT MEMO-1

DATE 2-3-1988

TO Rita Fleck

FROM File 958253

SUBJECT Returned Bk Notice

Based on the assumption the permit holder still lives at the same address, just that the notice was not picked up. I'm returning it to the same address.

This time it will not be sent certified mail.

 ~~SECRET~~

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
P.O. Box 87728

Check C
No.
29131
☐ Paid


Date
1/26/88
JAN - 7
JAN - 1988

1/26/88
JAN - 7
JAN - 1988

RECEIVED

JAN 25 1988

Department of Water Resources



CERTIFIED MAIL
NO. 138208



138208
CERTIFIED MAIL
December 31, 1987

DRADEN, HARVIN T.
E. 1503 ROMAN ST.
SPOKANE, WA 99207

PROOF DUE NOTICE

RE: Permit No. 95-8253

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

Form 204-p
6/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. B-8253
Name(s) of Permit Holder(s): Marvin Orader
Post Office Address: 21503 Rowan
Spokane, WA Tel. No. 483-3728
☒ I hereby certify that construction of diversion works for the above referenced
permit began on March 1992 (date) I understand that I must
continue to develop the water system with due diligence to maintain a valid
permit.
☐ I hereby certify that construction of diverting works on the above referenced
project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is
not an acceptable reason.

3/25/92
Date

Marvin T. Orader
Signature of Permit Holder



APR 4 1983

REGISTRAR

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S E C R E T I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

OWADER, MARVIN I.
E. 1503 ROMAN ST.
SPOKANE, WA 99207

MARCH 15, 1983

RE: PERMIT NO. 85-R251

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTTILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: _____

APPLICATION NUMBER: 95-8253

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☐ No Field check required.
☒ Yes ☐ No Critical groundwater area.
☒ Yes ☐ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No In form for advertising.
☐ Yes ☒ No Final date for protests: 2/14/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/1/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
1/17/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: RMH

Date: 2/14/83

STATE OFFICE REVIEW:

SLW/LT

26

- ☐ See attached sheet for more information.

By: RMH

Date: 2/28/83

RECEIVED

FEB 28 1983

Department of Water Resources

95-8257.

DRAFTER: MARVIN T.

E. 1503 ROMAN ST., SPOKANE, WA 99207

Source: GROUNDWATER

Date Filed: 01/17/1983

Diversion Pt. S4SW Sec 28 T 52N R 04W

Use: IRRIGATION	(0.20 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: S4SW Sec 28 T 52N R 04W FOR 10 ACRES