

MICROFILMED

Tax #4001


LOT # 3

PAULINE WILSON
B36 CEDAR
SUNNYVALE CA. 94088

LOT # 5

LOT # 6

SEC 33 T50 R3 B.M.
SCALE 1" = 30'



Shirley D. Kelly

708


PROPERTY SURVEY

TAX NO 4995 in SEC 33
T50N, R3W, B.M., IDA.

Russell Morbeck
Parhandle Ins Co
216 Sherman Ave
Coeur d'Alene, Ida.

JAN. 1961

SCALE 1 in = 50 ft
o IP Cars set
o Cars set by
prior SURV



NORTH


HIGHWAY

FORMER

CLONEUR
SHRIMP
ARM



NORTH



MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

266 82 1888

UNRECORDED

A. GENERAL INFORMATION

Permit No. 95-8248

1. Owner: Evergreen Water Association Phone No. 664-0409
Current Address: S. 3995 Yellowstone Trail, Coeur d'Alene, Id 83814

2. Accompanied by: NO ONE EXAM. DATE: 6/9/88
Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached

2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



MICROFILMED

SEP 25 1989

RECEIVED
JUN 26 1989

Department of Water Resources

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).



pped, edited, and published by the Geological Survey
trol by USGS and NOS/NOAA
ography by photogrammetric methods from aerial photographs
in 1975. Field checked 1976. Map edited 1981
ection and 10,000-foot grid ticks: Idaho coordinate
m, west zone (transverse Mercator)




MICROFILMED
SEP 25 1989

COEUR D'ALENE
2679 II SW
SCALE 1:24 000
NATIONAL CO
JR INTERVAL 40 FEET
CONTOUR INTERVAL 20

Buried
lines to
houses

MICROFILMED

SEP 25 1989



3. **NEEDLE** 3/16" SIZES
ACCUQUILT 4/4440

Ques 4: 28.78 $\frac{1}{2}$ 28.78
 28.78 28.78 28.78 28.78
 28.78 28.78 28.78 28.78
 28.78 28.78 28.78 28.78

SCALE FS SHOWN

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08248

Priority: December 22, 1982 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 4.8 AF

This is to certify, that EVERGREEN WATER ASSN.

S. 3995 YELLOWSTONE TRAIL

COEUR D'ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 22, 1982; and has submitted Proof of Beneficial Use on January 12, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE, Sec. 33, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 03W 33

NWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4th day of AUGUST, 1989.

MICROFILMED

SEP 25 1989

Acting for

Norm C. Young
Norm C. Young, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Evergreen Water Association Phone 664-6120
Post office address S. 3995 Yellowstone Trail Coeur d'Alene, ID 83814

2. Source of water supply well which is a tributary of NA

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 33 Township 50 N
Range 3 W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for 6 domestics purposes from 1955 to present (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
pump - 2 HP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is unknown feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years). - JK - 12-22-82

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 33 Township 50N
Range 3 W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 6.

(5) If water is to be used for other purposes describe: _____

TWP	RANGE	SEC.	NE%			NW%			SW%			SE%		
TOTALS			NE%	NW%	SW%	SE%	NW%	NW%	SW%	SW%	SE%	SE%	SE%	SE%

b. Who owns the land to be irrigated or place of use
Evergreen Water Assoc.

applicant to make this filing

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

x - P.O.
p/u

Dec 33
T 50 N
R 3 W
From legal - JK. 12-22-82

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lorraine Stravens
(Applicant)

Received by Mr. [Signature] Date 12/22/82 Time 1:30pm
Preliminary check by gjc Fee \$ 30.00
Received by Mr. [Signature] Date 12/22/82 (25716)
Publication prepared by Mr. [Signature] Date 12/22/82
Published in Law & Order News
Publication dates 12/30/82 & 1/6/83
Publication approved for Date 11/10/83
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8248, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:
- Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 1st day of February, 1983.

A. Alan Saylor
Chief, Operations Bureau



TAX #4001

LOT #3

LOT #4

LOT #5

LOT #6

SEC 33 T50 R3 BM.
SCALE 1" = 30'

PAULINE WILSON
836 CEDAR
SUNNYVALE CA. 94088

WELL SITE

A

B

C

#5542

#4995

N 4° 15' E 372.0'
100.9'

109.2

100.9'

30.3'

N 21° 05' W 71.3'

N 85° 41' E 139.85'

S 64° 43' W 139.8'

S 20° 22' E 80.0'

S 20° 22' E 135.88'

S 15° 37' E 40.77'

PROPERTY SURVEY

TAX NO 4995 in SEC 33
T30N R3W B.M. 10A

Russell M. Beck
Ranhandle Ins Co
216 Sherman Ave
Coeur d'Alene, Ida

NORTH

SCALE 1 in = 50 ft
0-75 Co's - set
Co's set by
prior survey

Appendix D

JAN 1961



55936 3596

5543

0-1

5542

5549

5549

5549


5549

5549

JARVIS

TRACT 1





AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

95-8246

IDAHO ASPHALT SUPPLY INC.
W. 4325 PRAIRIE AVE., POST
FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 12/16/1982
Amount: 0.20 CFS
Diversion Point: SESE SWSE Sec
19 T 51N R 05W, KOOTENAI Co.
Use: INDUSTRIAL (0.20 CFS)
from 01/01 to 12/31; DOMESTIC
(0.02 CFS) from 01/01 to 12/31
Place of Use: SESE SWSE Sec 19
T 51N R 05W
Diversion Means: WELL AND
PUMP.

95-8247

GUMM, EMMETT H. &/or
MARIAN E.
E. 1708 LONGFELLOW ST.,
SPOKANE, WA 99207
Source: TWIN LAKES tributary
to RATHDRUM CREEK
Date Filed: 12/17/1982
Amount: 0.19 CFS
Diversion Point: SESE Sec 35 T
53N R 05W, KOOTENAI Co.
Use: IRRIGATION (0.09 CFS)
from 03/15 to 11/15; DOMESTIC
(0.10 CFS) from 01/01 to 12/31
Place of Use: NESE SESE Sec 35
T 53N R 05W FOR 3 ACRES
Diversion Means: PUMP AND
PIPE.

95-8248

EVERGREEN WATER ASSN.
S. 3995 YELLOWSTONE TRAIL,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 12/22/1982
Amount: 0.04 CFS
Diversion Point: NWSE Sec 33 T
50N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: NWSE Sec 33 T 50N
R 03W
Diversion Means: PUMP.

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id,
83814 on or before JANUARY 17,
1983.

KEN DUNN, Dir.

Legal 406
Dec. 30, 1982, Jan. 6, 1983

STATE OF IDAHO,
County of Kootenai, } ss.

Arlene Hancock

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *Weeks*, commencing on the *30* day of *Dec*, 19*82*, and ending on the *6* day of *Jan*, 19*83*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Arlene Hancock

Subscribed and sworn to before me this *6* day of *January*, 19*83*

Robert J. Anderson
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

August 4, 1989

EVERGREEN WATER ASSN.
S. 3995 YELLOWSTONE TRAIL
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08248

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOT RECORDED

SEP 25 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
9508248 9507219	50N	03W	33	NW SE		GROUNDWATER GROUNDWATER	EVERGREEN WATER ASSN ALDERSON, WILLIAM W.

INDEXED

SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Department of Water Resources

Yes No

PERMIT 95-8248

- (☒) () B/U Acknowledgement Letter Sent pm 3/16/88 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY Lauri Sader DATE 6/9/88
SR AGENT REVIEW JK DATE 7/12/88
REGIONAL MANAGER REVIEW PJT DATE 6/89
ENTERED ON COMPUTER BY pm DATE 6/13/88
PRELIMINARY OVERLAP REVIEW BY JK DATE 5-88
() NO OVERLAP FOUND

95-7151 FOR DIFFERENT SUBDIVISION

NO WELL LOG FOUND - AVG SURROUNDING STATIC WATER LEVEL * 200'

95-8248

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8248
Phone No. 664-0409
1. Owner: Evergreen Water Association
Current Address: S. 3995 Yellowstone Trail, Coeur d'Alene, Id 83814
2. Accompanied by: NO ONE EXAM. DATE: 6/9/88
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
JUN 26 1989
Department of Water Resources

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 280' well pumped with a 1HP submersible pump and with a 2HP booster pump with pressure tank. This supplies 4 homes on a subdivision by 1" pipe. The pump booster and storage are covered by a well house.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Submersible	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	First winding	2HP	NOT READABLE	SAVANE	

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

SEP 25 1989

UNCLASSIFIED

Do not use this space

D. FLOW MEASUREMENTS NONE ☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

Pressure gage fixed on system reads 20psi

2. Alternate Method for Checking Purposes: $H \approx 180\text{ft}$ $H_p = 1$ $\epsilon = .8$ $P = 20$

$$Q = \frac{8.8(h_p)\epsilon}{2.3(P) + H}$$

$$Q = .031\text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$4 \text{ HOME} = 4(1.2 \text{ af}) = 4.8 \text{ af}$$

MICROFILMED

SEP 25 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use
DOMESTIC
Period of Use From 1/1 To 12/31
Rate of Diversion 0.04 cfs
Annual Volume 4.8 af

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name

Signature


Certification Date

Field Report Preparation Date

LOUIS SUKOVATY
5/15/88
6/9/88

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


Reviewed: Deanna McElroy 7/14/89




- ☒ None
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ Other

RECORDED
SEP 25 1989

COEUR D'ALENE BM 2153 FERNAN ELEVATION 2125 BM 2142





pped, edited, and published by the Geological Survey
ontrol by USGS and NOS/NOAA
ography by photogrammetric methods from aerial photographs
in 1975. Field checked 1976. Map edited 1981
action and 10,000-foot grid ticks: Idaho coordinate
m, west zone (transverse Mercator)



MICROFILMED

SEP 25 1989





F-5 95-8248
 SOURCE: GW
 PD: NWSE-33
 T50N R3W
 PU
 SAME ?
 GL-3

UNRECORDED

SEP 25 1989

THE DISTRICT OF COLUMBIA
 OFFICE OF THE DISTRICT ENGINEER
 DISTRICT OF COLUMBIA, D.C.

S. 1/2 Sec. 33 Twp. 50 N.R. 3 W.B.M.

CONCESSION

MICROFILMED

SEP 25 1989

Buried
 lines to
 houses

KOOTENAI COUNTY
 IDAHO

IN THIS AREA THE
 HIGHWAY FILL EXTENDS TO THE LAKE

U.S. Highway No 10

QUARTER NAME AND NUMBER SYSTEM
 IN STANDARD SECTION

1/4 SECTION 33
 1/4 SECTION 34
 1/4 SECTION 35
 1/4 SECTION 36
 1/4 SECTION 37
 1/4 SECTION 38
 1/4 SECTION 39
 1/4 SECTION 40
 1/4 SECTION 41
 1/4 SECTION 42
 1/4 SECTION 43
 1/4 SECTION 44
 1/4 SECTION 45
 1/4 SECTION 46
 1/4 SECTION 47
 1/4 SECTION 48
 1/4 SECTION 49
 1/4 SECTION 50

LAKE SHORE ADDITION TO SUNNYSIDE

60

59

58

57

56

55

54

53

52

51

50

49

48

47

46

45

44

43

42

41

40

39

38

37

36

35

34

33

32

31

30

29

28

27

26

25

24

23

22

21

20

19

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

0

-1

-2

-3

-4

-5

-6

-7

-8

-9

-10

-11

-12

-13

-14

-15

-16

-17

-18

-19

-20

-21

-22

-23

-24

-25

-26

-27

-28

-29

-30

-31

-32

-33

-34

-35

-36

-37

-38

-39

-40

-41

-42

-43

-44

-45

-46

-47

-48

-49

-50

-51

-52

-53

-54

-55

-56

-57

-58

-59

-60

-61

-62

-63

-64

-65

-66

-67

-68

-69

-70

-71

-72

-73

-74

-75

-76

-77

-78

-79

-80

-81

-82

-83

-84

-85

-86

-87

-88

-89

-90

-91

-92

-93

-94

-95

-96

-97

-98

-99

-100

-101

-102

-103

-104

-105

-106

-107

-108

-109

-110

-111

-112

-113

-114

-115

-116

-117

-118

-119

-120

-121

-122

-123

-124

-125

-126

-127

-128

-129

-130

-131

-132

-133

-134

-135

-136

-137

-138

-139

-140

-141

-142

-143

-144

-145

-146

-147

-148

-149

-150

-151

-152

-153

-154

-155

-156

-157

-158

-159

-160

-161

-162

-163

-164

-165

-166

-167

-168

-169

-170

-171

-172

-173

-174

-175

-176

-177

-178

-179

-180

-181

-182

-183

-184

-185

-186

-187

-188

-189

-190

-191

-192

-193

-194

-195

-196

-197

-198

-199

-200

-201

-202

-203

-204

-205

-206

-207

-208

-209

-210

-211

-212

-213

-214

-215

-216

-217

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. SON, Rge. 3W,
Sec. 33, Qtr./Qtr. NWSE or Lot —
2. Owner EVERGREEN WATER ASSN.
Address S 3995 yellowstone Trail, City Coeur d'Alene, State Id
3. Approx. date of well construction 1955
Well Driller —
4. Casing: Diameter 6" Condition rusty but good
5. Casing length above land surface 18"
6. Well depth (ft) 280'? Flowing — Temp. —
Access port yes
7. Condition of piping and valving slightly rusty
8. Evidence of well seal yes
9. Shut in pressure or static water level 180'
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments look pretty good for its age


MAICROFILMED
(over)

SEP 25 1989

SEP 26 1989

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



SON, 3W, S. 33, NWSE

MICROFILMED

SEP 25 1989

Inspected by

J. J. J. J.

Date

6/9/88

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8248
Name(s) of Permit Holder(s): Evergreen Water Association
Post Office Address: 53995 Yellowstone Trail
Coeur d'Alene, Idaho Tel. No. 666-1200


- ☐ I hereby certify that construction of diversion works for the above referenced permit began on 3/1/55 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

2-28-83

Date

Laurie Hansen
Signature of Permit Holder



MICROFILMED

SEP 25 1989



RECEIVED

MAR 10 1983

**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

MARCH 16, 1988

EVERGREEN WATER ASSN
S. 3995 YELLOWSTONE
COEUR D ALENE, ID 83814

RE: Permit No. 95-8248

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

SEP 25 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8248

Date: 2-3-1988

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: - *Proof acceptable*
Request a copy of well log - T.p. well log.

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 2
03/86

RECEIVED

JAN 19 1988

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 28 1988

Department of Water Resources
Northern District Office

For Office Use Only
Fee Received ☒
Date 1/19/88
Receipt # 101
Receipt by [Signature]
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8248

Name(s) of Permit Holder: EVERGREEN WATER ASSN.

Post Office Address: 53995 YELLOWSTONE TR. CAJON D'ALBA,
KOOTENAI CO., IDAHO 83814 Telephone No. 664-0409

Source of Water: WELL

Extent of Use:

Domestic 4 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 12-82

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

J.P. STRAVENS 664-0409 OR 664-6120
(Name) (Telephone Number)

53995 YELLOWSTONE TR. CAJON IDAHO 83814
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1-11-88
Date

[Signature] PRESIDENT
Signature of Permit Holder (and title, if appropriate)

MAR 04 1988

138125
CERTIFIED MAIL
November 30, 1987

EVERGREEN WATER ASSN.
S. 3995 YELLOWSTONE TRAIL
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: Permit No. 95-8248

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MicroFILMED

MAR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

EVERGREEN WATER ASSN.
S. 3995 YELLOWSTONE TRAIL
COEUR D'ALENE, ID 83814

FEBRUARY 15, 1983

RE: PERMIT NO. 95-8248

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8248

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/17/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
12/22/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RJA Date: 1/20/83

STATE OFFICE REVIEW:

- 36/417
☐ See attached sheet for more information.
By: [Signature] Date: 1-31-83

RECEIVED

JAN 25 1983

Department of Water Resources

95-8248

EVERGREEN WATER ASSN.

S. 3995 YELLOWSTONE TRAIL, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 12/22/1982

Amount: 0.04 CFS

Diversion Point: NWSE Sec 33 T 50N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 33 T 50N R 03W

Diversion Means: PUMP.